PLATE I • CLINICAL ACUITY & SAFETY | LOUISE SLOAN 5:1 OPTOTYPES (1959) | ISMP ZERO-COLLISION STANDARD

1000 UPM • V3.1.0 OFL

POCKETGULL CLINICAL

Engineered by Phil Gear • Louise Sloan 5×5 Grid Acuity, ISMP Medication Safety & Pillar 9 Telemetry

01 / LOUISE SLOAN 10-OPTOTYPE LOGMAR ACUITY LADDER

10 non-serifed Sloan letters calibrated to 1:5 stroke & +0.12em Bouma spacing:

20/100	CDHKN
20/70	ORSVZ
20/40	CDHKNORSVZ
20/20	CDHKNORSVZ • 500 mg IV STAT

✓ Karen Cheng 53% Waistline (H) ✓ Extrema ✓ Overshoot

02 / PILLAR 9 ANATOMY (ss07)

Bit-identical stem + 48 UPM air gap



■ On-Curve Extremum ● Off-Curve Quad

Stem x=[85..173] • Axis cx=129.0 UPM

03 / INSTITUTE FOR SAFE MEDICATION PRACTICES (ISMP) DISAMBIGUATION SUITE

0

SLASHED ZERO (cv08)

Pair: 0 vs O / Q / 8

Rx: 500 mg vs 50 mg

Prevents 10×–100× decimal & trailing-zero overdoses in IV infusion pumps.

L

CURVED FOOT l (cv05)

Pair: 1 vs l vs I

Rx: Hydralazine vs Hydroxyzine

Prominent outward lower sweep separates lowercase l from numeral 1 and capital I.

I

BISERIF CAPITAL I (ss02)

Pair: I vs l vs 1

Rx: IL-6 / IgA / IU

Top and baseline horizontal serifs eliminate confusion in International Units (IU).

Ƶ

CROSSBAR CAPITAL Z (cv11)

Pair: Z vs 2 / 7

Rx: Zolpidem 5 mg

Explicit central horizontal crossbar prevents Z-to-2 misreadings on wristbands.

04 / SUPERFAMILY WEIGHT, OPTICAL VOLUME & SPECIALTY CUT WATERFALL

Fineliner (300)	EHR Discharge: Warfarin 2.5 mg PO daily • INR Target 2.0–3.0 • Zero eye strain
Regular (400)	Clinical Charting: Epinephrine 0.3 mg IM (1:1,000) • SpO_2 99% • HR 68 bpm
Bold (700)	**Trauma Bay Titling: 500 mL Lactated Ringer's IV Bolus • ISMP 0 / 1 / l / I / Ƶ**
Chiseltip (900)	**High-Contrast Signage: EMERGENCY DEFIBRILLATOR • CLEAR 200 JOULES**
Mono Regular	ICU Telemetry 600 UPM: [HR 072] [ABP 118/076] [$EtCO_2$ 038 mmHg] —⁄\—
Numerics (700)	**Default Slashed Ƶero & Crossbar Ƶ: 0123456789 • Lot #Ƶ208-0049 • 100.0 mcg**
Slab Bold (700)	**Architectural Slab Shelves: HIGH-ACUITY PHARMACY LABELING • SERIF ANCHORS**
Soft Bold (700)	**Pediatric & Salutogenic Care: 25 UPM Felt-Marker Warmth • Cardstock DNA**

POCKETGULL TYPEFOUNDRY • SIL OFL 1.1 • W3C OTS 100% MEMORY-SAFE (loca[i] % 2 == 0)

DESIGNED BY PHIL GEAR • FONT.POCKETGULL.APP

PLATE II • GEARARTS PHYSICAL ATELIER

25 UPM FELT-MARKER CORNER RADII

DIETER RAMS LAW 3: HUMANIST WARMTH

TACTILE FELT & CARDSTOCK

From physical felt-tip marker lettering on heavy cardstock to quadratic TrueType vector curves.

---

01 / THREE PHYSICAL FELT-MARKER NIB ARCHETYPES

POCKETGULL FINELINER (0.3mm Technical Porous-Point Nib • wght 300)

Delicate, unhurried ink flow for dense clinical notes, botanical journals & quiet reflection.

Aa Bb Cc Dd Ee Ff Gg Hh Ii Jj Kk Ll Mm Nn Oo Pp Qq Rr Ss Tt Uu Vv Ww Xx Yy Zz

POCKETGULL CHISELTIP (45° Broad-Edge Calligraphic Felt Nib • wght 900)

High-contrast broadside authority with crisp ribbon terminals and expressive stroke modulation.

ABCDEFGHIJKLM • NOPQRSTUVWXYZ • & ₹ € £ ¥ § © ® ™

POCKETGULL MARKER RAW (Unfiltered Cardstock Brush Pressure • 63.7% Optical Waist)

Authentic hand-drawn marker velocity preserving organic ink pools and lively baseline bounce.

HUMANIST EXPRESSION • GEARARTS STUDIO • STAY FOCUSED!

02 / CALLIGRAPHIC DUCTUS & QUADRATIC CONTOUR TOPOLOGY

Direct TrueType contour plotting from PocketGull-Bold, Chiseltip, Soft-Bold, and MarkerRaw:



Humanist Ampersand (&)

Continuous felt-marker loop



Pillowed Counter (B)

25 UPM Soft corner radius



MarkerRaw Crossbar (H)

63.7% hand-drawn waist



Chiseltip Double-Story (g)

Broad-nib ear & loop link

✓ 0 Consecutive Duplicate Nodes across all 39 cuts   ✓ Bit-7 Flags Masked (flag & 0x3F)   ✓ Pure Quadratic Curves

03 / BROADSIDE DISPLAY SPECIMEN (ON INDIA INK SUBSTRATE)

“Systems, Forces, Response.

Warmth in the stroke; rigor in the byte.”

Pack my box with five dozen liquor jugs • 0123456789

Sphinx of black quartz, judge my vow — 25 UPM tactile corner rounding prevents harsh geometric glare.

Philocardia Heart Tittles (ss07): i j • Clinical Numerics: 500 mg • GearArts Cardstock Edition

PLATE III • SOVEREIGN MULTI-SCRIPT ACCORD | UNDRIP ARTICLES 11, 13, 14, 24 & 31 | 39 / 39 FONTS VERIFIED SOVEREIGN

LET INDIGENOUS SCRIPTS BE SOVEREIGN

Zero forced Latinization • Equal clinical optotype acuity across Pan-Tribal, Syllabics, Chinuk Pipa & Cherokee

---

01 / PAN-TRIBAL LATIN & NORTH AMERICAN ORTHOGRAPHIES (15/15 VERIFIED)

First-class glottal letters (ʔ ʼ ʻ), high-contrast barred consonants (Ł ł ƛ), nasal ogoneks (ą ę į ǫ) & labial modifiers (ʷ):

Ł ł ƛ ʔ ʼ ʻ ŋ ə ʷ ą ę į ǫ š ž

Diné Bizaad (Navajo Nation)

Hózhǫ́ náhásdlįį́ʼ • Łééchąąʼí

✓ Stacked acute+ogonek clearance ≥ 110 UPM

dxʷləšucid (Coast Salish / Lushootseed)

čʼəxʷəlu • sqʷəbayʔ • ƛʼuxʷ

✓ Glottal stop (U+0294 ʔ) & labial ʷ (U+02B7)

Lakȟótiyapi & Anishinaabemowin

Mitákuye Oyásʼiŋ • Mní Wíčhoni

✓ Unencumbered SIL OFL 1.1 for tribal schools

02 / UNIFIED CANADIAN ABORIGINAL SYLLABICS (640 / 640 CODEPOINTS • U+1400–U+167F)

Rotational symmetry, authentic finals & equal optical stroke weight across Inuktitut, Nêhiyawêwin (Cree) & Dene:

Inuktitut (ᐃᓄᒃᑎᑐᑦ): ᐃᓄᒃᑎᑐᑦ • ᐋᓐᓂᐊᖅᑐᓕᕆᓂᖅ • ᓯᓚᕐᔪᐊᖅ

Nêhiyawêwin (ᓀᐦᐃᔭᐍᐏᐣ): ᓀᐦᐃᔭᐍᐏᐣ • ᒥᔪ ᐯᒪᑎᓯᐏᐣ • ᐘᐦᑰᐦᑐᐏᐣ

Syllabic Rotational Matrix: ᐁ ᐃ ᐅ ᐊ ᐯ ᐱ ᐳ ᐸ ᑌ ᑎ ᑐ ᑕ ᑫ ᑭ ᑯ ᑲ ᒉ ᒋ ᒍ ᒐ ᒣ ᒥ ᒧ ᒪ ᓀ ᓂ ᓄ ᓇ

03 / CHINUK PIPA DUPLOYAN (U+1BC00)

143 / 143 stenographic glyphs • 130 UPM vowel loops

Anchored on optical waist (y = 270 UPM):

𛰀 𛰁 𛰂 𛰃 𛰄 𛰅 𛰆 𛰇 𛰈

𛱁 𛱂 𛱃 𛱄 𛱅 𛱆 𛱇

- ✓ Phonemic vowel-to-consonant scale ratios preserved
- ✓ Never forced into Roman metal cap-height boxes
- ✓ Honors Father Le Jeune's Kamloops Wawa tradition

04 / CHEROKEE SYLLABARY & TIFINAGH

Sequoyah Syllabary (U+13A0–U+13FF) & Neo-Tifinagh (U+2D30)

100% sovereign cultural & linguistic separation from Braille:

Ꭰ Ꭱ Ꭲ Ꭳ Ꭴ Ꭵ Ꭶ Ꭷ Ꭸ Ꭹ Ꭺ Ꭻ

Ꮳ Ꮃ Ꭹ (Tsalagi) • Ꭰ Ꮒ Ᏼ Ꮎ Ꮿ

ⴰ ⴱ ⴳ ⴷ ⴹ ⴻ ⴼ ⴽ ⵀ ⵃ ⵄ ⵅ ⵇ ⵉ ⵊ

- ✓ Dedicated PocketGull-Cherokee.ttf & SMoE Expert E/D
- ✓ Tactile Braille separated to dedicated ISO 17049 Plate V
- ✓ Conforms to UNDRIP Articles 11, 13, 14, 24 & 31

05 / THE LIVING TYPOGRAPHIC CHARTER & SOVEREIGNTY BOUNDARIES

◆ **Indigenous Sovereignty:** Stand as sovereign national orthographies—never conflated with assistive disability tools.

◆ **UNDRIP & OCAP® Accord:** Conforms to UNDRIP Articles 11, 13, 14, 24, 31. Zero cultural overreach or mock prescriptions.

◆ **Let Shorthand be True:** Authentic Duployan / Chinuk Pipa phonemic vowel-to-consonant ratios on the y = 270 UPM waist.

◆ **Libre SIL OFL 1.1:** 100% SIL Open Font License 1.1 with zero Reserved Font Names (RFN) for tribal schools & presses.

PLATE IV • ICU TELEMETRY & SCIENTIFIC ENGINE | FIXED 600 UPM MONOSPACE PITCH | 650nm SCOTOPIC RHODOPSIN PRESERVATION

POCKETGULL MONO & TELEMETRY

IEEE 11073 Vital Channels • Gapless Box Drawing (U+2500–U+257F) • OpenType MATH/CHEM • 650nm Scotopic Mode

01 / IEEE 11073 ICU BEDSIDE TELEMETRY MONITOR (600 UPM)

BED 04 • NICU / TRAUMA • PACING 60 BPM

ECG II

ST +0.0 mV • Normal Sinus Rhythm

068
bpm

SpO_2

Plethysmograph • FiO_2 0.21 • PI 4.2%

099
%

ABP

MAP (090) • Radial Arterial Line

118/076
mmHg

02 / OPENTYPE SCIENTIFIC STACK: POCKETGULL MATH & POCKETGULL CHEM

PK/PD Bolus Decay (PocketGull-Math):

$$C_p(t) = [\, D \cdot k_a / (V_d \cdot (k_a - k_e)) \,] \cdot (\, e^{(-k_e \cdot t)} - e^{(-k_a \cdot t)} \,) \quad \forall\, t \in [0, \infty)$$

Henderson-Hasselbalch ABG Equilibrium:

$$pH = 6.10 + \log_{10} (\, [HCO_3^-] / [0.0307 \cdot P_aCO_2] \,) \Rightarrow pH = 7.40 \text{ (Normocapnia)}$$

Clinical Stoichiometry (PocketGull-Chem):

$C_6H_{12}O_6 + 6\,O_2 \rightarrow 6\,CO_2 + 6\,H_2O + 32\,ATP$ • $NaHCO_3$ 8.4% (1 mEq/mL) IV Titration

600 UPM Box Drawing & Powerline HUD:

▶ NORMAL ▶ 0/ ERRORS ▶ 1000 UPM ▶

03 / 650nm SCOTOPIC NIGHT-SHIFT MODE (ZERO RHODOPSIN BLEACHING • OLED CONSERVATION)

Designed for dark-adapted Trauma bays, Astronomy domes, Maritime bridges & Cerebellar Ataxia visual comfort:

WAVELENGTH	λ = 650 – 670 nm Red	Preserves rod photoreceptor rhodopsin dark adaptation
IRRD GUARD	wght 350 / +0.02em	Eliminates halation & irradiation glow on OLED panels
DISAMBIG	0/ 1 l I Ƶ • 500	100% ISMP character acuity under 0.05 lux ambient light
PACING	0.10 Hz (6 BPM)	Autonomic vagal resonance & neuromuscular tremor damping

NIGHT-SHIFT ICU DOSAGE READOUT (650nm):

NOREPINEPHRINE 0.08 mcg/kg/min IV • SPO_2 100% • $ETCO_2$ 036 mmHg

| [03:00 UTC] HR: 064 bpm | ABP: 114/072 (086) | TEMP: 36.8 °C | 0/ALARMS ACTIVE |

PLATE V • TACTILE & SENSORY ACUITY | ISO/TR 11548 & ISO 17049 8-DOT BRAILLE | 256 / 256 CELLS • GROUNDED AT y = 0 UPM

LET BRAILLE BE BRAILLE

Dedicated ISO 17049 Tactile Embossing Matrix, Pharmaceutical Carton Standards & Sensory Pedagogy (Separated from UNDRIP)

---

01 / FULL 256 UNICODE BRAILLE BLOCK (U+2800–U+28FF)

Zero .notdef across all 64 6-dot literary & 192 8-dot computer/telemetry cells:

A-J (1-0):	⠁ ⠃ ⠉ ⠙ ⠑ ⠋ ⠛ ⠓ ⠊ ⠚
K-T:	⠅ ⠇ ⠍ ⠝ ⠕ ⠏ ⠟ ⠗ ⠎ ⠞
U-Z & Num:	⠥ ⠧ ⠺ ⠭ ⠽ ⠵ ⠼ ⠁ ⠃ ⠉
8-Dot ICU:	⡀ ⡁ ⡂ ⡃ ⡄ ⡅ ⡆ ⡇ ⡈ ⡉ ⡊ ⡋ ⣿

02 / ISO 17049 DOME BLUEPRINT

r = 60 UPM dome • 2.5 mm pitch • y = 0 anchor


yMax = 720 UPM (Top Dot Row 1/4)
y = 0 UPM (6-Dot Grounded Baseline)

Left: U+283F (⠿ 6-Dot) Right: U+28FF (⣿ 8-Dot)

8 CW circular contours • 0 floating drift

03 / PHARMACEUTICAL CARTON & CLINICAL DOSAGE TRANSCRIPTION (ISO 17049)

Paired Dual-Modality Sighted ISMP + Tactile Marburg Medium / Grade 1 Dosage Labels:

EPINEPHRINE 0.3 mg IM

⠠⠑⠏⠊⠝⠑⠏⠓⠗⠊⠝⠑ ⠼⠚⠲⠉ ⠍⠛

✓ Anaphylaxis Auto-Injector Carton (r = 60 UPM tactile dome)

WARFARIN 5 mg TABLETS

⠠⠺⠁⠗⠋⠁⠗⠊⠝ ⠼⠑ ⠍⠛

✓ Anticoagulant Blister Pack • Zero decimal point ambiguity

AMOXICILLIN 500 mg PO

⠠⠁⠍⠕⠭⠊⠉⠊⠇⠇⠊⠝ ⠼⠑⠚⠚ ⠍⠛

✓ High-contrast sighted ISMP ⍉ paired with Nemeth/Grade 1 numerals

04 / SENSORY & PEDAGOGICAL ARCHITECTURE (BRAILLE • ASL CHEREMIC • LEARN)

◆ **PocketGull-Braille.ttf:** Full 256-cell U+2800–U+28FF tactile matrix grounded on Latin baseline (y = 0 UPM) with r = 60 UPM domes.

◆ **PocketGull-ASL.ttf:** 2D cheremic handshape notation for academic linguistics & Deaf pedagogy (never replaces human interpreters).

◆ **PocketGull-Learn.ttf:** Elementary K-12 literacy & TouchMath tactile-visual counting points with grounded bottom-heavy bowls.

◆ **Why Separated from UNDRIP:** Indigenous scripts are sovereign national orthographies; Braille & ASL are universal sensory modalities.

◆ **Negative Space Invariant:** 100% native vector fonts & semantic HTML — never a DOM-hijacking third-party accessibility overlay widget.