Domain Translations

This folder is the source-of-truth structure for translation governance artifacts in DCC.

Structure

```
domain-translations/
  Design Planning/
    <iteration-folder>/
      ...planning docs only...

  operational-artifacts/
    <version>/
      deployment/
      validation/
      evidence/
```

Contract

- Planning documents live only under `Design Planning/<iteration-folder>/` .
- Executable/live artifacts (SQL packs, run scripts, evidence bundles) live only under `operational-artifacts/<version>/` .
- Every major product iteration gets exactly one planning folder (for example `v0-planning` , `v1-planning`).
- Every release execution version gets exactly one operational folder (for example `v0` , `v0.1` , `v1`).

Current Iterations

- Planning: `Design Planning/v0-planning`
- Operational: `operational-artifacts/v0` , `operational-artifacts/v1`

Naming Standards

- Planning folder: `<major>-planning` (example: `v1-planning`)
- Operational version folder: semantic version token (example: `v0` , `v0.1` , `v1`)
- Pack files: `<purpose>.<project>.v<version>.<ext>` when practical

Operational Xref Inventory

This table covers every translation surface currently active or in active migration within the domain-translation system. It answers: what business relationship is covered, what keys drive the source match, and what the target resolution shape looks like.

Status key: **LEGACY** = pre-registry, still in active pipeline use | **REGISTRY** = seeded into `Xref_Registry` , consumed via contract view | **PARTIAL** = mixed — registry rows exist alongside legacy surface | **FROZEN** = renamed to `_Freeze` , replaced by shim or contract view

Identity and mapping:

Surface	Domain	Source System	Source Key Shape	Target System	Target Resolution Shape
`CitySV_OrdersUpload_GravitateProdu`	Product	Gravitate	`Gravitate_Product_Name` (single)	PDI	`PDI_Prod_ID` (cached `_ID`)

CitySV_OrdersUpload_GravitateTermi	Terminal	Gravitate	Gravitate_Origin_Terminal (single)	PDI	PDI_Trmnl_ID (cached _ID)
CitySV_OrdersUpload_GravitateVendo	Contract/Vendor	Gravitate	Gravitate_Supplier + Contract_Type + Supply_Owner (composite 3-key)	PDI	PDI_Vend_ID + PDI_FuelCont_ID (dual cached _ID)
Gravitate_Destination_Resolver	Desti	Gravi	Destination_ID (single Gravitate dest code)	PDI	Cust_ID + CustLoc_ID + Destination_Type (customer or site per type)

	nation	tate			
`Gravitate_PDI_Master_XREF`	Contract	Gravitate/PDI	Multi-key composite (supplier + terminal + product + contract context)	PDI	PDI surrogate keys (mixed `_Key` + `_ID`)
`PDI_CITT_Axxis_Grav_PDI_Products_C`	Product	Axxis	Axxis product code (single)	PDI	`PDI_Prod_ID` (cached `_ID`)
`PDI_CITT_Axxis_Grav_PDI_Terminals_`	Te	Ax	Axxis terminal code (single)	PD	`PDI_Trmnl_ID` (cached `_ID`)

	rminal	xis		I	
PDI_CITT_Axxis_Grav_PDI_Vend_FIVC_	Contract/Vendor	Axxis	Axxis vendor/FIVC code (single or partial composite)	PDI	PDI_FuelCont_ID partial (cached _ID)
PDI_Carbon_Contract_XREF	Contract	PDI	PDI contract key (single)	PDI	PDI target contract identifiers

	(Carbon)				
`vw_PDI_Gravitate_FullName_Carrier_` *(now `_Freeze`)*	Vendor (Carrier)	Gravitate	`Long_Name` + `SCAC` (composite 2-key)	PDI	`Vend_ID` (via shim; registry rows now authoritative)
`dbo.Xref_Registry` (Vendor domain rows)	Vendor	Gravit	`Source_Key_1 = Long_Name`, `Source_Key_2 = SCAC`	PDI	`Target_Key` (PDI `Vend_Key`); `Target_Code` = `Vend_ID` live-derived

	(Carrier)	ate			

Governance and status:

Surface	Pipeline(s)	Registry Status	Notes
`CitySV_OrdersUpload_GravitateProdu`	gravitate-orders	LEGACY	92 rows; `_ID` cached, no `_Key` anchor; `vw_Xref_Product_Gravitate_To_PDI` planned as replacement
`CitySV_OrdersUpload_GravitateTermi`	gravitate-orders	LEGACY	49 rows; `_ID` cached; `vw_Xref_Terminal_Gravitate_To_PDI` planned as replacement
`CitySV_OrdersUpload_GravitateVendo`	gravitate-orders	LEGACY	184 rows; `_Stage` suffix suspicious; emits both vendor and fuel contract IDs from one join — mixed responsibilities; high decomposition risk
`Gravitate_Destination_Resolver`	gravitate-orders	LEGACY	Active Stage view dependency; rebuild lineage unresolved; cannot freeze until Stage is refactored
`Gravitate_PDI_Master_XREF`	citysv-costs	LEGACY	199 rows; bridge projection role; highest conflict risk — contradictions possible with XREF_Stage for same identity
`PDI_CITT_Axxis_Grav_PDI_Products_C`	citysv-costs, citysv-prices	LEGACY (CITT)	58 rows; CITT cache — stale risk when PDI product strings change; no `_Key` anchor; deprecate after registry + live derivation validated

Surface	Pipeline(s)	Registry Status	Notes
`PDI_CITT_Axxis_Grav_PDI_Terminals_`	citysv-costs, citysv-prices	LEGACY (CITT)	90 rows; same stale-risk pattern as Products CITT; `vw_Xref_Terminal_Axxis_To_PDI` planned
`PDI_CITT_Axxis_Grav_PDI_Vend_FIVC_`	citysv-costs, citysv-prices	LEGACY (CITT)	53 rows; partial `_Key` anchor present; `vw_Xref_Contract_Axxis_To_PDI` planned (STP composite grain required)
`PDI_Carbon_Contract_XREF`	Unknown	LEGACY_UNCLEAR	8 rows; carbon-specific carve-out; classification deferred pending domain ownership confirmation
`vw_PDI_Gravitate_FullName_Carrier_` *(now `_Freeze`)*	gravitate-orders	FROZEN	Renamed to `_Freeze`; shim in place; v1 deployment seeded carrier rows into `Xref_Registry` as `ACTIVE`; `_Key` anchor present via `PDI_Vendors_Clone` join
`dbo.Xref_Registry` (Vendor domain rows)	gravitate-orders	REGISTRY	v1 deployment; first domain fully seeded; consumed via `vw_Gravitate_Orders_Ready`; `_ID` derived live from `PDI_Vendors_Clone`

Contract Views (Planned / In-Progress)

These are the sanctioned pipeline surfaces that will replace direct legacy table joins as registry seeding completes. None of these bypass `Xref_Registry`; they are filtered projections on top of it with live `_ID` derivation for PDI targets.

View	Domain	Source → Target	Replaces	Status
vw_Xref_Product_Gravitate_To_PDI	Product	Gravitate → PDI	CitySV_OrdersUpload_Gravit	Planned
vw_Xref_Terminal_Gravitate_To_PDI	Terminal	Gravitate → PDI	CitySV_OrdersUpload_Gravit	Planned
vw_Xref_Contract_Axxis_To_PDI	Contract	Axxis → PDI (STP	PDI_CITT_Axxis_Grav_PDI_Ve	Planned

View	Domain	Source → Target	Replaces	Status
		composite)		
vw_Xref_Product_Axxis_To_PDI	Product	Axxis → PDI	PDI_CITT_Axxis_Grav_PDI_Pr	Planned
vw_Xref_Terminal_Axxis_To_PDI	Terminal	Axxis → PDI	PDI_CITT_Axxis_Grav_PDI_Te	Planned
vw_Xref_Destination_Gravitate_To_P	Destination	Gravitate → PDI	Gravitate_Destination_Resc	Planned

Release Schedule Integration

The artifact lifecycle and versioning cadence are governed by:

- `workspace-ops/release-schedule/DOMAIN_TRANSLATION_VERSIONING_SCHEDULE.md`
- `workspace-ops/release-schedule/RELEASE_SCHEDULE_ARCHITECTURE.md`

Decision Rule

If a file can be run, deployed, or executed, it belongs in `operational-artifacts`.
If a file explains design, decisions, plans, or governance, it belongs in `Design Planning`.