PODD Ontology Driven Database

Dr Peter Ansel

Scientific experiments

Structured data

PODD Ontology

PODD Ontology Driven Database

Dr Peter Ansell

University of Queensland

13 March 2012



Outline

PODD Ontology Driven Database

Dr Peter Ansel

Scientific experiments

Structured data

PODD Ontology

- 1 Scientific experiments
- 2 Structured data

PODD Ontology Driven Database

Dr Peter Ansell

Scientific experiments

Structured data

50550

 Aim to test hypotheses in known, partially controlled, situations

PODD Ontology Driven Database

Dr Peter Ansel

Scientific experiments

Structured data

- Aim to test hypotheses in known, partially controlled, situations
- Contain many variables

PODD Ontology Driven Database

Dr Peter Ansell

Scientific experiments

Structured data

- Aim to test hypotheses in known, partially controlled, situations
- Contain many variables
- Experiment variables and results are noted and used in analysis

PODD Ontology Driven Database

Dr Peter Ansell

Scientific experiments

Structured data

- Aim to test hypotheses in known, partially controlled, situations
- Contain many variables
- Experiment variables and results are noted and used in analysis
- Analysed results are used to make conclusions, which are then published

Scientific workbooks

PODD Ontology Driven Database

Dr Peter Ansel

Scientific experiments

Structured data

PODD Ontology

■ Some common headings

Scientific workbooks

PODD Ontology Driven Database

Or Peter Ansell

Scientific experiments

Structured data

- Some common headings
- Structure can vary

PODD Ontology Driven Database

Dr Peter Ansel

Scientific experiments

Structured data

DODD Outstan

■ Two dimensional structure

PODD Ontology Driven Database

Dr Peter Ansell

Scientific experiments

Structured data

- Two dimensional structure
- Suit simple relationships

PODD Ontology Driven Database

Dr Peter Ansell

Scientific experiments

Structured data

- Two dimensional structure
- Suit simple relationships
- Single table not ideal for entire experiment

PODD Ontology Driven Database

Dr Peter Ansell

Scientific experiments

Structured data

- Two dimensional structure
- Suit simple relationships
- Single table not ideal for entire experiment
- Not ideal for multiple structurally different experiments

Structured ontologies

PODD Ontology Driven Database

Dr Peter Ansel

Scientific experiments

Structured data

PODD Ontology

A common root

Structured ontologies

PODD Ontology Driven Database

Dr Peter Ansell

Scientific experiments

Structured data

- A common root
- Branches and leaves are independent of each other

PODD Ontology Driven Database

Dr Peter Ansell

Scientific experiments

Structured data

PODD Ontology Driven Database Vital metadata about each experiment in a single ontology

PODD Ontology Driven Database

Dr Peter Ansel

Scientific experiments

Structured data

- Vital metadata about each experiment in a single ontology
- Variable number of headings and subheadings

PODD Ontology Driven Database

Dr Peter Ansell

Scientific experiments

Structured data

- Vital metadata about each experiment in a single ontology
- Variable number of headings and subheadings
- Acceptable use of headings and subheadings is configurable

PODD Ontology Driven Database

Dr Peter Ansell

Scientific experiments

Structured data

- Vital metadata about each experiment in a single ontology
- Variable number of headings and subheadings
- Acceptable use of headings and subheadings is configurable
- Each experiment is independent of other experiments

Ontologies to define structure

PODD Ontology Driven Database

Dr Peter Ansel

Scientific

Structured data

PODD Ontology Driven Database ■ Different structures for different experiments without changing the database schema

Ontologies to define structure

PODD Ontology Driven Database

Dr Peter Ansel

Scientific experiment:

Structured data

- Different structures for different experiments without changing the database schema
- PODD has basic ontology constraints
 - Each ontology must have exactly one Project
 - Each node must be connected to the Project through a unique series of "part_of" links
 - Each node can reference other eligible nodes using "refers_to" links

Ontologies to define structure

PODD Ontology Driven Database

Dr Peter Ansell

Scientific experiments

Structured data

- Different structures for different experiments without changing the database schema
- PODD has basic ontology constraints
 - Each ontology must have exactly one Project
 - Each node must be connected to the Project through a unique series of "part_of" links
 - Each node can reference other eligible nodes using "refers_to" links
- A single ontology can be used with different experiments if it is designed well

Phenomics ontology structure

PODD Ontology Driven Database

Dr Peter Ansell

Scientific

Structured data



Publication

PODD Ontology Driven Database

Dr Peter Ansel

Scientific experiments

Structured data

PODD Ontology Driven Database Projects can be published on completion, both in HTML and RDF

Publication

PODD Ontology Driven Database

Dr Peter Ansel

Scientific experiments

Structured data

- Projects can be published on completion, both in HTML and RDF
- Published projects may be locked from future changes

Publication

PODD Ontology Driven Database

Dr Peter Ansell

Scientific experiments

Structured data

- Projects can be published on completion, both in HTML and RDF
- Published projects may be locked from future changes
- Each data item has a URI for references

Questions

PODD Ontology Driven Database

Dr Peter Ansel

Scientific experiments

Structured data

PODD Ontology Driven Database Code can be found online at: https://github.com/podd