PRODUCT OVERVIEW

Strowger

A contact center built for human agents: predictive and preview dialing, inbound queues, texting, and TCPA compliance designed in rather than bolted on.

What it does

Outbound

- **Ratio (predictive) and preview dialing**, set per campaign. In ratio mode the dialer places calls ahead of the agents and connects a live person within two seconds of their greeting; the pace self-throttles as the abandon rate approaches the 3% cap.
- **Lists and campaigns.** Upload a CSV or receive leads from partners through a posting API. Each list carries a priority tier and its own dialing rules.
- **Cadences.** Fresh web leads are texted from the number about to dial them and called within seconds; aged leads are retried in a different part of the day each time, never the same window twice.
- **Answering machines and call screeners** are detected before an agent ever hears them: leave a personalised message, or hang up and retry later.

Inbound

- **Every number routes** to a campaign (callbacks reach the agent who owns the lead), an IVR menu, a skills queue, or one agent's direct line.
- **Skills-based queues.** Agents are rated 1–5 per skill (language, product, tier); a queue requires minimum levels and the best-rated free agent gets the call.
- **Extensions and voicemail.** Callers can dial an agent's extension from any menu; messages land in the agent's or queue's voicemail box with the audio right on screen.
- **Texting** from the same screen, with STOP handled automatically and written to the do-not-call list.

Compliance is the engine, not a report

Every dial is checked against the federal window, the state's own rules (Florida, Oklahoma, Washington, Maryland and the other "mini-TCPA" states), the campaign's schedule grid and attempt limits, the lead's local time zone, your do-not-call list and the litigator scrub. The most restrictive rule wins and every refusal is logged with the rule that caused it. Abandoned calls get the safe-harbor message and are counted against a rolling 30-day ledger that drives the dialing pace.

Local-time windows by ZIP · State attempt caps · 3% abandon cap with auto-throttle · DNC + litigator scrub · STOP keyword handling · Consent IDs stored with every lead · Recording disclosure · Caller-ID hygiene and warm-up

Built for two monitors

Most agents have two screens. Strowger uses both, and folds back onto one when that's all there is.



Waiting for a call. The status banner says exactly what the dialer is doing; the feed, queue activity, today's sprint and the team leaderboard keep the room alive between calls.

While waiting


- **READY · Waiting for Live Call.** One glance tells the agent whether they're live, paused, wrapping up, or on a call, and how long.
- **Live activity feed:** texts coming in, new leads posted, callbacks booked.
- **System and queue activity:** what the dialer is doing right now and how deep the queue is.
- **Today's sprint** against daily goals, and a mini leaderboard. Agents see where they stand without asking a supervisor.

On a call

- **Lead profile** with local time, address, consent details and quick notes.
- **Call controls:** mute, hold, leave voicemail and move on, transfer to a closer, end call.
- **Dispositions with hotkeys**, callback scheduling, and the SMS thread with the same person.
- **Everything is one click or one key.** Wrap-up and the next call are seconds apart.

Left screen talks, right screen thinks

The right screen is optional. Everything an agent needs is on the left; the second monitor adds context when they have one.



Left: the conversation (lead, call, dispositions, texts). Right, optional: the assist screen (script, upcoming leads, callbacks, leaderboard, goals). The second window follows the first automatically.

Monitor 1: the conversation

Who you're talking to, the call itself, what to do when it ends. Nothing on this screen is decoration; it's the minimum an agent needs to run a call well.

Monitor 2: the assist screen (optional)

The campaign script, personalised with the lead's name and city as the call lands. The next leads the dialer will offer, with their local time and history. The agent's own callbacks for the day. The text thread with the person on the line. Team leaderboard and goals.

How two screens work

- The agent switches on **"2 screens"** once. From then on, logging in opens the assist window; they drag it to the other monitor the first time and the browser remembers.
- The two windows share one login and one live connection. Pull a lead on the left, and the right switches to it. A transfer lands, and both screens show the new caller.
- The softphone lives in the main window only, so there's never two phones ringing.


One screen

Everything from both monitors is available in the main window; every panel collapses with a click, so a laptop agent sees the same columns, just narrower.


What's coming to the assist screen

Live transcript, sentiment and smart suggestions arrive with real-time transcription; the panels are already in place for them.

See the floor, step into a call




Real-time agent monitoring: listen silently, whisper to the agent only, barge in, or take the call over.




Campaign monitor: dials, connections, conversations, success rate, sales and drops, with per-agent performance and monitoring actions on every row.

- **Supervisors** see everything; **room supervisors** see their room; **team leaders** see their team. Every listen, whisper, barge and takeover is logged.
- **Campaign builder:** drag lists into priority order, give each its dialing rules, paint the allowed hours on a day-by-hour grid, and launch.
- **Reports and exports** by date and campaign; a partner portal shows each affiliate how their leads perform; CRM push on every disposition.



DID manager: carrier reputation across the Big Three, registration, warm-up stage, daily caps and automatic rest after a flag.



Campaign builder: list priorities, the cadence each list follows, and the dialer's timing rules in one place.

Caller-ID hygiene is built in: numbers match the lead's area code, warm up by age (40, then 65, then 75 dials a day), spread across the day, must be registered before their first dial, and rest for three weeks the moment a carrier flags them.