

Add & Update API Document

Podcast Update API:

This API call can be used to update a Podcast. The API call works in both GET and POST method and the responses will also be provided in both JSON and XML formats.

- **URL**

<http://www.podxref.com/devAPI/>

- **Method:**

POST or GET

- **URL Parameter:**

S.No.	Parameter	Type	Possible Values	Example
1	key	Mandatory	Key will be provided by PodXRef	key=xyRt75HjJnqoprft^mn9scF
2	ID	Mandatory	Unique ID of the podcast	ID= vyRt77KJwqidprtALfn9scU
3	podname	Optional	Full Name of the Podcast	name= The Nerdist
4	poddesc	Optional	Description of the Podcast (character limit 65535 characters)	poddesc= Nerdy nerdness comedy
5	language	Optional	Language of the Podcast	language=en or English
6	year	Optional	Year of the Podcast	year=2018
7	officialsite	Optional	Officialsite of the Podcast with comma separated URL	officialsite=http://example.com,http://testing.com

- **Sample URL:**

JSON:

Add & Update API Document

http://www.podxref.com/devAPI/Podcast_Update.json?key=xxxxxxxx&ID=xxxx&podname=xxx&poddesc=xxxx&language=xxxx&year=xxxx&officialsite=xxxx

XML:

http://www.podxref.com/devAPI/Podcast_Update.xml?key=xxxxxxxx&ID=xxxx&podname=xxx&poddesc=xxxx&language=xxxx&year=xxxx&officialsite=xxxx

Personality Add API:

This API call can be used to add personality. The API call works in both GET and POST method and the responses will also be provided in both JSON and XML formats.

- **URL**

<http://www.podxref.com/devAPI/>

- **Method:**

POST & GET

- **URL Parameter:**

S.No.	Parameter	Type	Possible Values	Example
1	key	Mandatory	Key will be provided by PodXRef	key=xyRt75HJjnqoprft^mn9scF
2	pername	Optional	Name of the Personality	pername=adam
3	perdesc	Optional	Description of the Personality (character limit 65535 characters)	perdesc=testing
4	perdob	Optional	Date of birth of the Personality	perdob=1986-12-24
5	perofficial	Optional	Officialsite of the Personality with comma separated URL	perofficial= http://example.com , http://testing.com

Add & Update API Document

6	perprofilename	Optional	Profile of the Personality	perprofilename=profile
7	perbname	Optional	Birth name of the Personality	perbname=adam

- **Sample URL:**

JSON:

http://www.podxref.com/devAPI/Personality_Add.json?key=xxxxxxxx&pername=xxx&perdesc=xxxx&perdob=xxxx-xx-xx&perofficial=xxxx&perprofilename=xxxx&perbname=xxxx

XML:

http://www.podxref.com/devAPI/Personality_Add.xml?key=xxxxxxxx&pername=xxx&perdesc=xxxx&perdob=xxxx-xx-xx&perofficial=xxxx&perprofilename=xxxx&perbname=xxxx

Personality Update API:

This API call can be used to update personality. The API call works in both GET and POST method and the responses will also be provided in both JSON and XML formats.

- **URL**

<http://www.podxref.com/devAPI/>

- **Method:**

POST & GET

- **URL Parameter:**

S.No.	Parameter	Type	Possible Values	Example
1	key	Mandatory	Key will be provided by PodXRef	key=xyRt75HJjnqoprft^mn9scF
2	ID	Mandatory	Unique ID of the Personality	ID=xsdf799fhnnvhy6489
3	pername	Optional	Name of the Personality	pername=adam

Add & Update API Document

4	perdesc	Optional	Description of the Personality (character limit 65535 characters)	perdesc=testing
5	perdob	Optional	Date of birth of the Personality	perdob=1986-12-24
6	perofficial	Optional	Officialsite of the Personality with comma separated URL	perofficial=http://example.com,http://testing.com
7	perprofilename	Optional	Profile of the Personality	perprofilename=profile
8	perbname	Optional	Birth name of the Personality	perbname=adam

- **Sample URL:**

JSON:

http://www.podxref.com/devAPI/Personality_Update.json?key=xxxxxxxx&ID=xxxx&pername=xxx&perdesc=xxxx&perdob=xxxx-xx-xx&perofficial=xxxx&perprofilename=xxxx&perbname=xxxx

XML:

http://www.podxref.com/devAPI/Personality_Update.xml?key=xxxxxxxx&ID=xxxx&pername=xx&perdesc=xxxx&perdob=xxxx-xx-xx&perofficial=xxxx&perprofilename=xxxx&perbname=xxxx

Episode Add API:

This API call can be used to add episode. The API call works in both GET and POST method and the responses will also be provided in both JSON and XML formats.

- **URL**

<http://www.podxref.com/devAPI/>

- **Method:**

Add & Update API Document

POST & GET

- **URL Parameter:**

S.No.	Parameter	Type	Possible Values	Example
1	key	Mandatory	Key will be provided by PodXRef	key=xyRt75HJjnqoprth^mn9scF
2	PID	Mandatory	PID is Podcast id is provided by Podcast search API	PID= vx324dsv235cxv34gfkf
3	guid	Mandatory	Guid of the Episode	guid=sdffsdf32423dwsfsdfgas
4	epititle	Optional	Name of the Episode	epititle = Live from Chicago
5	epidesc	Optional	Description of the Episode (character limit 65535 characters)	epidesc=testing
6	episdate	Optional	Publish date of the Episode	episdate=2018-04-24
7	epikeywords	Optional	Keywords of the Episode	epikeywords=testing
8	epiaudiourl	Optional	Audio of the Episode	epiaudiourl=http://example.com/xxx
9	epiduration	Optional	Duration of the Episode in Seconds	epiduration=120
10	epiexplicit	Optional	Explicit of the Episode	epiexplicit=yes or no
11	cast	Optional	Cast of the episode is provided by Personality search API list	cast=bajsfasd876chg@8,jhjdd8787bh@17,hsda234sfdg@43 i.e cast=personality Id + @ as a separator + personality role id from the below table

Add & Update API Document

Personality Role	Personality Role ID
Producer	8
Contributor	17
Host	33
Performer	38
Guest	42
Crew	43
Cast	44
Guest Host	45

- **Sample URL:**

JSON:

http://www.podxref.com/devAPI/Episode_Add.json?key=xxxxxxxxx&PID=xxxx&guid=xxxxx&epi title=xxx&epidesc=xxxx&episdate=xxxx-xx-xx&epikeywords=xxxx&epiaudiourl=xxxx&epiduration=xxxx&epiexplicit=xxxx&cast=xxxx,xxxx,xxx

XML:

http://www.podxref.com/devAPI/Episode_Add.xml?key=xxxxxxxxx&PID=xxxx&guid=xxxxx&epi title=xxx&epidesc=xxxx&episdate=xxxx-xx-xx&epikeywords=xxxx&epiaudiourl=xxxx&epiduration=xxxx&epiexplicit=xxxx&cast=xxxx,xxxx,xxx

Episode Update API:

This API call can be used to update episode. The API call works in both GET and POST method and the responses will also be provided in both JSON and XML formats.

- **URL**

<http://www.podxref.com/devAPI/>

- **Method:**

Add & Update API Document

POST & GET

- **URL Parameter:**

S.No	Parameter	Type	Possible Values	Example
1	key	Mandatory	Key will be provided by PodXRef	key=xyRt75HJjnqoprft^mn9scF
2	PID	Optional	PID is Podcast id is provided by Podcast search API	PID= vx324dsv235cxv34gfkf
3	guid	Mandatory	Guid of the Episode	guid=sdffsdf32423dwsfsdfgas
4	ID	Optional	Unique ID of the Episode	ID=vx324dsvcxv34gfkf
5	epititle	Optional	Name of the Episode	epititle = Live from Chicago
6	epidesc	Optional	Description of the Episode (character limit 65535 characters)	epidesc=testing
7	episdate	Optional	Publish date of the Episode	episdate=2018-04-24
8	epikeywords	Optional	Keywords of the Episode	epikeywords=testing
9	epiaudiourl	Optional	Audio of the Episode	epiaudiourl=http://example.com/xxx
10	epiduration	Optional	Duration of the Episode in Seconds	epiduration=120
11	epiexplicit	Optional	Explicit of the Episode	epiexplicit=yes or no
12	cast	Optional	Cast of the episode is	cast=bajsfasd876chg@8,jhjdd8787bh@17,hsda234sfdg@43

Add & Update API Document

			provided by Personality search API list	i.e cast=personality Id + @ as a separator + personality role id from the below table
--	--	--	---	--

Personality Role	Personality Role ID
Producer	8
Contributor	17
Host	33
Performer	38
Guest	42
Crew	43
Cast	44
Guest Host	45

- **Sample URL:**

JSON:

http://www.podxref.com/devAPI/Episode_Update.json?key=xxxxxxxxx&PID=xxxxx&ID=xxxx&epititle=xxx&epidesc=xxxx&episdate=xxxx-xx-xx&epikeywords=xxxx&epiaudiourl=xxxx&epiduration=xxxx&epiexplicit=xxxx&guid=xxxx&cast=xxxx@xx,xxxx@xx,xxxxx@xx

XML:

http://www.podxref.com/devAPI/Episode_Update.xml?key=xxxxxxxxx&PID=xxxxx&ID=xxxx&guid=xxxx&epiname=xxx&epidesc=xxxx&episdate=xxxx-xx-xx&epikeywords=xxxx&epiaudiourl=xxxx&epiduration=xxxx&epiexplicit=xxxx&cast=xxxx@xx,xxxx@xx,xxxxx@xx