TASKCARD

A/C TYPE	Effectivity	DESCRIPTION							WORK ORDER NO.	
		737NG - PREFLIGHT CHECK								
A/C REG.	A/C MSN.	ACCESS							TASKCARD NO.	
									B789-05-INT-01-01-IDN	
A/C TSN.	A/C CSN.	NONE							THRESHOLD	INTERVAL
:										
OPERATOR	PLACE	ZONE							TASK	REVISION
		100 800	200	300	400	500	600	700	GVI	15
START DATE	FINISH DATE	NOTE							ATA	SKILL
		☐ ETOPS ☐ RVSM ☐ RNP10 ☐ RII ☐ CDCCL							05	

REFERENCE			
Doc No.	**Doc Description**	**Doc No.**	**Doc Description**
AD FAA AD 2015-21-10, AND DGCA AD 15-11-005	Engine Fuel Shutoff Valve (Fuel Spar Valve) Position Indication Operational Check.	AMM 23-71-00-710-801	Voice Recorder System - Operational Test
AMM 31-31-00-710-801	Flight Data Recorder System - Operational Test	EA B737NG-EI-34-226	Pitot Probe Cover
AMM 34-43-00-860-145-002	WEATHER RADAR OPERATIONAL TEST	AMM 34-45-00-710-801	TCAS - OPERATIONAL TEST
AMM 72-21-00-200-801	Power Plant Inlet and Fan Blades Inspection (General Visual)	AMM 31-51-00-730-803	Takeoff Warning System Test - SUBTASK 31-51-00-750-067 - check of the speed brake handle input to the takeoff warning system

TOOLS REQUIRED		
PART NUMBER	**DESCRIPTION**	**QUANTITY**
NONE	**NONE**	**NONE**

MATERIAL REQUIRED		
PART NUMBER	**DESCRIPTION**	**QUANTITY**
BMS3-11 TYPE IV	FLUID - HYDRAULIC, EROSION ARRESTING, FIRE RESISTANT	1
LD4	FLUID - HYDRAULIC, EROSION ARRESTING, FIRE RESISTANT	1
MIL-PRF-5606	FLUID - HYDRAULIC, PETROLEUM BASE	1
MOBIL JET II	OIL	1

BARCODE:

B789-05-INT-01-01-IDN

TASKCARD

WORK ORDER NO.	A/C REG.	A/C MSN.	A/C Effectivity	OPERATOR	TASK CARD NO.
					B789-05-INT-01-01-IDN

ACCOMPLISHMENT			
NO.	**INSTRUCTION**	**PERFORMED BY**	**INSPECTED BY**
1	**INTERVAL NOTE** : Pre-Flight inspection is performed just before aircraft first departure of the day. This check is basically a "walk-around" inspection which requires a check of the aircraft interior and exterior for obvious damage, leaks, proper operating equipment, and security of attachment. **1. General** A. Accomplishment of the pre-flight must be performed by the approved authorization holder or by person who work under his direct supervision. The pre-flight inspection must be released by a person who appointed and approved by Quality Assurance department or a holder of higher degree/ authorization/license. B. Maintenance release of the preflight is still valid until the next preflight, without any transit check, unless there is maintenance required in between called out by MEL. C. This task contains with the aircraft security inspections. If object(s) or material (powdery, gaseous or liquid) from un-identified origin is/are found, keep off the object (s) or material and immediately report to MCC In-Charge before taking any necessary action.		
2	**Job Set-up**: 1. Ensure that aircraft arrival and parking areas are cleared of debris and obstructions. 2. Connect external power source 115 V (+5 V), 400 Hz (+20 Hz). (If necessary)	SKILL: A/P	

BARCODE:

B789-05-INT-01-01-IDN

Lion Group

TASKCARD

WORK ORDER NO.	A/C REG.	A/C MSN.	A/C Effectivity	OPERATOR	TASK CARD NO.
					B789-05-INT-01-01-IDN

ACCOMPLISHMENT			
NO.	INSTRUCTION	PERFORMED BY	INSPECTED BY
3	**Procedures–Pre flightcheck** **A. Aircraft maintenance log :** (1) Check AFML, CML, DMI, NSRDIL, DBC (2) Check the following aircraft document for completeness and validity/update : a) Certificate of Airworthiness (C of A). Valid until : b) Certificate of Registration (C of R). Valid Until : c) Radio Permit. Valid Until : d) Weight and Balance Date Issued : e) Swing Compass Date Issued : f) Insurance Certificate Valid Until : g) Operation Specifications (OPSPEC). Last Revison : h) Required Navigation Performance (RNP). Date Issued : i) Reduced Vertical Separate Minimal (RVSM). Date Issued : j) Noise Certificate Date Issued : k) Minimum Equipment List. Last Revision :	SKILL: A/P	

BARCODE:

B789-05-INT-01-01-IDN

TASKCARD

WORK ORDER NO.	A/C REG.	A/C MSN.	A/C Effectivity	OPERATOR	TASK CARD NO.
					B789-05-INT-01-01-IDN

ACCOMPLISHMENT			
NO.	**INSTRUCTION**	**PERFORMED BY**	**INSPECTED BY**
	l) Aircraft Aeronautical Station Licence (AASL) Valid Until :		
4	**B. Fuselage** : (1) Check fuselage access / service panels, cabin windows, hatches, navigation / communication antennas and radome from ground level for obvious damage and security. Verify that cargo door latches are fully engaged. Masts and drains for fluid leakage. (2) Operational Test. Do this task: Voice Recorder System - Operational Test, AMM TASK 23-71-00-710-801 (3) Operational check of flight data recorder by put the TEST /NORMAL switch on the flight recorder test module in the TEST position	SKILL: A/P	
5	**C. Wings :** 1. Check that the fueling station door is secured	SKILL: A/P	

BARCODE:

B789-05-INT-01-01-IDN

Lion Group

TASKCARD

WORK ORDER NO.	A/C REG.	A/C MSN.	A/C Effectivity	OPERATOR	TASK CARD NO.
					B789-05-INT-01-01-IDN

ACCOMPLISHMENT

NO.	INSTRUCTION	PERFORMED BY	INSPECTED BY
6	**D. Engines:** (1) General visual inspection of left power plant inlet and fan blades (2) Do a visual check of these components for obvious signs of damage, and indications of bird strike or foreign object damage (FOD): For Fan Blade Platform please make sure platform are all seated and not in loose condition **Engine Position** / **Engine #1** / **Engine #2** Platform Finding (please state if there is finding or no, and state the platform position) (3) General visual inspection of right power plant inlet and fan blades (4) Check thrust reversers, exhaust tail plug, exhaust case struts, visible turbine blades and 4th stage blades on LPT for obvious damage and evidence of metal and/or oil accumulation Refer to 28-AWL-MOV/ FAA AD 2015-19-03, DGCA AD 15-09-012, FAA AD 2015-21-10, and DGCA AD 15-11-005 (5) Do an operational check to the left / right engine fuel spar valve actuator. (without engine operation)	SKILL: A/P	
7	AMM SUBTASK 31-51-00-750-067 1. Check of the speed brake handle input to the takeoff	SKILL: A/P	
8	**E. Final check :** (1) Make necessary entries for work accomplished and sign airworthiness release in the aircraft maintenance log. (2) Remove nose and main landing gear ground lock pins before door closed. (3) Prior to First Flight, remove all cover pitot probe	SKILL: A/P	
9	**Job Close-up** : 1. Removed external power source 115 V (+5 V), 400 Hz (+20 Hz), if no longer required	SKILL: A/P	

BARCODE:

B789-05-INT-01-01-IDN

TASKCARD

WORK ORDER NO.	A/C REG.	A/C MSN.	A/C Effectivity	OPERATOR	TASK CARD NO.
					B789-05-INT-01-01-IDN

ACCOMPLISHMENT			
NO.	INSTRUCTION	PERFORMED BY	INSPECTED BY
10	---------- END OF TASK ----------		

START TIME(UTC)	FINISH TIME(UTC)	TOTAL MAN HOUR		DEFECT FOUND Y N M.D.R.R. No:
		EST.	ACTUAL	
		1.00		

TASK CARD RELEASE

DATE (UTC) : ..... TIME (UTC) : ..... SIGNATURE : ..... AUTHORIZATION NO. : .....

BARCODE:

B789-05-INT-01-01-IDN