

TASKCARD

A/C TYPE	Effectivity	DESCRIPTION	WORK ORDER NO.	
		A320 - DAILY CHECK CERTIFICATE		
A/C REG.	A/C MSN.	ACCESS	TASKCARD NO.	
			A320-052000-99-2-SJV-IDN	
A/C TSN.	A/C CSN.		THRESHOLD	INTERVAL
:				
OPERATOR	PLACE	ZONE	TASK	REVISION
			DET	11
START DATE	FINISH DATE	NOTE	ATA	SKILL
		☐ ETOPS ☐ RVSM ☐ RNP10 ☐ RII ☐ CDCCL		

REFERENCE			
Doc No.	Doc Description	Doc No.	Doc Description
AMM 21-26-00-710-001-A	Operational Check of the Avionics Equipment Ventilation-System via MCDU	AMM 52-10-00-210-004-A	Check Pressure of Emergency Cylinder/ Accumulator of the Passenger/Crew Doors
AMM 12-13-79-610-011-A	ENGINE OIL SERVICING Check oil level and replenish	AMM 23-73-63-710-058-A	Functional Test NO SMOKING/NO MOBILE DEVICE/FASTEN SEAT BELT SIGN
AMM 33-51-00-710-008-A	Operational Test of The Emergency Lighting in The Cabin with The "EMER EXIT LT" switch	AMM 10-11-00-555-013-A	AIRCRAFT PROTECTIVE COVERS/ DEVICES Installation of the Aircraft Protection Equipment

TOOLS REQUIRED		
PART NUMBER	DESCRIPTION	QUANTITY
460005833	SLEEVE-GROUND LOCK	2
98A10001005000	COVER – PROBE, PITOT (AIRBUS)	3
98A10001013000	COVER-TOTAL TEMP SENSOR	2
98A10001500000	COVER - SLIP-ON, AOA SENSOR	3
98A28101000000	DRAIN TL	1
98D10007512000	COVER-EXHAUST DUCT,APU	1
98D10007513000	COVER-OILCOOLER OUTLET,APU	1
98D10103500001	COVER-STATIC PROBE	3
D23080000	PIN-GROUND LOCK,NLG	1
IAE1N20008	COVER, PROTECTIVE	2
IAE1N20400	COVER, PROTECTIVE	2

MATERIAL REQUIRED			
PART NUMBER	DESCRIPTION	QUANTITY	
SKYDROL PE-5	FLUID - HYDRAULIC, EROSION ARRESTING, FIRE RESISTANT	1	

ACCOMPLISHMENT			
NO.	INSTRUCTION	PERFORMED BY	INSPECTED BY
1	GENERAL Certification of this check is Done, Refer to the Daily Check Sheet Task Card No. A320-052000-99-2-SJV-DCS-IDN		

BARCODE:  A320-052000-99-2-SJV-IDN
--

TASKCARD

WORK ORDER NO.	A/C REG.	A/C MSN.	A/C Effectivity	OPERATOR	TASK CARD NO.
					A320-052000-99-2-SJV-IDN

ACCOMPLISHMENT			
NO.	INSTRUCTION	PERFORMED BY	INSPECTED BY
	NOTE: - Please fill [.....] with check mark - If any steps on the forms are found to be inapplicable or not applicable, please give clear statement, for example For instance, "this method not used" or "N/A, equipment not fitted to this aircraft" would be acceptable and the column of task shall be sign and stamp by certifying personnel		
2	ARRIVAL - [.....] Installed Wheel Chocks. - [.....] Installed LG Pin-Ground Lock - [.....] Review Aircraft Technical Log - [.....] Energize the aircraft electrical network if necessary - [.....] Check Status on Upper and Lower ECAM DU and Analyze PFR	A/P	
3	EXTERNAL WALK AROUND - [.....] Forward Fuselage - [.....] Nose Landing Gear and Doors - [.....] Center Fuselage - [.....] Right/Left Wing Leading Edge - [.....] Right/Left Powerplant And Pylon - [.....] Engines Inspection Check ENG #1 oil quantity and service as required. Check ENG #2 oil quantity and service as required. O FULL O ADD _____ Quarts O FULL O ADD _____ Quarts Check IDG #1 oil quantity and service as required Check IDG #2 oil quantity and service as required. . O FULL O ADD _____ Quarts O FULL O ADD _____ Quarts - [.....] APU Inspection Check APU oil quantity and service as required. A/C Reg. : APU SN :	A/P	

BARCODE:

A320-052000-99-2-SJV-IDN

TASKCARD

WORK ORDER NO.	A/C REG.	A/C MSN.	A/C Effectivity	OPERATOR	TASK CARD NO.
					A320-052000-99-2-SJV-IDN

ACCOMPLISHMENT											
NO.		INSTRUCTION						PERFORMED BY		INSPECTED BY	
		APU Hour : APU Cycle : Oil Added : (Qrt) - [.....] Right/Left Wing Tip and Trailing Edge - [.....] Right/Left Maib Landing Gear and Doors - [.....] Main Landing Gear Brakes (MP TASK 324227-01-1) - [.....] Wheels (MP TASK 324100-01-1) RECORD TIRE PRESSURE AND BRAKE WEAR READING Before LH PSI PSI RH After LH PSI PSI RH MLG									

BARCODE:

A320-052000-99-2-SJV-IDN

TASKCARD

WORK ORDER NO.	A/C REG.	A/C MSN.	A/C Effectivity	OPERATOR	TASK CARD NO.
					A320-052000-99-2-SJV-IDN

ACCOMPLISHMENT			
NO.	INSTRUCTION	PERFORMED BY	INSPECTED BY
	FLIGHT COMPARTMENT - [.....] Overwing Slide and Crew Oxygen System - [.....] External Lights - [.....] Flight compartment lighting, including stby compass light - [.....] Check Spare Bulb / Fuses, replace as necessary. - [.....] Check Emergency Equipment - [.....] Check Windshield and the side windows for damage and cleanliness - [.....] Check flight compartment and windows - [.....] Operational Test of the Emergency Lighting in the Cabin with the 'LIGHT EMER' Push button Switch - [.....] Functional test NO SMOKING / NO MOBILE DEVICE / FASTEN SEAT BELT SIGN, - [.....] Do general visual inspection Captain & FO seat condition - [.....] Operational test of the DFDR and CVR - [.....] Perform Dry-Motoring Check - [.....] Operational Check of the Avionics Equipment Ventilation System via MCDU (MP TASK: 212600-01-1) - [.....] Operational Check of EFCS by BITE (Ground Scanning) - [.....] Check ACARS/DATA indication		
6	PASSENGER COMPARTMENT - [.....] Check passenger compartment, Galleys, Lavatories for condition and cleanliness, - [.....] Check of the galleys for general condition, cleanliness and evidence of water leakage, - [.....] Do a check of the lavatories for general condition, cleanliness and evidence of leakage. - [.....] Check the closing flap of the waste bins for correct operation - [.....] Do a check of the emergency equipment for presence, correct stowage, condition, proper pressure, safeties, security and validity date. a) DOOR - Escape Slide / Raft. Result : b) PASSENGER CABIN : - Halon / Water Fire extinguisher Result :	A/P	

BARCODE:

A320-052000-99-2-SJV-IDN

TASKCARD

WORK ORDER NO.	A/C REG.	A/C MSN.	A/C Effectivity	OPERATOR	TASK CARD NO.
					A320-052000-99-2-SJV-IDN

ACCOMPLISHMENT			
NO.	INSTRUCTION	PERFORMED BY	INSPECTED BY
	- PBE Result : - Oxygen Bottle Result : - First Aid Kit Result : c) LAVATORY - Fire extinguisher Result : - [.....] Examine the hermetic seal of the first aid Kits for condition. - [.....] Do a general visual check of the left and right wing upper surface and control surfaces, through cabin windows. - [.....] PASSENGER/CREW DOOR (MP TASK 521000-01-1) Check emergency cylinder/accumulator pressure FWD: R/HPSI, L/HPSI AFT : R/HPSI, L/HPSI		
7	WINGS - TANKS (MP TASK 281100-01-2) Drain water from wing tanks and center tank at water drain valves	A/P	
8	FINAL ITEM - [.....] Check the following aircraft documents for completeness and validity:	A/P	

BARCODE:

A320-052000-99-2-SJV-IDN

TASKCARD

WORK ORDER NO.	A/C REG.	A/C MSN.	A/C Effectivity	OPERATOR	TASK CARD NO.
					A320-052000-99-2-SJV-IDN

ACCOMPLISHMENT																																																					
NO.	INSTRUCTION			PERFORMED BY	INSPECTED BY																																																
	<table><tr><th>Item</th><th>Description</th><th>Valid until</th></tr><tr><td>a</td><td>Certificate of Airworthiness (C of A).</td><td></td></tr><tr><td>b</td><td>Certificate of Registration (C of R).</td><td></td></tr><tr><td>c</td><td>Insurance Certificate</td><td></td></tr><tr><td>d</td><td>Weight and Balance.</td><td></td></tr><tr><td></td><td></td><td>Date Issued</td></tr><tr><td>e</td><td>Swing Compass</td><td></td></tr><tr><td>f</td><td>Radio Permit & AASL</td><td></td></tr><tr><td>g</td><td>Required Navigation Performance (RNP).</td><td></td></tr><tr><td>h</td><td>Reduced Vertical Separate Minimal (RVSM).</td><td></td></tr><tr><td>i</td><td>Noise Certificate</td><td></td></tr><tr><td>j</td><td>Minimum Equipment List</td><td></td></tr><tr><td></td><td></td><td>Last Revision Date</td></tr><tr><td>k</td><td>Operation Specifications (OPSPEC).</td><td></td></tr><tr><td></td><td></td><td>Yes / No</td></tr><tr><td>l</td><td>Dent Buckle & Chart (Check any due date of Temp. repair repetitive inspection or Permanent repair if required)</td><td></td></tr></table>	Item	Description	Valid until	a	Certificate of Airworthiness (C of A).		b	Certificate of Registration (C of R).		c	Insurance Certificate		d	Weight and Balance.				Date Issued	e	Swing Compass		f	Radio Permit & AASL		g	Required Navigation Performance (RNP).		h	Reduced Vertical Separate Minimal (RVSM).		i	Noise Certificate		j	Minimum Equipment List				Last Revision Date	k	Operation Specifications (OPSPEC).				Yes / No	l	Dent Buckle & Chart (Check any due date of Temp. repair repetitive inspection or Permanent repair if required)					
	Item	Description	Valid until																																																		
	a	Certificate of Airworthiness (C of A).																																																			
	b	Certificate of Registration (C of R).																																																			
	c	Insurance Certificate																																																			
	d	Weight and Balance.																																																			
			Date Issued																																																		
	e	Swing Compass																																																			
	f	Radio Permit & AASL																																																			
	g	Required Navigation Performance (RNP).																																																			
	h	Reduced Vertical Separate Minimal (RVSM).																																																			
	i	Noise Certificate																																																			
	j	Minimum Equipment List																																																			
			Last Revision Date																																																		
	k	Operation Specifications (OPSPEC).																																																			
			Yes / No																																																		
	l	Dent Buckle & Chart (Check any due date of Temp. repair repetitive inspection or Permanent repair if required)																																																			
- [.....] Review AFML, CML, DMI, NSRDIL, DBC, Deferred Item. (from. Phase check or C Check).																																																					
- [.....] Check corrective actions in the aircraft technical log, and record each corrected or carried forward item. Record the DAILY check in the aircraft technical log.																																																					
- [.....] De-energize the aircraft electrical network. Make sure that the cockpit sliding windows are closed.																																																					
- [.....] Make sure that all passenger/crew doors, cargo compartment doors and service panel doors are correct closed and secured.																																																					
9	AIRCRAFT COVERING Installation of the Aircraft Protection Equipment - [.....] Protection of the 2 total temperature sensor in position - [.....] Protection of the 3 pitot probes in position - [.....] Protection of the 3 angle-of-attack sensors in position - [.....] Protection of the 6 static probes in position Installation of the Protection Devices on the Engines - [.....] Protection of the engine air intakes in position			A/P																																																	

BARCODE:

A320-052000-99-2-SJV-IDN

TASKCARD

WORK ORDER NO.	A/C REG.	A/C MSN.	A/C Effectivity	OPERATOR	TASK CARD NO.
					A320-052000-99-2-SJV-IDN

ACCOMPLISHMENT			
NO.	INSTRUCTION	PERFORMED BY	INSPECTED BY
	- [.....] Protection of the engine exhaust nozzles in position Installation of the Protection Devices on the APU Area - [.....] Protection of the APU exhaust duct - [.....] Protection of the outlet duct of the APU oil cooler - [.....] Install the protective covers on the aircraft as necessary. Make sure that an authorized person releases the aircraft		
10	THE END OF THE TASK		

START TIME(UTC)	FINISH TIME(UTC)	TOTAL MAN HOUR		DEFECT FOUND M.D.R.R. No:	Y	N
		EST.	ACTUAL			
		2.25				
TASK CARD RELEASE						
DATE (UTC) : TIME (UTC) : SIGNATURE : AUTHORIZATION NO. :						

BARCODE:

A320-052000-99-2-SJV-IDN