

TASKCARD

A/C TYPE	Effectivity	DESCRIPTION	WORK ORDER NO.	
		A320 FAMILY - PREFLIGHT CHECK		
A/C REG.	A/C MSN.	ACCESS	TASKCARD NO.	
			A32-052000-99-1-IDN	
A/C TSN.	A/C CSN.		THRESHOLD	INTERVAL
:			0	0
OPERATOR	PLACE	ZONE	TASK	REVISION
			GVI	04
START DATE	FINISH DATE	NOTE	ATA	SKILL
		☐ ETOPS ☐ RVSM ☐ RNP10 ☐ RII ☐ CDCCL	05-20	

REFERENCE			
Doc No.	Doc Description	Doc No.	Doc Description
AMM 10-11-00-555-013	AIRCRAFT PROTECTIVE COVERS/ DEVICES - Installation of the Aircraft Protection Equipment	AMM 12-11-28-650-003	REFUELING INSTRUCTION - Pressure Refuel with Automatic Control
AMM 12-12-29-611-002	HYDRAULIC RESERVOIRS REPLENISHING - Fill the Hydraulic Fluid Reservoir with a Hydraulic Service Cart	AMM 12-13-79-610-002	ENGINE OIL SERVICING - Check oil level and replenish
AMM 49-90-00-600-004	OIL SERVICING - Check Oil Level and Replenish	AMM 12-34-24-869-001	AIRCRAFT GROUNDING - For the Refuel Operations and for Maintenance
AMM 12-34-24-869-002	AIRCRAFT GROUNDING - For the Defuel Operations and for Maintenance	AMM 24-41-51-000-001	Removal of the External Power Receptacle
AMM 12-15-38-613-001	POTABLE WATER SERVICING - Fill the Potable Water Tank System		

TOOLS REQUIRED		
PART NUMBER	DESCRIPTION	QUANTITY
NONE	NONE	NONE

MATERIAL REQUIRED		
PART NUMBER	DESCRIPTION	QUANTITY
MOBIL JET II	OIL	1
SKYDROL LD4	FLUID - HYDRAULIC, EROSION ARRESTING, FIRE RESISTANT	1

ACCOMPLISHMENT			
NO.	INSTRUCTION	PERFORMED BY	INSPECTED BY
1	GENERAL Certification of this check is Done, Refer to the Preflight Check Sheet Task Card No. A32-052000-99-1-PCS-IDN NOTE: - Please fill [.....] with check mark - If any steps on the forms are found to be inapplicable or not applicable, please give clear statement, for example For instance, "this method not used" or "N/A ", " equipment not fitted to this aircraft would be acceptable and the column of task shall be sign and stamp by certifying personnel		
2	PRELIMINARY ITEMS	A/P	

BARCODE:  A32-052000-99-1-IDN
--

TASKCARD

WORK ORDER NO.	A/C REG.	A/C MSN.	A/C Effectivity	OPERATOR	TASK CARD NO.
					A32-052000-99-1-IDN

ACCOMPLISHMENT			
NO.	INSTRUCTION	PERFORMED BY	INSPECTED BY
	- [.....] Review the aircraft technical log and make sure that corrective actions have been performed. - [.....] Removal of the Protection Devices from the Fuselage. - [.....] Removal Protection of the 2 total temperature sensors. - [.....] Removal Protection of the 3 pitot probes. - [.....] Removal Protection of the 3 angle-of-attack sensors. - [.....] Removal Protection of the 6 static probes. - [.....] Do the safety check of the flight compartment for correct position of the controls. - [.....] Energize the aircraft electrical network if necessary. - [.....] Do the check the flight compartment windshields and sidewindows for cleanliness - [.....] Do Operational Test of the Cockpit Seats Safety Harness Assembly. Ref AMM 25-11-00-200-002-A. - [.....] If "STS" has appeared on the upper ECAM DU, check for messages in the maintenance section of the STATUS page on the lower ECAM DU. Start corrective actions as required.		
3	Do a check of the APU oil level (On MCDU APU data/oil page). service as Required and record uplift in aircraft technical log. A/C Reg. : _____ APU SN : _____ APU Hour : _____ APU Cycle : _____ Oil Added : _____ (Qt)	A/P	
4	- [.....] Do a fluid level check of the Green, Blue and Yellow hydraulic reservoirs (On ECAM LOWER DISPLAY, HYD page). Record uplift(s)..... Quart(s)	A/P	
5	(Ref AMM TASK 31-33-00-710-007-A & 237100-710-001-A), (EASASIB No.2009-28R1),	A/P	

BARCODE:

A32-052000-99-1-IDN

TASKCARD

WORK ORDER NO.	A/C REG.	A/C MSN.	A/C Effectivity	OPERATOR	TASK CARD NO.
					A32-052000-99-1-IDN

ACCOMPLISHMENT			
NO.	INSTRUCTION	PERFORMED BY	INSPECTED BY
	(MP TASK 237135-99-1 & 313300-99-1), (CASR 91 Appendix E). - [.....] Operational test of the DFDR - [.....] Operational test of the CVR		
6	REFUELING	A/P	
7	WATER/WASTE SERVICING	A/P	
8	EXTERNAL WALK AROUND	A/P	
9	FINAL ITEMS - [.....] Check and record corrective actions in the aircraft technical log. - [.....] Record the PRE-FLIGHT check in the aircraft technical log and make sure an authorized person releases the aircraft. - [.....] Remove wheel chocks. - [.....] Remove the nose landing gear Pin-Ground lock and the main landing gear ground lock safety devices. - [.....] Do the final aircraft walk-around. - [.....] If external power has been used, request the flight crew instructions for GPU de-energization and disconnection. - [.....] Make sure that the aircraft surrounding area is clear for dispatch.	A/P	
10	END OF THE TASK		

START TIME(UTC)	FINISH TIME(UTC)	TOTAL MAN HOUR		DEFECT FOUND M.D.R.R. No:	Y	N
		EST.	ACTUAL			
		0.00				

TASK CARD RELEASE

DATE (UTC) : TIME (UTC) : SIGNATURE : AUTHORIZATION NO. :

BARCODE:



A32-052000-99-1-IDN


TASKCARD

WORK ORDER NO.	A/C REG.	A/C MSN.	A/C Effectivity	OPERATOR	TASK CARD NO.
					A32-052000-99-1-IDN

APPENDIX

GRAPHIC
PREFLIGHT PICTURE.JPG

EXTERNAL WALK AROUND DIAGRAM



BARCODE:



A32-052000-99-1-IDN