

TASKCARD

A/C TYPE	Effectivity	DESCRIPTION	WORK ORDER NO.	
		A320 - DAILY CHECK CERTIFICATE		
A/C REG.	A/C MSN.	ACCESS	TASKCARD NO.	
			A320-052000-99-2-SJV-IDN	
A/C TSN.	A/C CSN.		THRESHOLD	INTERVAL
:				
OPERATOR	PLACE	ZONE	TASK	REVISION
			DET	12
START DATE	FINISH DATE	NOTE	ATA	SKILL
		☐ ETOPS ☐ RVSM ☐ RNP10 ☐ RII ☐ CDCCL		

REFERENCE			
Doc No.	Doc Description	Doc No.	Doc Description
AMM 21-26-00-710-001-A	Operational Check of the Avionics Equipment Ventilation-System via MCDU	AMM 52-10-00-210-004-A	Check Pressure of Emergency Cylinder/ Accumulator of the Passenger/Crew Doors
AMM 12-13-79-610-011-A	ENGINE OIL SERVICING Check oil level and replenish	AMM 23-73-63-710-058-A	Functional Test NO SMOKING/NO MOBILE DEVICE/FASTEN SEAT BELT SIGN
AMM 33-51-00-710-008-A	Operational Test of The Emergency Lighting in The Cabin with The "EMER EXIT LT" switch	AMM 10-11-00-555-013-A	AIRCRAFT PROTECTIVE COVERS/ DEVICES Installation of the Aircraft Protection Equipment

TOOLS REQUIRED		
PART NUMBER	DESCRIPTION	QUANTITY
460005833	SLEEVE-GROUND LOCK	2
98A10001005000	COVER – PROBE, PITOT (AIRBUS)	3
98A10001013000	COVER-TOTAL TEMP SENSOR	2
98A10001500000	COVER - SLIP-ON, AOA SENSOR	3
98A28101000000	DRAIN TL	1
98D10007512000	COVER-EXHAUST DUCT,APU	1
98D10007513000	COVER-OILCOOLER OUTLET,APU	1
98D10103500001	COVER-STATIC PROBE	3
D23080000	PIN-GROUND LOCK,NLG	1
IAE1N20008	COVER, PROTECTIVE	2
IAE1N20400	COVER, PROTECTIVE	2

MATERIAL REQUIRED		
PART NUMBER	DESCRIPTION	QUANTITY
SKYDROL PE-5	FLUID - HYDRAULIC, EROSION ARRESTING, FIRE RESISTANT	1

BARCODE:  A320-052000-99-2-SJV-IDN
--

TASKCARD

WORK ORDER NO.	A/C REG.	A/C MSN.	A/C Effectivity	OPERATOR	TASK CARD NO.
					A320-052000-99-2-SJV-IDN

ACCOMPLISHMENT			
NO.	INSTRUCTION	PERFORMED BY	INSPECTED BY
1	GENERAL Certification of this check is Done, Refer to the Daily Check Sheet Task Card No. A320-052000-99-2-SJV-DCS-IDN NOTE: - Please fill [...] with check mark - If any steps on the forms are found to be inapplicable or not applicable, please give clear statement, for example For instance, "this method not used" or "N/A, equipment not fitted to this aircraft" would be acceptable and the column of task shall be sign and stamp by certifying personnel	N/A	N/A
2	ARRIVAL - [...] Installed Wheel Chocks. - [...] Installed LG Pin-Ground Lock - [...] Review Aircraft Technical Log - [...] Energize the aircraft electrical network if necessary - [...] Check Status on Upper and Lower ECAM DU and Analyze PFR	SKILL: A/P	N/A

BARCODE:

A320-052000-99-2-SJV-IDN

TASKCARD

WORK ORDER NO.	A/C REG.	A/C MSN.	A/C Effectivity	OPERATOR	TASK CARD NO.
					A320-052000-99-2-SJV-IDN

ACCOMPLISHMENT																																											
NO.	INSTRUCTION	PERFORMED BY	INSPECTED BY																																								
3	EXTERNAL WALK AROUND - [.....] Forward Fuselage - [.....] Nose Landing Gear and Doors - [.....] Center Fuselage - [.....] Right/Left Wing Leading Edge - [.....] Right/Left Powerplant And Pylon - [.....] Engines Inspection Check ENG#1 oil quantity and service as required Check ENG#2 oil quantity and service as required O FULL O ADD _____ Qrts O FULL O ADD _____ Qrts - [.....] APU Inspection A/C Reg. : APU SN : APU Hour : APU Cycle : Oil Added : (Qrt) - [.....] Right/Left Wing Tip and Trailing Edge - [.....] Right/Left Maib Landing Gear and Doors - [.....] Main Landing Gear Brakes (MP TASK 324227-01-1) - [.....] Wheels (MP TASK 324100-01-1) RECORD TIRE PRESSURE AND BRAKE WEAR READING NLG <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td>Before</td><td>LH</td><td>PSI</td><td>PSI</td><td>RH</td></tr> <tr> <td>After</td><td>LH</td><td>PSI</td><td>PSI</td><td>RH</td></tr> </table> MLG MLG <table border="1" style="width: 100%;"> <tr> <td>Before</td><td>LH</td><td>PSI</td><td>PSI</td><td>RH</td> <td>Before</td><td>LH</td><td>PSI</td><td>PSI</td><td>RH</td></tr> <tr> <td>After</td><td>LH</td><td>PSI</td><td>PSI</td><td>RH</td> <td>After</td><td>LH</td><td>PSI</td><td>PSI</td><td>RH</td></tr> <tr> <td>Brake Wear</td><td></td><td>mm</td><td>mm</td><td></td> <td>Brake Wear</td><td></td><td>mm</td><td>mm</td><td></td></tr> </table> RECORD TIME (UTC) PRESSURE CHECK CARRIED OUT	Before	LH	PSI	PSI	RH	After	LH	PSI	PSI	RH	Before	LH	PSI	PSI	RH	Before	LH	PSI	PSI	RH	After	LH	PSI	PSI	RH	After	LH	PSI	PSI	RH	Brake Wear		mm	mm		Brake Wear		mm	mm		SKILL: A/P	N/A
Before	LH	PSI	PSI	RH																																							
After	LH	PSI	PSI	RH																																							
Before	LH	PSI	PSI	RH	Before	LH	PSI	PSI	RH																																		
After	LH	PSI	PSI	RH	After	LH	PSI	PSI	RH																																		
Brake Wear		mm	mm		Brake Wear		mm	mm																																			

BARCODE:

A320-052000-99-2-SJV-IDN

TASKCARD

WORK ORDER NO.	A/C REG.	A/C MSN.	A/C Effectivity	OPERATOR	TASK CARD NO.
					A320-052000-99-2-SJV-IDN

ACCOMPLISHMENT			
NO.	INSTRUCTION	PERFORMED BY	INSPECTED BY
	RECORD SERIAL NO. OF TYRE PRESSURE GAGE USED - [.....] Aft Fuselage - [.....] Stabilizers and Cone/Rear Fuselage - [.....] Do a fluid level check of the Green, Blue and Yellow hydraulic reservoirs (On ECAM LOWER DISPLAY, HYD page).		
4	WASTE/WATER SERVICING - [.....] Service the potable water system as required (15). - [.....] Service the toilet waste tanks as required (12). In freezing conditions, obey the cold weather maintenance. (pos# 12, 15 see diagram at appendix).	SKILL: A/P	N/A
5	FLIGHT COMPARTMENT - [.....] Overwing Slide and Crew Oxygen System - [.....] External Lights - [.....] Flight compartment lighting, including stby compass light - [.....] Check Spare Bulb / Fuses, replace as necessary. - [.....] Check Emergency Equipment - [.....] Check Windshield and the side windows for damage and cleanliness - [.....] Check flight compartment and windows - [.....] Operational Test of the Emergency Lighting in the Cabin with the 'LIGHT EMER' Push button Switch - [.....] Functional test NO SMOKING / NO MOBILE DEVICE / FASTEN SEAT BELT SIGN, - [.....] Do general visual inspection Captain & FO seat condition - [.....] Operational test of the DFDR and CVR - [.....] Perform Dry-Motoring Check - [.....] Operational Check of the Avionics Equipment Ventilation System via MCDU (MP TASK: 212600-01-1) - [.....] Operational Check of EFCS by BITE (Ground Scanning) - [.....] Check ACARS/DATA indication	SKILL: A/P	N/A

BARCODE:

A320-052000-99-2-SJV-IDN

TASKCARD

WORK ORDER NO.	A/C REG.	A/C MSN.	A/C Effectivity	OPERATOR	TASK CARD NO.
					A320-052000-99-2-SJV-IDN

ACCOMPLISHMENT			
NO.	INSTRUCTION	PERFORMED BY	INSPECTED BY
6	PASSENGER COMPARTMENT - [.....] Check passenger compartment, Galleys, Lavatories for condition and cleanliness, - [.....] Check of the galleys for general condition, cleanliness and evidence of water leakage, - [.....] Do a check of the lavatories for general condition, cleanliness and evidence of leakage. - [.....] Check the closing flap of the waste bins for correct operation - [.....] Do a check of the emergency equipment for presence, correct stowage, condition, proper pressure, safeties, security and validity date. a) DOOR - Escape Slide / Raft. Result : b) PASSENGER CABIN : - Halon / Water Fire extinguisher Result : - PBE Result : - Oxygen Bottle Result : - First Aid Kit Result : c) LAVATORY - Fire extinguisher Result : - [.....] Examine the hermetic seal of the first aid Kits for condition. - [.....] Do a general visual check of the left and right wing upper surface and control surfaces, through cabin windows. - [.....] PASSENGER/CREW DOOR (MP TASK 521000-01-1) - Check emergency cylinder/accumulator pressure - FWD: R/HPSI, L/HPSI - AFT : R/HPSI, L/HPSI	SKILL: A/P	N/A
7	WINGS - TANKS (MP TASK 281100-01-2) Drain water from wing tanks and center tank at water drain valves	SKILL: A/P	N/A

BARCODE:

A320-052000-99-2-SJV-IDN

TASKCARD

WORK ORDER NO.	A/C REG.	A/C MSN.	A/C Effectivity	OPERATOR	TASK CARD NO.
					A320-052000-99-2-SJV-IDN

ACCOMPLISHMENT																																																			
NO.	INSTRUCTION	PERFORMED BY	INSPECTED BY																																																
8	FINAL ITEM - [.....] Check the following aircraft documents for completeness and validity: <table><tr><th>Item</th><th>Description</th><th>Valid until</th></tr><tr><td>a</td><td>Certificate of Airworthiness (C of A).</td><td></td></tr><tr><td>b</td><td>Certificate of Registration (C of R).</td><td></td></tr><tr><td>c</td><td>Insurance Certificate</td><td></td></tr><tr><td>d</td><td>Weight and Balance.</td><td></td></tr><tr><td></td><td></td><td>Date Issued</td></tr><tr><td>e</td><td>Swing Compass</td><td></td></tr><tr><td>f</td><td>Radio Permit & AASL</td><td></td></tr><tr><td>g</td><td>Required Navigation Performance (RNP).</td><td></td></tr><tr><td>h</td><td>Reduced Vertical Separate Minimal (RVSM).</td><td></td></tr><tr><td>i</td><td>Noise Certificate</td><td></td></tr><tr><td>j</td><td>Minimum Equipment List</td><td></td></tr><tr><td></td><td></td><td>Last Revision Date</td></tr><tr><td>k</td><td>Operation Specifications (OPSPEC).</td><td></td></tr><tr><td></td><td></td><td>Yes / No</td></tr><tr><td>l</td><td>Dent Buckle & Chart (Check any due date of Temp. repair repetitive inspection or Permanent repair if required)</td><td></td></tr></table> - [.....] Review AFML, CML, DMI, NSRDIL, DBC, Deferred Item. (from. Phase check or C Check). - [.....] Check corrective actions in the aircraft technical log, and record each corrected or carried forward item. Record the DAILY check in the aircraft technical log. - [.....] De-energize the aircraft electrical network. Make sure that the cockpit sliding windows are closed. - [.....] Make sure that all passenger/crew doors, cargo compartment doors and service panel doors are correct closed and secured.	Item	Description	Valid until	a	Certificate of Airworthiness (C of A).		b	Certificate of Registration (C of R).		c	Insurance Certificate		d	Weight and Balance.				Date Issued	e	Swing Compass		f	Radio Permit & AASL		g	Required Navigation Performance (RNP).		h	Reduced Vertical Separate Minimal (RVSM).		i	Noise Certificate		j	Minimum Equipment List				Last Revision Date	k	Operation Specifications (OPSPEC).				Yes / No	l	Dent Buckle & Chart (Check any due date of Temp. repair repetitive inspection or Permanent repair if required)		SKILL: A/P	N/A
Item	Description	Valid until																																																	
a	Certificate of Airworthiness (C of A).																																																		
b	Certificate of Registration (C of R).																																																		
c	Insurance Certificate																																																		
d	Weight and Balance.																																																		
		Date Issued																																																	
e	Swing Compass																																																		
f	Radio Permit & AASL																																																		
g	Required Navigation Performance (RNP).																																																		
h	Reduced Vertical Separate Minimal (RVSM).																																																		
i	Noise Certificate																																																		
j	Minimum Equipment List																																																		
		Last Revision Date																																																	
k	Operation Specifications (OPSPEC).																																																		
		Yes / No																																																	
l	Dent Buckle & Chart (Check any due date of Temp. repair repetitive inspection or Permanent repair if required)																																																		

BARCODE:

A320-052000-99-2-SJV-IDN

TASKCARD

WORK ORDER NO.	A/C REG.	A/C MSN.	A/C Effectivity	OPERATOR	TASK CARD NO.
					A320-052000-99-2-SJV-IDN

ACCOMPLISHMENT			
NO.	INSTRUCTION	PERFORMED BY	INSPECTED BY
9	AIRCRAFT COVERING Installation of the Aircraft Protection Equipment - [.....] Protection of the 2 total temperature sensor in position - [.....] Protection of the 3 pitot probes in position - [.....] Protection of the 3 angle-of-attack sensors in position - [.....] Protection of the 6 static probes in position Installation of the Protection Devices on the Engines - [.....] Protection of the engine air intakes in position - [.....] Protection of the engine exhaust nozzles in position Installation of the Protection Devices on the APU Area - [.....] Protection of the APU exhaust duct - [.....] Protection of the outlet duct of the APU oil cooler - [.....] Install the protective covers on the aircraft as necessary. Make sure that an authorized person releases the aircraft	SKILL: A/P	N/A
10	THE END OF THE TASK	N/A	N/A

START TIME(UTC)	FINISH TIME(UTC)	TOTAL MAN HOUR		DEFECT FOUND M.D.R.R. No:	Y	N
		EST.	ACTUAL			
		2.25				

TASK CARD RELEASE			
DATE (UTC) :	TIME (UTC) :	SIGNATURE :	AUTHORIZATION NO. :

BARCODE:	 A320-052000-99-2-SJV-IDN
-----------------	---