

TASKCARD

A/C TYPE	Effectivity	DESCRIPTION	WORK ORDER NO.	
		DAILY CHECK CERTIFICATE		
A/C REG.	A/C MSN.	ACCESS	TASKCARD NO.	
			999999-DAY-00000-2-WA-C-IDN	
A/C TSN.	A/C CSN.	112VU 195LL 20VU 435AL 445AL	THRESHOLD	INTERVAL
:				
OPERATOR	PLACE	ZONE	TASK	REVISION
		195 210 211 212 213 214 400 451 461	INSP	003
START DATE	FINISH DATE	NOTE	ATA	SKILL
		☐ ETOPS ☐ RVSM ☐ RNP10 ☐ RII ☐ CDCCL		A/P

REFERENCE			
Doc No.	Doc Description	Doc No.	Doc Description
NONE			

TOOLS REQUIRED		
PART NUMBER	DESCRIPTION	QUANTITY
2001061	ACCESS PLATFORM 2M (6 FT)	1
S1201001500200	COVER – PROBE, PITOT (ATR72)	3
SPC-101-ATR	STATIC PORT COVER	2
SPC-102-ATR	STATIC PORT COVER	2

MATERIAL REQUIRED		
PART NUMBER	DESCRIPTION	QUANTITY
G01989	SOAP - CASTILE	1
MIL-C-87936	DETERGENT - GENERAL PURPOSE	.2
MOBIL JET II	OIL	1
S1201001600200	COVER AIR TEMP SENSOR PROBE	1

ACCOMPLISHMENT			
NO.	INSTRUCTION	PERFORMED BY	INSPECTED BY
1	General Section NOTE: Please fill [.....] with check mark. If found any deviation, please report to hotline 24/7.	N/A	N/A

BARCODE:  999999-DAY-00000-2-WA-C-IDN
--

TASKCARD

WORK ORDER NO.	A/C REG.	A/C MSN.	A/C Effectivity	OPERATOR	TASK CARD NO.
					999999-DAY-00000-2-WA-C-IDN

ACCOMPLISHMENT																																								
NO.	INSTRUCTION				PERFORMED BY	INSPECTED BY																																		
2	1. Fuel Quantity Indicator check A. [...] Check fuel quantity shown on the fuel quantity indicator and compare the physical quantity in the tanks with the dipsticks B. [...] If measurement between dipstick and fuel quantity indicator are out of Admissible tolerance perform troubleshooting				SKILL: A/P	N/A																																		
<table border="1"> <thead> <tr> <th colspan="5">FUEL QUANTITY</th> </tr> <tr> <th>A/C ROLL ALTITUDE :(DEG)</th><th colspan="2">MANUAL MAGNETIC INDICATOR (DRIPSTICK)</th><th colspan="2">FUEL QTY INDICATOR</th> </tr> <tr> <th>DENSITY*** :</th><th colspan="2"></th><th colspan="2"></th> </tr> <tr> <th></th><th>MMI VALUE (CM)</th><th>TANK FUEL LEVEL (LITER / US GALLON)*</th><th>TANK FUEL LEVEL ** (KG)</th><th>TANK FUEL LEVEL (KG)</th> </tr> </thead> <tbody> <tr> <td>LEFT INNER</td><td>.....</td><td rowspan="3">.....</td><td rowspan="3">...+/-...</td><td rowspan="3">.....</td></tr> <tr> <td>LEFT OUTER</td><td>.....</td></tr> <tr> <td>RIGHT INNER</td><td>.....</td></tr> <tr> <td>RIGHT OUTER</td><td>.....</td><td>.....</td><td>...+/-...</td><td>.....</td></tr> </tbody> </table>							FUEL QUANTITY					A/C ROLL ALTITUDE :(DEG)	MANUAL MAGNETIC INDICATOR (DRIPSTICK)		FUEL QTY INDICATOR		DENSITY*** :						MMI VALUE (CM)	TANK FUEL LEVEL (LITER / US GALLON)*	TANK FUEL LEVEL ** (KG)	TANK FUEL LEVEL (KG)	LEFT INNER			...+/-...		LEFT OUTER		RIGHT INNER		RIGHT OUTER			...+/-...	
FUEL QUANTITY																																								
A/C ROLL ALTITUDE :(DEG)	MANUAL MAGNETIC INDICATOR (DRIPSTICK)		FUEL QTY INDICATOR																																					
DENSITY*** :																																								
	MMI VALUE (CM)	TANK FUEL LEVEL (LITER / US GALLON)*	TANK FUEL LEVEL ** (KG)	TANK FUEL LEVEL (KG)																																				
LEFT INNER			...+/-...																																					
LEFT OUTER																																								
RIGHT INNER																																								
RIGHT OUTER			...+/-...																																					
* : CHOOSE THE MEASURING UNIT																																								
** : CONVERT VOLUME TO WEIGHT, USE CONVERSION TABLE FIGURE ICN-ATR-A-284260-A-FB429-00EEG-A-002-01 (CONVERSION TABLE)																																								
THE PRECISION OF DRIPSTICK MEASUREMENT IS +/- 200 LITERS. USED CONVERSION TABLE FIGURE ICN-ATR-A-284260-A-FB429-00EEG-A-002-01																																								
*** : DENSITY CAN BE OBTAINED BY FUEL PROVIDER DURING REFUELING																																								
C. [...] After close fueling control access panel, make sure electric power to fueling control panel is OFF. If not OFF please rectify the problem.																																								

BARCODE:

999999-DAY-00000-2-WA-C-IDN

TASKCARD

WORK ORDER NO.	A/C REG.	A/C MSN.	A/C Effectivity	OPERATOR	TASK CARD NO.
					999999-DAY-00000-2-WA-C-IDN

ACCOMPLISHMENT																							
NO.	INSTRUCTION	PERFORMED BY	INSPECTED BY																				
3	2. Flight Compartment A.[.....] Check that parking brake B.[.....] Check of batteries voltage Result: Main batt.....Volt, Emer Batt.....Volt NOTE: Make sure the voltage on DC voltmeter is at least 25V follow the procedure if voltage not at least 25V C.[.....] Check of crew oxygen system contents D.[.....] Review and Check AFML, CML, DMI, NSRDIL, Dent Buckle Chart & Dent Buckle Chart Supplement Status E.[.....] Check all aircraft document for completeness and validity Note : fill validity date , if not have fill with - (dash) <table border="1"> <tr> <td>1. Certificate of Airworthiness (CoA)</td> <td>☐ Val Date:</td> </tr> <tr> <td>2. Certificate of Registration (CoR)</td> <td>☐ Val Date:</td> </tr> <tr> <td>3. Radio Permit</td> <td>☐ Val Date:</td> </tr> <tr> <td>4. Weight and Balance Report</td> <td>☐ Val Date:</td> </tr> <tr> <td>5. Swing Compass</td> <td>☐ Val Date:</td> </tr> <tr> <td>6. Insurance Certificate</td> <td>☐ Val Date:</td> </tr> <tr> <td>7. Authorizations, Conditions and Limitations</td> <td>☐ Val Date:</td> </tr> <tr> <td>8. Minimum Equipment List</td> <td>☐ Rev. Date</td> </tr> <tr> <td>9. Noise Certificate</td> <td>☐ Val Date:</td> </tr> <tr> <td>10. Copy of Return to Service (Current/Last RTS)</td> <td>☐ Val Date:</td> </tr> </table> F.[.....] Operational test of engine fire detection by fire test G.[.....] Check on MCDU for PEC fault code, with detail below: PEC, if the PEC with fault code please record the fault code on the AFML and erase it, even no found fault code. PEC#1 : FC PEC#2 : FC H.[.....] Scan the barcode below:  Please fill & submit the data for propeller fault code message record	1. Certificate of Airworthiness (CoA)	☐ Val Date:	2. Certificate of Registration (CoR)	☐ Val Date:	3. Radio Permit	☐ Val Date:	4. Weight and Balance Report	☐ Val Date:	5. Swing Compass	☐ Val Date:	6. Insurance Certificate	☐ Val Date:	7. Authorizations, Conditions and Limitations	☐ Val Date:	8. Minimum Equipment List	☐ Rev. Date	9. Noise Certificate	☐ Val Date:	10. Copy of Return to Service (Current/Last RTS)	☐ Val Date:	SKILL: A/P	N/A
1. Certificate of Airworthiness (CoA)	☐ Val Date:																						
2. Certificate of Registration (CoR)	☐ Val Date:																						
3. Radio Permit	☐ Val Date:																						
4. Weight and Balance Report	☐ Val Date:																						
5. Swing Compass	☐ Val Date:																						
6. Insurance Certificate	☐ Val Date:																						
7. Authorizations, Conditions and Limitations	☐ Val Date:																						
8. Minimum Equipment List	☐ Rev. Date																						
9. Noise Certificate	☐ Val Date:																						
10. Copy of Return to Service (Current/Last RTS)	☐ Val Date:																						

BARCODE:

999999-DAY-00000-2-WA-C-IDN

TASKCARD

WORK ORDER NO.	A/C REG.	A/C MSN.	A/C Effectivity	OPERATOR	TASK CARD NO.
					999999-DAY-00000-2-WA-C-IDN

ACCOMPLISHMENT													
NO.	INSTRUCTION			PERFORMED BY	INSPECTED BY								
	I.[.....] Check of The PCMCIA CARD -Standby PCMCIA CARD availability : [...] Yes / [...] No -S/N Standby PCMCIA CARD : <table border="1"> <thead> <tr> <th>DATE</th><th>ACTUAL FLIGHT (AFML)</th><th>PREVIOUS FLIGHT (MCDU)</th><th>STORED REPORT (MCDU *02 : CRUISE)</th></tr> </thead> <tbody> <tr> <td></td><td></td><td></td><td></td></tr> </tbody> </table> J.[.....] Check that External power and batteries are turned off K.[.....] Check emergency light switch is on "disarm" position L.[.....] Check all emergency equipment for condition and secure as per last update LOPA document M.[.....] Remove safety pins from behind FO seat, [...] install safety pins on landing gear struts N.[.....] Visual check at all pitot probe (Captain pitot probe, FO pitot probe, STBY pitot probe). O. [...] Install all covers (pitot static cover, pitot probe cover, propeller strap, ACM intake, engine intake) P.[.....] Do visual inspection of the captain, first officer and observer seat cover Q.[.....] Check and completed box Inst-Spare lamps and fuse Result : R.[.....] General visual check for condition and proper attachment of the IPAD Is IPAD available ? Yes _____ / No _____ S. [...] Operational Test of the Auxiliary Electric Pump System			DATE	ACTUAL FLIGHT (AFML)	PREVIOUS FLIGHT (MCDU)	STORED REPORT (MCDU *02 : CRUISE)						
DATE	ACTUAL FLIGHT (AFML)	PREVIOUS FLIGHT (MCDU)	STORED REPORT (MCDU *02 : CRUISE)										
4	3. DE-ICER A.[.....] Servicing and Cleaning of Pneumatic De-Icers on Air Intake lip and throat. B.[.....] General Visual Inspection of Pneumatic De-icers on Leading Edge (Wings Zone) Please fill with code number : <table border="1"> <tbody> <tr> <td>L/H Wing :</td><td>Horstab :</td></tr> <tr> <td>R/H Wing :</td><td>Engine intake :</td></tr> </tbody> </table>			L/H Wing :	Horstab :	R/H Wing :	Engine intake :	SKILL: A/P	N/A				
L/H Wing :	Horstab :												
R/H Wing :	Engine intake :												

BARCODE:

999999-DAY-00000-2-WA-C-IDN

TASKCARD

WORK ORDER NO.	A/C REG.	A/C MSN.	A/C Effectivity	OPERATOR	TASK CARD NO.
					999999-DAY-00000-2-WA-C-IDN

ACCOMPLISHMENT																																																								
NO.	INSTRUCTION					PERFORMED BY	INSPECTED BY																																																	
5	4. LANDING GEAR A.[.....] General visual inspection of MLG Doors Attachment B.[.....] Visual Check Of Nitrogen Charging Pressure On Brake C.[.....] Clean exposed surface chrome and sealant areas around the shock absorber D.[.....] Do Inspection check of tie bolt and torque strip on main wheel, and make sure torque strip. E.[.....] Do general visual inspection of SCV for leak & corrosion. Result :					SKILL: A/P	N/A																																																	
6	5. PROPELLER (LH & RH) A.[.....] Check the propeller for signs of oil leakage. B.[.....] Visual Check all blades C.[.....] Check for any wetness at filler bulkhead and de-icer tab. D.[.....] Do inspection at propeller blade erosion film, propeller blade lower leading edge, and de-icer tab. Record any finding (dent, corrosion, erosion film peel off, etc) in table below : <table><tr><th>Blade No.</th><th>1</th><th>2</th><th>3</th><th>4</th><th>5</th><th>6</th></tr><tr><td>L/H Blade erosion film</td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>L/H Blade lower leading edge</td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>L/H De-icer tab</td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>R/H Blade erosion film</td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>R/H Blade lower leading edge</td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>R/H De-icer tab</td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> Note: If the propeller blade with finding damage, fill the AFML.					Blade No.	1	2	3	4	5	6	L/H Blade erosion film							L/H Blade lower leading edge							L/H De-icer tab							R/H Blade erosion film							R/H Blade lower leading edge							R/H De-icer tab							SKILL: A/P	N/A
Blade No.	1	2	3	4	5	6																																																		
L/H Blade erosion film																																																								
L/H Blade lower leading edge																																																								
L/H De-icer tab																																																								
R/H Blade erosion film																																																								
R/H Blade lower leading edge																																																								
R/H De-icer tab																																																								

BARCODE:


999999-DAY-00000-2-WA-C-IDN

TASKCARD

WORK ORDER NO.	A/C REG.	A/C MSN.	A/C Effectivity	OPERATOR	TASK CARD NO.
					999999-DAY-00000-2-WA-C-IDN

ACCOMPLISHMENT															
NO.	INSTRUCTION	PERFORMED BY	INSPECTED BY												
7	6. POWERPLANT (LH & RH) A.[.....] Check of engine oil level and services as required: Engine #1 OIL Added Quarts Engine #2 OIL Added Quarts B.[.....] Inspect for any loose fastener, locking devices, sign of lightning strike of the engine cowling, engine air intake, included exhaust area and ensure free from foreign object C.[.....] Do the visual inspection of the LP Impeller. D.[.....] Do visual inspection for external oil leak from engine area <table border="1"> <thead> <tr> <th>Engine Pos</th><th>Engine S/N</th><th>oil leak occur ?</th><th>if leak, occur from ?</th></tr> </thead> <tbody> <tr> <td>1</td><td></td><td></td><td></td></tr> <tr> <td>2</td><td></td><td></td><td></td></tr> </tbody> </table>	Engine Pos	Engine S/N	oil leak occur ?	if leak, occur from ?	1				2				SKILL: A/P	N/A
Engine Pos	Engine S/N	oil leak occur ?	if leak, occur from ?												
1															
2															
8	7. FUSELAGE A.[.....] Make sure all cover installed (Pitot static, etc) after unplugging external power supply B.[.....] Inspect and clean the hinge of lavatory service door C.[.....] Install tail probe D.[.....] Check for all doors and access panels are closed	SKILL: A/P	N/A												
9	8.[.....] Do general visual inspection of the fwd and aft cargo compartment	SKILL: A/P	N/A												
10	9. Cabin Compartment A. [.....] Do general visual inspection and operational check (close-open) of the overhead been Compartment B. [.....] Do general visual inspection of pax window area (inner layer)	SKILL: A/P	N/A												
11	RETURN TO SERVICE <i>" I certify that this aircraft has been inspected in accordance with Daily inspection and determined to be in airworthy condition "</i>	N/A	N/A												

START TIME(UTC)	FINISH TIME(UTC)	TOTAL MAN HOUR		DEFECT FOUND M.D.R.R. No:	Y	N
		EST.	ACTUAL			
		2.40				
TASK CARD RELEASE						
DATE (UTC) : TIME (UTC) : SIGNATURE : AUTHORIZATION NO. :						

BARCODE:	 999999-DAY-00000-2-WA-C-IDN
-----------------	---