

TASKCARD

A/C TYPE	Effectivity	DESCRIPTION	WORK ORDER NO.	
A/C REG.	A/C MSN.	A320 - PREFLIGHT CHECK		
A/C TSN.	A/C CSN.	ACCESS	TASKCARD NO.	
			A320-052000-99-1-SJV-IDN	
OPERATOR	PLACE	ZONE	THRESHOLD	INTERVAL
START DATE	FINISH DATE	NOTE	TASK	REVISION
		<input type="checkbox"/> ETOPS <input type="checkbox"/> RVSM <input type="checkbox"/> RNP10 <input type="checkbox"/> RII <input type="checkbox"/> CDCCL	GVI	1
			ATA	SKILL

REFERENCE

Doc No.	Doc Description	Doc No.	Doc Description
AMM 10-11-00-555-014	AIRCRAFT PROTECTIVE COVERS/ DEVICES - Removal of the aircraft protection equipment	AMM 12-11-28-650-003	REFUELING INSTRUCTION - Pressure Refuel with Automatic Control
AMM 24-41-51-000-001	Removal of the External Power Receptacle	AMM 12-15-38-613-001	POTABLE WATER SERVICING - Fill the Potable Water Tank System
AMM 12-34-24-869-001	AIRCRAFT GROUNDING - For the Refuel/ Defuel Operations and for Maintenance	AMM 12-12-29-611-002	HYDRAULIC RESERVOIRS REPLENISHING - Fill the Hydraulic Fluid Reservoir with a Hydraulic Service Cart

TOOLS REQUIRED

PART NUMBER	DESCRIPTION	QUANTITY
NONE	NONE	NONE

MATERIAL REQUIRED

PART NUMBER	DESCRIPTION	QUANTITY
MOBIL JET II	OIL	1
SKYDROL LD4	FLUID - HYDRAULIC, EROSION ARRESTING, FIRE RESISTANT	1

ACCOMPLISHMENT

NO.	INSTRUCTION	PERFORMED BY	INSPECTED BY
1	29/10/2025 PK-WFK RON PBS12- - - 1 A-CHECK - CHEMICAL IKHSAN A 240716 FATH 251080 INTERVAL NOTE: Accomplished before the first flight of the day APPLICABILITY NOTE: FSN 001-999 for ALL		
2	29/10/2025 PK-WFK RON PBS12- - - 1 A-CHECK - CHEMICAL IKHSAN A 240716 FATH 251080 1.0 PRELIMINARY ITEMS		
3	29/10/2025 PK-WFK RON PBS12- - - 1 A-CHECK - CHEMICAL IKHSAN A 240716 FATH 251080 FANGKY **ON A/C FSN 001-999 1.1 Review the aircraft technical log and make sure that corrective actions have been performed.	A/P	

BARCODE:



A320-052000-99-1-SJV-IDN

TASKCARD

WORK ORDER NO.	A/C REG.	A/C MSN.	A/C Effectivity	OPERATOR	TASK CARD NO.
					A320-052000-99-1-SJV-IDN

ACCOMPLISHMENT					
NO.	INSTRUCTION			PERFORMED BY	INSPECTED BY
	1.2 Remove all protective covers from the aircraft. 1.2.1. Protection of the 2 total temperature sensors 1.2.2. Protection of the 3 pitot probes Removed 1.2.3. Protection of the 3 angle-of-attack sensors Removed 1.2.4. Protection of the 6 static probes Removed 1.2.5 Protection of the engine air intakes Removed 1.2.6 Protection of the engine exhaust nozzles Removed		Removed		
	1.3. Do the safety check of the flight compartment for correct position of the controls. 1.4 Energize the aircraft electrical network if necessary. 1.5 Do the check the flight compartment windshields and side windows for cleanliness.				
4	29/10/2025 PK-WFK RON PBS12- - - 1 A-CHECK - CHEMICAL IKHSAN A 240716 FATH 251080 FANGKY **ON A/C FSN 001-999 1.5 If 'STS' has appeared on the upper ECAM DU, check for messages in the maintenance section of the STATUS page on the lower ECAM DU. Start corrective actions as required.			A/P	
5	29/10/2025 PK-WFK RON PBS12- - - 1 A-CHECK - CHEMICAL IKHSAN A 240716 FATH 251080 FANGKY **ON A/C FSN 001-999 1.7 Do a fluid level check of the Green, Blue and Yellow hydraulic reservoirs			A/P	

BARCODE:


A320-052000-99-1-SJV-IDN

TASKCARD

WORK ORDER NO.	A/C REG.	A/C MSN.	A/C Effectivity	OPERATOR	TASK CARD NO.
					A320-052000-99-1-SJV-IDN

ACCOMPLISHMENT					
NO.	INSTRUCTION			PERFORMED BY	INSPECTED BY
	(On ECAM LOWER DISPLAY, HYD page). Add Phosphate Ester Base hydraulic fluid (Mat. No. 02-003) to the reservoirs as necessary. Record uplift(s) in the aircraft technical log.				
6	29/10/2025 PK-WFK RON PBS12- - - 1 A-CHECK - CHEMICAL IKHSAN A 240716 FATH 251080 FANGKY **ON A/C FSN 001-999 (AMM TASK 31-33-00-710-007-A & 237100-710-001-A) 1.8 DIGITAL FLIGHT DATA RECORDER & COCKPIT VOICE RECORDER (EASA SIB No.: 2009-28R1) (MP TASK 237135-99-1 & 313300-99-1) (CASR 91 Appendix E) 1.8.1 Operational test of the DFDR Tested 1.8.2 Operational test of The CVR. <input type="checkbox"/> Tested			A/P	
7	29/10/2025 PK-WFK RON PBS12- - - 1 A-CHECK - CHEMICAL IKHSAN A 240716 FATH 251080 FANGKY 2.0 REFUELING				
8	29/10/2025 PK-WFK RON PBS12- - - 1 A-CHECK - CHEMICAL IKHSAN A 240716 FATH 251080 FANGKY **ON A/C FSN 001-999 2.1 Obtain water free fuel samples from the fuel tanker/pump unit before start refueling. Refuel the aircraft up to required dispatch quantity and record uplift/content in the aircraft technical log. Make sure that the refuel coupling caps are in place and secured. Make sure that the dipsticks are retracted and secured.			A/P	
9	29/10/2025 PK-WFK RON PBS12- - - 1 A-CHECK - CHEMICAL IKHSAN A 240716 FATH 251080 FANGKY 3.0 WATER/WASTE SERVICING				
10	29/10/2025 PK-WFK RON PBS12- - - 1 A-CHECK - CHEMICAL IKHSAN A 240716 FATH 251080 FANGKY **ON A/C FSN 001-999 3.1 Service the potable water system as required (15). 3.2 Service the toilet waste tanks as required (12). In freezing conditions, obey the cold weather maintenance. (pos# 12, 15 see diagram at appendix)			A/P	
11	29/10/2025 PK-WFK RON PBS12- - - 1 A-CHECK - CHEMICAL IKHSAN A 240716 FATH 251080 FANGKY 4.0 EXTERNAL WALK AROUND				
12	29/10/2025 PK-WFK RON PBS12- - - 1 A-CHECK - CHEMICAL IKHSAN A 240716 FATH 251080 FANGKY			A/P	

BARCODE:


A320-052000-99-1-SJV-IDN

TASKCARD

WORK ORDER NO.	A/C REG.	A/C MSN.	A/C Effectivity	OPERATOR	TASK CARD NO.
					A320-052000-99-1-SJV-IDN

ACCOMPLISHMENT					
NO.	INSTRUCTION			PERFORMED BY	INSPECTED BY
	<p>**ON A/C FSN 001-999</p> <p>4.1 Do an aircraft walk around, make sure that there is no:</p> <ul style="list-style-type: none"> - Damage, Checked - Foreign objects, Checked - Fluid leakages, Checked - Missing or loose parts, Checked - Missing overpressure discharge discs, Checked - Obstruction of inlets/outlets. Checked - skin around and adjacent to the static port area for any damages (scratch, dent, nick, contour change, etc.) Checked <p>NOTE: Aircraft parked in an open area under freezing conditions; make sure that the aircraft is clear of ice, snow or frost (Ref. AMM 12-31-00, Cold Weather Maintenance).</p>				
13	<p>29/10/2025 PK-WFK RON PBS12- - - 1 A-CHECK - CHEMICAL IKHSAN A 240716 FATH 251080 FANGKY</p> <p>**ON A/C FSN 001-999</p> <p>4.2 Do a check of the engines and make sure:</p> <ul style="list-style-type: none"> - there are no foreign objects in the engine air intake and fan outlet, - there is no fluid leakage on the drain mast, - the cowl doors are correctly closed and latched. 			A/P	
14	<p>29/10/2025 PK-WFK RON PBS12- - - 1 A-CHECK - CHEMICAL IKHSAN A 240716 FATH 251080 FANGKY</p> <p>**ON A/C FSN 001-999</p> <p>4.3 Do a check of the landing gears and make sure:</p> <ul style="list-style-type: none"> - the NLG and MLG shock absorber shows normal extension, there is no sign of under-inflation on the tires, Checked - there is no hydraulic fluid leakage on the brake units. Checked 			A/P	
15					

BARCODE:


A320-052000-99-1-SJV-IDN

TASKCARD

WORK ORDER NO.	A/C REG.	A/C MSN.	A/C Effectivity	OPERATOR	TASK CARD NO.
					A320-052000-99-1-SJV-IDN

ACCOMPLISHMENT					
NO.	INSTRUCTION			PERFORMED BY	INSPECTED BY
	29/10/2025 PK-WFK RON PBS12- - - 1 A-CHECK - CHEMICAL IKHSAN A 240716 FATH 251080 FANGKY 5.0 FINAL ITEMS				
16	29/10/2025 PK-WFK RON PBS12- - - 1 A-CHECK - CHEMICAL IKHSAN A 240716 FATH 251080 FANGKY **ON A/C FSN 001-999 5.1 Check and record corrective actions in the aircraft technical log. Record the PRE-FLIGHT check in the aircraft technical log. Make sure an authorized person releases the aircraft.			A/P	
17	29/10/2025 PK-WFK RON PBS12- - - 1 A-CHECK - CHEMICAL IKHSAN A 240716 FATH 251080 FANGKY **ON A/C FSN 001-999 5.2 - Remove the wheel chocks. <input type="checkbox"/> Removed - Remove the nose landing gear Pin-Ground lock <input type="checkbox"/> Removed and the main landing gear ground lock safety devices			A/P	
18	29/10/2025 PK-WFK RON PBS12- - - 1 A-CHECK - CHEMICAL IKHSAN A 240716 FATH 251080 FANGKY **ON A/C FSN 001-999 5.3 Final aircraft walk-around: - Make sure that the entrance stairs is retracted and the door is closed. Checked - Make sure that all passenger/crew doors, cargo compartment doors and service panel doors are correctly closed and secured. Checked - Make sure that no damage has been caused by ground equipment, during baggage loading and/or servicing. Checked			A/P	
19	29/10/2025 PK-WFK RON PBS12- - - 1 A-CHECK - CHEMICAL IKHSAN A 240716 FATH 251080 FANGKY **ON A/C FSN 001-999 5.4 If external power has been used, request the flight crew instructions for GPU de-energization and disconnection. Removed			A/P	
20	29/10/2025 PK-WFK RON PBS12- - - 1 A-CHECK - CHEMICAL IKHSAN A 240716 FATH 251080 FANGKY			A/P	

BARCODE:


A320-052000-99-1-SJV-IDN



TASKCARD

WORK ORDER NO.	A/C REG.	A/C MSN.	A/C Effectivity	OPERATOR	TASK CARD NO.
					A320-052000-99-1-SJV-IDN

ACCOMPLISHMENT					
NO.	INSTRUCTION			PERFORMED BY	INSPECTED BY
	**ON A/C FSN 001-999 5.5 Make sure that the aircraft surrounding area is clear for dispatch.				
21	29/10/2025 PK-WFK RON PBS12- - - 1 A-CHECK - CHEMICAL IKHSAN A 240716 FATH 251080 FANGKY				

END OF THE TASK

START TIME(UTC)	FINISH TIME(UTC)	TOTAL MAN HOUR		DEFECT FOUND M.D.R.R. No:	Y	N
		EST.	ACTUAL			
		1.00				

TASK CARD RELEASE

DATE (UTC) : TIME (UTC) : SIGNATURE : AUTHORIZATION NO. :

BARCODE:



A320-052000-99-1-SJV-IDN


TASKCARD

WORK ORDER NO.	A/C REG.	A/C MSN.	A/C Effectivity	OPERATOR	TASK CARD NO.
					A320-052000-99-1-SJV-IDN

APPENDIX

GRAPHIC
PREFLIGHT PICTURE.JPG

EXTERNAL WALK AROUND DIAGRAM



BARCODE:



A320-052000-99-1-SJV-IDN