Narration Script

MAP-A rationale video v3 (MCS emphasis) · version without narration

Length 1:30 · 1920 × 1080 · 30 fps · subtitles burned in · 192 words in four scenes. Read each line over **MAP-A_Rationale_Video_v3_MCS_No_Narration.mp4**. Each line starts when its subtitle appears, and every visual cue is tied to a word, so match your pace to the subtitles.

How to record	Say it this way
1. Play the video and start speaking when each subtitle appears (**Start**). 2. Finish the line by **Finish by**. **Read time** is the length of the reference read in the narrated version. 3. Record each scene as its own take. Scene windows: 0:00–0:19, 0:19–0:38, 0:38–1:07, 1:07–1:30. 4. Leave the last 1.6 seconds silent. The end card holds from 1:28.4 to 1:30. 5. Pace is about 2.2 words per second, with a short breath at each comma.	**Albay**: al-BYE **jeepney**: JEEP-nee **Goal 11**: "Goal eleven" **e-mail**: EE-mail **"test network"**, never "Albay", for the a3, S3 and S4 numbers **RA 10932**, ₱ fares and table values are shown on screen only. Do not read them.

Scene 1 · Trip

0:00.0–0:19.0 · 41 words · bar: Convenience

#	Start	Finish by	Read time	Narration (read this) · on screen
1.1	0:00.3	0:03.3	2.9 s	**Start with one trip, from point A to point B.** On screen: Albay map draws in; pins A and B drop; a dotted path with a "?" joins them.
1.2	0:03.8	0:07.5	3.7 s	**Which jeepney do you ride, when do you arrive, and what do you pay?** On screen: Three tags pop in, one per question: Which jeepney? · When do you arrive? · What do you pay?
1.3	0:08.1	0:13.3	5.1 s	**In Albay, no machine-readable record of routes, stops, or fares can tell you.** On screen: The map dims while unrecorded vehicles drive between towns. On "no machine-readable record" the tags turn grey; the notation "R = S = H = F = empty set" (routes · stops · headways · fares); chips Jeepney · Tricycle · Minibus · UV van and "No routes, stops, headways, or fares on record", with "fares" in gold.
1.4	0:13.9	0:15.7	1.7 s	**Our timetable model can.** On screen: Synthetic test network with "Timetable graph G = (V, E)"; gold route a3 → S4; card "Door to door: 18.6 min" with τ(a3, S4) = 18.6 min; the fare meter counts to ₱20.00 for 7 km on a traditional jeepney, then "₱16.00 with 20% discount" and f(d) = 14 + 2·max(0, d − 4). Hold to 0:19.

Scene 2 · Community

0:19.0–0:38.0 · 42 words · bar: Fairness

#	Start	Finish by	Read time	Narration (read this) · on screen
2.1	0:19.2	0:20.2	0.9 s	**Zoom out.** On screen: The camera pulls back from the route to Albay: town boundaries, main roads and the four urban centres.
2.2	0:20.7	0:28.1	7.4 s	**The same model counts the schools, markets, and hospitals a person can reach in thirty minutes, and who is left out.** On screen: Schools, markets and hospitals appear clustered around the town centres; $A_i(30) = \Sigma\ 1[\tau(i, j) \le 30\ \text{min}]$; a road-shaped 30-minute reach area draws around Legazpi City; facilities inside light up, those outside grey out; "$L = \{ i : A_i(30) = 0 \}$" on "who is left out".
2.3	0:28.7	0:33.7	4.9 s	**Sustainable Development Goal 11 asks for transport accessible to all.** On screen: Lower third: "SDG 11.2 · transport accessible to all".
2.4	0:34.2	0:37.2	2.9 s	**In Albay, there was nothing to measure that against.** On screen: A "?" appears on the 30-minute reach area.

Scene 3 · Patient

0:38.0–1:07.0 · 59 words · bar: A life

#	Start	Finish by	Read time	Narration (read this) · on screen
3.1	0:38.3	0:39.8	1.4 s	**Now, an emergency.** On screen: The Albay map zooms back into the test network; the patient appears at a3 with a red pulse.
3.2	0:40.4	0:44.5	4.0 s	**The nearest hospital may be full, or lack the right level of care.** On screen: A red dashed line marks the nearest hospital, S3 (7.0 min), with $h_dist = \text{argmin}\ d(a3, h) = S3$. On "full" S3 turns red: $b(S3) = 0$; card S3 · FULL · Level 1 · 0 free beds · 7.0 min.
3.3	0:45.2	0:50.0	4.8 s	**Maps show where hospitals are, not free beds or what a family can afford.** On screen: Card "A map shows where. It does not show free beds, level, or cost." S4 shows "free beds ? · level ? · cost ?".
3.4	0:50.8	0:59.2	8.3 s	**Our hospital mode collects free-bed reports by e-mail** [0:54.9] **and sends the ambulance to the nearest hospital that can take the patient.** On screen: "HOSPITAL MODE"; six e-mails fly to S4 and the counter reaches 6/6; S4 turns gold, $b(S4) = 8$ (Level 3 · 18.6 min); the decision rule $h^* = \text{argmin}\ \tau(a3, h)$ subject to level of care, open ER, free beds and budget or emergency acuity; the ambulance carries the patient past S3; $h^* = S4$; check chips.
3.5	1:00.0	1:03.3	3.2 s	**In an emergency, payment never delays the route.** On screen: Chip "Payment waived for acuity 1 and 2 (RA 10932)" with "k in $K_E = \{1, 2\}$". After the line, hold: "Distance-only routing sent 5 of 6 anchors to a full hospital" (to 1:07).

Scene 4 · Why it must be right

1:07.0–1:30.0 · 50 words · bar: Proof

#	Start	Finish by	Read time	Narration (read this) · on screen
4.1	1:07.1	1:10.1	2.9 s	**The higher the stakes, the more the answer must be right.** On screen: The stakes ladder climbs to Proof; the right-edge bar fills.
4.2	1:10.4	1:14.3	3.8 s	**Earlier informal-transport projects began with field mapping.** On screen: “Earlier informal-transport projects”, then on “field mapping”: Field survey → Model.
4.3	1:14.6	1:20.4	5.7 s	**We reversed the order:** [1:16.2] **what can be defined, proven, and computed from open data alone?** On screen: On “reversed” the arrow flips to Model → Field survey; DEFINE, PROVE, COMPUTE appear on each word.
4.4	1:20.8	1:25.4	4.6 s	**From open maps, registries, census counts, and fares, we built the model.** On screen: Strip draws on each data source: Open data → Timetable graph → Access and inequality → Hospital mode.
4.5	1:25.7	1:28.4	2.7 s	**Twelve results, proven, then verified.** On screen: “12 results = 9 propositions + 3 corollaries”; twelve result tiles (Props. 1, 2, 3, 5, 6, 7, 9, 10, 12; Cors. 4, 8, 11) get a proof mark on “proven” and a check on “then verified”. End card from 1:28.4. Stay silent to 1:30.

Clean read

The same narration without the production notes. Use it as a teleprompter or to rehearse. A slash marks a short breath.

SCENE 1 · TRIP · 0:00.0–0:19.0

0:00.3 Start with one trip, / from point A to point B.

0:03.8 Which jeepney do you ride, / when do you arrive, / and what do you pay?

0:08.1 In Albay, / no machine-readable record of routes, / stops, / or fares can tell you.

0:13.9 Our timetable model can.

SCENE 2 · COMMUNITY · 0:19.0–0:38.0

0:19.2 Zoom out.

0:20.7 The same model counts the schools, / markets, / and hospitals a person can reach in thirty minutes, / and who is left out.

0:28.7 Sustainable Development Goal 11 asks for transport accessible to all.

0:34.2 In Albay, / there was nothing to measure that against.

SCENE 3 · PATIENT · 0:38.0–1:07.0

0:38.3 Now, / an emergency.

0:40.4 The nearest hospital may be full, / or lack the right level of care.

0:45.2 Maps show where hospitals are, / not free beds or what a family can afford.

0:50.8 Our hospital mode collects free-bed reports by e-mail and sends the ambulance to the nearest hospital that can take the patient.

1:00.0 In an emergency, / payment never delays the route.

SCENE 4 · WHY IT MUST BE RIGHT · 1:07.0–1:30.0

1:07.1 The higher the stakes, / the more the answer must be right.

1:10.4 Earlier informal-transport projects began with field mapping.

1:14.6 We reversed the order: / what can be defined, / proven, / and computed from open data alone?

1:20.8 From open maps, / registries, / census counts, / and fares, / we built the model.

1:25.7 Twelve results, / proven, / then verified.