

Microsoft Entra RBAC documentation

Microsoft Entra role-based access control (RBAC) manages access to Microsoft Entra resources. Assign roles to grant access, use groups to manage role assignments, create administrative units to restrict scope, or create custom roles with specific permissions.

About Microsoft Entra RBAC

OVERVIEW

[What is Microsoft Entra RBAC?](#)

[What's new in docs](#)

CONCEPT

[Understand Microsoft Entra roles](#)

[Understand administrative units](#)

[Use groups to manage role assignments](#)

Choose roles

HOW-TO GUIDE

[List role definitions](#)

REFERENCE

[Built-in roles](#)

[Least privileged roles by task](#)

List role assignments

HOW-TO GUIDE

[List role assignments](#)

Assign roles

HOW-TO GUIDE

[Assign roles to users and groups](#)

[Create a role-assignable group](#)

Create custom roles

HOW-TO GUIDE

[Create a custom role](#)

[Create custom roles for enterprise apps](#)

Manage scope with administrative units

HOW-TO GUIDE

[Create administrative units](#)

[Add members](#)

[Assign roles with scope](#)

Overview of role-based access control in Microsoft Entra ID

Article • 03/30/2025

This article describes how to understand Microsoft Entra role-based access control. Microsoft Entra roles allow you to grant granular permissions to your admins, abiding by the principle of least privilege. Microsoft Entra built-in and custom roles operate on concepts similar to those you find in [the role-based access control system for Azure resources](#) (Azure roles). The [difference between these two role-based access control systems](#) is:

- Microsoft Entra roles control access to Microsoft Entra resources such as users, groups, and applications using the Microsoft Graph API
- Azure roles control access to Azure resources such as virtual machines or storage using Azure Resource Management

Both systems contain similarly used role definitions and role assignments. However, Microsoft Entra role permissions can't be used in Azure custom roles and vice versa.

Understand Microsoft Entra role-based access control

Microsoft Entra ID supports two types of roles definitions:

- [Built-in roles](#)
- [Custom roles](#)

Built-in roles are out of box roles that have a fixed set of permissions. These role definitions cannot be modified. There are many [built-in roles](#) that Microsoft Entra ID supports, and the list is growing. To round off the edges and meet your sophisticated requirements, Microsoft Entra ID also supports [custom roles](#). Granting permission using custom Microsoft Entra roles is a two-step process that involves creating a custom role definition and then assigning it using a role assignment. A custom role definition is a collection of permissions that you add from a preset list. These permissions are the same permissions used in the built-in roles.

Once you've created your custom role definition (or using a built-in role), you can assign it to a user by creating a role assignment. A role assignment grants the user the permissions in a role definition at a specified scope. This two-step process allows you to create a single role definition and assign it many times at different scopes. A scope

defines the set of Microsoft Entra resources the role member has access to. The most common scope is organization-wide (org-wide) scope. A custom role can be assigned at org-wide scope, meaning the role member has the role permissions over all resources in the organization. A custom role can also be assigned at an object scope. An example of an object scope would be a single application. The same role can be assigned to one user over all applications in the organization and then to another user with a scope of only the Contoso Expense Reports app.

How Microsoft Entra ID determines if a user has access to a resource

The following are the high-level steps that Microsoft Entra ID uses to determine if you have access to a management resource. Use this information to troubleshoot access issues.

1. A user (or service principal) acquires a token to the Microsoft Graph endpoint.
2. The user makes an API call to Microsoft Entra ID via Microsoft Graph using the issued token.
3. Depending on the circumstance, Microsoft Entra ID takes one of the following actions:
 - Evaluates the user's role memberships based on the [wids claim](#) in the user's access token.
 - Retrieves all the role assignments that apply for the user, either directly or via group membership, to the resource on which the action is being taken.
4. Microsoft Entra ID determines if the action in the API call is included in the roles the user has for this resource.
5. If the user doesn't have a role with the action at the requested scope, access is not granted. Otherwise access is granted.

Role assignment


A role assignment is a Microsoft Entra resource that attaches a *role definition* to a *security principal* at a particular *scope* to grant access to Microsoft Entra resources. Access is granted by creating a role assignment, and access is revoked by removing a role assignment. At its core, a role assignment consists of three elements:

- Security principal - An identity that gets the permissions. It could be a user, group, or a service principal.
- Role definition - A collection of permissions.

- Scope - A way to constrain where those permissions are applicable.

You can [create role assignments](#) and [list the role assignments](#) using the Microsoft Entra admin center, [Microsoft Graph PowerShell](#), or Microsoft Graph API. Azure CLI is not supported for Microsoft Entra role assignments.

The following diagram shows an example of a role assignment. In this example, Chris has been assigned the App Registration Administrator custom role at the scope of the Contoso Widget Builder app registration. The assignment grants Chris the permissions of the App Registration Administrator role for only this specific app registration.



Security principal

A security principal represents a user, group, or service principal that is assigned access to Microsoft Entra resources. A user is an individual who has a user profile in Microsoft Entra ID. A group is a new Microsoft 365 or security group that has been set as a [role-assignable group](#). A service principal is an identity created for use with applications, hosted services, and automated tools to access Microsoft Entra resources.

Role definition

A role definition, or role, is a collection of permissions. A role definition lists the operations that can be performed on Microsoft Entra resources, such as create, read, update, and delete. There are two types of roles in Microsoft Entra ID:

- Built-in roles created by Microsoft that can't be changed.
- Custom roles created and managed by your organization.

Scope

A scope is a way to limit the permitted actions to a particular set of resources as part of a role assignment. For example, if you want to assign a custom role to a developer, but only to manage a specific application registration, you can include the specific application registration as a scope in the role assignment.

When you assign a role, you specify one of the following types of scope:

- Tenant
- [Administrative unit](#)
- Microsoft Entra resource

If you specify a Microsoft Entra resource as a scope, it can be one of the following:

- Microsoft Entra groups
- Enterprise applications
- Application registrations

When a role is assigned over a container scope, such as the Tenant or an Administrative Unit, it grants permissions over the objects they contain but not on the container itself. On the contrary, when a role is assigned over a resource scope, it grants permissions over the resource itself but it does not extend beyond (in particular, it does not extend to the members of a Microsoft Entra group).

For more information, see [Assign Microsoft Entra roles](#).

Role assignment options

Microsoft Entra ID provides multiple options for assigning roles:

- You can assign roles to users directly, which is the default way to assign roles. Both built-in and custom Microsoft Entra roles can be assigned to users, based on access requirements. For more information, see [Assign Microsoft Entra roles](#).

- With Microsoft Entra ID P1, you can create role-assignable groups and assign roles to these groups. Assigning roles to a group instead of individuals allows for easy addition or removal of users from a role and creates consistent permissions for all members of the group. For more information, see [Assign Microsoft Entra roles](#).
- With Microsoft Entra ID P2, you can use Microsoft Entra Privileged Identity Management (Microsoft Entra PIM) to provide just-in-time access to roles. This feature allows you to grant time-limited access to a role to users who require it, rather than granting permanent access. It also provides detailed reporting and auditing capabilities. For more information, see [Assign Microsoft Entra roles in Privileged Identity Management](#).

License requirements

Using built-in roles in Microsoft Entra ID is free. Using custom roles require a Microsoft Entra ID P1 license for every user with a custom role assignment. To find the right license for your requirements, see [Comparing generally available features of the Free and Premium editions](#) [↗](#).

Next steps

- [Understand Microsoft Entra roles](#)
- [Assign Microsoft Entra roles](#)
- [Microsoft Entra forum](#) [↗](#)

Feedback

Was this page helpful?

 Yes

 No

[Provide product feedback](#) [↗](#)

What's new in Microsoft Entra RBAC documentation

10/01/2025

This article provides information about new features and documentation improvements in Microsoft Entra role-based access control (RBAC).

2025

 Expand table

Date	Area	Description
Oct 2025	Roles	Added Dragon Administrator role.
August 2025	Roles	Added Teams Reader role.
June 2025	Roles	Added Organizational Data Source Administrator role.
June 2025	Administrative units	General availability of restricted management administrative units. See Restricted management administrative units in Microsoft Entra ID .
May 2025	Roles	Updated permissions for multiple roles. See Microsoft Entra built-in roles .
May 2025	Roles	Added Microsoft Graph Data Connect Administrator role.
March 2025	Roles	Added Viva Glint Tenant Administrator role.
March 2025	Roles	Added IoT Device Administrator role.
March 2025	Roles	Added People Administrator role.
February 2025	Roles	Added Global Secure Access Log Reader role.
February 2025	Security	Updated guidance for emergency access accounts. See Manage emergency access accounts in Microsoft Entra ID .
February 2025	Roles	Added Microsoft 365 Backup Administrator role.
January 2025	Protected actions	Protect against hard deletions of some soft-deleted directory objects. See Deletion of directory objects .

Date	Area	Description
January 2025	Roles	Updated permissions for multiple roles. See Microsoft Entra built-in roles .
January 2025	Role assignments	Updated instructions for how to list, add, and remove role assignments. See List Microsoft Entra role assignments , Assign Microsoft Entra roles , and Remove Microsoft Entra role assignments .
January 2025	Custom roles	Updated instructions for how to create custom roles. See Create a custom role in Microsoft Entra ID .
January 2025	Roles	Updated per-user multifactor authentication (MFA) in comparison table. See Compare authentication roles .
January 2025	My Staff	Updated limit for My Staff and administrative units. See Manage your users with My Staff .

2024

 Expand table

Date	Area	Description
November 2024	Roles	Added AI Administrator role.
October 2024	Administrative units	General availability of dynamic administrative units. See Manage users or devices for an administrative unit with rules for dynamic membership groups .
October 2024	Roles	Several updates to least privileged roles. See Least privileged roles by task in Microsoft Entra ID .
October 2024	Microsoft Graph API	Recommendation to use the unified RBAC APIs instead of the directory role APIs . See Assign Microsoft Entra roles .
September 2024	Roles	Updated permissions for multiple roles. See Microsoft Entra built-in roles .
August 2024	Roles	Updated guidance and permission for Directory Synchronization Accounts role.
July 2024	Microsoft Graph API	Deprecated the <code>Directory.Write.Restricted</code> permission.
July 2024	Administrative units	Updated permissions to create a new group in an administrative unit. See Permissions to create a new group .

Date	Area	Description
June 2024	Roles	Added User Experience Success Manager role.
May 2024	Roles	Added SharePoint Embedded Administrator role.
May 2024	Roles	Added Teams Telephony Administrator role.

Related content

- [Microsoft Entra releases and announcements](#)

Understand roles in Microsoft Entra ID

Article • 07/30/2024

There are about 60 Microsoft Entra built-in roles, which are roles with a fixed set of role permissions. To supplement the built-in roles, Microsoft Entra ID also supports custom roles. Use custom roles to select the role permissions that you want. For example, you could create one to manage particular Microsoft Entra resources such as applications or service principals.


This article explains what Microsoft Entra roles are and how they can be used.

How Microsoft Entra roles are different from other Microsoft 365 roles

There are many different services in Microsoft 365, such as Microsoft Entra ID and Intune. Some of these services have their own role-based access control systems, specifically:

- Microsoft Entra ID
- Microsoft Exchange
- Microsoft Intune
- Microsoft Defender for Cloud Apps
- Microsoft 365 Defender portal
- Compliance portal
- Cost Management + Billing

Other services such as Teams, SharePoint, and Managed Desktop don't have separate role-based access control systems. They use Microsoft Entra roles for their administrative access. Azure has its own role-based access control system for Azure resources such as virtual machines, and this system is not the same as Microsoft Entra roles.



When we say separate role-based access control system, it means there is a different data store where role definitions and role assignments are stored. Similarly, there is a different policy decision point where access checks happen. For more information, see [Roles for Microsoft 365 services in Microsoft Entra ID](#) and [Azure roles, Microsoft Entra roles, and classic subscription administrator roles](#).

Why some Microsoft Entra roles are for other services


Microsoft 365 has a number of role-based access control systems that developed independently over time, each with its own service portal. To make it convenient for you to manage identity across Microsoft 365 from the Microsoft Entra admin center, we have added some service-specific built-in roles, each of which grants administrative access to a Microsoft 365 service. An example of this addition is the Exchange Administrator role in Microsoft Entra ID. This role is equivalent to the [Organization Management role group](#) in the Exchange role-based access control system, and can manage all aspects of Exchange. Similarly, we added the Intune Administrator role, Teams Administrator, SharePoint Administrator, and so on. Service-specific roles is one category of Microsoft Entra built-in roles in the following section.

Categories of Microsoft Entra roles

Microsoft Entra built-in roles differ in where they can be used, which fall into the following three broad categories.

- **Microsoft Entra ID-specific roles:** These roles grant permissions to manage resources within Microsoft Entra-only. For example, User Administrator, Application Administrator, Groups Administrator all grant permissions to manage resources that live in Microsoft Entra ID.

- **Service-specific roles in Microsoft Entra ID:** Microsoft services such as Microsoft 365 that define roles in Microsoft Entra ID for service-specific privileges to manage all features within the service. For example, Exchange Administrator, Intune Administrator, SharePoint Administrator, and Teams Administrator roles can manage features with their respective services. Exchange Administrator can manage mailboxes, Intune Administrator can manage device policies, SharePoint Administrator can manage site collections, Teams Administrator can manage call qualities and so on.
- **Cross-service roles in Microsoft Entra ID:** There are some roles that span services. We have two global roles - Global Administrator and Global Reader. All Microsoft 365 services honor these two roles. Also, there are some security-related roles like Security Administrator and Security Reader that grant access across multiple security services within Microsoft 365. For example, using Security Administrator roles in Microsoft Entra ID, you can manage Microsoft 365 Defender portal, Microsoft Defender Advanced Threat Protection, and Microsoft Defender for Cloud Apps. Similarly, in the Compliance Administrator role you can manage Compliance-related settings in Compliance portal, Exchange, and so on.



The following table is offered as an aid to understanding these role categories. The categories are named arbitrarily, and aren't intended to imply any other capabilities beyond the [documented Microsoft Entra role permissions](#).

Category	Role
Microsoft Entra ID-specific roles	Application Administrator Application Developer Authentication Administrator B2C IEF Keyset Administrator B2C IEF Policy Administrator Cloud Application Administrator Cloud Device Administrator Conditional Access Administrator Device Administrators Directory Readers Directory Synchronization Accounts Directory Writers External ID User Flow Administrator External ID User Flow Attribute Administrator External Identity Provider Administrator Groups Administrator Guest Inviter Helpdesk Administrator Hybrid Identity Administrator License Administrator Partner Tier1 Support Partner Tier2 Support Password Administrator Privileged Authentication Administrator Privileged Role Administrator Reports Reader User Administrator
Service-specific roles in Microsoft Entra ID	Azure DevOps Administrator Azure Information Protection Administrator Billing Administrator CRM Service Administrator Customer Lockbox Access Approver Desktop Analytics Administrator Exchange Service Administrator Insights Administrator Insights Business Leader Intune Service Administrator Kaizala Administrator Lync Service Administrator Message Center Privacy Reader Message Center Reader Modern Commerce Administrator Network Administrator Office Apps Administrator Power BI Service Administrator Power Platform Administrator

Category	Role
	Printer Administrator Printer Technician Search Administrator Search Editor SharePoint Service Administrator Teams Communications Administrator Teams Communications Support Engineer Teams Communications Support Specialist Teams Devices Administrator Teams Administrator
Cross-service roles in Microsoft Entra ID	Compliance Administrator Compliance Data Administrator Global Reader Security Administrator Security Operator Security Reader Service Support Administrator

Next steps

- [Overview of Microsoft Entra role-based access control](#)
- [Create and assign a custom role in Microsoft Entra ID](#)
- [List role assignments](#)

Feedback

Was this page helpful?

 Yes

 No

[Provide product feedback](#) 

Azure roles, Microsoft Entra roles, and classic subscription administrator roles

Article • 03/12/2025


If you're new to Azure, you may find it a little challenging to understand all the different roles in Azure. This article helps explain the following roles and when you would use each:

- Azure roles
- Microsoft Entra roles
- Classic subscription administrator roles

How the roles are related

To better understand roles in Azure, it helps to know some of the history. When Azure was initially released, access to resources was managed with just three administrator roles: Account Administrator, Service Administrator, and Co-Administrator. Later, Azure role-based access control (Azure RBAC) was added. Azure RBAC is a newer authorization system that provides fine-grained access management to Azure resources. Azure RBAC includes many built-in roles, can be assigned at different scopes, and allows you to create your own custom roles. To manage resources in Microsoft Entra ID, such as users, groups, and domains, there are several Microsoft Entra roles.

The following diagram is a high-level view of how the Azure roles, Microsoft Entra roles, and classic subscription administrator roles are related.



Azure roles

[Azure RBAC](#) is an authorization system built on [Azure Resource Manager](#) that provides fine-grained access management to Azure resources, such as compute and storage. Azure RBAC includes over 100 built-in roles. There are five fundamental Azure roles. The first three apply to all resource types:

[Expand table](#)


Azure role	Permissions	Notes
Owner	- Grants full access to manage all resources - Assign roles in Azure RBAC	The Service Administrator and Co-Administrators are assigned the Owner role at the subscription scope Applies to all resource types.
Contributor	- Grants full access to manage all resources - Can't assign roles in Azure RBAC - Can't manage assignments in Azure Blueprints or share image galleries	Applies to all resource types.
Reader	View Azure resources	Applies to all resource types.

Azure role	Permissions	Notes
Role Based Access Control Administrator	• Manage user access to Azure resources • Assign roles in Azure RBAC • Assign themselves or others the Owner role • Can't manage access using other ways, such as Azure Policy	
User Access Administrator	• Manage user access to Azure resources • Assign roles in Azure RBAC • Assign themselves or others the Owner role	


The rest of the built-in roles allow management of specific Azure resources. For example, the [Virtual Machine Contributor](#) role allows the user to create and manage virtual machines. For a list of all the built-in roles, see [Azure built-in roles](#).

Only the Azure portal and the Azure Resource Manager APIs support Azure RBAC. Users, groups, and applications that are assigned Azure roles can't use the [Azure classic deployment model APIs](#).

In the Azure portal, role assignments using Azure RBAC appear on the **Access control (IAM)** page. This page can be found throughout the portal, such as management groups, subscriptions, resource groups, and various resources.



When you click the **Roles** tab, you'll see the list of built-in and custom roles.



For more information, see [Assign Azure roles using the Azure portal](#).

Microsoft Entra roles


Microsoft Entra roles are used to manage Microsoft Entra resources in a directory such as create or edit users, assign administrative roles to others, reset user passwords,

manage user licenses, and manage domains. The following table describes a few of the more important Microsoft Entra roles.

 Expand table

Microsoft Entra role	Permissions	Notes
Global Administrator	• Manage access to all administrative features in Microsoft Entra ID, as well as services that federate to Microsoft Entra ID • Assign administrator roles to others • Reset the password for any user and all other administrators	The person who signs up for the Microsoft Entra tenant becomes a Global Administrator.
User Administrator	• Create and manage all aspects of users and groups • Manage support tickets • Monitor service health • Change passwords for users, Helpdesk administrators, and other User Administrators	
Billing Administrator	• Make purchases • Manage subscriptions • Manage support tickets • Monitors service health	

In the Azure portal, you can see the list of Microsoft Entra roles on the **Roles and administrators** page. For a list of all the Microsoft Entra roles, see [Administrator role permissions in Microsoft Entra ID](#).



Differences between Azure roles and Microsoft Entra roles

At a high level, Azure roles control permissions to manage Azure resources, while Microsoft Entra roles control permissions to manage Microsoft Entra resources. The following table compares some of the differences.


 Expand table

Azure roles	Microsoft Entra roles
Manage access to Azure resources	Manage access to Microsoft Entra resources
Supports custom roles	Supports custom roles
Scope can be specified at multiple levels (management group, subscription, resource group, resource)	Scope can be specified at the tenant level (organization-wide), administrative unit, or on an individual object (for example, a specific application)
Role information can be accessed in Azure portal, Azure CLI, Azure PowerShell, Azure Resource Manager templates, REST API	Role information can be accessed in the Azure portal, Microsoft Entra admin center, Microsoft 365 admin center, Microsoft Graph, Microsoft Graph PowerShell

Do Azure roles and Microsoft Entra roles overlap?

By default, Azure roles and Microsoft Entra roles don't span Azure and Microsoft Entra ID. However, if a Global Administrator elevates their access by choosing the **Access management for Azure resources** switch in the Azure portal, the Global Administrator will be granted the [User Access Administrator](#) role (an Azure role) on all subscriptions for a particular tenant. The User Access Administrator role enables the user to grant other users access to Azure resources. This switch can be helpful to regain access to a subscription. For more information, see [Elevate access to manage all Azure subscriptions and management groups](#).

Several Microsoft Entra roles span Microsoft Entra ID and Microsoft 365, such as the Global Administrator and User Administrator roles. For example, if you're a member of the Global Administrator role, you have global administrator capabilities in Microsoft Entra ID and Microsoft 365, such as making changes to Microsoft Exchange and Microsoft SharePoint. However, by default, the Global Administrator doesn't have access to Azure resources.



Classic subscription administrator roles

Important

As of **August 31, 2024**, Azure classic administrator roles (along with Azure classic resources and Azure Service Manager) are retired and no longer supported. Starting on **April 30, 2025**, any Co-Administrator or Service Administrator role assignments will lose access. If you still have active Co-Administrator or Service Administrator role assignments, convert these role assignments to Azure RBAC immediately.

For more information, see [Azure classic subscription administrators](#).

Account Administrator, Service Administrator, and Co-Administrator are the three classic subscription administrator roles in Azure. Classic subscription administrators have full access to the Azure subscription. They can manage resources using the Azure portal, Azure Resource Manager APIs, and the classic deployment model APIs. The account that is used to sign up for Azure is automatically set as both the Account Administrator and Service Administrator. Then, additional Co-Administrators can be added. The Service Administrator and the Co-Administrators have the equivalent access of users who have been assigned the Owner role (an Azure role) at the subscription scope. The following table describes the differences between these three classic subscription administrative roles.

 Expand table

Classic subscription administrator	Limit	Permissions	Notes
Account Administrator	1 per Azure account	• Can access the Azure portal  and manage billing • Manage billing for all subscriptions in the account • Create new subscriptions • Cancel subscriptions • Change the billing for a subscription • Change the Service Administrator • Can't cancel subscriptions unless they have the Service Administrator or subscription Owner role	Conceptually, the billing owner of the subscription.
Service Administrator	1 per Azure subscription	• Manage services in the Azure portal  • Cancel the subscription • Assign users to the Co-Administrator role	By default, for a new subscription, the Account Administrator is also the Service Administrator. The Service Administrator has the equivalent access of a user who is assigned the Owner role at the subscription scope. The Service Administrator has full access to the Azure portal.

Classic subscription administrator	Limit	Permissions	Notes
Co-Administrator	200 per subscription	- Same access privileges as the Service Administrator, but can't change the association of subscriptions to Microsoft Entra directories - Assign users to the Co-Administrator role, but can't change the Service Administrator	The Co-Administrator has the equivalent access of a user who is assigned the Owner role at the subscription scope.

In the Azure portal, you can manage Co-Administrators or view the Service Administrator by using the **Classic administrators** tab.

Home > Subscriptions > Pay-As-You-Go

Pay-As-You-Go | Access control (IAM) ☆ ...

Search

+ Add Download role assignments Edit columns Refresh Delete Feedback

Overview
Activity log
Access control (IAM)
Tags
Diagnose and solve problems
Security
Events
Cost Management
Cost analysis
Cost alerts
Budgets
Advisor recommendations
Billing
Billing profile invoices
Settings
Programmatic deployment
Billing properties

⚠ Classic administrators will be deprecated on August 31, 2024. After August 31, 2024, all classic administrators risk losing access to the subscription. Delete Classic Admins who no longer need access or assign an Azure RBAC role for fine-grained access control. [Learn more](#)

Check access Role assignments Roles Deny assignments **Classic administrators**

Classic administrators are only needed if you are still using Azure classic deployments. We recommend using role assignments for all other purposes. [Learn more](#)

Search by name or email

☐	Name ↑↓	Role ↑↓	Remediate
☐	Admin admin@contoso.com	Co-administrator	Assign RBAC role
☐	Admin2 admin2@contoso.com	Co-administrator	Assign RBAC role
☐	Ann annm@contoso.com	Co-administrator	Assign RBAC role
☐	Robert robert@contoso.com	Service administrator	Assign RBAC role
☐	user55@contoso.com (User was not found in this directory)	Co-administrator	Assign RBAC role

For more information, see [Azure classic subscription administrators](#).

Azure account and Azure subscriptions

An Azure account is used to establish a billing relationship. An Azure account is a user identity, one or more Azure subscriptions, and an associated set of Azure resources. The person who creates the account is the Account Administrator for all subscriptions

created in that account. That person is also the default Service Administrator for the subscription.

Azure subscriptions help you organize access to Azure resources. They also help you control how resource usage is reported, billed, and paid for. Each subscription can have a different billing and payment setup, so you can have different subscriptions and different plans by office, department, project, and so on. Most services belong to a subscription, and the subscription ID may be required for programmatic operations.

Each subscription is associated with a Microsoft Entra directory. To find the directory the subscription is associated with, open **Subscriptions** in the Azure portal and then select a subscription to see the directory.

Accounts and subscriptions are managed in the [Azure portal](#).

Next steps

- [Assign Azure roles using the Azure portal](#)
- [Assign Microsoft Entra roles to users](#)
- [Roles for Microsoft 365 services in Microsoft Entra ID](#)

Feedback

Was this page helpful?

 Yes

 No

[Provide product feedback](#) | [Get help at Microsoft Q&A](#)

Roles across Microsoft services

Article • 09/03/2024

Services in Microsoft 365 can be managed with administrative roles in Microsoft Entra ID. Some services also provide additional roles that are specific to that service. This article lists content, API references, and audit and monitoring references related to role-based access control (RBAC) for Microsoft 365 and other services.

Microsoft Entra

Microsoft Entra ID and related services in Microsoft Entra.

Microsoft Entra ID

 Expand table

Area	Content
Overview	Microsoft Entra built-in roles
Management API reference	Microsoft Entra roles Microsoft Graph v1.0 roleManagement API • Use <code>directory</code> provider • When role is assigned to a group, manage group memberships with the Microsoft Graph v1.0 groups API
Audit and monitoring reference	Microsoft Entra roles Microsoft Entra activity log overview API access to Microsoft Entra audit logs: • Microsoft Graph v1.0 directoryAudit API • Audits with <code>RoleManagement</code> category • When a role is assigned to a group, to audit changes to group memberships, see audits with category <code>GroupManagement</code> and activities <code>Add member to group</code> and <code>Remove member from group</code>

Entitlement management

 Expand table

Area	Content
Overview	Entitlement management roles
Management API reference	Entitlement Management-specific roles in Microsoft Entra ID Microsoft Graph v1.0 roleManagement API • Use <code>directory</code> provider • See roles with permissions starting with: <code>microsoft.directory/entitlementManagement</code> Entitlement Management-specific roles Microsoft Graph v1.0 roleManagement API • Use <code>entitlementManagement</code> provider
Audit and monitoring reference	Entitlement Management-specific roles in Microsoft Entra ID Microsoft Entra activity log overview API access to Microsoft Entra audit logs: • Microsoft Graph v1.0 directoryAudit API • Audits with <code>RoleManagement</code> category Entitlement Management-specific roles In Microsoft Entra audit log, with category <code>EntitlementManagement</code> and Activity is one of: • <code>Remove Entitlement Management role assignment</code> • <code>Add Entitlement Management role assignment</code>

Microsoft 365

Services in the Microsoft 365 suite.

Exchange

[Expand table](#)

Area	Content
Overview	Permissions in Exchange Online
Management API reference	Exchange-specific roles in Microsoft Entra ID Microsoft Graph v1.0 roleManagement API • Use <code>directory</code> provider • Roles with permissions starting with: <code>microsoft.office365.exchange</code>

Area	Content
	Exchange-specific roles Microsoft Graph Beta roleManagement API • Use <code>exchange</code> provider
Audit and monitoring reference	Exchange-specific roles in Microsoft Entra ID Microsoft Entra activity log overview API access to Microsoft Entra audit logs: • Microsoft Graph v1.0 directoryAudit API • Audits with <code>RoleManagement</code> category Exchange-specific roles Use the Microsoft Graph Beta Security API (audit log query) and list audit events where <code>recordType == ExchangeAdmin</code> and Operation is one of: <code>Add-RoleGroupMember</code>, <code>Remove-RoleGroupMember</code>, <code>Update-RoleGroupMember</code>, <code>New-RoleGroup</code>, <code>Remove-RoleGroup</code>, <code>New-ManagementRole</code>, <code>Remove-ManagementRoleEntry</code>, <code>New-ManagementRoleAssignment</code>

SharePoint

Includes SharePoint, OneDrive, Delve, Lists, Project Online, and Loop.

 Expand table

Area	Content
Overview	About the SharePoint Administrator role in Microsoft 365 Delve for admins Control settings for Microsoft Lists Change permission management in Project Online
Management API reference	SharePoint-specific roles in Microsoft Entra ID Microsoft Graph v1.0 roleManagement API • Use <code>directory</code> provider • Roles with permissions starting with: <code>microsoft.office365.sharepoint</code>
Audit and monitoring reference	SharePoint-specific roles in Microsoft Entra ID Microsoft Entra activity log overview API access to Microsoft Entra audit logs:

Area	Content
	• Microsoft Graph v1.0 directoryAudit API • Audits with <code>RoleManagement</code> category

Intune

 Expand table

Area	Content
Overview	Role-based access control (RBAC) with Microsoft Intune
Management API reference	Intune-specific roles in Microsoft Entra ID Microsoft Graph v1.0 roleManagement API • Use <code>directory</code> provider • Roles with permissions starting with: <code>microsoft.intune</code> Intune-specific roles Microsoft Graph Beta roleManagement API • Use <code>deviceManagement</code> provider • Alternatively, use Intune-specific Microsoft Graph Beta RBAC management API
Audit and monitoring reference	Intune-specific roles in Microsoft Entra ID Microsoft Graph v1.0 directoryAudit API • <code>RoleManagement</code> category Intune-specific roles Intune auditing overview API access to Intune-specific audit logs: • Microsoft Graph Beta getAuditActivityTypes API • First list activity types where category= <code>Role</code>, then use Microsoft Graph Beta auditEvents API to list all auditEvents for each activity type

Teams

Includes Teams, Bookings, Copilot Studio for Teams, and Shifts.

 Expand table

Area	Content
Overview	Use Microsoft Teams administrator roles to manage Teams
Management API reference	Teams-specific roles in Microsoft Entra ID Microsoft Graph v1.0 roleManagement API • Use <code>directory</code> provider • Roles with permissions starting with: <code>microsoft.teams</code>
Audit and monitoring reference	Teams-specific roles in Microsoft Entra ID Microsoft Entra activity log overview API access to Microsoft Entra audit logs: • Microsoft Graph v1.0 directoryAudit API • Audits with <code>RoleManagement</code> category

Purview suite

Includes Purview suite, Azure Information Protection, and Information Barriers.

 Expand table

Area	Content
Overview	Roles and role groups in Microsoft Defender for Office 365 and Microsoft Purview
Management API reference	Purview-specific roles in Microsoft Entra ID Microsoft Graph v1.0 roleManagement API • Use <code>directory</code> provider • See roles with permissions starting with: <code>microsoft.office365.complianceManager</code> <code>microsoft.office365.protectionCenter</code> <code>microsoft.office365.securityComplianceCenter</code> Purview-specific roles Use PowerShell: Security & Compliance PowerShell . Specific cmdlets are: Get-RoleGroup Get-RoleGroupMember New-RoleGroup Add-RoleGroupMember Update-RoleGroupMember Remove-RoleGroupMember Remove-RoleGroup

Area	Content
Audit and monitoring reference	Purview-specific roles in Microsoft Entra ID Microsoft Entra activity log overview API access to Microsoft Entra audit logs: • Microsoft Graph v1.0 directoryAudit API • Audits with <code>RoleManagement</code> category Purview-specific roles Use the Microsoft Graph Beta Security API (audit log query Beta) and list audit events where <code>recordType == SecurityComplianceRBAC</code> and <code>Operation</code> is one of <code>Add-RoleGroupMember</code>, <code>Remove-RoleGroupMember</code>, <code>Update-RoleGroupMember</code>, <code>New-RoleGroup</code>, <code>Remove-RoleGroup</code>

Power Platform

Includes Power Platform, Dynamics 365, Flow, and Dataverse for Teams.

[Expand table](#)

Area	Content
Overview	Use service admin roles to manage your tenant Security roles and privileges
Management API reference	Power Platform-specific roles in Microsoft Entra ID Microsoft Graph v1.0 roleManagement API • Use <code>directory</code> provider • See roles with permissions starting with: <code>microsoft.powerApps</code> <code>microsoft.dynamics365</code> <code>microsoft.flow</code> Dataverse-specific roles Perform operations using the Web API • Query the User (SystemUser) table/entity reference • Role assignments are part of the systemuserroles_association tables
Audit and monitoring reference	Power Platform-specific roles in Microsoft Entra ID Microsoft Entra activity log overview API access to Microsoft Entra audit logs: • Microsoft Graph v1.0 directoryAudit API

Area	Content
	- Audits with <code>RoleManagement</code> category Dataverse-specific roles Dataverse auditing overview API to access dataverse-specific audit logs Dataverse Web API Audit table reference - Audits with action codes: 53 – Assign Role To Team 54 – Remove Role From Team 55 – Assign Role To User 56 – Remove Role From User 57 – Add Privileges to Role 58 – Remove Privileges From Role 59 – Replace Privileges In Role

Defender suite

Includes Defender suite, Secure Score, Cloud App Security, and Threat Intelligence.

[Expand table](#)

Area	Content
Overview	Microsoft Defender XDR Unified role-based access control (RBAC)
Management API reference	Defender-specific roles in Microsoft Entra ID Microsoft Graph v1.0 roleManagement API - Use <code>directory</code> provider - The following roles have permissions (reference): Security Administrator, Security Operator, Security Reader, Global Administrator, and Global Reader Defender-specific roles Workloads must be activated to use Defender unified RBAC. See Activate Microsoft Defender XDR Unified role-based access control (RBAC). Activating defender Unified RBAC will turn off individual Defender solution roles. - Can only be managed via security.microsoft.com portal.
Audit and monitoring reference	Defender-specific roles in Microsoft Entra ID Microsoft Entra activity log overview

Area	Content
	API access to Microsoft Entra audit logs: • Microsoft Graph v1.0 directoryAudit API • Audits with <code>RoleManagement</code> category

Viva Engage

 Expand table

Area	Content
Overview	Manage administrator roles in Viva Engage
Management API reference	Viva Engage-specific roles in Microsoft Entra ID Microsoft Graph v1.0 roleManagement API • Use <code>directory</code> provider • See roles with permissions starting with <code>microsoft.office365.yammer.</code> Viva Engage-specific roles • Verified admin and Network admin roles can be managed via the Yammer admin center. • Corporate communicator role can be assigned via the Viva Engage admin center. • Yammer Data Export API can be used to export admins.csv to read the list of admins
Audit and monitoring reference	Viva Engage-specific roles in Microsoft Entra ID Microsoft Entra activity log overview API access to Microsoft Entra audit logs: • Microsoft Graph v1.0 directoryAudit API • Audits with <code>RoleManagement</code> category Viva Engage-specific roles • Use Yammer Data Export API to incrementally export admins.csv for a list of admins

Viva Connections

 Expand table

Area	Content
Overview	Admin roles and tasks in Microsoft Viva
Management API reference	Viva Connections-specific roles in Microsoft Entra ID Microsoft Graph v1.0 roleManagement API • Use <code>directory</code> provider • The following roles have permissions: SharePoint Administrator, Teams Administrator, and Global Administrator
Audit and monitoring reference	Viva Connections-specific roles in Microsoft Entra ID Microsoft Entra activity log overview API access to Microsoft Entra audit logs: • Microsoft Graph v1.0 directoryAudit API • Audits with <code>RoleManagement</code> category

Viva Learning

 Expand table

Area	Content
Overview	Set up Microsoft Viva Learning in the Teams admin center
Management API reference	Viva Learning-specific roles in Microsoft Entra ID Microsoft Graph v1.0 roleManagement API • Use <code>directory</code> provider • See roles with permissions starting with <code>microsoft.office365.knowledge</code>
Audit and monitoring reference	Viva Learning-specific roles in Microsoft Entra ID Microsoft Entra activity log overview API access to Microsoft Entra audit logs: • Microsoft Graph v1.0 directoryAudit API • Audits with <code>RoleManagement</code> category

Viva Insights

 Expand table

Area	Content
Overview	Roles in Viva Insights
Management API reference	Viva Insights-specific roles in Microsoft Entra ID Microsoft Graph v1.0 roleManagement API • Use <code>directory</code> provider • See roles with permissions starting with <code>microsoft.office365.insights</code>
Audit and monitoring reference	Viva Insights-specific roles in Microsoft Entra ID Microsoft Entra activity log overview API access to Microsoft Entra audit logs: • Microsoft Graph v1.0 directoryAudit API • Audits with <code>RoleManagement</code> category

Search

 Expand table

Area	Content
Overview	Set up Microsoft Search
Management API reference	Search-specific roles in Microsoft Entra ID Microsoft Graph v1.0 roleManagement API • Use <code>directory</code> provider • See roles with permissions starting with <code>microsoft.office365.search</code>
Audit and monitoring reference	Search-specific roles in Microsoft Entra ID Microsoft Entra activity log overview API access to Microsoft Entra audit logs: • Microsoft Graph v1.0 directoryAudit API • Audits with <code>RoleManagement</code> category

Universal Print

 Expand table

Area	Content
Overview	Universal Print Administrator Roles

Area	Content
Management API reference	Universal Print-specific roles in Microsoft Entra ID Microsoft Graph v1.0 roleManagement API • Use <code>directory</code> provider • See roles with permissions starting with <code>micro soft.azure.print</code>
Audit and monitoring reference	Universal Print-specific roles in Microsoft Entra ID Microsoft Entra activity log overview API access to Microsoft Entra audit logs: • Microsoft Graph v1.0 directoryAudit API • Audits with <code>RoleManagement</code> category

Microsoft 365 Apps suite management

Includes Microsoft 365 Apps suite management and Forms.

 Expand table

Area	Content
Overview	Overview of the Microsoft 365 Apps admin center Administrator settings for Microsoft Forms
Management API reference	Microsoft 365 Apps-specific roles in Microsoft Entra ID Microsoft Graph v1.0 roleManagement API • Use <code>directory</code> provider • The following roles have permissions: Office Apps Administrator, Security Administrator, Global Administrator
Audit and monitoring reference	Microsoft 365 Apps-specific roles in Microsoft Entra ID Microsoft Entra activity log overview API access to Microsoft Entra audit logs: • Microsoft Graph v1.0 directoryAudit API • Audits with <code>RoleManagement</code> category

Azure

Azure role-based access control (Azure RBAC) for the Azure control plane and subscription information.

Azure

Includes Azure and Sentinel.

 Expand table

Area	Content
Overview	What is Azure role-based access control (Azure RBAC)? Roles and permissions in Microsoft Sentinel
Management API reference	Azure service-specific roles in Azure Azure Resource Manager Authorization API • Role assignment: List, Create/Update, Delete • Role definition: List, Create/Update, Delete • There is a legacy method to grant access to Azure resources called classic administrators. Classic administrators are equivalent to the Owner role in Azure RBAC. Classic administrators will be retired in August 2024. • Note that an Microsoft Entra Global Administrator can gain unilateral access to Azure via elevate access.
Audit and monitoring reference	Azure service-specific roles in Azure Monitor Azure RBAC changes in the Azure Activity Log • Azure Activity Log API • Audits with Event Category <code>Administrative</code> and Operation <code>Create role assignment</code>, <code>Delete role assignment</code>, <code>Create or update custom role definition</code>, <code>Delete custom role definition</code>. View Elevate Access logs in the tenant level Azure Activity Log • Azure Activity Log API – Tenant Activity Logs • Audits with Event Category <code>Administrative</code> and containing string <code>elevateAccess</code>. • Access to tenant level activity logs requires using elevate access at least once to gain tenant level access.

Commerce

Services related to purchasing and billing.

Cost Management and Billing – Enterprise Agreements

 Expand table

Area	Content
Overview	Managing Azure Enterprise Agreement roles
Management API reference	Enterprise Agreements-specific roles in Microsoft Entra ID Enterprise Agreements does not support Microsoft Entra roles. Enterprise Agreements-specific roles Billing Role Assignments API • Enterprise Administrator (Role ID: 9f1983cb-2574-400c-87e9-34cf8e2280db) • Enterprise Administrator (read only) (Role ID: 24f8edb6-1668-4659-b5e2-40bb5f3a7d7e) • EA Purchaser (Role ID: da6647fb-7651-49ee-be91-c43c4877f0c4) Enrollment Department Role Assignments API • Department Admin (Role ID: fb2cf67f-be5b-42e7-8025-4683c668f840) • Department Reader (Role ID: db609904-a47f-4794-9be8-9bd86fbffd8a) Enrollment Account Role Assignments API • Account Owner (Role ID: c15c22c0-9faf-424c-9b7e-bd91c06a240b)
Audit and monitoring reference	Enterprise Agreements-specific roles Azure Activity Log API – Tenant Activity Logs • Access to tenant level activity logs requires using elevate access at least once to gain tenant level access. • Audits where resourceProvider == <code>Microsoft.Billing</code> and operationName contains <code>billingRoleAssignments</code> Or <code>EnrollmentAccount</code>

Cost Management and Billing – Microsoft Customer Agreements

Area	Content
Overview	Understand Microsoft Customer Agreement administrative roles in Azure Understand your Microsoft business billing account
Management API reference	Microsoft Customer Agreements-specific roles in Microsoft Entra ID Microsoft Graph v1.0 roleManagement API • Use <code>directory</code> provider • The following roles have permissions: Billing Administrator, Global Administrator. Microsoft Customer Agreements-specific roles • By default, the Microsoft Entra Global Administrator and Billing Administrator roles are automatically assigned the Billing Account Owner role in Microsoft Customer Agreements-specific RBAC. • Billing Role Assignment API
Audit and monitoring reference	Microsoft Customer Agreements-specific roles in Microsoft Entra ID Microsoft Entra activity log overview API access to Microsoft Entra audit logs: • Microsoft Graph v1.0 directoryAudit API • Audits with category <code>RoleManagement</code> Microsoft Customer Agreements-specific roles Azure Activity Log API – Tenant Activity Logs • Access to tenant level activity logs requires using elevate access at least once to gain tenant level access. • Audits where <code>resourceProvider == Microsoft.Billing</code> and <code>operationName</code> one of the following (all prefixed with <code>Microsoft.Billing</code>): <code>/permissionRequests/write</code> <code>/billingAccounts/createBillingRoleAssignment/action</code> <code>/billingAccounts/billingProfiles/createBillingRoleAssignment/action</code> <code>/billingAccounts/billingProfiles/invoiceSections/createBillingRoleAssignment/action</code> <code>/billingAccounts/customers/createBillingRoleAssignment/action</code> <code>/billingAccounts/billingRoleAssignments/write</code>

Area	Content
	e /billingAccounts/billingRoleAssignments/delete /billingAccounts/billingProfiles/billingRoleAssignments/delete /billingAccounts/billingProfiles/customers/createBillingRoleAssignment/action /billingAccounts/billingProfiles/invoiceSections/billingRoleAssignments/delete /billingAccounts/departments/billingRoleAssignments/write /billingAccounts/departments/billingRoleAssignments/delete /billingAccounts/enrollmentAccounts/transferBillingSubscriptions/action /billingAccounts/enrollmentAccounts/billingRoleAssignments/write /billingAccounts/enrollmentAccounts/billingRoleAssignments/delete /billingAccounts/billingProfiles/invoiceSections/billingSubscriptions/transfer/action /billingAccounts/billingProfiles/invoiceSections/initiateTransfer/action /billingAccounts/billingProfiles/invoiceSections/transfers/delete /billingAccounts/billingProfiles/invoiceSections/transfers/cancel/action /billingAccounts/billingProfiles/invoiceSections/transfers/write /transfers/acceptTransfer/action /transfers/accept/action /transfers/decline/action /transfers/declineTransfer/action /billingAccounts/customers/initiateTransfer/action /billingAccounts/customers/transfers/delete /billingAccounts/customers/transfers/cancel/action /billingAccounts/customers/transfers/write /billingAccounts/billingProfiles/invoiceSections/products/transfer/action /billingAccounts/billingSubscriptions/elevateRole/action

Business Subscriptions and Billing – Volume Licensing

 Expand table

Area	Content
Overview	Manage volume licensing user roles Frequently Asked Questions
Management API reference	Volume Licensing-specific roles in Microsoft Entra ID Volume Licensing does not support Microsoft Entra roles. Volume Licensing-specific roles VL users and roles are managed in the M365 Admin Center.

Partner Center

 Expand table

Area	Content
Overview	Roles, permissions, and workspace access for users
Management API reference	Partner Center-specific roles in Microsoft Entra ID Microsoft Graph v1.0 roleManagement API - Use <code>directory</code> provider - The following roles have permissions: Global Administrator, User Administrator. Partner Center-specific roles Partner Center-specific roles can only be managed via Partner Center.
Audit and monitoring reference	Partner Center-specific roles in Microsoft Entra ID Microsoft Entra activity log overview API access to Microsoft Entra audit logs: Microsoft Graph v1.0 directoryAudit API - Audits with category <code>RoleManagement</code>

Other services

Azure DevOps

Area	Content
Overview	About permissions and security groups
Management API reference	Azure DevOps-specific roles in Microsoft Entra ID Microsoft Graph v1.0 roleManagement API • Use <code>directory</code> provider • See roles with permissions starting with <code>microsoft.azure.devOps</code>. Azure DevOps-specific roles Create/read/update/delete permissions granted via Roleassignments API • View permissions of roles with Roledefinitions API • Permissions reference topic • When an Azure DevOps group (note: different from Microsoft Entra group) is assigned to a role, create/read/update/delete group memberships with the Memberships API
Audit and monitoring reference	Azure DevOps-specific roles in Microsoft Entra ID Microsoft Entra activity log overview API access to Microsoft Entra audit logs: • Microsoft Graph v1.0 directoryAudit API • Audits with category <code>RoleManagement</code> Azure DevOps-specific roles • Accessing the AzureDevOps Audit Log • Audit API reference • AuditId reference • Audits with ActionId <code>Security.ModifyPermission</code>, <code>Security.RemovePermission</code>. • For changes to groups assigned to roles, audits with ActionId <code>Group.UpdateGroupMembership</code>, <code>Group.UpdateGroupMembership.Add</code>, <code>Group.UpdateGroupMembership.Remove</code>

Fabric

Includes Fabric and Power BI.

Area	Content
Overview	Understand Microsoft Fabric admin roles
Management API reference	Fabric-specific roles in Microsoft Entra ID Microsoft Graph v1.0 roleManagement API • Use <code>directory</code> provider • See roles with permissions starting with <code>micro</code> <code>soft.powerApps.powerBI</code>.
Audit and monitoring reference	Fabric-specific roles in Microsoft Entra ID Microsoft Entra activity log overview API access to Microsoft Entra audit logs: • Microsoft Graph v1.0 directoryAudit API • Audits with category <code>RoleManagement</code>

Unified Support Portal for managing customer support cases

Includes Unified Support Portal and Services Hub.

[Expand table](#)

Area	Content
Overview	Services Hub roles and permissions
Management API reference	Manage these roles in the Services Hub portal, https://serviceshub.microsoft.com ↗ .

Microsoft Graph application permissions

In addition to the previously mentioned RBAC systems, elevated permissions can be granted to Microsoft Entra application registrations and service principals using application permissions. For example, a non-interactive, non-human application identity can be granted the ability to read all mail in a tenant (the `Mail.Read` application permission). The following table lists how to manage and monitor application permissions.

[Expand table](#)

Area	Content
Overview	Overview of Microsoft Graph permissions

Area	Content
Management API reference	Microsoft Graph-specific roles in Microsoft Entra ID Microsoft Graph v1.0 servicePrincipal API - Enumerate the appRoleAssignments for each servicePrincipal in the tenant. - For each appRoleAssignment, get information about the permissions granted by the assignment by reading the appRole property on the servicePrincipal object referenced by the resourceId and appRoleId in the appRoleAssignment. - Of specific interest are app permissions to the Microsoft Graph (servicePrincipal with appId == "00000003-0000-0000-c000-000000000000") which grant access to Exchange, SharePoint, Teams, and so on. Here is a reference for Microsoft Graph permissions. - Also see Microsoft Entra security operations for applications.
Audit and monitoring reference	Microsoft Graph-specific roles in Microsoft Entra ID Microsoft Entra activity log overview API access to Microsoft Entra audit logs: Microsoft Graph v1.0 directoryAudit API - Audits with category <code>ApplicationManagement</code> and Activity name <code>Add app role assignment to service principal</code>

Next steps

- [How to assign or remove Microsoft Entra administrator roles](#)
- [Microsoft Entra built-in roles](#)

Feedback

Was this page helpful?

 Yes

 No

[Provide product feedback](#) 

Use Microsoft Entra groups to manage role assignments

01/03/2025


With Microsoft Entra ID P1 or P2, you can create role-assignable groups and assign Microsoft Entra roles to these groups. This feature simplifies role management, ensures consistent access, and makes auditing permissions more straightforward. Assigning roles to a group instead of individuals allows for easy addition or removal of users from a role and creates consistent permissions for all members of the group. You can also create custom roles with specific permissions and assign them to groups.

Why assign roles to groups?

Consider the example where the Contoso company has hired people across geographies to manage and reset passwords for employees in its Microsoft Entra organization. Instead of asking a Privileged Role Administrator to assign the Helpdesk Administrator role to each person individually, they can create a Contoso_Helpdesk_Administrators group and assign the role to the group. When people join the group, they're assigned the role indirectly. Your existing governance workflow can then take care of the approval process and auditing of the group's membership to ensure that only legitimate users are members of the group and are thus assigned the Helpdesk Administrator role.

How role assignments to groups work

To assign a role to a group, you must create a new security or Microsoft 365 group with the `isAssignableToRole` property set to `true`. In the Microsoft Entra admin center, you set the **Microsoft Entra roles can be assigned to the group** option to **Yes**. Either way, you can then assign one or more Microsoft Entra roles to the group in the same way as you assign roles to users.



Restrictions for role-assignable groups

Role-assignable groups have the following restrictions:

- You can only set the `isAssignableToRole` property or the **Microsoft Entra roles can be assigned to the group** option for new groups.
- The `isAssignableToRole` property is **immutable**. Once a group is created with this property set, it can't be changed.
- You can't make an existing group a role-assignable group.
- A maximum of 500 role-assignable groups can be created in a single Microsoft Entra organization (tenant).

How are role-assignable groups protected?

If a group is assigned a role, any IT administrator who can manage dynamic membership groups could also indirectly manage the membership of that role. For example, assume that a group named `Contoso_User_Administrators` is assigned the User Administrator role. An Exchange administrator who can modify dynamic membership groups could add themselves to the `Contoso_User_Administrators` group and in that way become a User Administrator. As you can see, an administrator could elevate their privilege in a way you didn't intend.

Only groups that have the `isAssignableToRole` property set to `true` at creation time can be assigned a role. This property is immutable. Once a group is created with this property set, it can't be changed. You can't set the property on an existing group.

Role-assignable groups are designed to help prevent potential breaches by having the following restrictions:

- You must be assigned at least the Privileged Role Administrator role to create a role-assignable group.
- The membership type for role-assignable groups must be Assigned and can't be a Microsoft Entra dynamic group. Automated population of dynamic membership groups could lead to an unwanted account being added to the group and thus assigned to the role.
- By default, Privileged Role Administrators can manage the membership of a role-assignable group, but you can delegate the management of role-assignable groups by adding group owners.
- For Microsoft Graph, the *RoleManagement.ReadWrite.Directory* permission is required to be able to manage the membership of role-assignable groups. The *Group.ReadWrite.All* permission won't work.
- To prevent elevation of privilege, you must be assigned at least the Privileged Authentication Administrator role to change the credentials, reset MFA, or modify sensitive attributes for members and owners of a role-assignable group.
- Group nesting isn't supported. A group can't be added as a member of a role-assignable group.

Use PIM to make a group eligible for a role assignment

If you don't want members of the group to have standing access to a role, you can use [Microsoft Entra Privileged Identity Management \(PIM\)](#) to make a group eligible for a role assignment. Each member of the group is then eligible to activate the role assignment for a fixed time duration.

Note

For groups used for elevating into Microsoft Entra roles, we recommend that you require an approval process for eligible member assignments. Assignments that can be activated without approval can leave you vulnerable to a security risk from less-privileged administrators. For example, the Helpdesk Administrator has permission to reset an eligible user's passwords.

Scenarios not supported

The following scenarios aren't supported:

- Assign Microsoft Entra roles (built-in or custom) to on-premises groups.

Known issues

The following are known issues with role-assignable groups:

- *Microsoft Entra ID P2 licensed customers only*: Even after deleting the group, it's still shown as an eligible member of the role in PIM UI. Functionally there's no problem; it's just a cache issue in the Microsoft Entra admin center.
- Use the new [Exchange admin center](#) for role assignments via dynamic membership groups. The old Exchange admin center doesn't support this feature. If accessing the old Exchange admin center is required, assign the eligible role directly to the user (not via role-assignable groups). Exchange PowerShell cmdlets work as expected.
- If an administrator role is assigned to a role-assignable group instead of individual users, members of the group won't be able to access Rules, Organization, or Public Folders in the new [Exchange admin center](#). The workaround is to assign the role directly to users instead of the group.
- Azure Information Protection Portal (the classic portal) doesn't recognize role membership via group yet. You can [migrate to the unified sensitivity labeling platform](#) and then use the Microsoft Purview compliance portal to use group assignments to manage roles.

License requirements

Using this feature requires a Microsoft Entra ID P1 license. The Privileged Identity Management for just-in-time role activation requires a Microsoft Entra ID P2 license. To find the right license for your requirements, see [Comparing generally available features of the Free and Premium editions](#) [↗](#).

Next steps

- [Create a role-assignable group](#)
- [Assign Microsoft Entra roles](#)
- [Manage Microsoft Entra groups and group membership](#)

Administrative units in Microsoft Entra ID

Article • 10/29/2024

This article describes administrative units in Microsoft Entra ID. An administrative unit is a Microsoft Entra resource that can be a container for other Microsoft Entra resources. An administrative unit can contain only users, groups, or devices.

Administrative units restrict permissions in a role to any portion of your organization that you define. You could, for example, use administrative units to delegate the [Helpdesk Administrator](#) role to regional support specialists, so they can manage users only in the region that they support. Note that if you assign a role to a user that is not a member of an administrative unit, the scope of the role is the entire tenant.


Users can be members of multiple administrative units. For example, you might add users to administrative units by geography and division; Megan Bowen might be in the "Seattle" and "Marketing" administrative units.

Deployment scenario

It can be useful to restrict administrative scope by using administrative units in organizations that are made up of independent divisions of any kind. Consider the example of a large university that's made up of many autonomous schools (School of Business, School of Engineering, and so on). Each school has a team of IT admins who control access, manage users, and set policies for their school.

A central administrator could:

- Create an administrative unit for the School of Business.
- Populate the administrative unit with only students and staff within the School of Business.
- Create a role with administrative permissions over only Microsoft Entra users in the School of Business administrative unit.
- Add the business school IT team to the role, along with its scope.



Constraints

Here are some of the constraints for administrative units.

- Administrative units can't be nested.
- Administrative units are currently not available in [Microsoft Entra ID Governance](#).

Groups

Adding a group to an administrative unit brings the group itself into the management scope of the administrative unit, but **not** the members of the group. In other words, an administrator scoped to the administrative unit can manage properties of the group, such as group name or membership, but they cannot manage properties of the users or devices within that group (unless those users and devices are separately added as members of the administrative unit).

For example, a [User Administrator](#) scoped to an administrative unit that contains a group can and can't do the following:

[Expand table](#)

Permissions	Can do
Manage the name of the group	✓
Manage the membership of the group	✓
Manage the user properties for individual members of the group	✗
Manage the user authentication methods of individual members of the group	✗

Permissions	Can do
Reset the passwords of individual members of the group	✗

In order for the [User Administrator](#) to manage the user properties or user authentication methods of individual members of the group, the group members (users) must be added directly as members of the administrative unit.

License requirements

Using administrative units requires a Microsoft Entra ID P1 license for each administrative unit administrator who is assigned directory roles over the scope of the administrative unit, and a Microsoft Entra ID Free license for each administrative unit member. Creating administrative units is available with a Microsoft Entra ID Free license. If you are using rules for dynamic membership groups for administrative units, each administrative unit member requires a Microsoft Entra ID P1 license. To find the right license for your requirements, see [Comparing generally available features of the Free and Premium editions](#) [↗](#).

Manage administrative units

You can manage administrative units by using the Microsoft Entra admin center, PowerShell cmdlets and scripts, or Microsoft Graph API. For more information, see:

- [Create or delete administrative units](#)
- [Add users, groups, or devices to an administrative unit](#)
- [Manage users or devices for an administrative unit with rules for dynamic membership groups](#)
- [Assign Microsoft Entra roles with administrative unit scope](#)
- [Work with administrative units](#): Covers how to work with administrative units by using PowerShell.
- [Administrative unit Graph support](#): Provides detailed documentation on Microsoft Graph for administrative units.

Plan your administrative units

You can use administrative units to logically group Microsoft Entra resources. An organization whose IT department is scattered globally might create administrative units that define relevant geographical boundaries. In another scenario, where a global organization has suborganizations that are semi-autonomous in their operations, administrative units could represent the suborganizations.

The criteria on which administrative units are created are guided by the unique requirements of an organization. Administrative units are a common way to define structure across Microsoft 365 services. We recommend that you prepare your administrative units with their use across Microsoft 365 services in mind. You can get maximum value out of administrative units when you can associate common resources across Microsoft 365 under an administrative unit.

You can expect the creation of administrative units in the organization to go through the following stages:

1. **Initial adoption:** Your organization will start creating administrative units based on initial criteria, and the number of administrative units will increase as the criteria are refined.
2. **Pruning:** After the criteria are defined, administrative units that are no longer required will be deleted.
3. **Stabilization:** Your organizational structure is defined, and the number of administrative units isn't going to change significantly in the short term.


Currently supported scenarios

As a Privileged Role Administrator, you can use the Microsoft Entra admin center to:

- Create administrative units
- Add users, groups, or devices as members of administrative units
- Manage users or devices for an administrative unit with rules for dynamic membership groups
- Assign IT staff to administrative unit-scoped administrator roles.

Administrative unit-scoped admins can use the Microsoft 365 admin center for basic management of users in their administrative units. A group administrator with administrative unit scope can manage groups by using PowerShell, Microsoft Graph, and the Microsoft 365 admin centers.

Administrative units apply scope only to management permissions. They don't prevent members or administrators from using their [default user permissions](#) to browse other users, groups, or resources outside the administrative unit. In the Microsoft 365 admin center, users outside a scoped admin's administrative units are filtered out. But you can browse other users in the Microsoft Entra admin center, PowerShell, and other Microsoft services.



Only the features described in this section are available in the Microsoft 365 admin center. No organization-level features are available for a Microsoft Entra role with administrative unit scope.

The following sections describe current support for administrative unit scenarios.

Administrative unit management

[Expand table](#)

Permissions	Microsoft Graph/PowerShell	Microsoft Entra admin center	Microsoft 365 admin center
Create or delete administrative units	✓	✓	✓
Add or remove members	✓	✓	✓
Assign administrative unit-scoped administrators	✓	✓	✓
Add or remove users or devices dynamically based on rules	✓	✓	✗
Add or remove groups dynamically based on rules	✗	✗	✗

User management

[Expand table](#)

Permissions	Microsoft Graph/PowerShell	Microsoft Entra admin center	Microsoft 365 admin center
Administrative unit-scoped management of user properties, passwords	✓	✓	✓
Administrative unit-scoped management of user licenses	✓	✓	✓
Administrative unit-scoped blocking and unblocking of user sign-ins	✓	✓	✓

Permissions	Microsoft Graph/PowerShell	Microsoft Entra admin center	Microsoft 365 admin center
Administrative unit-scoped management of user multifactor authentication credentials	✓	✓	✗

Group management

[Expand table](#)

Permissions	Microsoft Graph/PowerShell	Microsoft Entra admin center	Microsoft 365 admin center
Administrative unit-scoped creation and deletion of groups	✓	✓	✓
Administrative unit-scoped management of group properties and membership for Microsoft 365 groups	✓	✓	✓
Administrative unit-scoped management of group properties and membership for all other groups	✓	✓	✗
Administrative unit-scoped management of group licensing	✓	✓	✗

Device management

[Expand table](#)

Permissions	Microsoft Graph/PowerShell	Microsoft Entra admin center	Microsoft 365 admin center
Enable, disable, or delete devices	✓	✓	✗
Read BitLocker recovery keys	✓	✓	✗

Managing devices in Intune is *not* supported at this time.

Next steps

- [Create or delete administrative units](#)
- [Restricted management administrative units](#)
- [Administrative unit limits](#)

Feedback

Was this page helpful?

 Yes

 No

[Provide product feedback](#) 

Restricted management administrative units in Microsoft Entra ID

07/01/2025

Organizations have resources that need strict security, like the CEO's user account. Currently, a Helpdesk Administrator can potentially gain access to a CEO's account by resetting its password, and a tenant-level Groups Administrator can add users to security groups with financial data access on SharePoint.

Restricted management administrative units allow you to protect specific objects in your tenant from modification by anyone other than a specific set of people that you designate. This allows you to meet security or compliance requirements without having to remove tenant-level role assignments from your administrators.

Why use restricted management administrative units?

Here are some reasons why you might use restricted management administrative units to help manage access in your tenant.

- **Protect your executive accounts and their devices**

You want to protect your C-level executive accounts and their devices from Helpdesk Administrators who would otherwise be able to reset their passwords or access BitLocker recovery keys. You can add your C-level user accounts to a restricted management administrative unit and enable a specific trusted set of administrators who can reset their passwords and access BitLocker recovery keys when needed.

- **Implement compliance control to only local administrators**

You want to implement a compliance control to ensure that certain resources can only be managed by administrators in a specific country/region. You can add those resources in a restricted management administrative unit and assign local administrators to manage those objects. Even Global Administrators won't be allowed to modify the objects unless they assign themselves explicitly to a role scoped to the restricted management administrative unit (which is an auditable event).


- **Restrict management of sensitive security groups to specific administrators**

You're using security groups to control access to sensitive applications in your organization, and you don't want to allow your tenant-scoped administrators who can

modify groups to be able to control who can access the applications. You can add those security groups to a restricted management administrative unit and then be sure that only the specific administrators you assign can manage them.

Example scenario

The following diagram shows an example executive restricted management administrative unit (shown in the purple box) with objects that can only be modified by executive support. Tenant-level administrators and local administrators cannot modify the objects in the Executive administrative unit.



Note

Placing objects in a restricted management administrative unit severely restricts who can make changes to the objects. This restriction can cause existing workflows to break.

What objects can be members?

Here are the objects that can be members of restricted management administrative units.

[Expand table](#)

Microsoft Entra object type	Administrative unit	Restricted management administrative unit
Users	Yes	Yes
Devices	Yes	Yes

Microsoft Entra object type	Administrative unit	Restricted management administrative unit
Groups (Security)	Yes	Yes
Groups (Microsoft 365)	Yes	No
Groups (Mail enabled security)	Yes	No
Groups (Distribution)	Yes	No

What types of operations are blocked?

For administrators not explicitly assigned at the restricted management administrative unit scope, operations that directly modify the Microsoft Entra properties of objects in restricted management administrative units are blocked, whereas operations on related objects in Microsoft 365 services aren't affected.

 Expand table

Operation type	Blocked	Allowed
Read standard properties like user principal name, user photo		
Modify any Microsoft Entra properties of the user, group, or device		
Delete the user, group, or device		
Update password for a user		
Modify owners or members of the group in the restricted management administrative unit		
Add users, groups, or devices in a restricted management administrative unit to groups in Microsoft Entra ID		
Modify email and mailbox settings in Exchange for the user in the restricted management administrative unit		
Apply policies to a device in a restricted management administrative unit using Intune		
Add or remove a group as a site owner in SharePoint		
Assign licenses and update the usage location of users in a restricted management administrative unit		

Who can modify objects?


Only administrators with an explicit assignment at the scope of a restricted management administrative unit can change the Microsoft Entra properties of objects in the restricted management administrative unit.

 Expand table

Role	Scope	Blocked	Allowed
Global Administrator	Tenant		
Privileged Role Administrator	Tenant		
Groups Administrator, User Administrator, or other roles	Resource		
Owners of groups or devices added to restricted management administrative units			
Built-in or custom role	Tenant		
Roles that can be assigned with administrative unit scope	Restricted management administrative unit		
Roles that can be assigned with administrative unit scope	Another restricted management administrative unit of which the object is a member		
Roles that can be assigned with administrative unit scope	Another regular administrative unit of which the object is a member		

If an administrator with tenant scope attempts to modify an object in a restricted management administrative unit, they will see messages similar to the following:

This user is a member of a restricted management administrative unit. Management rights are limited to administrators scoped on that administrative unit.



Who can manage restricted management administrative units?

The following roles at tenant scope **cannot** modify objects in restricted management administrative units, but they **can** manage the restricted management administrative units themselves.

[Expand table](#)

Role	Scope	Modify objects in restricted management administrative units	Manage restricted management administrative units
Global Administrator	Tenant	No	Yes
Privileged Role Administrator	Tenant	No	Yes

This management includes the following tasks:

- Create or delete restricted management administrative units
- Add or remove members from a restricted management administrative units
- Assign roles or remove role assignments with restricted management administrative unit scope
- Assign roles to themselves with restricted management administrative units scope

If an administrator with restricted management administrative unit scope changes jobs or leaves the organization, to regain access, a Global Administrator or Privileged Role

Administrator can assign another administrator or themselves to the restricted management administrative unit.

Audit logs

To help you track when changes are made to restricted management administrative units, these activities are recorded in the Microsoft Entra audit logs.

 Expand table

Activity	Category	Details
Add administrative unit	AdministrativeUnit	IsMemberManagementRestricted = true
Add member to restricted management administrative unit	AdministrativeUnit	
Remove member from restricted management administrative unit	AdministrativeUnit	
Add member to role scoped over Restricted Management Administrative Unit	RoleManagement	
Remove member from role scoped over Restricted Management Administrative Unit	RoleManagement	

Limitations

Here are some of the limits and constraints for restricted management administrative units.

- The restricted management setting must be applied during administrative unit creation and can't be changed once the administrative unit is created.
- Groups and users in a restricted management administrative unit can't be managed with Microsoft Entra ID Governance features such as [Privileged Identity Management](#), [Entitlement management](#), [Lifecycle workflows](#) and [Access reviews](#).
- When a group is configured to have public membership (by setting the [visibility](#) property to `Public`), users can join the group by using [self-service group membership](#). This configuration is not the default setting, and it is not recommended to configure groups in restricted management administrative units to allow for public membership. This is a temporary limitation and will be removed.
- Role-assignable groups, when added to a restricted management administrative unit, can't have their membership modified. Group owners aren't allowed to manage groups in restricted management administrative units and only Global Administrators and

Privileged Role Administrators (neither of which can be assigned at administrative unit scope) can modify membership.

- Certain actions might not be possible when an object is in a restricted management administrative unit, if the required role isn't one of the roles that can be assigned at administrative unit scope. For example, a Global Administrator in a restricted management administrative unit can't have their password reset by any other administrator in the system, because there's no administrator role that can be assigned at the administrative unit scope that can reset the password of a Global Administrator. In such scenarios, the Global Administrator would need to be removed from the restricted management administrative unit first, and then have their password reset by another Global Administrator or Privileged Role Administrator.
- When deleting a restricted management administrative unit, it can take up to 30 minutes to remove all protections from the former members.
- A maximum of 100 restricted management administrative units in a tenant.

Programmability

Applications can't modify objects in restricted management administrative units by default. To grant an application access to manage objects in a restricted management administrative unit, you must assign a Microsoft Entra role to the application at the scope of the restricted management administrative unit. If you assign [Microsoft Graph application permissions](#) to the application, those permissions won't apply because it's restricted.

License requirements

Restricted management administrative units require a Microsoft Entra ID P1 license for each administrative unit administrator, and Microsoft Entra ID Free licenses for administrative unit members. To find the right license for your requirements, see [Comparing generally available features of the Free and Premium editions](#) [↗](#).

Next steps

- [Create, update, or delete administrative units](#)
- [Assign Microsoft Entra roles with administrative unit scope](#)
- [Microsoft Entra administrative units: Troubleshooting and FAQ](#)

Best practices for Microsoft Entra roles

Article • 03/31/2025

This article describes some of the best practices for using Microsoft Entra role-based access control (Microsoft Entra RBAC). These best practices are derived from our experience with Microsoft Entra RBAC and the experiences of customers like yourself. We encourage you to also read our detailed security guidance at [Securing privileged access for hybrid and cloud deployments in Microsoft Entra ID](#).


1. Apply principle of least privilege

When planning your access control strategy, it's a best practice to manage to least privilege. Least privilege means you grant your administrators exactly the permission they need to do their job. There are three aspects to consider when you assign a role to your administrators: a specific set of permissions, over a specific scope, for a specific period of time. Avoid assigning broader roles at broader scopes even if it initially seems more convenient to do so. By limiting roles and scopes, you limit what resources are at risk if the security principal is ever compromised. Microsoft Entra RBAC supports over 65 [built-in roles](#). There are Microsoft Entra roles to manage directory objects like users, groups, and applications, and also to manage Microsoft 365 services like Exchange, SharePoint, and Intune. To better understand Microsoft Entra built-in roles, see [Understand roles in Microsoft Entra ID](#). If there isn't a built-in role that meets your need, you can create your own [custom roles](#).

Finding the right roles

Follow these steps to help you find the right role.

1. Sign in to the [Microsoft Entra admin center](#) .
2. Browse to **Identity > Roles & admins > Roles & admins**.
3. Use the **Service** filter to narrow down the list of roles.



4. Refer to the [Microsoft Entra built-in roles](#) documentation. Permissions associated with each role are listed together for better readability. To understand the structure and meaning of role permissions, see [How to understand role permissions](#).
5. Refer to the [Least privileged role by task](#) documentation.

2. Use Privileged Identity Management to grant just-in-time access

One of the principles of least privilege is that access should be granted only when required. [Microsoft Entra Privileged Identity Management \(PIM\)](#) lets you grant just-in-time access to your administrators. Microsoft recommends that you use PIM in Microsoft Entra ID. Using PIM, a user can be made eligible for a Microsoft Entra role where they can then activate the role for a limited time when needed. Privileged access is automatically removed when the timeframe expires. You can also configure PIM settings to require approval, receive notification emails when someone activates their role assignment, or other role settings. Notifications provide an alert when new users are added to highly privileged roles. For more information, see [Configure Microsoft Entra role settings in Privileged Identity Management](#).

3. Turn on multifactor authentication for all your administrator accounts

Based on our studies [\[1\]](#), your account is 99.9% less likely to be compromised if you use multifactor authentication (MFA).

You can enable MFA on Microsoft Entra roles using two methods:

- [Role settings](#) in Privileged Identity Management
- [Conditional Access](#)

4. Configure recurring access reviews to revoke unneeded permissions over time

Access reviews enable organizations to review administrator's access regularly to make sure only the right people have continued access. Regular auditing your administrators is crucial because of following reasons:

- A malicious actor can compromise an account.
- People move teams within a company. If there's no auditing, they can amass unnecessary access over time.

Microsoft recommends that you use access reviews to find and remove role assignments that are no longer needed. This helps you reduce the risk of unauthorized or excessive access and maintain your compliance standards.

For information about access reviews for roles, see [Create an access review of Azure resource and Microsoft Entra roles in PIM](#). For information about access reviews of groups that are assigned roles, see [Create an access review of groups and applications in Microsoft Entra ID](#).

5. Limit the number of Global Administrators to less than 5

As a best practice, Microsoft recommends that you assign the Global Administrator role to **fewer than five** people in your organization. Global Administrators essentially have unrestricted access, and it is in your best interest to keep the attack surface low. As stated previously, all of these accounts should be protected with multifactor authentication.

If you have 5 or more privileged Global Administrator role assignments, a **Global Administrators** alert card is displayed on the Microsoft Entra Overview page to help you monitor Global Administrator role assignments.

Home > Contoso ...

+ Add ▾ ⚙️ Manage tenants 📄 What's new | 🖨️ Preview features | 🗨️ Got feedback? ▾

Overview Monitoring Properties Recommendations Tutorials

🔍 Search your tenant

Basic information

Name	Contoso	Users	26
Tenant ID	11111111-1111-1111-1111-111111111111 📄	Groups	6
Primary domain		Applications	1
License	Microsoft Entra ID Free	Devices	0

Alerts

**Upcoming MFA Server deprecation**
Please migrate from MFA Server to Microsoft Entra Multi-Factor Authentication by September 2024 to avoid any service impact.
[Learn more](#) 📄

**Global Administrators**
26
Microsoft recommends fewer than 5 Global Administrators.
[View privileged role assignments](#)


🔍

By default, when a user signs up for a Microsoft cloud service, a Microsoft Entra tenant is created and the user is assigned the Global Administrators role. Users who are assigned the Global Administrator role can read and modify almost every administrative setting in your Microsoft Entra organization. With a few exceptions, Global Administrators can also read and modify all configuration settings in your Microsoft 365 organization. Global Administrators also have the ability to elevate their access to read data.

Microsoft recommends that organizations have two cloud-only emergency access accounts permanently assigned the [Global Administrator](#) role. These accounts are highly privileged and aren't assigned to specific individuals. The accounts are limited to emergency or "break glass" scenarios where normal accounts can't be used or all other administrators are accidentally locked out. These accounts should be created following the [emergency access account recommendations](#).

6. Limit the number of privileged role assignments to less than 10

Some roles include privileged permissions, such as the ability to update credentials. Since these roles can potentially lead to elevation of privilege, you should limit the use of these privileged role assignments to **fewer than 10** in your organization. If you exceed 10 privileged role assignments, a warning is displayed on the Roles and administrators page.



You can identify roles, permissions, and role assignments that are privileged by looking for the **PRIVILEGED** label. For more information, see [Privileged roles and permissions in Microsoft Entra ID](#).

7. Use groups for Microsoft Entra role assignments and delegate the role assignment


If you have an external governance system that takes advantage of groups, then you should consider assigning roles to Microsoft Entra groups, instead of individual users. You can also manage role-assignable groups in PIM to ensure that there are no standing owners or members in these privileged groups. For more information, see [Privileged Identity Management \(PIM\) for Groups](#).

You can assign an owner to role-assignable groups. That owner decides who is added to or removed from the group, so indirectly, decides who gets the role assignment. In this way, a Privileged Role Administrator can delegate role management on a per-role basis by using groups. For more information, see [Use Microsoft Entra groups to manage role assignments](#).

8. Activate multiple roles at once using PIM for Groups

It might be the case that an individual has five or six eligible assignments to Microsoft Entra roles through PIM. They'll have to activate each role individually, which can reduce productivity. Worse still, they can also have tens or hundreds of Azure resources assigned to them, which aggravates the problem.

In this case, you should use [Privileged Identity Management \(PIM\) for Groups](#). Create a PIM for Groups and grant it permanent access to multiple roles (Microsoft Entra ID and/or Azure). Make that user an eligible member or owner of this group. With just one activation, they'll have access to all the linked resources.



9. Use cloud native accounts for Microsoft Entra roles

Avoid using on-premises synced accounts for Microsoft Entra role assignments. If your on-premises account is compromised, it can compromise your Microsoft Entra resources as well.

Next steps

- [Securing privileged access for hybrid and cloud deployments in Microsoft Entra ID](#)

Feedback

Was this page helpful?

[Provide product feedback](#) 

Privileged roles and permissions in Microsoft Entra ID (preview)

Article • 10/15/2024

Important

The label for privileged roles and permissions is currently in PREVIEW. See the [Supplemental Terms of Use for Microsoft Azure Previews](#) for legal terms that apply to Azure features that are in beta, preview, or otherwise not yet released into general availability.

Microsoft Entra ID has roles and permissions that are identified as privileged. These roles and permissions can be used to delegate management of directory resources to other users, modify credentials, authentication or authorization policies, or access restricted data. Privileged role assignments can lead to elevation of privilege if not used in a secure and intended manner. This article describes privileged roles and permissions and best practices for how to use.

Which roles and permissions are privileged?

For a list of privileged roles and permissions, see [Microsoft Entra built-in roles](#). You can also use the Microsoft Entra admin center, Microsoft Graph PowerShell, or Microsoft Graph API to identify roles, permissions, and role assignments that are identified as privileged.

Admin center

In the Microsoft Entra admin center, look for the **PRIVILEGED** label.

PRIVILEGED

On the **Roles and administrators** page, privileged roles are identified in the **Privileged** column. The **Assignments** column lists the number of role assignments. You can also filter privileged roles.

... > Privileged Identity Management | Microsoft Entra roles > Contoso | My roles > Roles and administrators | All roles > Application Developer | Assignments > Add assignments >

Roles and administrators | All roles

Contoso

+ New custom role | Delete custom role | Download assignments | Refresh | Preview features | Got feedback?

Get just-in-time access to a role when you need it using PIM. Learn more about PIM →

⚠ There are currently 12 privileged role assignments. It is recommended to not exceed 10.

📘 Your Role: Global Administrator

Administrative roles

Administrative roles are used for granting access for privileged actions in Microsoft Entra ID. We recommend using these built-in roles for delegating access to manage broad application configuration permissions without granting access to manage other parts of Microsoft Entra ID not related to application configuration. [Learn more.](#)

[Learn more about Microsoft Entra ID role-based access control](#)

Search by name or description | Add filters

Role	Description	Privileged	Ass...	Type
☐ Application Administrator	Can create and manage all aspects of app registrations and enterprise apps.	PRIVILEGED	2	Built-in
☐ Application Developer	Can create application registrations independent of the 'Users can register applications' setting.	PRIVILEGED	0	Built-in
☐ Attack Payload Author	Can create attack payloads that an administrator can initiate later.		0	Built-in
☐ Attack Simulation Administrator	Can create and manage all aspects of attack simulation campaigns.		0	Built-in
☐ Attribute Assignment Administrator	Assign custom security attribute keys and values to supported Microsoft Entra objects.		0	Built-in
☐ Attribute Assignment Reader	Read custom security attribute keys and values for supported Microsoft Entra objects.		0	Built-in

When you view the permissions for a privileged role, you can see which permissions are privileged. If you view the permissions as a default user, you won't be able to see which permissions are privileged.

Home > Application Administrator

Application Administrator | Description

Privileged Identity Management | Microsoft Entra roles

Got feedback?

Manage

- Assignments
- Description
- Role settings

Summary

Name: Application Administrator **PRIVILEGED**

Description: Users in this role can add, manage, and configure enterprise applications, app registrations and manage on-premises like app proxy.
This role is considered privileged because one or more of its permissions are privileged. [Learn more](#)


Template ID: 11111111-1111-1111-1111-111111111111

Related articles: [Assigning administrator roles in Microsoft Entra ID](#)

Role permissions

microsoft.directory/customAuthenticationExtensions/allProperties/allTasks	PRIVILEGED	Create and manage custom authentication extensions
microsoft.directory/deletedItems/applications/delete		Permanently delete applications, which can no longer be restored
microsoft.directory/deletedItems/applications/restore		Restore soft deleted applications to original state
microsoft.directory/oauth2PermissionGrants/allProperties/allTasks	PRIVILEGED	Create and delete OAuth 2.0 permission grants, and read and update all properties
microsoft.directory/applicationPolicies/create		Create application policies

When you create a custom role, you can see which permissions are privileged and the custom role will be labeled as privileged.



Best practices for using privileged roles

Here are some best practices for using privileged roles.

- Apply principle of least privilege
- Use Privileged Identity Management to grant just-in-time access
- Turn on multi-factor authentication for all your administrator accounts
- Configure recurring access reviews to revoke unneeded permissions over time
- Limit the number of Global Administrators to less than 5
- Limit the number of privileged role assignments to less than 10

For more information, see [Best practices for Microsoft Entra roles](#).

Privileged permissions versus protected actions

Privileged permissions and protected actions are security-related capabilities that have different purposes. Permissions that have the **PRIVILEGED** label help you identify permissions that can lead to elevation of privilege if not used in a secure and intended manner. Protected actions are role permissions that have been assigned Conditional Access policies for added security, such as requiring multi-factor authentication. Conditional Access requirements are enforced when a user performs the protected

action. Protected actions are currently in Preview. For more information, see [What are protected actions in Microsoft Entra ID?](#).

 Expand table

Capability	Privileged permission	Protected action
Identify permissions that should be used in a secure manner		
Require additional security to perform an action		

Terminology

To understand privileged roles and permissions in Microsoft Entra ID, it helps to know some of the following terminology.

 Expand table

Term	Definition
action	An activity a security principal can perform on an object type. Sometimes referred to as an operation.
permission	A definition that specifies the activity a security principal can perform on an object type. A permission includes one or more actions.
privileged permission	In Microsoft Entra ID, permissions that can be used to delegate management of directory resources to other users, modify credentials, authentication or authorization policies, or access restricted data.
privileged role	A built-in or custom role that has one or more privileged permissions.
privileged role assignment	A role assignment that uses a privileged role.
elevation of privilege	When a security principal obtains more permissions than their assigned role initially provided by impersonating another role.
protected action	Permissions with Conditional Access applied for added security.

How to understand role permissions

The schema for permissions loosely follows the REST format of Microsoft Graph:

`<namespace>/<entity>/<propertySet>/<action>`

For example:

`microsoft.directory/applications/credentials/update`

[Expand table](#)

Permission element	Description
namespace	Product or service that exposes the task and is prepended with <code>microsoft</code> . For example, all tasks in Microsoft Entra ID use the <code>microsoft.directory</code> namespace.
entity	Logical feature or component exposed by the service in Microsoft Graph. For example, Microsoft Entra ID exposes User and Groups, OneNote exposes Notes, and Exchange exposes Mailboxes and Calendars. There is a special <code>allEntities</code> keyword for specifying all entities in a namespace. This is often used in roles that grant access to an entire product.
propertySet	Specific properties or aspects of the entity for which access is being granted. For example, <code>microsoft.directory/applications/authentication/read</code> grants the ability to read the reply URL, logout URL, and implicit flow property on the application object in Microsoft Entra ID. • <code>allProperties</code> designates all properties of the entity, including privileged properties. • <code>standard</code> designates common properties, but excludes privileged ones related to <code>read</code> action. For example, <code>microsoft.directory/user/standard/read</code> includes the ability to read standard properties like public phone number and email address, but not the private secondary phone number or email address used for multifactor authentication. • <code>basic</code> designates common properties, but excludes privileged ones related to the <code>update</code> action. The set of properties that you can read may be different from what you can update. That's why there are <code>standard</code> and <code>basic</code> keywords to reflect that.
action	Operation being granted, most typically create, read, update, or delete (CRUD). There is a special <code>allTasks</code> keyword for specifying all of the above abilities (create, read, update, and delete).

Compare authentication roles

The following table compares the capabilities of authentication-related roles.

[Expand table](#)

Role	Manage user's auth methods	Manage per-user MFA	Manage MFA settings	Manage auth method policy	Manage password protection policy	Update sensitive properties	Delete and restore users
Authentication Administrator	Yes for some users	Yes for some users	Yes	No	No	Yes for some users	Yes for some users
Privileged Authentication Administrator	Yes for all users	Yes for all users	No	No	No	Yes for all users	Yes for all users
Authentication Policy Administrator	No	Yes	Yes	Yes	Yes	No	No
User Administrator	No	No	No	No	No	Yes for some users	Yes for some users

Who can reset passwords

In the following table, the columns list the roles that can reset passwords and invalidate refresh tokens. The rows list the roles for which their password can be reset. For example, a Password Administrator can reset the password for Directory Readers, Guest Inviter, Password Administrator, and users with no administrator role. If a user is assigned any other role, the Password Administrator cannot reset their password.

The following table is for roles assigned at the scope of a tenant. For roles assigned at the scope of an administrative unit, [further restrictions apply](#).

[Expand table](#)

Role that password can be reset	Password Admin	Helpdesk Admin	Auth Admin	User Admin	Privileged Auth Admin	Global Admin
Auth Admin			✓		✓	✓
Directory Readers	✓	✓	✓	✓	✓	✓
Global Admin					✓	✓*
Groups Admin				✓	✓	✓

Role that password can be reset	Password Admin	Helpdesk Admin	Auth Admin	User Admin	Privileged Auth Admin	Global Admin
Guest Inviter	✓	✓	✓	✓	✓	✓
Helpdesk Admin		✓		✓	✓	✓
Message Center Reader		✓	✓	✓	✓	✓
Password Admin	✓	✓	✓	✓	✓	✓
Privileged Auth Admin					✓	✓
Privileged Role Admin					✓	✓
Reports Reader		✓	✓	✓	✓	✓
User (no admin role)	✓	✓	✓	✓	✓	✓
User (no admin role, but member or owner of a role-assignable group)					✓	✓
User with a role scoped to a restricted management administrative unit					✓	✓
User Admin				✓	✓	✓
User Experience Success Manager		✓	✓	✓	✓	✓
Usage Summary Reports Reader		✓	✓	✓	✓	✓
All other built-in and custom roles					✓	✓

Important

The [Partner Tier2 Support](#) role can reset passwords and invalidate refresh tokens for all non-administrators and administrators (including Global Administrators). The [Partner Tier1 Support](#) role can reset passwords and invalidate refresh tokens for

only non-administrators. These roles should not be used because they are deprecated.

The ability to reset a password includes the ability to update the following sensitive properties required for [self-service password reset](#):

- businessPhones
- mobilePhone
- otherMails

Who can perform sensitive actions

Some administrators can perform the following sensitive actions for some users. All users can read the sensitive properties.

 Expand table

Sensitive action	Sensitive property name
Disable or enable users	accountEnabled
Update business phone	businessPhones
Update mobile phone	mobilePhone
Update on-premises immutable ID	onPremisesImmutableId
Update other emails	otherMails
Update password profile	passwordProfile
Update user principal name	userPrincipalName
Delete or restore users	Not applicable

In the following table, the columns list the roles that can perform sensitive actions. The rows list the roles for which the sensitive action can be performed upon.

The following table is for roles assigned at the scope of a tenant. For roles assigned at the scope of an administrative unit, [further restrictions apply](#).

 Expand table

Role that sensitive action can be performed upon	Auth Admin	User Admin	Privileged Auth Admin	Global Admin
Auth Admin	✓		✓	✓
Directory Readers	✓	✓	✓	✓
Global Admin			✓	✓
Groups Admin		✓	✓	✓
Guest Inviter	✓	✓	✓	✓
Helpdesk Admin		✓	✓	✓
Message Center Reader	✓	✓	✓	✓
Password Admin	✓	✓	✓	✓
Privileged Auth Admin			✓	✓
Privileged Role Admin			✓	✓
Reports Reader	✓	✓	✓	✓
User (no admin role)	✓	✓	✓	✓
User (no admin role, but member or owner of a role-assignable group)			✓	✓
User with a role scoped to a restricted management administrative unit			✓	✓
User Admin		✓	✓	✓
User Experience Success Manager	✓	✓	✓	✓
Usage Summary Reports Reader	✓	✓	✓	✓
All other built-in and custom roles			✓	✓

Next steps

- [Best practices for Microsoft Entra roles](#)
- [Microsoft Entra built-in roles](#)

Feedback

Was this page helpful?

 Yes

 No

[Provide product feedback](#) 

Securing privileged access for hybrid and cloud deployments in Microsoft Entra ID

Article • 11/21/2024

Business asset security depends on the integrity of the privileged accounts that administer your IT systems. Cyber-attackers use credential theft attacks to target administrator accounts and other privileged access to try to gain access to sensitive data.

For cloud services, prevention and response are the joint responsibilities of the cloud service provider and the customer. For more information about the latest threats to endpoints and the cloud, see the [Microsoft Security Intelligence Report](#). This article can help you develop a roadmap toward closing the gaps between your current plans and the guidance described here.

ⓘ Note

Microsoft is committed to the highest levels of trust, transparency, standards conformance, and regulatory compliance. Learn more about how the Microsoft global incident response team mitigates the effects of attacks against cloud services, and how security is built into Microsoft business products and cloud services at [Microsoft Trust Center - Security](#) and Microsoft compliance targets at [Microsoft Trust Center - Compliance](#).

Traditionally, organizational security was focused on the entry and exit points of a network as the security perimeter. However, SaaS apps and personal devices on the Internet have made this approach less effective.

In Microsoft Entra ID, we replace the network security perimeter with authentication in your organization's identity layer, with users assigned to privileged administrative roles in control. Their access must be protected, whether the environment is on-premises, cloud, or a hybrid.

Securing privileged access requires changes to:

- Processes, administrative practices, and knowledge management
- Technical components such as host defenses, account protections, and identity management

Secure your privileged access in a way that is managed and reported in the Microsoft services you care about. If you have on-premises administrator accounts, see the guidance for on-premises and hybrid privileged access in Active Directory at [Securing Privileged Access](#).

ⓘ Note


The guidance in this article refers primarily to features of Microsoft Entra ID that are included in Microsoft Entra ID P1 and P2. Microsoft Entra ID P2 is included in the EMS E5 suite and Microsoft 365 E5 suite. This guidance assumes your organization already has Microsoft Entra ID P2 licenses purchased for your users. If you do not have these licenses, some of the guidance might not apply to your organization. Also, throughout this article, the term Global Administrator means the same thing as "company administrator" or "tenant administrator."

Develop a roadmap

Microsoft recommends that you develop and follow a roadmap to secure privileged access against cyber attackers. You can always adjust your roadmap to accommodate your existing capabilities and specific requirements within your organization.

Each stage of the roadmap should raise the cost and difficulty for adversaries to attack privileged access for your on-premises, cloud, and hybrid assets. Microsoft recommends the following four roadmap stages. Schedule the most effective and the quickest implementations first.

This article can be your guide, based on Microsoft's experiences with cyber-attack incident and response implementation. The timelines for this roadmap are approximations.



- Stage 1 (24-48 hours): Critical items that we recommend you do right away
- Stage 2 (2-4 weeks): Mitigate the most frequently used attack techniques
- Stage 3 (1-3 months): Build visibility and build full control of administrator activity

- Stage 4 (six months and beyond): Continue building defenses to further harden your security platform

This roadmap framework is designed to maximize the use of Microsoft technologies that you may have already deployed. Consider tying in to any security tools from other vendors that you have already deployed or are considering deploying.

Stage 1: Critical items to do right now



Stage 1 of the roadmap is focused on critical tasks that are fast and easy to implement. We recommend that you do these few items right away within the first 24-48 hours to ensure a basic level of secure privileged access. This stage of the Secured Privileged Access roadmap includes the following actions:

General preparation

Use Microsoft Entra Privileged Identity Management

We recommend that you start using Microsoft Entra Privileged Identity Management (PIM) in your Microsoft Entra production environment. After you start using PIM, you'll receive notification email messages for privileged access role changes. Notifications provide early warning when additional users are added to highly privileged roles.

Microsoft Entra Privileged Identity Management is included in Microsoft Entra ID P2 or EMS E5. To help you protect access to applications and resources on-premises and in the cloud, sign up for the [Enterprise Mobility + Security free 90-day trial](#). Microsoft Entra Privileged Identity Management and Microsoft Entra ID Protection monitor security activity using Microsoft Entra ID reporting, auditing, and alerts.

After you start using Microsoft Entra Privileged Identity Management:

1. Sign in to the [Microsoft Entra admin center](#) [↗] as a [Global Administrator](#).
2. To switch directories where you want to use Privileged Identity Management, select your user name in the upper right corner of the Microsoft Entra admin center.
3. Browse to **Identity governance > Privileged Identity Management**.

Make sure the first person to use PIM in your organization is assigned to the [Security Administrator](#) and [Privileged Role Administrator](#) roles. Only Privileged Role Administrators can manage the Microsoft Entra directory role assignments of users. The PIM security wizard walks you through the initial discovery and assignment experience. You can exit the wizard without making any additional changes at this time.

Identify and categorize accounts that are in highly privileged roles

After starting to use Microsoft Entra Privileged Identity Management, view the users who are in the following Microsoft Entra roles:

- Global Administrator
- Privileged Role Administrator
- Exchange Administrator
- SharePoint Administrator

If you don't have Microsoft Entra Privileged Identity Management in your organization, you can use [Microsoft Graph PowerShell](#). Start with the Global Administrator role because a Global Administrator has the same permissions across all cloud services for which your organization has subscribed. These permissions are granted no matter where they were assigned: in the Microsoft 365 admin center, the Microsoft Entra admin center, or by using Microsoft Graph PowerShell.

Remove any accounts that are no longer needed in those roles. Then, categorize the remaining accounts that are assigned to administrator roles:

- Assigned to administrative users, but also used for non-administrative purposes (for example, personal email)
- Assigned to administrative users and used for administrative purposes only
- Shared across multiple users
- For break-glass emergency access scenarios
- For automated scripts
- For external users

Define at least two emergency access accounts

Microsoft recommends that organizations have two cloud-only emergency access accounts permanently assigned the [Global Administrator](#) role. These accounts are highly privileged and aren't assigned to specific individuals. The accounts are limited to emergency or "break glass" scenarios where normal accounts can't be used or all other administrators are accidentally locked out. These accounts should be created following the [emergency access account recommendations](#).

Turn on multifactor authentication and register all other highly privileged single-user non-federated administrator accounts

Require Microsoft Entra multifactor authentication at sign-in for all individual users who are permanently assigned to one or more of the Microsoft Entra administrator roles: Global Administrator, Privileged Role Administrator, Exchange Administrator, and SharePoint Administrator. Use the guidance at [Enforce multifactor authentication on your administrators](#) and ensure that all those users have registered at <https://aka.ms/mfasetup> [↗](#). More information can be found under step 2 and step 3 of the guide [Protect user and device access in Microsoft 365](#).

Stage 2: Mitigate frequently used attacks



Stage 2 of the roadmap focuses on mitigating the most frequently used attack techniques of credential theft and abuse and can be implemented in approximately 2-4 weeks. This stage of the Secured Privileged Access roadmap includes the following actions.

General preparation

Conduct an inventory of services, owners, and administrators

The increase in "bring your own device" and work from home policies and the growth of wireless connectivity make it critical to monitor who is connecting to your network. A security audit can reveal devices, applications, and programs on your network that your organization doesn't support and that represent high risk. For more information, see [Azure security management and monitoring overview](#). Ensure that you include all of the following tasks in your inventory process.

- Identify the users who have administrative roles and the services where they can manage.
- Use Microsoft Entra PIM to find out which users in your organization have administrator access to Microsoft Entra ID.
- Beyond the roles defined in Microsoft Entra ID, Microsoft 365 comes with a set of administrator roles that you can assign to users in your organization. Each administrator role maps to common business functions, and gives people in your organization permissions to do specific tasks in the [Microsoft 365 admin center](#) [↗]. Use the Microsoft 365 admin center to find out which users in your organization have administrator access to Microsoft 365, including via roles not managed in Microsoft Entra ID. For more information, see [About Microsoft 365 administrator roles](#) [↗] and [Security practices for Office 365](#).
- Do the inventory in services your organization relies on, such as Azure, Intune, or Dynamics 365.
- Ensure that your accounts that are used for administration purposes:
 - Have working email addresses attached to them
 - Have registered for Microsoft Entra multifactor authentication or use MFA on-premises
- Ask users for their business justification for administrative access.
- Remove administrator access for those individuals and services that don't need it.

Identify Microsoft accounts in administrative roles that need to be switched to work or school accounts

If your initial Global Administrators reuse their existing Microsoft account credentials when they began using Microsoft Entra ID, replace the Microsoft accounts with individual cloud-based or synchronized accounts.

Ensure separate user accounts and mail forwarding for Global Administrator accounts

Personal email accounts are regularly phished by cyber attackers, a risk that makes personal email addresses unacceptable for Global Administrator accounts. To help separate internet risks from administrative privileges, create dedicated accounts for each user with administrative privileges.

- Be sure to create separate accounts for users to do Global Administrator tasks.
- Make sure that your Global Administrators don't accidentally open emails or run programs with their administrator accounts.
- Be sure those accounts have their email forwarded to a working mailbox.
- Global Administrator (and other privileged groups) accounts should be cloud-only accounts with no ties to on-premises Active Directory.

Ensure the passwords of administrative accounts have recently changed

Ensure all users have signed into their administrative accounts and changed their passwords at least once in the last 90 days. Also, verify that any shared accounts have had their passwords changed recently.

Turn on password hash synchronization

Microsoft Entra Connect synchronizes a hash of the hash of a user's password from on-premises Active Directory to a cloud-based Microsoft Entra organization. You can use password hash synchronization as a backup if you use federation with Active Directory Federation Services (AD FS). This backup can be useful if your on-premises Active Directory or AD FS servers are temporarily unavailable.

Password hash sync enables users to sign in to a service by using the same password they use to sign in to their on-premises Active Directory instance. Password hash sync allows Microsoft Entra ID Protection to detect compromised credentials by comparing password hashes with passwords known to be compromised. For more information, see [Implement password hash synchronization with Microsoft Entra Connect Sync](#).

Require multifactor authentication for users in privileged roles and exposed users

Microsoft Entra ID recommends that you require multifactor authentication for all of your users. Be sure to consider users who would have a significant impact if their account were compromised (for example, financial officers). MFA reduces the risk of an attack because of a compromised password.

Turn on:

- [MFA using Conditional Access policies](#) for all users in your organization.

If you use Windows Hello for Business, the MFA requirement can be met using the Windows Hello sign-in experience. For more information, see [Windows Hello](#).

Microsoft Entra ID Protection

Microsoft Entra ID Protection is an algorithm-based monitoring and reporting tool that detects potential vulnerabilities affecting your organization's identities. You can configure automated responses to those detected suspicious activities, and take appropriate action to resolve them. For more information, see [Microsoft Entra ID Protection](#).

Obtain your Microsoft 365 Secure Score (if using Microsoft 365)

Secure Score looks at your settings and activities for the Microsoft 365 services you're using and compares them to a baseline established by Microsoft. You'll get a score based on how aligned you are with security practices. Anyone who has the administrator permissions for a Microsoft 365 Business Standard or Enterprise subscription can access the Secure Score at <https://security.microsoft.com/securescore>.

Review the Microsoft 365 security and compliance guidance (if using Microsoft 365)

The [plan for security and compliance](#) [↗] outlines the approach for an Office 365 customer to configure Office 365 and enable other EMS capabilities. Then, review steps 3-6 of how to [Protect access to data and services in Microsoft 365](#) [↗] and the guide for how to [monitor security and compliance in Microsoft 365](#) [↗].

Configure Microsoft 365 Activity Monitoring (if using Microsoft 365)

Monitor your organization for users who are using Microsoft 365 to identify staff who have an administrator account but might not need Microsoft 365 access because they don't sign in to those portals. For more information, see [Activity reports in the Microsoft 365 admin center](#) [↗].

Establish incident/emergency response plan owners

Establishing a successful incident response capability requires considerable planning and resources. You must continually monitor for cyber-attacks and establish priorities for incident handling. Collect, analyze, and report incident data to build relationships and establish communication with other internal groups and plan owners. For more information, see [Microsoft Security Response Center](#).

Secure on-premises privileged administrative accounts, if not already done

If your Microsoft Entra organization is synchronized with on-premises Active Directory, then follow the guidance in [Security Privileged Access Roadmap](#): This stage includes:

- Creating separate administrator accounts for users who need to conduct on-premises administrative tasks
- Deploying Privileged Access Workstations for Active Directory administrators
- Creating unique local administrator passwords for workstations and servers

Additional steps for organizations managing access to Azure

Complete an inventory of subscriptions

Use the Enterprise portal and the Azure portal to identify the subscriptions in your organization that host production applications.

Remove Microsoft accounts from administrator roles

Microsoft accounts from other programs, such as Xbox, Live, and Outlook, shouldn't be used as administrator accounts for your organization's subscriptions. Remove administrator status from all Microsoft accounts, and replace with Microsoft Entra ID (for example, chris@contoso.com) work or school accounts. For administrator purposes, depend on accounts that are authenticated in Microsoft Entra ID and not in other services.

Monitor Azure activity

The Azure Activity Log provides a history of subscription-level events in Azure. It offers information about who created, updated, and deleted what resources, and when these events occurred. For more information, see [Audit and receive notifications about important actions in your Azure subscription](#).

Additional steps for organizations managing access to other cloud apps via Microsoft Entra ID

Configure Conditional Access policies

Prepare Conditional Access policies for on-premises and cloud-hosted applications. If you have users workplace joined devices, get more information from [Setting up on-premises Conditional Access by using Microsoft Entra device registration](#).

Stage 3: Take control of administrator activity



Stage 3 builds on the mitigations from Stage 2 and should be implemented in approximately 1-3 months. This stage of the Secured Privileged Access roadmap includes the following components.

General preparation

Complete an access review of users in administrator roles

More corporate users are gaining privileged access through cloud services, which can lead to un-managed access. Users today can become Global Administrators for Microsoft 365, Azure subscription administrators, or have administrator access to VMs or via SaaS apps.

Your organization should have all employees handle ordinary business transactions as unprivileged users, and then grant administrator rights only as needed. Complete access reviews to identify and confirm the users who are eligible to activate administrator privileges.

We recommend that you:

1. Determine which users are Microsoft Entra administrators, enable on-demand, just-in-time administrator access, and role-based security controls.
2. Convert users who have no clear justification for administrator privileged access to a different role (if no eligible role, remove them).

Continue rollout of stronger authentication for all users

Require highly exposed users to have modern, strong authentication such as Microsoft Entra multifactor authentication or Windows Hello. Examples of highly exposed users include:

- C-suite executives
- High-level managers
- Critical IT and security personnel

Use dedicated workstations for administration for Microsoft Entra ID

Attackers might try to target privileged accounts so that they can disrupt the integrity and authenticity of data. They often use malicious code that alters the program logic or snoops the administrator entering a credential. Privileged Access Workstations (PAWs) provide a dedicated operating system for sensitive tasks that is protected from Internet attacks and threat vectors. Separating these sensitive tasks and accounts from the daily use workstations and devices provides strong protection from:

- Phishing attacks
- Application and operating system vulnerabilities
- Impersonation attacks
- Credential theft attacks such as keystroke logging, Pass-the-Hash, and Pass-The-Ticket

By deploying privileged access workstations, you can reduce the risk that administrators enter their credentials in a desktop environment that hasn't been hardened. For more information, see [Privileged Access Workstations](#).

Review National Institute of Standards and Technology recommendations for handling incidents

The National Institute of Standards and Technology's (NIST) provides guidelines for incident handling, particularly for analyzing incident-related data and determining the

appropriate response to each incident. For more information, see [The \(NIST\) Computer Security Incident Handling Guide \(SP 800-61, Revision 2\)](#) [↗](#).

Implement Privileged Identity Management (PIM) for JIT to additional administrative roles

For Microsoft Entra ID, use [Microsoft Entra Privileged Identity Management](#) capability. Time-limited activation of privileged roles works by enabling you to:

- Activate administrator privileges to do a specific task
- Enforce MFA during the activation process
- Use alerts to inform administrators about out-of-band changes
- Enable users to keep their privileged access for a pre-configured amount of time
- Allow security administrators to:
 - Discover all privileged identities
 - View audit reports
 - Create access reviews to identify every user who is eligible to activate administrator privileges

If you're already using Microsoft Entra Privileged Identity Management, adjust timeframes for time-bound privileges as necessary (for example, maintenance windows).

Determine exposure to password-based sign-in protocols (if using Exchange Online)

We recommend you identify every potential user who could be catastrophic to the organization if their credentials were compromised. For those users, put in place strong authentication requirements and use Microsoft Entra Conditional Access to keep them from signing in to their email using username and password. You can block [legacy authentication using Conditional Access](#), and you can [block basic authentication](#) through Exchange Online.

Complete a roles review assessment for Microsoft 365 roles (if using Microsoft 365)

Assess whether all administrators users are in the correct roles (delete and reassign according to this assessment).

Review the security incident management approach used in Microsoft 365 and compare with your own organization

You can download this report from [Security Incident Management in Microsoft 365](#).

Continue to secure on-premises privileged administrative accounts

If your Microsoft Entra ID is connected to on-premises Active Directory, then follow the guidance in the [Security Privileged Access Roadmap](#): Stage 2. In this stage, you:

- Deploy Privileged Access Workstations for all administrators
- Require MFA
- Use Just Enough Admin for domain controller maintenance, lowering the attack surface of domains
- Deploy [Advanced Threat Analytics](#) for attack detection

Additional steps for organizations managing access to Azure

Establish integrated monitoring

The [Microsoft Defender for Cloud](#):

- Provides integrated security monitoring and policy management across your Azure subscriptions
- Helps detect threats that may otherwise go unnoticed
- Works with a broad array of security solutions

Inventory your privileged accounts within hosted Virtual Machines

You don't usually need to give users unrestricted permissions to all your Azure subscriptions or resources. Use Microsoft Entra administrator roles to grant only the access that your users who need to do their jobs. You can use Microsoft Entra administrator roles to let one administrator manage only VMs in a subscription, while another can manage SQL databases within the same subscription. For more information, see [What is Azure role-based access control](#).

Implement PIM for Microsoft Entra administrator roles

Use Privileged identity Management with Microsoft Entra administrator roles to manage, control, and monitor access to Azure resources. Using PIM protects by lowering the

exposure time of privileges and increasing your visibility into their use through reports and alerts. For more information, see [What is Microsoft Entra Privileged Identity Management](#).

Use Azure log integrations to send relevant Azure logs to your SIEM systems

Azure log integration enables you to integrate raw logs from your Azure resources to your organization's existing Security Information and Event Management (SIEM) systems. [Azure log integration](#) collects Windows events from Windows Event Viewer logs and Azure resources from:

- Azure activity Logs
- Microsoft Defender for Cloud alerts
- Azure resource logs

Additional steps for organizations managing access to other cloud apps via Microsoft Entra ID

Implement user provisioning for connected apps

Microsoft Entra ID allows you to automate creating and maintaining user identities in cloud apps like Dropbox, Salesforce, and ServiceNow. For more information, see [Automate user provisioning and deprovisioning to SaaS applications with Microsoft Entra ID](#).

Integrate information protection

Microsoft Defender for Cloud Apps allows you to investigate files and set policies based on Azure Information Protection classification labels, enabling greater visibility and control of your cloud data. Scan and classify files in the cloud and apply Azure information protection labels. For more information, see [Azure Information Protection integration](#).

Configure Conditional Access

Configure Conditional Access based on a group, location, and application sensitivity for [SaaS apps](#) and Microsoft Entra connected apps.

Monitor activity in connected cloud apps

We recommend using [Microsoft Defender for Cloud Apps](#) to ensure that user access is also protected in connected applications. This feature secures the enterprise access to cloud apps and secures your administrator accounts, allowing you to:

- Extend visibility and control to cloud apps
- Create policies for access, activities, and data sharing
- Automatically identify risky activities, abnormal behaviors, and threats
- Prevent data leakage
- Minimize risk and automated threat prevention and policy enforcement

The Defender for Cloud Apps SIEM agent integrates Defender for Cloud Apps with your SIEM server to enable centralized monitoring of Microsoft 365 alerts and activities. It runs on your server and pulls alerts and activities from Defender for Cloud Apps and streams them into the SIEM server. For more information, see [SIEM integration](#).

Stage 4: Continue building defenses



Stage 4 of the roadmap should be implemented at six months and beyond. Complete your roadmap to strengthen your privileged access protections from potential attacks that are known today. For the security threats of tomorrow, we recommend viewing security as an ongoing process to raise the costs and reduce the success rate of adversaries targeting your environment.

Securing privileged access is important to establish security assurances for your business assets. However, it should be part of a complete security program that provides ongoing security assurances. This program should include elements such as:

- Policy
- Operations
- Information security
- Servers

- Applications
- PCs
- Devices
- Cloud fabric

We recommend the following practices when you're managing privileged access accounts:

- Ensure that administrators are doing their day-to-day business as unprivileged users
- Grant privileged access only when needed, and remove it afterward (just-in-time)
- Keep audit activity logs relating to privileged accounts

For more information on building a complete security roadmap, see [Microsoft cloud IT architecture resources](#) . To engage with Microsoft services to help you implement any part of your roadmap, contact your Microsoft representative or see [Build critical cyber defenses to protect your enterprise](#) .

This final ongoing stage of the Secured Privileged Access roadmap includes the following components.

General preparation

Review administrator roles in Microsoft Entra ID

Determine if current built-in Microsoft Entra administrator roles are still up to date and ensure that users are in only the roles they need. With Microsoft Entra ID, you can assign separate administrators to serve different functions. For more information, see [Microsoft Entra built-in roles](#).

Review users who have administration of Microsoft Entra joined devices

For more information, see [How to configure Microsoft Entra hybrid joined devices](#).

Review members of [built-in Microsoft 365 admin roles](#)

Skip this step if you're not using Microsoft 365.

Validate incident response plan

To improve upon your plan, Microsoft recommends you regularly validate that your plan operates as expected:

- Go through your existing road map to see what was missed
- Based on the postmortem analysis, revise existing or define new practices
- Ensure that your updated incident response plan and practices are distributed throughout your organization

Additional steps for organizations managing access to Azure

Determine if you need to [transfer ownership of an Azure subscription to another account](#).

"Break glass": what to do in an emergency



1. Notify key managers and security officers with information about the incident.
2. Review your attack playbook.
3. Access your "break glass" account username and password combination to sign in to Microsoft Entra ID.
4. Get help from Microsoft by [opening an Azure support request](#).
5. Look at the [Microsoft Entra sign-in reports](#). There might be some time between an event occurring and when it's included in the report.
6. For hybrid environments, if your on-premises infrastructure federated and your AD FS server aren't available, you can temporarily switch from federated authentication to use password hash sync. This switch reverts the domain federation back to managed authentication until the AD FS server becomes available.
7. Monitor email for privileged accounts.

8. Make sure you save backups of relevant logs for potential forensic and legal investigation.

For more information about how Microsoft Office 365 handles security incidents, see [Security Incident Management in Microsoft Office 365](#).

FAQ: Answers for securing privileged access

Q: What do I do if I haven't implemented any secure access components yet?

Answer: Define at least two break-glass account, assign MFA to your privileged administrator accounts, and separate user accounts from Global Administrator accounts.

Q: After a breach, what is the top issue that needs to be addressed first?

Answer: Be sure you're requiring the strongest authentication for highly exposed individuals.

Q: What happens if our privileged administrators have been deactivated?

Answer: Create a Global Administrator account that is always kept up to date.

Q: What happens if there's only one Global Administrator left and they can't be reached?

Answer: Use one of your break-glass accounts to gain immediate privileged access.

Q: How can I protect administrators within my organization?

Answer: Have administrators always do their day-to-day business as standard "unprivileged" users.

Q: What are the best practices for creating administrator accounts within Microsoft Entra ID?

Answer: Reserve privileged access for specific administrator tasks.

Q: What tools exist for reducing persistent administrator access?

Answer: Privileged Identity Management (PIM) and Microsoft Entra administrator roles.

Q: What is the Microsoft position on synchronizing administrator accounts to Microsoft Entra ID?

Answer: Tier 0 administrator accounts are used only for on-premises AD accounts. Such accounts aren't typically synchronized with Microsoft Entra ID in the cloud. Tier 0

administrator accounts include accounts, groups, and other assets that have direct or indirect administrative control of the on-premises Active Directory forest, domains, domain controllers, and assets.

Q: How do we keep administrators from assigning random administrator access in the portal?

Answer: Use non-privileged accounts for all users and most administrators. Start by developing a footprint of the organization to determine which few administrator accounts should be privileged. And monitor for newly created administrative users.

Next steps

- [Microsoft Trust Center for Product Security](#) – Security features of Microsoft cloud products and services
- [Microsoft compliance offerings](#) – Microsoft's comprehensive set of compliance offerings for cloud services
- [Guidance on how to do a risk assessment](#) – Manage security and compliance requirements for Microsoft cloud services

Other Microsoft Online Services

- [Microsoft Intune Security](#) – Intune provides mobile device management, mobile application management, and PC management capabilities from the cloud.
- [Microsoft Dynamics 365 security](#) – Dynamics 365 is the Microsoft cloud-based solution that unifies customer relationship management (CRM) and enterprise resource planning (ERP) capabilities.

Feedback

Was this page helpful?

 Yes

 No

[Provide product feedback](#)

Manage emergency access accounts in Microsoft Entra ID

Article • 02/09/2025

It's important that you prevent being accidentally locked out of your Microsoft Entra organization because you can't sign in or activate a role. You can mitigate the impact of accidental lack of administrative access by creating two or more *emergency access accounts* in your organization.

User accounts with the Global Administrator role have high privileges in the system, this includes emergency access accounts with the Global Administrator role. Emergency access accounts are limited to emergency or "break glass" scenarios where normal administrative accounts can't be used. We recommend that you maintain a goal of restricting emergency account use to only the times when it's absolutely necessary.

This article provides guidelines for managing emergency access accounts in Microsoft Entra ID.

Why use an emergency access account

An organization might need to use an emergency access account in the following situations:

- The user accounts are federated, and federation is currently unavailable because of a cell-network break or an identity-provider outage. For example, if the identity provider host in your environment has gone down, users might be unable to sign in when Microsoft Entra ID redirects to their identity provider.
- The administrators are registered through Microsoft Entra multifactor authentication, and all their individual devices are unavailable or the service is unavailable. Users might be unable to complete multifactor authentication to activate a role. For example, a cell network outage is preventing them from answering phone calls or receiving text messages, the only two authentication mechanisms that they registered for their device.
- The person with the most recent Global Administrator access has left the organization. Microsoft Entra ID prevents the last Global Administrator account from being deleted, but it doesn't prevent the account from being deleted or disabled on-premises. Either situation might make the organization unable to recover the account.
- Unforeseen circumstances such as a natural disaster emergency, during which a mobile phone or other networks might be unavailable.

- If role assignments for Global Administrator and Privileged Role Administrator roles are eligible, approval is required for activation, but no approvers are selected (or all approvers are removed from the directory). Active Global Administrators and Privileged Role Administrators are default approvers. But there will be no active Global Administrators and Privileged Role Administrators and administration of the tenant will effectively be locked, unless emergency access accounts are used.

Create emergency access accounts

Create two or more emergency access accounts. These accounts should be cloud-only accounts that use the *.onmicrosoft.com domain and that aren't federated or synchronized from an on-premises environment. At a high level, follow these steps.

1. Find your existing emergency access accounts or create new accounts with the Global Administrator role.

The screenshot shows the 'Create new user' wizard in the Microsoft 365 admin center. The breadcrumb navigation at the top reads 'Home > Users >'. The title is 'Create new user' with a close button (X) in the top right corner. Below the title is the subtitle 'Create a new internal user in your organization'. The wizard has four tabs: 'Basics', 'Properties', 'Assignments', and 'Review + create', with the last tab being the active one. The 'Basics' section contains the following fields: 'User principal name' (starfish@contoso.onmicrosoft.com), 'Display name' (Star Fish), 'Mail nickname' (starfish), 'Password' (masked with dots), and 'Account enabled' (Yes). The 'Properties' section contains 'User type' (Member) and 'Usage location' (United States). The 'Assignments' section contains 'Administrative units' (empty), 'Groups' (empty), and 'Roles' (Global Administrator). At the bottom, there is a blue 'Create' button, a '< Previous' button, a 'Next >' button, and a 'Give feedback' link with a speech bubble icon.

Home > Users >

Create new user

Create a new internal user in your organization

Basics Properties Assignments **Review + create**

Basics

User principal name starfish@contoso.onmicrosoft.com

Display name Star Fish

Mail nickname starfish

Password

Account enabled Yes

Properties

User type Member

Usage location United States

Assignments

Administrative units

Groups

Roles Global Administrator

Create < Previous Next > Give feedback

2. Select one of these passwordless authentication methods for your emergency access accounts. These methods satisfy the [mandatory multifactor authentication requirements](#).
 - [Passkey \(FIDO2\)](#) (Recommended)
 - [Certificate-based authentication](#) if your organization already has a Public Key Infrastructure (PKI) setup
3. [Configure your emergency access accounts](#) to use passwordless authentication.
 - [Enable passkeys \(FIDO2\) for your organization](#)
 - [Register a passkey \(FIDO2\)](#)
 - [Configure certificate-based authentication](#)
4. [Require phishing-resistant multifactor authentication](#) for all of your emergency accounts.
5. [Store account credentials safely](#).
6. [Monitor sign-in and audit logs](#).
7. [Validate accounts regularly](#).

Configuration requirements

When you configure these accounts, the following requirements must be met:

- In most organizations, emergency access accounts aren't associated with any individual user in the organization. Credentials are in a known secure location available to multiple members of administration team and not connected with any employee-supplied devices such as phones. This approach is commonly used to unify emergency access accounts management: most organizations need emergency access accounts not only for Microsoft Cloud infrastructure, but also on-premises environment, federated SaaS applications, and other critical systems.

Alternatively, you can choose to create individual emergency access accounts for administrators. This solution promotes accountability and allows administrators to use emergency access accounts from remote locations.

- Use strong authentication for your emergency access accounts and make sure it doesn't use the same authentication methods as your other administrative accounts. For example, if your normal administrator account uses the Microsoft Authenticator app for strong authentication, use a FIDO2 security key for your

emergency accounts. Consider the [dependencies of various authentication methods](#), to avoid adding external requirements into the authentication process.

- The device or credential must not expire or be in scope of automated cleanup due to lack of use.
- In Microsoft Entra Privileged Identity Management, you should make the Global Administrator role assignment active permanent rather than eligible for your emergency access accounts.
- Individuals authorized to use these emergency access accounts must utilize a designated, secure workstation or similar client computing environment, such as a Privileged Access Workstation. These workstations should be employed when interacting with the emergency access accounts. For more information about configuring a Microsoft Entra tenant where there are designated workstations, see [deploying a privileged access solution](#).

Federation guidance

Some organizations use Active Directory Domain Services and Active Directory Federation Service (AD FS) or similar identity provider to federate to Microsoft Entra ID. The emergency access for on-premises systems and the emergency access for cloud services should be kept distinct, with no dependency of one on the other. Mastering and or sourcing authentication for accounts with emergency access privileges from other systems adds unnecessary risk in the event of an outage of those systems.

Store account credentials safely

Organizations need to ensure that the credentials for emergency access accounts are kept secure and known only to individuals who are authorized to use them. For example, you might use [FIDO2 security keys](#) for Microsoft Entra ID or smartcards for Windows Server Active Directory. Credentials should be stored in secure, fireproof safes that are in secure, separate locations.

Monitor sign-in and audit logs

Organizations should monitor sign-in and audit log activity from the emergency accounts and trigger notifications to other administrators. When you monitor the activity for emergency access accounts, you can verify these accounts are only used for testing or actual emergencies. You can use Azure Monitor, Microsoft Sentinel, or other tools to monitor the sign-in logs and trigger email and SMS alerts to your

administrators whenever emergency access accounts sign in. This section illustrates using Azure Monitor.

Prerequisites

- [Send Microsoft Entra sign-in logs](#) to Azure Monitor.

Obtain Object IDs of the emergency access accounts

1. Sign in to the [Microsoft Entra admin center](#) as at least a [User Administrator](#).
2. Browse to **Identity** > **Users** > **All users**.
3. Search for the emergency access account and select the user's name.
4. Copy and save the Object ID attribute so that you can use it later.
5. Repeat previous steps for second emergency access account.

Create an alert rule

1. Sign in to the [Azure portal](#) as at least a [Monitoring Contributor](#).
2. Browse to **Monitor** > **Log Analytics workspaces**.
3. Select a workspace.
4. In your workspace, select **Alerts** > **New alert rule**.
 - a. Under **Resource**, verify that the subscription is the one with which you want to associate the alert rule.
 - b. Under **Condition**, select **Add**.
 - c. Select **Custom log search** under **Signal name**.
 - d. Under **Search query**, enter the following query, inserting the object IDs of the two emergency access accounts.

ⓘ Note

For each additional emergency access account you want to include, add another `or UserId == "ObjectGuid"` to the query.

Sample queries:

Kusto


```
// Search for a single Object ID (UserID)
SigninLogs
| project UserId
| where UserId == "00aa00aa-bb11-cc22-dd33-44ee44ee44ee"
```

Kusto

```
// Search for multiple Object IDs (UserIds)
SigninLogs
| project UserId
| where UserId == "00aa00aa-bb11-cc22-dd33-44ee44ee44ee" or UserId
== "11bb11bb-cc22-dd33-ee44-55ff55ff55ff"
```

Kusto

```
// Search for a single UserPrincipalName
SigninLogs
| project UserPrincipalName
| where UserPrincipalName == "user@yourdomain.onmicrosoft.com"
```



e. Under **Alert logic**, enter the following:

- Based on: Number of results

- Operator: Greater than
- Threshold value: 0

f. Under **Evaluated based on**, select the **Period (in minutes)** for how long you want the query to run, and the **Frequency (in minutes)** for how often you want the query to run. The frequency should be less than or equal to the period.

Alert logic

Based on ⓘ Operator ⓘ * Threshold value ⓘ

Number of results ▼ Greater than ▼ 0 ✓

Condition preview

Whenever the custom log search is greater than 0 count

Evaluated based on

* Period (in minutes) ⓘ Frequency (in minutes) ⓘ

5 ▼ 5 ▼

Done

g. Select **Done**. You can now view the estimated monthly cost of this alert.

5. Select an action group of users to be notified by the alert. If you want to create one, see [Create an action group](#).
6. To customize the email notification sent to the members of the action group, select actions under **Customize Actions**.
7. Under **Alert Details**, specify the alert rule name and add an optional description.
8. Set the **Severity level** of the event. We recommend that you set it to **Critical**(Sev 0).
9. Under **Enable rule upon creation**, leave it set as **yes**.
10. To turn off alerts for a while, select the **Suppress Alerts** check box and enter the wait duration before alerting again, and then select **Save**.
11. Select **Create alert rule**.

Create an action group

1. Select **Create an action group**.

×

Add action group

*

Action group name ⓘ

Notify GA's, Security Admins, and Privileged Role Admins

✓

*

Short name ⓘ

Email DL

✓

*

Subscription ⓘ

Visual Studio Enterprise

▼

*

Resource group ⓘ

Default-ActivityLogAlerts

▼

Actions

ACTION NAME	ACTION TYPE	STATUS	DETAILS	ACTIONS
Email Admin Distribution List ✓	Email/SMS/Push/Voice ▼		Edit details	✕
Unique name for the action	▼			

[Privacy Statement](#)

[Pricing](#)

ⓘ

Have a consistent format in emails, notifications and other endpoints irrespective of monitoring source. You can enable per action by editing details. [Learn more](#)

OK

2. Enter the action group name and a short name.
3. Verify the subscription and resource group.
4. Under action type, select **Email/SMS/Push/Voice**.
5. Enter an action name such as **Notify Global Administrator**.
6. Select the **Action Type** as **Email/SMS/Push/Voice**.
7. Select **Edit details** to select the notification methods you want to configure and enter the required contact information, and then select **Ok** to save the details.
8. Add any additional actions you want to trigger.
9. Select **OK**.

Prepare a post-mortem team to evaluate each emergency access account credential use

If the alert is triggered, preserve the logs from Microsoft Entra and other workloads. Conduct a review of the circumstances and the results of the emergency access account usage. This review will determine whether the account was used:

- For a planned drill to validate its suitability
- In response to an actual emergency where no administrator could use their regular accounts
- Or as a result of misuse or unauthorized usage of the account

Next, examine the logs to determine what actions were taken by the individual with the emergency access account to ensure that those actions align with the authorized use of the account.

Validate accounts regularly

In addition to training staff members to use emergency access accounts, you should also have an ongoing process to validate the emergency access accounts remain accessible to authorized staff. Regular drills should be conducted to validate the functionality of the accounts and to confirm that monitoring and alerting rules are triggered in case an account is subsequently misused. At a minimum, the following steps should be performed at regular intervals:

- Ensure that security-monitoring staff is aware that the account-check activity is ongoing.
- Review and update the list of individuals authorized to use the emergency access account credentials.
- Ensure that the emergency break glass process to use these accounts is documented and current.
- Ensure that administrators and security officers who might need to perform these steps during an emergency are trained on the process.
- Validate that the emergency access accounts can sign-in and perform administrative tasks.
- Ensure that users haven't registered multifactor authentication or self-service password reset (SSPR) to any individual user's device or personal details.
- If the accounts are registered for multifactor authentication to a device, for use during sign-in or role activation, ensure that the device is accessible to all administrators who might need to use it during an emergency. Also verify that the device can communicate through at least two network paths that don't share a common failure mode. For example, the device can communicate to the internet through both a facility's wireless network and a cell provider network.
- Change the combinations on any safes after someone with access leaves the organization, as well as on a regular basis.

These steps should be performed at regular intervals and for key changes:

- At least every 90 days
- When there has been a recent change in IT staff, such as after termination or position change
- When the Microsoft Entra subscriptions in the organization have changed

Next steps

- [How to verify that users are set up for mandatory MFA](#)
- [Require phishing-resistant multifactor authentication for administrators](#)
- [Securing privileged access for hybrid and cloud deployments in Microsoft Entra ID](#)
- [Configure additional protections for privileged roles in Microsoft 365, if you're using Microsoft 365](#)
- [Start an access review of privileged roles and transition existing privileged role assignments to more specific administrator roles](#)

Feedback

Was this page helpful?

 Yes

 No

[Provide product feedback](#) 

What are protected actions in Microsoft Entra ID?

Article • 01/30/2025

Protected actions in Microsoft Entra ID are permissions that have been assigned [Conditional Access policies](#). When a user attempts to perform a protected action, they must first satisfy the Conditional Access policies assigned to the required permissions. For example, to allow administrators to update Conditional Access policies, you can require that they first satisfy the [Phishing-resistant MFA](#) policy.

This article provides an overview of protected action and how to get started using them.

Why use protected actions?

You use protected actions when you want to add an additional layer of protection. Protected actions can be applied to permissions that require strong Conditional Access policy protection, independent of the role being used or how the user was given the permission. Because the policy enforcement occurs at the time the user attempts to perform the protected action and not during user sign-in or rule activation, users are prompted only when needed.

What policies are typically used with protected actions?

We recommend using multifactor authentication on all accounts, especially accounts with privileged roles. Protected actions can be used to require additional security. Here are some common stronger Conditional Access policies.

- Stronger MFA authentication strengths, such as [Passwordless MFA](#) or [Phishing-resistant MFA](#),
- Privileged access workstations, by using Conditional Access policy [device filters](#).
- Shorter session time-outs, by using Conditional Access [sign-in frequency session controls](#).

What permissions can be used with protected actions?

Conditional Access policies can be applied to limited set of permissions. You can use protected actions in the following areas:

- Conditional Access policy management
- Cross-tenant access settings management
- Hard deletion of some directory objects
- Custom rules that define network locations
- Protected action management

Here's the initial set of permissions:

 Expand table

Permission	Description
microsoft.directory/conditionalAccessPolicies/basic/update	Update basic properties for Conditional Access policies
microsoft.directory/conditionalAccessPolicies/create	Create Conditional Access policies
microsoft.directory/conditionalAccessPolicies/delete	Delete Conditional Access policies
microsoft.directory/conditionalAccessPolicies/basic/update	Update basic properties for conditional access policies
microsoft.directory/conditionalAccessPolicies/create	Create conditional access policies
microsoft.directory/conditionalAccessPolicies/delete	Delete conditional access policies
microsoft.directory/crossTenantAccessPolicy/allowedCloudEndpoints/update	Update allowed cloud endpoints of the cross-tenant access policy
microsoft.directory/crossTenantAccessPolicy/default/b2bCollaboration/update	Update Microsoft Entra B2B collaboration settings of the default cross-tenant access policy
microsoft.directory/crossTenantAccessPolicy/default/b2bDirectConnect/update	Update Microsoft Entra B2B direct connect settings of the default cross-tenant access policy
microsoft.directory/crossTenantAccessPolicy/default/crossCloudMeetings/update	Update cross-cloud Teams meeting settings of the default cross-tenant access policy.
microsoft.directory/crossTenantAccessPolicy/default/tenantRestrictions/update	Update tenant restrictions of the default cross-tenant access policy.

Permission	Description
microsoft.directory/crossTenantAccessPolicy/partners/b2bCollaboration/update	Update Microsoft Entra B2B collaboration settings of cross-tenant access policy for partners.
microsoft.directory/crossTenantAccessPolicy/partners/b2bDirectConnect/update	Update Microsoft Entra B2B direct connect settings of cross-tenant access policy for partners.
microsoft.directory/crossTenantAccessPolicy/partners/create	Create cross-tenant access policy for partners.
microsoft.directory/crossTenantAccessPolicy/partners/crossCloudMeetings/update	Update cross-cloud Teams meeting settings of cross-tenant access policy for partners.
microsoft.directory/crossTenantAccessPolicy/partners/delete	Delete cross-tenant access policy for partners.
microsoft.directory/crossTenantAccessPolicy/partners/tenantRestrictions/update	Update tenant restrictions of cross-tenant access policy for partners.
microsoft.directory/deletedItems/delete	Permanently delete objects, which can no longer be restored
microsoft.directory/namedLocations/basic/update	Update basic properties of custom rules that define network locations
microsoft.directory/namedLocations/create	Create custom rules that define network locations
microsoft.directory/namedLocations/delete	Delete custom rules that define network locations
microsoft.directory/resourceNamespaces/resourceActions/authenticationContext/update	Update Conditional Access authentication context of Microsoft 365 role-based access control (RBAC) resource actions

Deletion of directory objects

Microsoft Entra ID supports two types of deletion for most directory objects: soft deletion and hard deletion. When a directory object is soft deleted, the object, its property values and relationships are preserved in the recycle bin for 30 days. A soft-deleted object can be restored with the same ID and all the property values and relationships intact. When a soft-deleted object is hard deleted, the object is permanently deleted and it cannot be recreated with the same object ID.

To help protect against accidental or malicious hard deletions of some soft-deleted directory objects from the recycle bin and permanent data loss, you can add a protected action for the following permission. This deletion applies to users, Microsoft 365 groups, and applications.

- microsoft.directory/deletedItems/delete

How do protected actions compare with Privileged Identity Management role activation?

[Privileged Identity Management role activation](#) can also be assigned Conditional Access policies. This capability allows for policy enforcement only when a user activates a role, providing the most comprehensive protection. Protected actions are enforced only when a user takes an action that requires permissions with Conditional Access policy assigned to it. Protected actions allow for high impact permissions to be protected, independent of a user role. Privileged Identity Management role activation and protected actions can be used together for stronger coverage.

Steps to use protected actions

ⓘ Note

You should perform these steps in the following sequence to ensure that protected actions are properly configured and enforced. If you don't follow this order, you might get unexpected behavior, such as [getting repeated requests to reauthenticate](#).

1. Check permissions

Check that you're assigned the [Conditional Access Administrator](#) or [Security Administrator](#) roles. If not, check with your administrator to assign the appropriate role.

2. Configure Conditional Access policy

Configure a Conditional Access authentication context and an associated Conditional Access policy. Protected actions use an authentication context, which allows policy enforcement for fine-grain resources in a service, like Microsoft Entra

permissions. A good policy to start with is to require passwordless MFA and exclude an emergency account. [Learn more](#)

3. Add protected actions

Add protected actions by assigning Conditional Access authentication context values to selected permissions. [Learn more](#)

4. Test protected actions

Sign in as a user and test the user experience by performing the protected action. You should be prompted to satisfy the Conditional Access policy requirements. For example, if the policy requires multifactor authentication, you should be redirected to the sign-in page and prompted for strong authentication. [Learn more](#)

What happens with protected actions and applications?

If an application or service attempts to perform a protection action, it must be able to handle the required Conditional Access policy. In some cases, a user might need to intervene and satisfy the policy. For example, they might be required to complete multifactor authentication. The following applications support step-up authentication for protected actions:

- Microsoft Entra administrator experiences for the actions in the [Microsoft Entra admin center](#) ↗
- [Microsoft Graph PowerShell](#)
- [Graph Explorer](#)

There are some known and expected limitations. The following applications will fail if they attempt to perform a protected action.

- [Azure PowerShell](#)
- [Azure AD PowerShell](#)
- Creating a new [terms of use](#) page or [custom control](#) in the Microsoft Entra admin center. New terms of use pages or custom controls are registered with Conditional Access so are subject to Conditional Access create, update, and delete protected actions. Temporarily removing the policy requirement from the Conditional Access create, update, and delete actions will allow the creation of a new terms of use page or custom control.

If your organization has developed an application that calls the Microsoft Graph API to perform a protected action, you should review the code sample for how to handle a

claims challenge using step-up authentication. For more information, see [Developer guide to Conditional Access authentication context](#).

Best practices

Here are some best practices for using protected actions.

- **Have an emergency account**

When configuring Conditional Access policies for protected actions, be sure to have an emergency account that is excluded from the policy. This provides a mitigation against accidental lockout.

- **Move user and sign-in risk policies to Conditional Access**

Conditional Access permissions aren't used when managing Microsoft Entra ID Protection risk policies. We recommend moving user and sign-in risk policies to Conditional Access.

- **Use named network locations**

Named network location permissions aren't used when managing multifactor authentication trusted IPs. We recommend using [named network locations](#).

- **Don't use protected actions to block access based on identity or group membership**

Protected actions are used to apply an access requirement to perform a protected action. They aren't intended to block use of a permission just based on user identity or group membership. Who has access to specific permissions is an authorization decision and should be controlled by role assignment.

License requirements

Using this feature requires Microsoft Entra ID P1 licenses. To find the right license for your requirements, see [Compare generally available features of Microsoft Entra ID](#).

Next steps

- [Add, test, or remove protected actions in Microsoft Entra ID](#)
-

Feedback

Was this page helpful?

 Yes

 No

[Provide product feedback](#) 

Prerequisites to use PowerShell or Graph Explorer for Microsoft Entra roles

Article • 04/25/2025

If you want to manage Microsoft Entra roles using PowerShell or Graph Explorer, you must have the required prerequisites. This article lists the PowerShell and Graph Explorer prerequisites for different Microsoft Entra role features.

Microsoft Graph PowerShell

To use PowerShell commands to do the following:

- Add users, groups, or devices to an administrative unit
- Create a new group in an administrative unit

You must have the Microsoft Graph PowerShell SDK installed:

- [Microsoft Graph PowerShell SDK](#)

Graph Explorer

To manage Microsoft Entra roles using the [Microsoft Graph API](#) and [Graph Explorer](#), you must do the following:

1. If you don't have an Azure subscription, create a [free account](#) before you begin.
2. Sign in to the [Microsoft Entra admin center](#).
3. Browse to **Entra ID > Enterprise apps**.
4. In the applications list, find and select **Graph explorer**.
5. Select **Permissions**.
6. Select **Grant admin consent for Graph explorer**.

List Microsoft Entra role definitions

Article • 01/29/2025

This article describes how to list the Microsoft Entra built-in and custom role definitions and their permissions using the Microsoft Entra admin center, Microsoft Graph PowerShell, or Microsoft Graph API.

A role definition is a collection of permissions that can be performed, such as read, write, and delete. It's typically referred to as a role. Microsoft Entra ID has over 100 built-in roles or you can create your own custom roles. If you ever wondered "What do these roles really do?", you can access a detailed list of permissions for each of the roles.

Prerequisites

- [Microsoft Graph PowerShell](#) module when using PowerShell
- Admin consent when using Graph explorer for Microsoft Graph API


For more information, see [Prerequisites to use PowerShell or Graph Explorer](#).

List Microsoft Entra role definitions

Admin center

1. Sign in to the [Microsoft Entra admin center](#).

2. Browse to **Identity > Roles & admins > Roles & admins**.



3. Select a role name to open the role. Don't add a check mark next to the role.

☐	B2C IEF Keyset Administrator	Can manage secrets for
☐	B2C IEF Policy Administrator	Can create and manage
☐	Billing Administrator	Can perform common b
☐	Cloud App Security Administrator	Can manage all aspects
☐	Cloud Application Administrator	Can create and manage

4. Select **Description** to see the summary and list of permissions for the role.

The page includes links to relevant documentation to help guide you through managing roles.

The screenshot shows the 'Conditional Access Administrator | Description' page in the Microsoft Entra admin center. The breadcrumb trail is 'Home > Roles and administrators | All roles > Conditional Access Administrator'. The page title is 'Conditional Access Administrator | Description' with a close button. Below the title is the subtitle 'Privileged Identity Management | Microsoft Entra roles'. A left-hand navigation pane under 'Manage' includes 'Assignments', 'Description' (which is selected and highlighted), and 'Role settings'. The main content area has a 'Got feedback?' link and a 'Summary' section. The 'Summary' section includes: 'Name: Conditional Access Administrator' with a 'PRIVILEGED' badge; 'Description: Users with this role have the ability to manage Microsoft Entra Conditional Access settings. Note: To deploy Exchange ActiveSync Conditional Access policy in Azure, the user must also be Global Administrator. This role is considered privileged because one or more of its permissions are privileged. [Learn more](#)'; 'Template ID: b1be1c3e-b65d-4f19-8427-f6fa0d97feb9'; and 'Related articles: [Assigning administrator roles in Microsoft Entra ID](#)'. Below the summary is a 'Role permissions' section with a table of permissions.

Role permissions	
microsoft.directory/conditionalAccessPolicies/basic/update	Update basic properties for Conditional Access policies
microsoft.directory/conditionalAccessPolicies/create	Create Conditional Access policies
microsoft.directory/conditionalAccessPolicies/delete	Delete Conditional Access policies

Next steps

- [List Microsoft Entra role assignments](#)
- [Assign Microsoft Entra roles](#)
- [Microsoft Entra built-in roles](#)

Feedback

Was this page helpful?



[Provide product feedback](#) 

List Microsoft Entra role assignments

Article • 04/25/2025

This article describes how to list roles you have assigned in Microsoft Entra ID using the Microsoft Entra admin center, Microsoft Graph PowerShell, or Microsoft Graph API.

Role assignments contain information linking a given security principal (a user, group, or application service principal) to a role definition. Listing users, groups, and assigned roles are default user permissions.

Scopes

In Microsoft Entra ID, roles can be assigned at different scopes.

- Role assignments at tenant scope are added to and can be seen in the list of single application role assignments.
- Role assignments at the single application scope aren't added to and can't be seen in the list of tenant scoped assignments.

Prerequisites

- [Microsoft Graph PowerShell](#) module when using PowerShell
- Admin consent when using Graph explorer for Microsoft Graph API


For more information, see [Prerequisites to use PowerShell or Graph Explorer](#).

List Microsoft Entra role assignments

Admin center

List my role assignments

It's easy to list your own permissions as well. On the **Roles and administrators** page, select **Your Role** to see the roles that are currently assigned to you.




List role assignments for a user

Follow these steps to list Microsoft Entra roles for a user using the Microsoft Entra admin center. Your experience will be different depending on whether you have [Microsoft Entra Privileged Identity Management \(PIM\)](#) enabled.

1. Sign in to the [Microsoft Entra admin center](#).
2. Browse to **Entra ID > Users**.
3. Select *user name* > **Assigned roles**.

You can see the list of roles assigned to the user at different scopes. Additionally, you can see whether the role has been assigned directly or via a group.



If you have a Microsoft Entra ID P2 license, you'll see the PIM experience, which has eligible, active, and expired role assignment details.

Home > Users > Alain

Alain | Assigned roles ...

User

Search << + Add assignments Refresh Got feedback?

Overview
Audit logs
Sign-in logs
Diagnose and solve problems
Custom security attributes
Assigned roles
Administrative units
Groups
Applications
Licenses
Devices

Eligible assignments **Active assignments** Expired assignments

Search by role

Role	Principal name	Scope	Membership	State	Start time	End time	Action
Billing Administrator	alain	Directory	Direct	Active	6/9/2021, 3:4...	Permanent	Remove Update
Application Developer	alain	Directory	Direct	Active	12/29/2024, ...	12/29/2024, ...	Remove Update
User Administrator	alain	West Coast (Adn	Direct	Active	-	Permanent	Remove Update
Helpdesk Administra...	alain	Directory	Group	Active	-	Permanent	Remove Update
Attribute Assignment...	alain	Engineering (Atti	Direct	Active	-	Permanent	Remove Update

List role assignments for a group

1. Sign in to the [Microsoft Entra admin center](#).
2. Browse to **Entra ID > Groups > All groups**.
3. Select a role-assignable group.

To determine if a group is role-assignable, you can view the **Properties** for the group.

4. Select **Assigned roles**.

You can now see all the Microsoft Entra roles assigned to this group. If you don't see the **Assigned roles** option, the group is not a role-assignable group.

Home > Groups | All groups > Contoso Helpdesk

Contoso Helpdesk | Assigned roles ...

Group

Overview
Diagnose and solve problems
Manage
Properties
Members
Owners
Roles and administrators
Administrative units
Group memberships
Assigned roles
Applications
Licenses

+ Add assignments X Remove assignments Refresh Got feedback?

Administrative roles
Administrative roles can be used to grant access to Microsoft Entra ID and other Microsoft services. [Learn more](#)

Search by name or description Add filters


Role	Description	Resource Name	Resource Type	Assignment Path	Type
☐ Helpdesk Administrator	Can reset passwords for non-administrators and Helpdesk Administrators.	Directory	Organization	Direct	Built-in

Download role assignments

To download all active role assignments across all roles, including built-in and custom roles, follow these steps.

Bulk operations can only run for up to 1 hour and has limitations in large tenants. For more information, see [Bulk operations](#) and [Bulk create users in Microsoft Entra ID](#).

1. On the **Roles and administrators** page, select **All roles**.
2. Select **Download assignments**.



3. Specify a file name and select **Start download**.

A CSV file that lists assignments at all scopes for all roles is downloaded.

To download role assignments for a specific role, follow these steps.

1. On the **Roles and administrators** page, select a role.
2. Select **Download assignments**.

If you have a Microsoft Entra ID P2 license, you'll see the PIM experience. Select **Export** to download the role assignments.

A CSV file that lists assignments at all scopes for that role is downloaded.

List role assignments with tenant scope

This procedure describes how to list role assignments with tenant scope.

1. Sign in to the [Microsoft Entra admin center](#).
2. Browse to **Entra ID > Roles & admins**.
3. Select a role name to open the role. Don't add a check mark next to the role.

☐	B2C IEF Keyset Administrator	Can manage secrets for
☐	B2C IEF Policy Administrator	Can create and manage
☐	Billing Administrator	Can perform common b
☐	Cloud App Security Administrator	Can manage all aspects
☐	Cloud Application Administrator	Can create and manage

4. Select **Assignments** to list the role assignments.

Home > Roles and administrators | All roles > Helpdesk Administrator

Helpdesk Administrator | Assignments

All roles

« + Add assignments X Remove assignments ↓ Download assignments ↻ Refresh ...

✖ Diagnose and solve problems

Manage

- Assignments
- Description

Activity

- Bulk operation results

Troubleshooting + Support

- New support request

Search

Search by name

Type

All

Name	Username	Type	Scope
☐ Contoso Helpdesk		Group	Directory
☐ Edith	Edith	User	Directory
☐ Gary	Gary	User	Seattle Operations (Administrative Unit)

5. In the **Scope** column, see the role assignments with **Directory** scope.

List role assignments with app registration scope


This section describes how to list role assignments with single-application scope.

1. Sign in to the [Microsoft Entra admin center](#).
2. Browse to **Entra ID > App registrations**.
3. Select an app registration for the list of role assignments you want to view.

You might have to select **All applications** to see the complete list of app registrations in your Microsoft Entra organization.

4. Select **Roles and administrators**.
5. Select a role name to open the role.
6. Select **Assignments** to list the role assignments.

Opening the assignments page from within the app registration shows you the role assignments that are scoped to this Microsoft Entra resource.



7. In the **Scope** column, see the role assignments with **This resource** scope.

List role assignments with administrative unit scope

You can view all the role assignments created with an administrative unit scope in the **Admin units** section of the Microsoft Entra admin center.

1. Sign in to the [Microsoft Entra admin center](#).
2. Browse to **Entra ID > Roles & admins > Admin units**.
3. Select an administrative unit for the list of role assignments you want to view.
4. Select **Roles and administrators**.
5. Select a role name to open the role.
6. Select **Assignments** to list the role assignments.

Home > Seattle Operations | Roles and administrators > Helpdesk Administrator

Helpdesk Administrator | Assignments

All roles

« + Add assignments ✕ Remove assignments ↻ Refresh | 🗨 Got feedback?

✖ Diagnose and solve problems

Manage

- Assignments
- Description

Troubleshooting + Support

- New support request

Search

Search by name

Type

All

	Name	UserName	Type	Scope
☐	Contoso Helpdesk		Group	Directory (Inherited)
☐	Edith	Edith	User	Directory (Inherited)
☐	Gary	Gary	User	This resource

+

7. In the **Scope** column, see the role assignments with **This resource** scope.

Next steps

- Feel free to share with us on the [Microsoft Entra administrative roles forum](#).
- For more about role permissions, see [Microsoft Entra built-in roles](#).
- For default user permissions, see a [comparison of default guest and member user permissions](#).

Assign Microsoft Entra roles

06/04/2025

This article describes how to assign Microsoft Entra roles to users and groups using the Microsoft Entra admin center, Microsoft Graph PowerShell, or Microsoft Graph API. It also describes how to assign roles at different scopes, such as tenant, application registration, and administrative unit scopes.

You can assign both direct and indirect role assignments to a user. If a user is assigned a role by a group membership, add the user to the group to add the role assignment. For more information, see [Use Microsoft Entra groups to manage role assignments](#).

In Microsoft Entra ID, roles are typically assigned to apply to the entire tenant. However, you can also assign Microsoft Entra roles for different resources, such as application registrations or administrative units. For example, you could assign the Helpdesk Administrator role so that it just applies to a particular administrative unit and not the entire tenant. The resources that a role assignment applies to is also called the scope. Restricting the scope of a role assignment is supported for built-in and custom roles. For more information about scope, see [Overview of role-based access control \(RBAC\) in Microsoft Entra ID](#).

Microsoft Entra roles in PIM

If you have a Microsoft Entra ID P2 license and [Privileged Identity Management \(PIM\)](#), you have additional capabilities when assigning roles, such as making a user eligible for a role assignment or defining the start and end time for a role assignment. For information about assigning Microsoft Entra roles in PIM, see these articles:

 Expand table

Method	Information
Microsoft Entra admin center	Assign Microsoft Entra roles in Privileged Identity Management
Microsoft Graph PowerShell	Tutorial: Assign Microsoft Entra roles in Privileged Identity Management using Microsoft Graph PowerShell
Microsoft Graph API	Manage Microsoft Entra role assignments using PIM APIs Assign Microsoft Entra roles in Privileged Identity Management

Prerequisites

- Privileged Role Administrator
- [Microsoft Graph PowerShell](#) module when using PowerShell
- Admin consent when using Graph Explorer for Microsoft Graph API


For more information, see [Prerequisites to use PowerShell or Graph Explorer](#).

Assign roles with tenant scope

This section describes how to assign roles at tenant scope.

Admin center

1. Sign in to the [Microsoft Entra admin center](#) as at least a [Privileged Role Administrator](#).
2. Browse to **Entra ID > Roles & admins**.




3. Select a role name to open the role. Don't add a check mark next to the role.

☐	B2C IEF Keyset Administrator	Can manage secrets for
☐	B2C IEF Policy Administrator	Can create and manage
☐	Billing Administrator	Can perform common b
☐	Cloud App Security Administrator	Can manage all aspects
☐	Cloud Application Administrator	Can create and manage

4. Select **Add assignments** and then select the users or groups you want to assign to this role.

Only role-assignable groups are displayed. If a group isn't listed, you'll need to create a role-assignable group. For more information, see [Create a role-assignable group in Microsoft Entra ID](#).

If your experience is different than the following screenshot, you might have Microsoft Entra ID P2 and PIM. For more information, see [Assign Microsoft Entra roles in Privileged Identity Management](#).



5. Select **Add** to assign the role.


Assign roles with app registration scope

Built-in roles and custom roles are assigned by default at tenant scope to grant access permissions over all app registrations in your organization. Additionally, custom roles and some relevant built-in roles (depending on the type of Microsoft Entra resource) can also be assigned at the scope of a single Microsoft Entra resource. This allows you to give the user the permission to update credentials and basic properties of a single app without having to create a second custom role.


This section describes how to assign roles at an application registration scope.

1. Sign in to the [Microsoft Entra admin center](#) as at least a [Application Developer](#).
2. Browse to **Entra ID > App registrations**.
3. Select an application. You can use search box to find the desired app.

You might have to select **All applications** to see the complete list of app registrations in your tenant.



4. Select **Roles and administrators** from the left navigation menu to see the list of all roles available to be assigned over the app registration.




5. Select the desired role.

Tip

You won't see the entire list of Microsoft Entra built-in or custom roles here. This is expected. We show the roles which have permissions related to managing app registrations only.

6. Select **Add assignments** and then select the users or groups you want to assign this role to.



7. Select **Add** to assign the role scoped over the app registration.

Assign roles with administrative unit scope

In Microsoft Entra ID, for more granular administrative control, you can assign a Microsoft Entra role with a scope that's limited to one or more [administrative units](#). When a Microsoft Entra role is assigned at the scope of an administrative unit, role permissions apply only when managing members of the administrative unit itself, and don't apply to tenant-wide settings or configurations.

For example, an administrator who is assigned the Groups Administrator role at the scope of an administrative unit can manage groups that are members of the administrative unit, but they can't manage other groups in the tenant. They also can't manage tenant-level settings related to groups, such as expiration or group naming policies.

This section describes how to assign Microsoft Entra roles with administrative unit scope.

Prerequisites

- Microsoft Entra ID P1 or P2 license for each administrative unit administrator
- Microsoft Entra ID Free licenses for administrative unit members
- Privileged Role Administrator
- Microsoft Graph PowerShell module when using PowerShell
- Admin consent when using Graph Explorer for Microsoft Graph API

For more information, see [Prerequisites to use PowerShell or Graph Explorer](#).

Roles that can be assigned with administrative unit scope

The following Microsoft Entra roles can be assigned with administrative unit scope.

Additionally, any [custom role](#) can be assigned with administrative unit scope as long as the custom role's permissions include at least one permission relevant to users, groups, or devices.

 Expand table

Role	Description
Authentication Administrator	Has access to view, set, and reset authentication method information for any non-admin user in the assigned administrative unit only.
Attribute Assignment Administrator	Can read and update custom security attribute assignments (from any attribute set) for users or service principals within the administrative unit only.
Attribute Assignment Reader	Can read custom security attributes (from any attribute set) for users or service principals within the administrative unit only.
Cloud Device Administrator	Limited access to manage devices in Microsoft Entra ID.
Groups Administrator	Can manage all aspects of groups in the assigned administrative unit only.
Helpdesk Administrator	Can reset passwords for non-administrators in the assigned administrative unit only.
License Administrator	Can assign, remove, and update license assignments within the administrative unit only.
Password Administrator	Can reset passwords for non-administrators within the assigned administrative unit only.
Printer Administrator	Can manage printers and printer connectors. For more information, see Delegate administration of printers in Universal Print .
Privileged Authentication	Can access to view, set and reset authentication method information for any user (admin or non-admin).

Role	Description
Administrator	
SharePoint Administrator	Can manage Microsoft 365 groups in the assigned administrative unit only. For SharePoint sites associated with Microsoft 365 groups in an administrative unit, can also update site properties (site name, URL, and external sharing policy) using the Microsoft 365 admin center. Cannot use the SharePoint admin center or SharePoint APIs to manage sites.
Teams Administrator	Can manage Microsoft 365 groups in the assigned administrative unit only. Can manage team members in the Microsoft 365 admin center for teams associated with groups in the assigned administrative unit only. Cannot use the Teams admin center.
Teams Devices Administrator	Can perform management related tasks on Teams certified devices.
User Administrator	Can manage all aspects of users and groups, including resetting passwords for limited admins within the assigned administrative unit only. Cannot currently manage users' profile photographs.
<Custom role>	Can perform actions that apply to users, groups, or devices, according to the definition of the custom role.

Certain role permissions apply only to nonadministrator users when assigned with the scope of an administrative unit. In other words, administrative unit scoped [Helpdesk Administrators](#) can reset passwords for users in the administrative unit only if those users don't have administrator roles. The following list of permissions are restricted when the target of an action is another administrator:

- Read and modify user authentication methods, or reset user passwords
- Modify sensitive user properties such as telephone numbers, alternate email addresses, or Open Authorization (OAuth) secret keys
- Delete or restore user accounts

Security principals that can be assigned with administrative unit scope

The following security principals can be assigned to a role with an administrative unit scope:

- Users
- Microsoft Entra role-assignable groups
- Service principals

Service principals and guest users

Service principals and guest users won't be able to use a role assignment scoped to an administrative unit unless they're also assigned corresponding permissions to read the objects. This is because service principals and guest users don't receive directory read permissions by default, which are required to perform administrative actions. To enable a service principal or guest user to use a role assignment scoped to an administrative unit, you must assign the [Directory Readers](#) role (or another role that includes read permissions) at a tenant scope.


It isn't currently possible to assign directory read permissions scoped to an administrative unit. For more information about default permissions for users, see [default user permissions](#).

Assign roles with administrative unit scope

This section describes how to assign roles at administrative unit scope.

Admin center

1. Sign in to the [Microsoft Entra admin center](#) as at least a [Privileged Role Administrator](#).
2. Browse to **Entra ID > Roles & admins > Admin units**.
3. Select an administrative unit.



4. Select **Roles and administrators** from the left navigation menu to see the list of all roles available to be assigned over an administrative unit.

Home > Default > Administrative units > Seattle Operations

Seattle Operations | Roles and administrators

Default

Search Refresh Preview features Got feedback?

Manage

- Properties
- Users
- Groups
- Devices
- Roles and administrators**

Activity

- Bulk operation results

Administrative roles

Administrative roles are used for granting access for privileged actions in Microsoft Entra ID. We recommend using these built-in roles for delegating access to manage broad application configuration permissions without granting access to manage other parts of Microsoft Entra ID not related to application configuration. [Learn more.](#)

[Learn more about Microsoft Entra ID role-based access control](#)

Search by name or description Add filters

Role	Description	Privileged	Ass...	Type
Authentication Administrator	Can access to view, set and reset authentication method information for any non-admin user.	PRIVILEGED	0	Built-in
Cloud Device Administrator	Limited access to manage devices in Microsoft Entra ID.	PRIVILEGED	0	Built-in
Groups Administrator	Members of this role can create/manage groups, create/manage groups settings like naming and expiration policies, and view groups activity and audit reports.		0	Built-in
Helpdesk Administrator	Can reset passwords for non-administrators and Helpdesk Administrators.	PRIVILEGED	2	Built-in

5. Select the desired role.

Tip

You won't see the entire list of Microsoft Entra built-in or custom roles here. This is expected. We show the roles which have permissions related to the objects that are supported within the administrative unit. To see the list of objects supported within an administrative unit, see [Administrative units in Microsoft Entra ID](#).

6. Select **Add assignments** and then select the users or groups you want to assign this role to.

7. Select **Add** to assign the role scoped over the administrative unit.

Next steps

- [List Microsoft Entra role assignments](#)
- [Assign Microsoft Entra roles in Privileged Identity Management](#)
- [Use Microsoft Entra groups to manage role assignments](#)
- [Troubleshoot Microsoft Entra roles assigned to groups](#)

Create a role-assignable group in Microsoft Entra ID

Article • 04/25/2025

This article describes how to create a role-assignable group using the Microsoft Entra admin center, Microsoft Graph PowerShell, or Microsoft Graph API.

With Microsoft Entra ID P1 or P2, you can create [role-assignable groups](#) and assign Microsoft Entra roles to these groups. You create a new role-assignable group by setting **Microsoft Entra roles can be assigned to the group** to **Yes** or by setting the `isAssignableToRole` property set to `true`. A role-assignable group can't be a part of a [dynamic membership group](#) type. In Microsoft Entra, a single tenant can have a maximum of 500 role-assignable groups.

Prerequisites

- Microsoft Entra ID P1 or P2 license
- [Privileged Role Administrator](#)
- [Microsoft Graph PowerShell](#) module when using PowerShell
- Admin consent when using Graph explorer for Microsoft Graph API

For more information, see [Prerequisites to use PowerShell or Graph Explorer](#).

Create a role-assignable group

Admin center

1. Sign in to the [Microsoft Entra admin center](#) [↗](#) as at least a [Privileged Role Administrator](#).
2. Browse to **Entra ID > Groups > All groups**.
3. Select **New group**.
4. On the **New Group** page, provide group type, name, and description.
5. Set **Microsoft Entra roles can be assigned to the group** to **Yes**.

This option is visible to Privileged Role Administrators because this role can set this option.

Home > Groups | All groups >

New Group

Got feedback?

Group type * ⓘ
Security

Group name * ⓘ
Contoso_Helpdesk_Administrators

Group description ⓘ
Helpdesk Administrator role assigned to group

Microsoft Entra roles can be assigned to the group ⓘ
☒ Yes ☐ No

Membership type ⓘ
Assigned

Owners
No owners selected

Members
No members selected

Roles
No roles selected

Create

6. Select the members and owners for the group. You also have the option to assign roles to the group, but assigning a role isn't required here.

7. Select **Create**.

You see the following message:

Creating a group to which Microsoft Entra roles can be assigned is a setting that cannot be changed later. Are you sure you want to add this capability? [Learn More](#).

Home > Groups | All groups >

New Group

Got feedback?

Creating a group to which Microsoft Entra roles can be assigned is a setting that cannot be changed later. Are you sure you want to add this capability? [Learn More](#).

☒ Yes ☐ No

8. Select **Yes**.

The group is created with any roles you might have assigned to it.

Next steps

- [Assign Microsoft Entra roles](#)
- [Use Microsoft Entra groups to manage role assignments](#)
- [Troubleshoot Microsoft Entra roles assigned to groups](#)

Remove Microsoft Entra role assignments

Article • 05/25/2025

This article describes how to remove Microsoft Entra role assignments using the Microsoft Entra admin center, Microsoft Graph PowerShell, or Microsoft Graph API.

You can remove both direct and indirect role assignments for a user. If a user is assigned a role by a group membership, remove the user from the group to remove the role assignment. For more information, see [Use Microsoft Entra groups to manage role assignments](#).

Microsoft Entra roles in PIM

If you have a Microsoft Entra ID P2 license and [Privileged Identity Management \(PIM\)](#), you have additional capabilities for role assignments. For information about removing Microsoft Entra role assignments in PIM, see these articles:

 Expand table

Method	Information
Microsoft Entra admin center	Update or remove an existing role assignment in PIM
Microsoft Graph PowerShell	Remove an eligible assignment
Microsoft Graph API	Manage Microsoft Entra role assignments using PIM APIs Remove eligible assignment via Microsoft Graph API

Prerequisites

- Microsoft Entra ID P1 or P2 license
- Privileged Role Administrator
- [Microsoft Graph PowerShell](#) module when using PowerShell
- Admin consent when using Graph explorer for Microsoft Graph API


For more information, see [Prerequisites to use PowerShell or Graph Explorer](#).

Remove Microsoft Entra role assignments

Admin center	
--------------	--

1. Sign in to the [Microsoft Entra admin center](#) as at least a [Privileged Role Administrator](#).
2. Browse to **Entra ID > Roles & admins**.
3. Select a role name to open the role.
4. Add a check mark next to the users or groups from which you want to remove the role assignment.
5. Select **Remove assignment**.

If your experience is different than the following screenshot, you might have Microsoft Entra ID P2 and PIM. For more information, see [Update or remove an existing role assignment in PIM](#).



6. When asked to confirm your action, select **Yes**.

Next steps

- [Update or remove an existing role assignment in PIM](#)
- [Troubleshoot Microsoft Entra roles assigned to groups](#)

Create a custom role in Microsoft Entra ID

Article • 05/19/2025

This article describes how to create a custom role to manage access to Microsoft Entra resources using the Microsoft Entra admin center, Microsoft Graph PowerShell, or Microsoft Graph API. If you want to instead create a custom role to manage access to Azure resources, see [Create or update Azure custom roles using the Azure portal](#).

For the basics of custom roles, see the [custom roles overview](#). The role can be assigned either at the directory-level scope or an app registration resource scope only. For information about the maximum number of custom roles that can be created in a Microsoft Entra organization, see [Microsoft Entra service limits and restrictions](#).

Prerequisites

- Microsoft Entra ID P1 or P2 license
- Privileged Role Administrator
- [Microsoft Graph PowerShell](#) module when using PowerShell
- Admin consent when using Graph explorer for Microsoft Graph API


For more information, see [Prerequisites to use PowerShell or Graph Explorer](#).

Admin center

Create a custom role


These steps describe how to create a custom role in the Microsoft Entra admin center to manage app registrations.

1. Sign in to the [Microsoft Entra admin center](#) [↗] as at least a [Privileged Role Administrator](#).
2. Browse to **Entra ID > Roles & admins**.
3. Select **New custom role**.




4. On the **Basics** tab, provide a name and description for the role.

You can clone the baseline permissions from a custom role but you can't clone a built-in role.



5. On the **Permissions** tab, select the permissions necessary to manage basic properties and credential properties of app registrations. For a detailed description of each permission, see [Application registration subtypes and permissions in Microsoft Entra ID](#).

a. First, enter "credentials" in the search bar and select the `microsoft.directory/applications/credentials/update` permission.



b. Next, enter "basic" in the search bar, select the

`microsoft.directory/applications/basic/update` permission, and then click **Next**.

6. On the **Review + create** tab, review the permissions and select **Create**.

Your custom role will show up in the list of available roles to assign.

Related content

- [Assign Microsoft Entra roles](#)
- [Microsoft Entra built-in roles](#)
- [Comparison of default guest and member user permissions](#)

Create custom roles to manage enterprise apps in Microsoft Entra ID

Article • 01/29/2025

This article explains how to create a custom role with permissions to manage enterprise app assignments for users and groups in Microsoft Entra ID. For the elements of roles assignments and the meaning of terms such as subtype, permission, and property set, see the [custom roles overview](#).

Prerequisites

- Microsoft Entra ID P1 or P2 license
- Privileged Role Administrator
- [Microsoft Graph PowerShell](#) module when using PowerShell
- Admin consent when using Graph explorer for Microsoft Graph API

For more information, see [Prerequisites to use PowerShell or Graph Explorer](#).

Enterprise app role permissions

There are two enterprise app permissions discussed in this article. All examples use the update permission.

- To read the user and group assignments at scope, grant the `microsoft.directory/servicePrincipals/appRoleAssignedTo/read` permission
- To manage the user and group assignments at scope, grant the `microsoft.directory/servicePrincipals/appRoleAssignedTo/update` permission

Granting the update permission results in the assignee being able to manage assignments of users and groups to enterprise apps. The scope of user and/or group assignments can be granted for a single application or granted for all applications. If granted at an organization-wide level, the assignee can manage assignments for all applications. If made at an application level, the assignee can manage assignments for only the specified application.

Granting the update permission is done in two steps:

1. Create a custom role with permission

`microsoft.directory/servicePrincipals/appRoleAssignedTo/update`

2. Grant users or groups permissions to manage user and group assignments to enterprise apps. This is when you can set the scope to the organization-wide level or to a single application.

Admin center


Create a new custom role

In the Microsoft Entra Admin Center, you can create and manage custom roles to control access and permissions for enterprise apps.


! Note

Custom roles are created and managed at an organization-wide level and are available only from the organization's Overview page.

1. Sign in to the [Microsoft Entra admin center](#) as at least a [Privileged Role Administrator](#).
2. Browse to **Identity > Roles & admins > Roles & admins**.
3. Select **New custom role**.




4. On the **Basics** tab, provide "Manage user and group assignments" for the name of the role and "Grant permissions to manage user and group assignments" for the role description, then select **Next**.




5. On the **Permissions** tab, enter

"microsoft.directory/servicePrincipals/appRoleAssignedTo/update" in the search box, select the checkboxes next to the desired permissions, then select **Next**.



6. On the **Review + create** tab, review the permissions and select **Create**.




Assign the role to a user using the Microsoft Entra admin center


1. Sign in to the [Microsoft Entra admin center](#) as at least a [Privileged Role Administrator](#).

2. Browse to **Identity > Roles & admins > Roles & admins**.

3. Select the **Manage user and group assignments** role.




4. Select **Add assignment**, select the desired user, and then click **Select** to add role assignment to the user.



Assignment tips

- To grant permissions to assignees to manage users and group access for all enterprise apps organization-wide, start from the organization-wide **Roles and Administrators** list on the Microsoft Entra ID **Overview** page for your organization.
- To grant permissions to assignees to manage users and group access for a specific enterprise app, go to that app in Microsoft Entra ID and open in the **Roles and Administrators** list for that app. Select the new custom role and complete the user or group assignment. The assignees can manage users and group access only for the specific app.
- To test your custom role assignment, sign in as the assignee and open an application's **Users and groups** page to verify that the **Add user** option is enabled.



Next steps

- [Explore the available custom role permissions for enterprise apps](#)

Feedback

Was this page helpful?

☐ Yes

☐ No

[Provide product feedback](#)

Create a custom role with permissions to create unlimited app registrations

Article • 01/03/2025

In this quick start guide, you create a custom role with permission to create an unlimited number of app registrations, and then assign that role to a user. The assigned user can then use the Microsoft Entra admin center, Microsoft Graph PowerShell, or Microsoft Graph API to create application registrations. Unlike the built-in Application Developer role, this custom role grants the ability to create an unlimited number of application registrations. The Application Developer role grants the ability, but the total number of created objects is limited to 250 to prevent hitting [the directory-wide object quota](#). The least privileged role required to create and assign Microsoft Entra custom roles is the Privileged Role Administrator.

If you don't have an Azure subscription, [create a free account](#) [↗] before you begin.

Prerequisites

- Microsoft Entra ID P1 or P2 license
- Privileged Role Administrator
- [Microsoft Graph PowerShell](#) module when using PowerShell
- Admin consent when using Graph explorer for Microsoft Graph API

For more information, see [Prerequisites to use PowerShell or Graph Explorer](#).

Admin center


Create a custom role

Tip

Steps in this article might vary slightly based on the portal you start from.

1. Sign in to the [Microsoft Entra admin center](#) [↗] as at least a [Privileged Role Administrator](#).
2. Browse to **Identity > Roles & admins > Roles & admins**.

3. Select New custom role.



4. On the Basics tab, enter "Application Registration Creator" for the name of the role and "Can create an unlimited number of application registrations" for the role description, and then select Next.

The screenshot shows the 'New custom role' form in the Microsoft Entra admin center. The 'Basics' tab is selected, and the 'Permissions' tab is also visible. The 'Name' field is filled with 'Application Registration Creator' and has a green checkmark. The 'Description' field is filled with 'Can create an unlimited number of application registrations'. The 'Baseline permissions' section has 'Start from scratch' selected. A 'Next' button is located at the bottom left of the form. A red circle highlights the 'Next' button in the bottom right corner of the form.

5. On the Permissions tab, enter "microsoft.directory/applications/create" in the search box, and then select the checkboxes next to the desired permissions, and then select Next.

Home > Roles and administrators | All roles >

New custom role

All roles

Got feedback?

Basics **Permissions** Review + create

Add permissions for this custom role. Currently, permissions for Application registrations and Enterprise applications are supported in custom roles. [Learn more](#)

☐ Permission	↑↓	Description	↑↓	Privileged	↑↓
☒ microsoft.directory/applications/create		Create all types of applications			
☒ microsoft.directory/applications/createAsOwner		Create all types of applications, and ...			

6. On the **Review + create** tab, review the permissions and select **Create**.

Assign the role

1. Sign in to the [Microsoft Entra admin center](#) as at least a **Privileged Role Administrator**.
2. Browse to **Identity > Roles & admins > Roles & admins**.
3. Select the Application Registration Creator role and select **Add assignment**.
4. Select the desired user and click **Select** to add the user to the role.

Done! In this quickstart, you successfully created a custom role with permission to create an unlimited number of app registrations, and then assign that role to a user.

Tip

To assign the role to an application using the Microsoft Entra admin center, enter the name of the application into the search box of the assignment page. Applications aren't shown in the list by default, but are returned in search results.

App registration permissions

There are two permissions available for granting the ability to create application registrations, each with different behavior.

- `microsoft.directory/applications/createAsOwner`: Assigning this permission results in the creator being added as the first owner of the created app registration, and the created app registration counts against the creator's 250 created objects quota.
- `microsoft.directory/applications/create`: Assigning this permission results in the creator not being added as the first owner of the created app registration, and the created app registration won't count against the creator's 250 created objects quota. Use this permission carefully, because there's nothing preventing the assignee from creating app registrations until the directory-level quota is hit. If both permissions are assigned, this permission takes precedence.

Next steps

- Feel free to share with us on the [Microsoft Entra administrative roles forum](#) [↗].
- For more about Microsoft Entra roles, see [Microsoft Entra built-in roles](#).
- For more about default user permissions, see [comparison of default guest and member user permissions](#).

Feedback

Was this page helpful?

 Yes

 No

[Provide product feedback](#) [↗]

Create or delete administrative units

07/01/2025

Administrative units let you subdivide your organization into any unit that you want, and then assign specific administrators that can manage only the members of that unit. For example, you could use administrative units to delegate permissions to administrators of each school at a large university, so they could control access, manage users, and set policies only in the School of Engineering.

This article describes how to create or delete administrative units to restrict the scope of role permissions in Microsoft Entra ID.

Prerequisites

- Microsoft Entra ID P1 or P2 license for each administrative unit administrator
- Microsoft Entra ID Free licenses for administrative unit members
- Privileged Role Administrator role
- [Microsoft Graph PowerShell](#) module when using PowerShell
- Admin consent when using Graph Explorer for Microsoft Graph API


For more information, see [Prerequisites to use PowerShell or Graph Explorer](#).

Create an administrative unit

You can create a new administrative unit by using either the Microsoft Entra admin center, Microsoft Entra PowerShell, or Microsoft Graph.

Admin center

1. Sign in to the [Microsoft Entra admin center](#) [↗] as at least a [Privileged Role Administrator](#).
2. Browse to **Entra ID > Roles & admins > Admin units**.




3. Select **Add**.

4. In the **Name** box, enter the name of the administrative unit. Optionally, add a description of the administrative unit.

5. If you don't want tenant-level administrators to be able to access this administrative unit, set the **Restricted management administrative unit** toggle to **Yes**. For more information, see [Restricted management administrative units](#).

The screenshot shows the 'Add administrative unit' form. The 'Name' field is required (marked with a red asterisk) and contains the text 'Redmond security org', which is validated with a green checkmark. The 'Description' field is optional and currently empty. The 'Restricted management administrative unit' toggle is set to 'No'. At the bottom, there are two buttons: 'Review + create' and 'Next: Assign roles >'. The 'Properties' tab is selected, and the 'Assign roles' and 'Review + create' tabs are also visible.

6. Optionally, on the **Assign roles** tab, select a role and then select the users to assign the role to with this administrative unit scope.



7. On the **Review + create** tab, review the administrative unit and any role assignments.
8. Select the **Create** button.

Delete an administrative unit


In Microsoft Entra ID, you can delete an administrative unit that you no longer need as a unit of scope for administrative roles. Before you delete the administrative unit, you should remove any role assignments with that administrative unit scope.

Admin center

1. Sign in to the [Microsoft Entra admin center](#) as at least a **Privileged Role Administrator**.
2. Browse to **Entra ID > Roles & admins > Admin units**.
3. Select the administrative unit you want to delete.
4. Select **Roles and administrators**, and then open a role to view the role assignments.
5. Remove all the role assignments with the administrative unit scope.
6. Browse to **Entra ID > Roles & admins > Admin units**.

7. Add a check mark next to the administrative unit you want to delete.

8. Select **Delete**.



9. To confirm that you want to delete the administrative unit, select **Yes**.

Next steps

- [Add users, groups, or devices to an administrative unit](#)
- [Assign Microsoft Entra roles with administrative unit scope](#)
- [Microsoft Entra administrative units: Troubleshooting and FAQ](#)

Add users, groups, or devices to an administrative unit

Article • 04/25/2025

In Microsoft Entra ID, you can add users, groups, or devices to an administrative unit to limit the scope of role permissions. Adding a group to an administrative unit brings the group itself into the management scope of the administrative unit, but **not** the members of the group. For additional details on what scoped administrators can do, see [Administrative units in Microsoft Entra ID](#).

This article describes how to add users, groups, or devices to administrative units manually. For information about how to add users or devices to administrative units dynamically using rules, see [Manage users or devices for an administrative unit with rules for dynamic membership groups](#).

Prerequisites

- Microsoft Entra ID P1 or P2 license for each administrative unit administrator
- Microsoft Entra ID Free licenses for administrative unit members
- To add existing users, groups, or devices:
 - Privileged Role Administrator
- To create new groups:
 - Groups Administrator (scoped to the administrative unit or entire directory)
- [Microsoft Graph PowerShell](#) module when using PowerShell
- Admin consent when using Graph Explorer for Microsoft Graph API

For more information, see [Prerequisites to use PowerShell or Graph Explorer](#).

Admin center

You can add users, groups, or devices to administrative units using the Microsoft Entra admin center. You can also add users in a bulk operation or create a new group in an administrative unit.

Add a single user, group, or device to administrative units

1. Sign in to the [Microsoft Entra admin center](#) [↗] as at least a [Privileged Role Administrator](#).
2. Browse to **Entra ID**.

3. Browse to one of the following:


- **Users > All users**
- **Groups > All groups**
- **Devices > All devices**

4. Select the user, group, or device you want to add to administrative units.

5. Select **Administrative units**.

6. Select **Assign to administrative unit**.

7. In the **Select** pane, select the administrative units and then select **Select**.



Add users, groups, or devices to a single administrative unit

1. Sign in to the [Microsoft Entra admin center](#) as at least a [Privileged Role Administrator](#).

2. Browse to **Entra ID > Roles & admins > Admin units**.


3. Select the administrative unit you want to add users, groups, or devices to.

4. Select one of the following:

- **Users**
- **Groups**
- **Devices**


5. Select **Add member**, **Add**, or **Add device**.

6. In the **Select** pane, select the users, groups, or devices you want to add to the administrative unit and then select **Select**.



Add users to an administrative unit in a bulk operation

1. Sign in to the [Microsoft Entra admin center](#) as at least a [Privileged Role Administrator](#).
2. Browse to **Entra ID > Roles & admins > Admin units**.
3. Select the administrative unit you want to add users to.
4. Select **Users > Bulk operations > Bulk add members**.



5. In the **Bulk add members** pane, download the comma-separated values (CSV) template.
6. Edit the downloaded CSV template with the list of users you want to add.

Add one user principal name (UPN) in each row. Don't remove the first two rows of the template.


7. Save your changes and upload the CSV file.

	A	B	C	D	E
1	version:v1.0				
2	User principal name [userUpn] Required				
3	bill@example.com				
4	laura@example.com				
5					
6					

8. Select **Submit**.

Create a new group in an administrative unit

1. Sign in to the [Microsoft Entra admin center](#) as at least a [Groups Administrator](#).
2. Browse to **Entra ID > Roles & admins > Admin units**.
3. Select the administrative unit you want to create a new group in.
4. Select **Groups**.
5. Select **New group** and complete the steps to create a new group.



Next steps

- [Administrative units in Microsoft Entra ID](#)
- [Assign Microsoft Entra roles with administrative unit scope](#)
- [Manage users or devices for an administrative unit with rules for dynamic membership groups](#)
- [Remove users, groups, or devices from an administrative unit](#)

List users, groups, or devices in an administrative unit

Article • 01/03/2025

In Microsoft Entra ID, you can list the users, groups, or devices in administrative units.

Prerequisites

- Microsoft Entra ID P1 or P2 license for each administrative unit administrator
- Microsoft Entra ID Free licenses for administrative unit members
- [Microsoft Graph PowerShell](#) module when using PowerShell
- Admin consent when using Graph Explorer for Microsoft Graph API

For more information, see [Prerequisites to use PowerShell or Graph Explorer](#).

Admin center

You can list the users, groups, or devices in administrative units using the Microsoft Entra admin center.


List the administrative units for a single user, group, or device

Tip

Steps in this article might vary slightly based on the portal you start from.


1. Sign in to the [Microsoft Entra admin center](#) .
2. Browse to **Identity**.
3. Browse to one of the following:
 - **Users > All users**
 - **Groups > All groups**
 - **Devices > All devices**
4. Select the user, group, or device you want to list their administrative units.

5. Select **Administrative units** to list all the administrative units where the user, group, or device is a member.



List the users, groups, or devices for a single administrative unit


1. Sign in to the [Microsoft Entra admin center](#).
2. Browse to **Identity > Roles & admins > Admin units**.
3. Select the administrative unit that you want to list the users, groups, or devices for.
4. Select one of the following:
 - **Users**
 - **Groups**
 - **Devices**



List the devices for an administrative unit by using the All devices page


1. Sign in to the [Microsoft Entra admin center](#).

2. Browse to **Identity** > **Devices** > **All devices**.
3. Select the filter for administrative unit.
4. Select the administrative unit whose devices you want to list.



List the restricted management administrative units for a single user or group

1. Sign in to the [Microsoft Entra admin center](#).
2. Browse to **Identity**.
3. Browse to one of the following:
 - **Users** > **All users**
 - **Groups** > **All groups**
4. Select the user or group you want to list their restricted management administrative units.
5. Select **Administrative units** to list all the administrative units where the user or group is a member.
6. In the **Restricted management** column, look for administrative units that are set to **Yes**.



Next steps

- [Add users, groups, or devices to an administrative unit](#)
- [Assign Microsoft Entra roles with administrative unit scope](#)

Feedback

Was this page helpful?

[Provide product feedback](#)

Remove users, groups, or devices from an administrative unit

Article • 04/25/2025

When users, groups, or devices in an administrative unit no longer need access, you can remove them.

Prerequisites

- Microsoft Entra ID P1 or P2 license for each administrative unit administrator
- Microsoft Entra ID Free licenses for administrative unit members
- Privileged Role Administrator
- [Microsoft Graph PowerShell](#) module when using PowerShell
- Admin consent when using Graph Explorer for Microsoft Graph API

For more information, see [Prerequisites to use PowerShell or Graph Explorer](#).


Admin center

You can remove users, groups, or devices from administrative units individually using the Microsoft Entra admin center. You can also remove users in a bulk operation.

Remove a single user, group, or device from administrative units


1. Sign in to the [Microsoft Entra admin center](#) [↗] as at least a [Privileged Role Administrator](#).
2. Browse to **Entra ID**.
3. Browse to one of the following:
 - **Users > All users**
 - **Groups > All groups**
 - **Devices > All devices**
4. Select the user, group, or device you want to remove from an administrative unit.
5. Select **Administrative units**.
6. Add check marks next to the administrative units you want to remove the user, group, or device from.

7. Select **Remove from administrative unit**.




Remove users, groups, or devices from a single administrative unit

1. Sign in to the [Microsoft Entra admin center](#) as at least a [Privileged Role Administrator](#).
2. Browse to **Entra ID > Roles & admins > Admin units**.
3. Select the administrative unit that you want to remove users, groups, or devices from.
4. Select one of the following:
 - **Users**
 - **Groups**
 - **Devices**
5. Add check marks next to the users, groups, or devices you want to remove.
6. Select **Remove member**, **Remove**, or **Remove device**.



Remove users from an administrative unit in a bulk operation

1. Sign in to the [Microsoft Entra admin center](#) as at least a [Privileged Role Administrator](#).
2. Browse to **Entra ID > Roles & admins > Admin units**.
3. Select the administrative unit that you want to remove users from.
4. Select **Users > Bulk operations > Bulk remove members**.



5. In the **Bulk remove members** pane, download the comma-separated values (CSV) template.
6. Edit the downloaded CSV template with the list of users you want to remove.

Add one user principal name (UPN) in each row. Don't remove the first two rows of the template.
7. Save your changes and upload the CSV file.
8. Select **Submit**.

Next steps

- [Add users, groups, or devices to an administrative unit](#)
- [Assign Microsoft Entra roles with administrative unit scope](#)

Manage users or devices for an administrative unit with rules for dynamic membership groups

Article • 01/03/2025

You can add or remove users or devices for administrative units manually. With dynamic membership groups, you can add or remove users or devices for administrative units dynamically using rules. This article describes how to create administrative units with rules for dynamic membership groups using the Microsoft Entra admin center, PowerShell, or Microsoft Graph API.

ⓘ Note

Dynamic membership rules for administrative units can be created using the same attributes available for dynamic membership groups. For more information about the specific attributes available and examples on how to use them, see [Manage rules for dynamic membership groups in Microsoft Entra ID](#).

Although administrative units with members assigned manually support multiple object types, such as user, group, and devices, it's currently not possible to create an administrative unit with rules for dynamic membership groups that includes more than one object type. For example, you can create administrative units with rules for dynamic membership groups for users or devices, but not both. Administrative units with rules for dynamic membership groups for groups are currently not supported.

Prerequisites

- Microsoft Entra ID P1 or P2 license for each administrative unit administrator
- Microsoft Entra ID P1 or P2 license for each administrative unit member
- Privileged Role Administrator
- [Microsoft Graph PowerShell](#) module when using PowerShell
- Admin consent when using Graph Explorer for Microsoft Graph API
- Global Azure cloud (not available in specialized clouds, such as Azure Government or Microsoft Azure operated by 21Vianet)

ⓘ Note

Dynamic membership rules for administrative units require a Microsoft Entra ID P1 license for each unique user that is a member of one or more dynamic administrative units. You don't have to assign licenses to users for them to be members of dynamic administrative units, but you must have the minimum number of licenses in the Microsoft Entra organization to cover all such users. For example, if you had a total of 1,000 unique users in all dynamic administrative units in your organization, you would need at least 1,000 licenses for Microsoft Entra ID P1 to meet the license requirement. No license is required for devices that are members of an administrative unit for a dynamic membership group for devices.

For more information, see [Prerequisites to use PowerShell or Graph Explorer](#).

Add rules for dynamic membership groups

Follow these steps to create administrative units with rules for dynamic membership groups for users or devices.

Admin center

Tip

Steps in this article might vary slightly based on the portal you start from.

1. Sign in to the [Microsoft Entra admin center](#)  as at least a [Privileged Role Administrator](#).
2. Select the administrative unit that you want to add users or devices to.
3. Select **Properties**.
4. In the **Membership type** list, select **Dynamic User** or **Dynamic Device**, depending on the type of rule you want to add.

Home > Administrative units >

Seattle Operations | Properties

Contoso - Microsoft Entra ID for workforce

Search << Save Discard

Manage

- Properties
- Users
- Groups
- Devices
- Roles and administrators

Activity

- Bulk operation results

Display name *

Description

Membership type * ⓘ

- Assigned
- Dynamic User
- Dynamic Device
- Restricted management administrative unit

Yes No

5. Select **Add dynamic query**.

6. Use the rule builder to specify the rule for dynamic membership groups. For more information, see [Rule builder in the Azure portal](#).

Home > Default Directory > Seattle Operations >

Dynamic membership rules

Save Discard

Configure Rules

You can use the rule builder or rule syntax text box to create or edit a dynamic membership rule. ⓘ [Learn more](#)

And/Or	Property	Operator	Value
	deviceOSType	Equals	Windows
And	Choose a Property	Choose an Ope...	Add a value

+ Add expression

Rule syntax ⓘ Edit

```
(device.deviceOSType -eq "Windows")
```

7. When finished, select **Save** to save the rule for dynamic membership groups.

8. On the **Properties** page, select **Save** to save the membership type and query.

The following message is displayed:

After changing the administrative unit type, the existing membership might change based on the rule for dynamic membership groups that you provide.

9. Select **Yes** to continue.


For steps on how to edit your rule, see the following [Edit rules for dynamic membership groups](#) section.

Edit rules for dynamic membership groups

When an administrative unit has been configured for dynamic membership groups, the usual commands to add or remove members for the administrative unit are disabled as the dynamic membership groups engine retains the sole ownership of adding or removing members. To make changes to the membership, you can edit the rules for dynamic membership groups.

Admin center

1. Sign in to the [Microsoft Entra admin center](#) as at least a [Privileged Role Administrator](#).
2. Browse to **Identity** > **Roles & admins** > **Admin units**.
3. Select the administrative unit that has the rules for dynamic membership groups you want to edit.
4. Select **Membership rules** to edit the rules for dynamic membership groups using the rule builder.



You can also open the rule builder by selecting **Dynamic membership rules** in the left navigation.

5. When finished, select **Save** to save the dynamic membership groups rule changes.

Change a dynamic administrative unit to assigned

Follow these steps to change an administrative unit with rules for dynamic membership groups to an administrative unit where members are manually assigned.

Admin center

1. Sign in to the [Microsoft Entra admin center](#) [↗] as at least a [Privileged Role Administrator](#).
2. Browse to **Identity > Roles & admins > Admin units**.
3. Select the administrative unit that you want to change to assigned.
4. Select **Properties**.
5. In the **Membership type** list, select **Assigned**.

Home > Administrative units >

Seattle Operations | Properties

Contoso - Microsoft Entra ID for workforce

Search << Save Discard

Manage

- Properties
- Users
- Groups
- Devices
- Roles and administrators

Activity

- Bulk operation results

Display name * Seattle Operations ✓

Description

Membership type * ⓘ

- Assigned ✓
- Assigned
- Dynamic User
- Dynamic Device
- Restricted management administrative unit

Yes No

6. Select **Save** to save the membership type.

The following message is displayed:

After changing the administrative unit type, the dynamic rule will no longer be processed. Current administrative unit members will remain in the administrative unit and the administrative unit will have assigned membership.

7. Select **Yes** to continue.

When the membership type setting is changed from dynamic to assigned, the current members remain intact in the administrative unit. Additionally, the ability to add groups to the administrative unit is enabled.

Next steps

- [Assign Microsoft Entra roles with administrative unit scope](#)
- [Add users or groups to an administrative unit](#)
- [Microsoft Entra administrative units: Troubleshooting and FAQ](#)

Feedback

Was this page helpful?

 Yes

 No

[Provide product feedback](#) 

Add, test, or remove protected actions in Microsoft Entra ID

Article • 03/30/2025

Protected actions in Microsoft Entra ID are permissions that have been assigned Conditional Access policies that are enforced when a user attempts to perform an action. This article describes how to add, test, or remove protected actions.

ⓘ Note

You should perform these steps in the following sequence to ensure that protected actions are properly configured and enforced. If you don't follow this order, you might get unexpected behavior, such as [getting repeated requests to reauthenticate](#).

Prerequisites


To add or remove protected actions, you must have:

- Microsoft Entra ID P1 or P2 license
- [Conditional Access Administrator](#) or [Security Administrator](#) role

Step 1: Configure Conditional Access policy

Protected actions use a Conditional Access authentication context, so you must configure an authentication context and add it to a Conditional Access policy. If you already have a policy with an authentication context, you can skip to the next section.


1. Sign in to the [Microsoft Entra admin center](#) .
2. Select **Protection > Conditional Access > Authentication context > Authentication context**.
3. Select **New authentication context** to open the **Add authentication context** pane.
4. Enter a name and description and then select **Save**.



5. Select **Policies** > **New policy** to create a new policy.

6. Create a new policy and select your authentication context.


For more information, see [Conditional Access: Cloud apps, actions, and authentication context](#).



Step 2: Add protected actions

To add protection actions, assign a Conditional Access policy to one or more permissions using a Conditional Access authentication context.


1. Select **Protection > Conditional Access > Policies**.
2. Make sure the state of the Conditional Access policy that you plan to use with your protected action is set to **On** and not **Off** or **Report-only**.
3. Select **Identity > Roles & admins > Protected actions**.



4. Select **Add protected actions** to add a new protected action.

If **Add protected actions** is disabled, make sure you're assigned the Conditional Access Administrator or Security Administrator role. For more information, see [Troubleshoot protected actions](#).

5. Select a configured Conditional Access authentication context.
6. Select **Select permissions** and select the permissions to protect with Conditional Access.



7. Select **Add**.
8. When finished, select **Save**.

The new protected actions appear in the list of protected actions

Step 3: Test protected actions

When a user performs a protected action, they'll need to satisfy Conditional Access policy requirements. This section shows the experience for a user being prompted to satisfy a policy. In this example, the user is required to authenticate with a FIDO security key before they can update Conditional Access policies.

1. Sign in to the [Microsoft Entra admin center](#)  as a user that must satisfy the policy.
2. Select **Protection** > **Conditional Access**.
3. Select a Conditional Access policy to view it.

Policy editing is disabled because the authentication requirements haven't been satisfied. At the bottom of the page is the following note:

Editing is protected by an additional access requirement. [Click here to reauthenticate.](#)

... > Conditional Access | Policies >

Require MFA for all cloud apps ...

Conditional Access policy

 Delete  View policy information (Preview)

Control access based on Conditional Access policy to bring signals together, to make decisions, and enforce organizational policies.
[Learn more](#)

Name

Require MFA for all cloud apps

Assignments

Users 

[Specific users included](#)

Cloud apps or actions 

Enable policy


☐ Report-only ☒ On ☐ Off

 Editing is protected by an additional access requirement. [Click here to reauthenticate.](#)



4. Select **Click here to reauthenticate.**

5. Complete the authentication requirements when the browser is redirected to the Microsoft Entra sign-in page.



After completing the authentication requirements, the policy can be edited.

6. Edit the policy and save changes.

Home > Conditional Access | Policies >

Require MFA for all cloud apps

Conditional Access policy

Delete
 View policy information (Preview)

Control access based on Conditional Access policy to bring signals together, to make decisions, and enforce organizational policies. [Learn more](#)

Name *

Require MFA for all cloud apps

Assignments

Users

[Specific users included](#)

Cloud apps or actions

[All cloud apps](#)

Conditions

Enable policy

Report-only **On** Off

Save

Remove protected actions

To remove protection actions, unassign Conditional Access policy requirements from a permission.

1. Select **Identity > Roles & admins > Protected actions**.
2. Find and select the permission Conditional Access policy to unassign.

... > MOD Demo Platform UnifiedApiConsumer | Users and groups > Conditional Access | Authentication contexts > Roles and administrators | Protected actions > Roles and administrators

Roles and administrators | Protected actions

Contoso - Microsoft Entra ID for workforce

Add protected actions
 Refresh
 Manage view
 Remove
 Preview features
 Got feedback

Protected actions are role permissions with Conditional Access applied for added security. Conditional Access requirements are enforced when a user performs the protected action. [Learn more](#)

Search by name or description

2 actions found

Permission	Description	Conditional Ac
☐ microsoft.directory/conditionalAccessPolicies/basic/update	Update basic properties for Conditional Access policies	
☒ microsoft.directory/conditionalAccessPolicies/create	Create Conditional Access policies	

3. On the toolbar, select **Remove**.

After you remove the protected action, the permission won't have a Conditional Access requirement. A new Conditional Access policy can be assigned to the permission.

Microsoft Graph

Add protected actions

Protected actions are added by assigning an authentication context value to a permission. Authentication context values that are available in the tenant can be discovered by calling the [authenticationContextClassReference](#) API.

Authentication context can be assigned to a permission using the [unifiedRbacResourceAction](#) API beta endpoint:

HTTP

```
https://graph.microsoft.com/beta/roleManagement/directory/resourceNamespaces/microsoft.directory/resourceActions/
```

The following example shows how to get the authentication context ID that was set on the `microsoft.directory/conditionalAccessPolicies/delete` permission.

HTTP

```
GET
https://graph.microsoft.com/beta/roleManagement/directory/resourceNamespaces/microsoft.directory/resourceActions/microsoft.directory-conditionalAccessPolicies-delete-delete?
$select=authenticationContextId,isAuthenticationContextSettable
```


Resource actions with the property `isAuthenticationContextSettable` set to true support authentication context. Resource actions with the value of the property `authenticationContextId` is the authentication context ID that has been assigned to the action.

To view the `isAuthenticationContextSettable` and `authenticationContextId` properties, they must be included in the select statement when making the request to the resource action API.

Troubleshoot protected actions

Symptom - No authentication context values can be selected

When attempting to select a Conditional Access authentication context, there are no values available to select.



Home > Roles and administrators | Protected actions >

Add protected actions

Select a Conditional Access authentication context and then the permissions you want to protect with that authentication context.
[Learn more](#)

Conditional Access authentication context * ⓘ Select

Permissions ⓘ + Select permissions

Permission	Description
No permissions added	

Save +

Cause

No Conditional Access authentication context values have been enabled in the tenant.

Solution

Enable authentication context for the tenant by adding a new authentication context. Ensure **Publish to apps** is checked, so the value is available to be selected. For more information, see [Authentication context](#).

Symptom - Policy isn't getting triggered

In some cases, after a protected action has been added, users may not be prompted as expected. For example, if policy requires multifactor authentication, a user may not see a sign-in prompt.

Cause 1

The user hasn't been assigned to the Conditional Access policies used for protected action.

Solution 1

Use Conditional Access [What If](#) tool to check if the user has been assigned policy. When using the tool, select the user and the authentication context that was used with the protected action. Select What If and verify the expected policy is listed in the **Policies that will apply** table. If the policy doesn't apply, check the policy user assignment condition, and add the user.

Cause 2

The user has previously satisfied policy. For example, the completed multifactor authentication earlier in the same session.

Solution 2

Check the [Microsoft Entra sign-in events](#) to troubleshoot. The sign-in events include details about the session, including if the user has already completed multifactor authentication. When troubleshooting with the sign-in logs, it's also helpful to check the policy details page, to confirm an authentication context was requested.

Symptom - Policy is never satisfied

When you attempt to perform the requirements for the Conditional Access policy, the policy is never satisfied and you keep getting requested to reauthenticate.

Cause

The Conditional Access policy wasn't created or the policy state is **Off** or **Report-only**.

Solution

Create the Conditional Access policy if it doesn't exist or and set the state to **On**.

If you aren't able to access the Conditional Access page because of the protected action and repeated requests to reauthenticate, use the following link to open the Conditional Access page.

- <https://aka.ms/MSALProtectedActions> 

Symptom - No access to add protected actions

When signed in you don't have permissions to add or remove protected actions.

Cause

You don't have permission to manage protected actions.

Solution

Make sure you're assigned the [Conditional Access Administrator](#) or [Security Administrator](#) role.

Symptom - Error returned using PowerShell to perform a protected action

When using PowerShell to perform a protected action, an error is returned and there's no prompt to satisfy Conditional Access policy.

Cause

Microsoft Graph PowerShell supports step-up authentication, which is required to allow policy prompts. Azure PowerShell isn't supported for step-up authentication.

Solution

Make sure you're using Microsoft Graph PowerShell.

Next steps

- [What are protected actions in Microsoft Entra ID?](#)
- [Conditional Access authentication context](#)

Feedback

Was this page helpful?

 Yes

 No

[Provide product feedback](#) 

Delegate app registration permissions in Microsoft Entra ID

Article • 11/17/2024

This article describes how to use permissions granted by custom roles in Microsoft Entra ID to address your application management needs. In Microsoft Entra ID, you can delegate Application creation and management permissions in the following ways:

- [Restricting who can create applications](#) and manage the applications they create. By default in Microsoft Entra ID, all users can register applications and manage all aspects of applications they create. This can be restricted to only allow selected people that permission.
- [Assigning one or more owners to an application](#). This is a simple way to grant someone the ability to manage all aspects of Microsoft Entra configuration for a specific application.
- [Assigning a built-in administrative role](#) that grants access to manage configuration in Microsoft Entra ID for all applications. This is the recommended way to grant IT experts access to manage broad application configuration permissions without granting access to manage other parts of Microsoft Entra not related to application configuration.
- [Creating a custom role](#) defining very specific permissions and assigning it to someone either to the scope of a single application as a limited owner, or at the directory scope (all applications) as a limited administrator.

It's important to consider granting access using one of the above methods for two reasons. First, delegating the ability to perform administrative tasks reduces highly-privileged administrator overhead. Second, using limited permissions improves your security posture and reduces the potential for unauthorized access. For guidelines about role security planning, see [Securing privileged access for hybrid and cloud deployments in Microsoft Entra ID](#).

Restrict who can create applications

By default in Microsoft Entra ID, all users can register applications and manage all aspects of applications they create. Everyone also has the ability to consent to apps accessing company data on their behalf. You can choose to selectively grant those permissions by setting the global switches to 'No' and adding the selected users to the Application Developer role.

To disable the default ability to create application registrations or consent to applications

To disable the default ability to create application registrations or consent to applications, follow these steps to set one or both of these settings for your organization.

1. Sign in to the [Microsoft Entra admin center](#)  as at least a [Cloud Application Administrator](#).
2. Browse to **Identity > Users > User settings**.
3. Set the **Users can register applications** setting to **No**.

This will disable the default ability for users to create application registrations.

4. Browse to **Identity > Enterprise applications > Consent and permissions**.
5. Select the **Do not allow user consent** option.

This will disable the default ability for users to consent to applications accessing company data on their behalf.

Grant individual permissions to create and consent to applications when the default ability is disabled

Assign the [Application Developer role](#) to grant the ability to create application registrations when the **Users can register applications** setting is set to No. This role also grants permission to consent on one's own behalf when the **Users can consent to apps accessing company data on their behalf** setting is set to No.

Assign application owners

Assigning owners is a simple way to grant the ability to manage all aspects of Microsoft Entra configuration for a specific application registration or enterprise application. For more information, see [Assign enterprise application owners](#).

Assign built-in Application Administrator roles

Microsoft Entra ID has a set of built-in admin roles for granting access to manage configuration in Microsoft Entra ID for all applications. These roles are the recommended way to grant IT experts access to manage broad application

configuration permissions without granting access to manage other parts of Microsoft Entra not related to application configuration.

- **Application Administrator:** Users in this role can create and manage all aspects of enterprise applications, application registrations, and application proxy settings. This role also grants the ability to consent to delegated permissions, and application permissions excluding Microsoft Graph. Users assigned to this role are not added as owners when creating new application registrations or enterprise applications.
- **Cloud Application Administrator:** Users in this role have the same permissions as the Application Administrator role, excluding the ability to manage application proxy. Users assigned to this role are not added as owners when creating new application registrations or enterprise applications.

For more information and to view the description for these roles, see [Microsoft Entra built-in roles](#).

Follow the instructions in the [Assign roles to users with Microsoft Entra ID](#) how-to guide to assign the Application Administrator or Cloud Application Administrator roles.

Important

Application Administrators and Cloud Application Administrators can add credentials to an application and use those credentials to impersonate the application's identity. The application may have permissions that are an elevation of privilege over the admin role's permissions. An admin in this role could potentially create or update users or other objects while impersonating the application, depending on the application's permissions. Neither role grants the ability to manage Conditional Access settings.

Create and assign a custom role (preview)

Creating custom roles and assigning custom roles are separate steps:

- [Create a custom *role definition*](#) and [add permissions to it from a preset list](#). These are the same permissions used in the built-in roles.
- [Create a *role assignment*](#) to assign the custom role.

This separation allows you to create a single role definition and then assign it many times at different *scopes*. A custom role can be assigned at organization-wide scope, or it can be assigned at the scope of a single Microsoft Entra object. An example of an

object scope is a single app registration. Using different scopes, the same role definition can be assigned to Sally over all app registrations in the organization and then to Naveen over only the Contoso Expense Reports app registration.

Tips when creating and using custom roles for delegating application management:

- Custom roles only grant access in the most current app registration blades of the Microsoft Entra admin center. They do not grant access in the legacy app registrations blades.
- Custom roles do not grant access to the Microsoft Entra admin center when the [Restrict access to Microsoft Entra administration portal](#) user setting is set to **Yes**.
- App registrations the user has access to using role assignments only show up in the 'All applications' tab on the App registration page. They do not show up in the 'Owned applications' tab.


For more information on the basics of custom roles, see the [custom roles overview](#), as well as how to [create a custom role](#) and how to [assign a role](#).

Troubleshoot

Symptom - Access denied when you try to register an application

When you try to register an application in Microsoft Entra ID, you get a message similar to the following:

```
Access denied
You do not have access
You don't have permission to register applications in the <directoryName>
directory. To request access, contact your administrator.
```



Cause

You can't register the application in the directory because your directory administrator has [restricted who can create applications](#).

Solution

Contact your administrator to do one of the following:

- Grant you permissions to create and consent to applications by [assigning you the Application Developer role](#).
- Create the application registration for you and [assign you as the application owner](#).

Next steps

- [Application registration subtypes and permissions](#)
- [Microsoft Entra built-in roles](#)

Feedback

Was this page helpful?

 Yes

 No

[Provide product feedback](#) 

Manage your users with My Staff

Article • 02/20/2025

My Staff enables you to delegate permissions to a figure of authority, such as a store manager or a team lead, ensuring that staff members are able to access their Microsoft Entra accounts. Instead of relying on a central helpdesk, organizations can delegate common tasks such as resetting passwords or changing phone numbers to a local team manager. With My Staff, a user who can't access their account can regain access in just a couple of clicks, with no helpdesk or IT staff required.

Before you configure My Staff for your organization, we recommend that you review this documentation as well as the [user documentation](#) to ensure you understand how it works and how it impacts your users. You can leverage the user documentation to train and prepare your users for the new experience and help to ensure a successful rollout.

How My Staff works

My Staff is based on administrative units, which are a container of resources that can be used to restrict the scope of a role assignment's administrative control. For more information, see [Administrative units management in Microsoft Entra ID](#). In My Staff, administrative units can be used to contain a group of users in a store or department. A team manager can then be assigned to an administrative role at a scope of one or more units.

Before you begin

To complete the steps in this article, you need the following resources and privileges:

- An active Azure subscription.
 - If you don't have an Azure subscription, [create an account](#).
- A Microsoft Entra tenant associated with your subscription.
 - If needed, [create a Microsoft Entra tenant](#) or [associate an Azure subscription with your account](#).
- You need *Authentication Policy Administrator* privileges in your Microsoft Entra tenant to enable SMS-based authentication.
- Each user who's enabled in the text message authentication method policy must be licensed, even if they don't use it. Each enabled user must have one of the following Microsoft Entra ID or Microsoft 365 licenses:

- [Microsoft Entra ID P1 or P2](#) 
- [Microsoft 365 F1 or F3](#) 
- [Enterprise Mobility + Security \(EMS\) E3 or E5](#)  or [Microsoft 365 E3 or E5](#) 

How to enable My Staff

After configuring administrative units, you can apply this scope to your users who access My Staff. Only users who are assigned an administrative role can access My Staff. To enable My Staff, complete the following steps:

1. Sign in to the [Microsoft Entra admin center](#)  as at least a [User Administrator](#).
2. Browse to **Identity > Users > User settings**.
3. Under **User feature**, select **Manage user feature settings**.
4. Under **Administrators can access My Staff**, you can choose to enable for all users, selected users, or no user access.

Note

Only users who've been assigned an admin role can access My Staff. If you enable My Staff for a user who is not assigned an admin role, they won't be able to access My Staff.

Conditional Access

You can protect the My Staff portal using Microsoft Entra Conditional Access policy. Use it for tasks like requiring multifactor authentication before accessing My Staff.

We strongly recommend that you protect My Staff using [Microsoft Entra Conditional Access policies](#). To apply a Conditional Access policy to My Staff, you must first visit the My Staff site once for a few minutes to automatically provision the service principal in your tenant for use by Conditional Access.

You'll see the service principal when you create a Conditional Access policy that applies to the My Staff cloud application.

Home > deverett > Security > Conditional Access | Policies > New > Cloud apps or actions

New

Info

Try out the new configuration experience. Click to enable the preview. →

Name *
MFA for My Staff ✓

Assignments

- Users and groups ⓘ >
- Specific users included >
- Cloud apps or actions ⓘ >
No cloud apps or actions sele...

Conditions ⓘ >
0 conditions selected

Access controls

- Grant ⓘ >
0 controls selected
- Session ⓘ >
0 controls selected

Enable policy

Report-only On Off

Create

Cloud apps or actions

Select what this policy applies to

Cloud apps User actions

Include Exclude

☐ None

☐ All cloud apps

☒ Select apps

Select
None >

Done

Select

Cloud apps

my

☒ MS My Staff

Selected items

MS My Staff Remove

Select

Using My Staff

When a user selects My Staff, they are shown the names of the [administrative units](#) over which they have administrative permissions. In the [My Staff user documentation](#), we use the term "location" to refer to administrative units. If an administrator's permissions don't have an administrative unit scope, then the permissions apply across the organization.

After My Staff has been enabled, the users who are enabled and have been assigned an administrative role can access it through <https://mystaff.microsoft.com>. They can select an administrative unit to view the users in that unit, and select a user to open their profile.

Limitations

My Staff shows up to 999 users per administrative unit.

Reset a user's password

Before you can reset passwords for on-premises users, you must fulfill the following prerequisite conditions. For detailed instructions, see [Enable self-service password reset](#)

tutorial.


- Configure permissions for password writeback
- Enable password writeback in Microsoft Entra Connect
- Enable password writeback in Microsoft Entra self-service password reset (SSPR)

The following roles have permission to reset a user's password:

- [Authentication Administrator](#)
- [Privileged Authentication Administrator](#)
- [Helpdesk Administrator](#)
- [User Administrator](#)
- [Password Administrator](#)

From **My Staff**, open a user's profile. Select **Reset password**.

- If the user is cloud-only, you can see a temporary password that you can give to the user.
- If the user is synced from on-premises Active Directory, you can enter a password that meets your on-premises domain policies. You can then give that password to the user.



The user needs to change their password the next time they sign in.

Manage a phone number

From **My Staff**, open a user's profile.

- Select **Add phone number** section to add a phone number for the user
- Select **Edit phone number** to change the phone number
- Select **Remove phone number** to remove the phone number for the user

Depending on your settings, the user can then use the phone number you set up to sign in with SMS, perform multifactor authentication, and perform self-service password reset.

To manage a user's phone number, you must be assigned one of the following roles:



- [Authentication Administrator](#)
- [Privileged Authentication Administrator](#)

Manage QR code authentication


You can use **My Staff** to manage the QR code authentication method for users.

Add QR code authentication method for a user in My Staff


1. Sign in to the My Staff portal as a frontline manager. Select an administrative unit and a frontline worker.




2. Click **Manage QR code authentication method**.




3. Click **Add QR code method**.



4. Specify the expiration and activation date, and click **Add** to generate a QR code and PIN for the user.




5. Save the PIN, download or print the QR code, and then click **Done**. The QR code image download has the smallest optimum print size. If you reduce the size, the QR code is hard to scan. You can't regenerate the same QR code because it has a unique secret. If the QR code can't work for some reason, delete it. Create a new QR code for the user.




Edit the QR code authentication method for a user in My Staff


- To edit the expiration date for a standard QR code, click **Edit**. Edit the expiration date and save the changes.




- To delete a standard QR code, click **Delete**, and confirm the action.




- To add a new standard QR code, click **Add new** next to the standard QR code.




Select the activation time and expiration date for the QR code, and click **Add**.




Download or print the QR code, and click **Done**.




- To add a temporary QR code, click **Add new** next to the temporary QR code. Specify the **Lifetime in hours** and the **Activation date**, and click **Add**.




Download or print the QR code, and click **Done**.



- To reset a PIN, click **Reset PIN**.




Click **Copy PIN** to copy the PIN to your clipboard.




Delete the QR code authentication method for a user in My Staff

1. To delete the QR code auth method itself, click **Delete QR code method**.



2. Click **Delete** to confirm the action.



Search

You can search for administrative units and users in your organization using the search bar in My Staff. You can search across all administrative units and users in your organization, but you can only make changes to users who are in an administrative unit over which you have been given admin permissions.

Audit logs

You can view audit logs for actions taken in My Staff in the Microsoft Entra admin center. If an audit log was generated by an action taken in My Staff, you will see this indicated under ADDITIONAL DETAILS in the audit event.

Next steps

[My Staff user documentation](#) [Administrative units documentation](#)

Feedback

Was this page helpful?

☐ Yes

☐ No

[Provide product feedback](#)

Troubleshoot Microsoft Entra roles assigned to groups

What follows are some common questions and troubleshooting tips for assigning Microsoft Entra roles to Microsoft Entra groups.

I'm a Groups Administrator but I can't see the 'Microsoft Entra roles can be assigned to the group' switch.

Privileged Role Administrators can create a group that's eligible for role assignment. Users with this role can see this switch.

Who can modify the membership of groups that are assigned to Microsoft Entra roles?

By default, Privileged Role Administrator manages the membership of a role-assignable group, but you can delegate the management of role-assignable groups by adding group owners.

I am a Helpdesk Administrator in my organization but I can't update password of a user who is a Directory Readers. Why does that happen?

The user might have accessed Directory Readers by way of a role-assignable group. All members and owners of role-assignable groups are protected. Users with the Privileged Authentication Administrator role can reset credentials for a protected user.

I can't update password of a user. They don't have any higher privileged role assigned. Why is it happening?

The user could be an owner of a role-assignable group. We protect owners of role-assignable groups to avoid elevation of privilege. An example might be if a group Contoso_Security_Admins is assigned to Security Administrator role, where Bob is the group owner and Alice is the Password Administrator within the organization. Without this protection, Alice could reset Bob's credentials and take over his identity. Alice could then add herself or anyone to the group Contoso_Security_Admins group to become a Security Administrator in the organization. To find out if a user is a group owner, access the list of owned objects for that user and see if any of the groups have `isAssignableToRole` set to true. If yes, then that user is protected and the behavior is by design. Refer to the following documentation for accessing owned objects:

- [Get-MgUserOwnedObject](#)
- [List ownedObjects](#)

Can I create an access review on groups that can be assigned to Microsoft Entra roles (specifically, groups with `isAssignableToRole` property set to true)?

Yes, you can. Privileged Role Administrators can create access reviews on role-assignable groups.

Can I create an access package and put groups that can be assigned to Microsoft Entra roles in it?

Yes, you can. User Administrator has the permissions to put any group in an access package. Nothing changes for Global Administrator, but there's a slight change in User Administrator role permissions. To put a role-assignable group into an access package, you must be a User Administrator and also owner of the role-assignable group. Here's the full table showing who can create access package in Enterprise License Management:

 Expand table

Microsoft Entra directory role	Entitlement management role	Can add security group*	Can add Microsoft 365 group*	Can add app	Can add SharePoint Online site
Global Administrator	n/a	✓	✓	✓	✓
User Administrator	n/a	✓	✓	✓	
Intune Administrator	Catalog owner	✓	✓		
Exchange Administrator	Catalog owner		✓		
Teams service Administrator	Catalog owner		✓		
SharePoint Administrator	Catalog owner		✓		✓
Application Administrator	Catalog owner			✓	
Cloud application Administrator	Catalog owner			✓	
User	Catalog owner	Only if group owner	Only if group owner	Only if app owner	

*Group isn't role-assignable; that is, `isAssignableToRole = false`. If a group is role-assignable, then the person creating the access package must also be owner of the role-assignable group.

I can't find "Remove assignment" option in "Assigned Roles". How do I delete role

assignment to a user?

This answer is applicable only to Microsoft Entra ID P1 organizations.

1. Sign in to the [Microsoft Entra admin center](#) as at least a [Privileged Role Administrator](#).
2. Browse to **Entra ID > Users**.
3. Select a user.
4. Select **Assigned roles**.
5. Select a role assignment you want to remove.
6. Select **Remove assignments** to remove direct role assignments.

To remove indirect role assignments, remove the user from the group that has been assigned the role.

How do I see all groups that are role-assignable?

Follow these steps:

1. Sign in to the [Microsoft Entra admin center](#).
2. Browse to **Entra ID > Groups > All groups**.
3. Select **Add filters**.
4. Filter to **Role assignable**.

How do I know which role are assigned to a principal directly and indirectly?

Follow these steps:

1. Sign in to the [Microsoft Entra admin center](#).
2. Browse to **Entra ID > Users**.
3. Select a user.
4. Select **Assigned roles**.
5. If you have a Microsoft Entra ID P1 license, view the **Assignment Path** column.
6. If you have a Microsoft Entra ID P2 license, view the **Membership** column.

Why do we enforce creating a new group for assigning it to role?

If you assign an existing group to a role, the existing group owner could add other members to this group without the new members realizing that they'll have the role. Because role-assignable groups are powerful, we've established restrictions to protect them. You don't want changes to the group that would be surprising to the person managing the group.

Next steps

- [Use Microsoft Entra groups to manage role assignments](#)
- [Create a role-assignable group](#)

Microsoft Entra administrative units: Troubleshooting and FAQ

For more granular administrative control in Microsoft Entra ID, you can assign users to a Microsoft Entra role with a scope that is limited to one or more administrative units. For sample PowerShell scripts for common tasks, see [Work with administrative units](#).

General

Why am I unable to create an administrative unit?

You must be assigned at least the [Privileged Role Administrator](#) role to create an administrative unit in Microsoft Entra ID. Check to ensure that the user who's trying to create the administrative unit is assigned the *Privileged Role Administrator* role.

I added a group to an administrative unit. Why are the group members still not showing up there?

When you add a group to an administrative unit, that doesn't result in all the group's members being added to it. Users must be directly assigned to the administrative unit.

I just added (or removed) a member of the administrative unit. Why is the member not showing up (or still showing up) on the user interface?

Sometimes, the addition or removal of one or more members of an administrative unit might take a few minutes to be reflected on the **Administrative units** pane. Alternatively, you can go directly to the associated resource's properties and see whether the action has been completed. For more information about members in administrative units, see [List users, groups, or devices in an administrative unit](#).

I am a delegated Password Administrator on an administrative unit. Why am I unable to reset a specific user's password?

As an administrator of an administrative unit, you can reset passwords only for users who are assigned to your administrative unit. Make sure that the user whose password reset is failing

belongs to the administrative unit to which you've been assigned. If the user belongs to the same administrative unit but you still can't reset the user's password, check the roles that are assigned to the user.

To prevent an elevation of privilege, an administrative unit-scoped administrator can't reset the password of a user who's assigned to a role with an organization-wide scope.

Why are administrative units necessary? Couldn't we have used security groups as the way to define a scope?

Security groups have an existing purpose and authorization model. A *User Administrator*, for example, can manage membership of all security groups in the Microsoft Entra organization. The role might use groups to manage access to applications such as Salesforce. A *User Administrator* shouldn't be able to manage the delegation model itself, which would be the result if security groups were extended to support "resource grouping" scenarios.

Administrative units, such as organizational units in Windows Server Active Directory, are intended to provide a way to scope administration of a wide range of directory objects. Security groups themselves can be members of resource scopes. Using security groups to define the set of security groups that an administrator can manage could become confusing.

What does it mean to add a group to an administrative unit?

Adding a group to an administrative unit brings the group itself into the management scope of the administrative unit, but **not** the members of the group. For more information, see [Administrative units in Microsoft Entra ID](#).

Can a resource (user, group, or device) be a member of more than one administrative unit?

Yes, a resource can be a member of more than one administrative unit. The resource can be managed by all organization-wide and administrative unit-scoped administrators who have permissions over the resource.

Are administrative units available in B2C organizations?

No, administrative units aren't available for B2C organizations.

Are nested administrative units supported?

No, nested administrative units aren't supported.

Are administrative units supported in PowerShell and the Microsoft Graph API?

Yes. You'll find support for administrative units in [PowerShell cmdlet documentation](#) and [sample scripts](#).

Find support for the [administrativeUnit resource type](#) in Microsoft Graph.

Dynamic administrative units

I just saved a rule for dynamic membership groups for an administrative unit, but I don't see any users populated yet.

The initial update of an administrative unit can take a few minutes depending on your tenant size and the current Microsoft Entra ID load.

After creating a rule for dynamic membership groups in the Microsoft Entra admin center using the rule builder and attempting to save, I get the error "Failed to update administrative unit properties".

This usually means there's a problem with the supplied property values. Confirm that the property values you have supplied have a proper value type (Boolean, string, or string collection). For more information, see the allowed values for each operator for [users](#) or [devices](#).

This error can also result if a person without a Microsoft Entra ID P1 license attempts to save an update to the administrative unit.

How can I add a single member to an administrative unit in addition to the current rule for dynamic membership groups?

To add a single user, add an appropriate expression with the **OR** query operator to the rule for dynamic membership groups.

I am a Privileged Role Administrator, but I can't add or remove members for an administrative unit.

When an administrative unit has been configured for dynamic membership groups, you must edit the rules for dynamic membership groups to change membership.

How many administrative units with rules for dynamic membership groups can I create in a tenant?

The total number of dynamic membership groups and dynamic administrative units combined cannot exceed 15,000.

Is there a limit to the number of characters in a rule for dynamic membership groups?

Yes. 3,072 characters.

Can I create administrative units with rules for dynamic membership groups in the Microsoft 365 admin center?

No.

Restricted management administrative units

I am the owner of a group that is a member of a restricted management administrative unit. How are my permissions affected?

As an owner of a protected group, you won't be able to manage it just based on ownership. Managing protected resources currently require a role to be assigned at the restricted management administrative unit scope of the protected resource.

How are my Microsoft 365 resources affected by using restricted management administrative units?

Currently, securing Microsoft Entra resources in restricted management administrative units is supported. Resources managed outside of Microsoft Entra ID aren't supported.

I'm unable to modify a member of a restricted management administrative unit.

The user, group, or device is a member of restricted management administrative unit. Management rights are limited to administrators scoped to that administrative unit.

Next steps

- [Restrict scope for roles by using administrative units](#)
- [Create or delete administrative units](#)

Find help and get support for Microsoft Entra

Article • 05/23/2025

Microsoft documentation and learning content provide quality support and troubleshooting information, but if you have a problem not covered in our content, there are several options to get help and support for Microsoft Entra.

This article provides the options to find support from the Microsoft community and how to submit a support request with Microsoft.

Ask the Microsoft community

Start with our Microsoft community members who might have an answer to your question. These communities provide support, feedback, and general discussions on Microsoft products and services. Before creating a support request, check out the following resources for answers and information.

- Explore how-to information, quickstarts, and code samples for IT professionals and developers with our [technical documentation at learn.microsoft.com](#).
- Post a question to [Microsoft Q&A](#) to get answers to your identity and access questions directly from Microsoft engineers, Most Valuable Professionals (MVPs), and other members of our expert community.
- Collaborate, share, and learn from other customers and IT Pro partners in the [Microsoft Technical Community](#). Join the community to post questions and submit your ideas. Stay in the loop with announcements, blog posts, ask-me-anything (AMA) interactions with experts, and more.
- Be your own administrator and prototype apps and solutions on your fully pre-provisioned sandbox subscription with the [Azure Developer Program](#).

Microsoft Q&A best practices

[Microsoft Q&A](#) is Microsoft's recommended source for community support. From the Q&A home page, choose one of the following tabs:

- *Questions*: The main page for technical questions and answers at Microsoft.
- *Tags*: Use tags, which are keywords that categorize your question with other similar questions.
- *Help*: Get answers to frequently asked questions, troubleshoot common issues, and discover features related to Microsoft Q&A.

To ask a question, choose the **Ask a question** button at the top right of any Q&A page. You can also get your questions answered faster by using [AI Assist](#).

When asking a question, we recommend you follow these best practices:


- View the *Questions* and *Tags* pages first to search for product and service-related keywords, as you might find a previously posted solution. Use the filter to narrow the search results.
- Submit your questions in the language of the Q&A site you are on. This helps ensure that our community of experts can provide accurate and helpful answers to your question.
- Use tags when posting a question. You can select up to five tags to describe your question. Choose tags that relate most closely to your scenario to increase discoverability of your question among the community experts on Q&A.
- Include all the details of your issue in the **Question details** field. Start by asking *one* question in the body to ensure the highest quality answers. Next, include the following details in your request:
 - A summary of what you are attempting to accomplish
 - Any steps that you already took
 - Any relevant error messages
 - Unique aspects of your scenario or configuration
 - Any other pertinent information

For more information, see [Tips for writing quality questions](#).

Diagnose and solve problems

The Microsoft Entra admin center and Azure portal have built-in tools to help troubleshoot common problems. There are diagnostic tools for single-sign on, devices, and sign-ins. There's also guidance provided for many common problems.

Search for or select **Diagnose and solve problems** from the navigation menu.




Some of the diagnostic tools require specific roles to use the tool. For example, you need to be at least a **Billing administrator** to use the sign-in diagnostic tool. Contact your local administrator for assistance or to get the necessary permissions.

Open a support request


If you're unable to find answers by using the previously mentioned resources, you can open an online support request.

Online support requests can be created from several places in the admin center:


- From the **Diagnose and solve problems** page:



- From the left-hand navigation menu:



- From the help icon, after following the help prompts:



Tips for creating online support requests

- **Open a support request for only a single problem**
 - We try to connect you to the support engineers who are subject matter experts for your problem.
 - Microsoft Entra engineering teams prioritize their work based on incidents that are generated from support, so you're often contributing to service improvements.
- **Be as descriptive and specific as possible.**
 - Self-help solutions might be presented to you based on the information you provide, which might help you resolve the issue without creating a support request.
 - The more details you provide, the faster we can help you.
- **Diagnostic information might be collected as a part of the support request.**
 - Selecting **Yes** allows support to gather [advanced diagnostic information](#) from the subscriptions associated with your request.
 - If you prefer not to share this information, select **No**. For more information about the types of files we might collect, see [Advanced diagnostic information logs](#).
- **Support is available online and by phone for Microsoft paid and trial subscriptions**
 - Support is provided for global technical, presales, billing, and subscription issues.
 - Phone support and online billing support are available in additional languages.
- Explore the [support options and choose the plan](#) that best fits your scenario.
- Microsoft customers can create and manage support requests in the Azure portal and the Microsoft Entra admin center.

ⓘ Note

- If you're using Microsoft Entra External ID in an external tenant, the support request feature is currently unavailable for external tenant technical issues. Instead, use the **Give Feedback** link on the **New support request** page. Or, switch to your Microsoft Entra workforce tenant and [open a support request](#).
- If you're using Azure AD B2C, open a support ticket by first switching to a Microsoft Entra tenant that has an Azure subscription associated with it. Typically, this is your employee tenant or the default tenant created for you when you signed up for an Azure subscription. To learn more, see [how an Azure subscription is related to Microsoft Entra](#).

To open a support request in Microsoft Entra:

The steps to open a support request represent the high-level process. The actual steps vary based on your scenario and the values you select.

1. Sign in to the [Microsoft Entra admin center](#) as at least a [Service Support Administrator](#).
2. Open a new support request.
3. Follow the prompts to complete the **Problem description** section.
4. Based on the information you provided, review the information in the **Recommended solution** section for guidance or troubleshooting steps.
 - These solutions are written by Azure engineers and technical content developers and should resolve most common problems.
 - If you're still unable to resolve the issue, select **Next** to continue creating the support request.
5. Provide thorough and detailed information in the **Additional details** section to help us route your support request to the right team.
 - If possible, tell us when the problem started and any steps to reproduce it.
 - You can upload a file, such as a log file or output from diagnostics. For more information on file uploads, see [File upload guidelines](#).
6. Select **Next** when you've completed all of the necessary information.
7. Review all of the details you provided and select **Create**.

A support engineer will contact you using the method you indicated. For information about initial response times, see [Support scope and responsiveness](#).

Other options for creating a support request

If you already have an Azure Support plan, [open a support request here](#).

If you're not an Azure customer, you can open a support request with [Microsoft Support for business](#).

Microsoft Security Copilot

The Microsoft Security Copilot is a platform that brings together the power of AI and human expertise to help you and your teams respond to threats faster and more effectively. The capabilities of this powerful feature are under continuous development, with several features available today. These features can also be used for some troubleshooting and support scenarios. For more information, see [Copilot in Microsoft Entra](#)

Get Microsoft 365 admin center support

Support for Microsoft Entra in the [Microsoft 365 admin center](#) is offered for administrators through the admin center. Review the [support for Microsoft 365 for business article](#).

Stay informed

Things can change quickly. The following resources provide updates and information on the latest releases.

- [What's new in Microsoft Entra](#): Get to know what's new in Microsoft Entra including the latest release notes, known issues, bug fixes, deprecated functionality, and upcoming changes.
- [Microsoft Entra identity blog](#): Get news and information about Microsoft Entra.
- [Azure updates](#): Learn about important product updates, roadmap, and announcements.

Related content

- [Post a question to Microsoft Q&A](#)
- [Join the Microsoft Technical Community](#)
- Learn about the [diagnostic data Azure identity support can access](#)

Microsoft Entra built-in roles

10/16/2025

In Microsoft Entra ID, if another administrator or non-administrator needs to manage Microsoft Entra resources, you assign them a Microsoft Entra role that provides the permissions they need. For example, you can assign roles to allow adding or changing users, resetting user passwords, managing user licenses, or managing domain names.

This article lists the Microsoft Entra built-in roles you can assign to allow management of Microsoft Entra resources. For information about how to assign roles, see [Assign Microsoft Entra roles](#). If you are looking for roles to manage Azure resources, see [Azure built-in roles](#).

All roles

 Expand table

Role	Description	Template ID
AI Administrator	Manage all aspects of Microsoft 365 Copilot and AI-related enterprise services in Microsoft 365.	d2562ede-74db-457e-a7b6-544e236ebb61
Application Administrator	Can create and manage all aspects of app registrations and enterprise apps. PRIVILEGED	9b895d92-2cd3-44c7-9d02-a6ac2d5ea5c3
Application Developer	Can create application registrations independent of the 'Users can register applications' setting. PRIVILEGED	cf1c38e5-3621-4004-a7cb-879624dced7c
Attack Payload Author	Can create attack payloads that an administrator can initiate later.	9c6df0f2-1e7c-4dc3-b195-66dfbd24aa8f
Attack Simulation Administrator	Can create and manage all aspects of attack simulation campaigns.	c430b396-e693-46cc-96f3-db01bf8bb62a
Attribute Assignment Administrator	Assign custom security attribute keys and values to supported Microsoft Entra objects.	58a13ea3-c632-46ae-9ee0-9c0d43cd7f3d

Role	Description	Template ID
Attribute Assignment Reader	Read custom security attribute keys and values for supported Microsoft Entra objects.	ffd52fa5-98dc-465c-991d-fc073eb59f8f
Attribute Definition Administrator	Define and manage the definition of custom security attributes.	8424c6f0-a189-499e-bbd0-26c1753c96d4
Attribute Definition Reader	Read the definition of custom security attributes.	1d336d2c-4ae8-42ef-9711-b3604ce3fc2c
Attribute Log Administrator	Read audit logs and configure diagnostic settings for events related to custom security attributes.	5b784334-f94b-471a-a387-e7219fc49ca2
Attribute Log Reader	Read audit logs related to custom security attributes.	9c99539d-8186-4804-835f-fd51ef9e2dcd
Attribute Provisioning Administrator	Read and edit the provisioning configuration of all active custom security attributes for an application. PRIVILEGED	ecb2c6bf-0ab6-418e-bd87-7986f8d63bbe
Attribute Provisioning Reader	Read the provisioning configuration of all active custom security attributes for an application. PRIVILEGED	422218e4-db15-4ef9-bbe0-8afb41546d79
Authentication Administrator	Can access to view, set and reset authentication method information for any non-admin user. PRIVILEGED	c4e39bd9-1100-46d3-8c65-fb160da0071f
Authentication Extensibility Administrator	Customize sign in and sign up experiences for users by creating and managing custom authentication extensions. PRIVILEGED	25a516ed-2fa0-40ea-a2d0-12923a21473a
Authentication Policy Administrator	Can create and manage the authentication methods policy, tenant-wide MFA settings, password protection policy, and verifiable credentials.	0526716b-113d-4c15-b2c8-68e3c22b9f80

Role	Description	Template ID
Azure DevOps Administrator	Can manage Azure DevOps policies and settings.	e3973bdf-4987-49ae-837a-ba8e231c7286
Azure Information Protection Administrator	Can manage all aspects of the Azure Information Protection product.	7495fdc4-34c4-4d15-a289-98788ce399fd
B2C IEF Keyset Administrator	Can manage secrets for federation and encryption in the Identity Experience Framework (IEF). PRIVILEGED	aaf43236-0c0d-4d5f-883a-6955382ac081
B2C IEF Policy Administrator	Can create and manage trust framework policies in the Identity Experience Framework (IEF).	3edaf663-341e-4475-9f94-5c398ef6c070
Billing Administrator	Can perform common billing related tasks like updating payment information.	b0f54661-2d74-4c50-afa3-1ec803f12efe
Cloud App Security Administrator	Can manage all aspects of the Defender for Cloud Apps product.	892c5842-a9a6-463a-8041-72aa08ca3cf6
Cloud Application Administrator	Can create and manage all aspects of app registrations and enterprise apps except App Proxy. PRIVILEGED	158c047a-c907-4556-b7ef-446551a6b5f7
Cloud Device Administrator	Limited access to manage devices in Microsoft Entra ID. PRIVILEGED	7698a772-787b-4ac8-901f-60d6b08affd2
Compliance Administrator	Can read and manage compliance configuration and reports in Microsoft Entra ID and Microsoft 365.	17315797-102d-40b4-93e0-432062caca18
Compliance Data Administrator	Creates and manages compliance content.	e6d1a23a-da11-4be4-9570-befc86d067a7
Conditional Access Administrator	Can manage Conditional Access capabilities. PRIVILEGED	b1be1c3e-b65d-4f19-8427-f6fa0d97feb9

Role	Description	Template ID
Customer LockBox Access Approver	Can approve Microsoft support requests to access customer organizational data.	5c4f9dcd-47dc-4cf7-8c9a-9e4207cbfc91
Desktop Analytics Administrator	Can access and manage Desktop management tools and services.	38a96431-2bdf-4b4c-8b6e-5d3d8abac1a4
Directory Readers	Can read basic directory information. Commonly used to grant directory read access to applications and guests.	88d8e3e3-8f55-4a1e-953a-9b9898b8876b
Directory Synchronization Accounts	Only used by Microsoft Entra Connect service.	d29b2b05-8046-44ba-8758-1e26182fcf32
Directory Writers	Can read and write basic directory information. For granting access to applications, not intended for users. PRIVILEGED	9360feb5-f418-4baa-8175-e2a00bac4301
Domain Name Administrator	Can manage domain names in cloud and on-premises. PRIVILEGED	8329153b-31d0-4727-b945-745eb3bc5f31
Dragon Administrator	Manage all aspects of the Microsoft Dragon admin center.	e93e3737-fa85-474a-ae4-7d3fb86510f3
Dynamics 365 Administrator	Can manage all aspects of the Dynamics 365 product.	44367163-eba1-44c3-98af-f5787879f96a
Dynamics 365 Business Central Administrator	Access and perform all administrative tasks on Dynamics 365 Business Central environments.	963797fb-eb3b-4cde-8ce3-5878b3f32a3f
Edge Administrator	Manage all aspects of Microsoft Edge.	3f1acade-1e04-4fbc-9b69-f0302cd84aef
Exchange Administrator	Can manage all aspects of the Exchange product.	29232cdf-9323-42fd-ade2-1d097af3e4de
Exchange Backup Administrator	Back up and restore content (including granular restore) for Exchange in Microsoft 365 Backup	49eb8f75-97e9-4e37-9b2b-6c3ebfcffa31
Exchange Recipient Administrator	Can create or update Exchange Online recipients within the	31392ffb-586c-42d1-9346-e59415a2cc4e

Role	Description	Template ID
	Exchange Online organization.	
Extended Directory User Administrator	Manage all aspects of external user profiles in the extended directory for Teams.	dd13091a-6207-4fc0-82ba-3641e056ab95
External ID User Flow Administrator	Can create and manage all aspects of user flows.	6e591065-9bad-43ed-90f3-e9424366d2f0
External ID User Flow Attribute Administrator	Can create and manage the attribute schema available to all user flows.	0f971eea-41eb-4569-a71e-57bb8a3eff1e
External Identity Provider Administrator	Can configure identity providers for use in direct federation. PRIVILEGED	be2f45a1-457d-42af-a067-6ec1fa63bc45
Fabric Administrator	Can manage all aspects of the Fabric and Power BI products.	a9ea8996-122f-4c74-9520-8edcd192826c
Global Administrator	Can manage all aspects of Microsoft Entra ID and Microsoft services that use Microsoft Entra identities. PRIVILEGED	62e90394-69f5-4237-9190-012177145e10
Global Reader	Can read everything that a Global Administrator can, but not update anything. PRIVILEGED	f2ef992c-3afb-46b9-b7cf-a126ee74c451
Global Secure Access Administrator	Create and manage all aspects of Global Secure Internet Access and Microsoft Global Secure Private Access, including managing access to public and private endpoints.	ac434307-12b9-4fa1-a708-88bf58caabc1
Global Secure Access Log Reader	Provides designated security personnel with read-only access to network traffic logs in Microsoft Entra Internet Access and Microsoft Entra Private Access for detailed analysis.	843318fb-79a6-4168-9e6f-aa9a07481cc4
Groups Administrator	Members of this role can create/manage groups, create/manage groups settings like naming and expiration	fdd7a751-b60b-444a-984c-02652fe8fa1c

Role	Description	Template ID
	policies, and view groups activity and audit reports.	
Guest Inviter	Can invite guest users independent of the 'members can invite guests' setting.	95e79109-95c0-4d8e-ae3-d01accf2d47b
Helpdesk Administrator	Can reset passwords for non-administrators and Helpdesk Administrators. PRIVILEGED	729827e3-9c14-49f7-bb1b-9608f156bbb8
Hybrid Identity Administrator	Manage Active Directory to Microsoft Entra cloud provisioning, Microsoft Entra Connect, pass-through authentication (PTA), password hash synchronization (PHS), seamless single sign-on (seamless SSO), and federation settings. Does not have access to manage Microsoft Entra Connect Health. PRIVILEGED	8ac3fc64-6eca-42ea-9e69-59f4c7b60eb2
Identity Governance Administrator	Manage access using Microsoft Entra ID for identity governance scenarios.	45d8d3c5-c802-45c6-b32a-1d70b5e1e86e
Insights Administrator	Has administrative access in the Microsoft 365 Insights app.	eb1f4a8d-243a-41f0-9fbd-c7cdf6c5ef7c
Insights Analyst	Access the analytical capabilities in Microsoft Viva Insights and run custom queries.	25df335f-86eb-4119-b717-0ff02de207e9
Insights Business Leader	Can view and share dashboards and insights via the Microsoft 365 Insights app.	31e939ad-9672-4796-9c2e-873181342d2d
Intune Administrator	Can manage all aspects of the Intune product. PRIVILEGED	3a2c62db-5318-420d-8d74-23affee5d9d5
IoT Device Administrator	Provision new IoT devices, manage their lifecycle, configure certificates, and manage device templates.	2ea5ce4c-b2d8-4668-bd81-3680bd2d227a

Role	Description	Template ID
Kaizala Administrator	Can manage settings for Microsoft Kaizala.	74ef975b-6605-40af-a5d2-b9539d836353
Knowledge Administrator	Can configure knowledge, learning, and other intelligent features.	b5a8dcf3-09d5-43a9-a639-8e29ef291470
Knowledge Manager	Can organize, create, manage, and promote topics and knowledge.	744ec460-397e-42ad-a462-8b3f9747a02c
License Administrator	Can manage product licenses on users and groups.	4d6ac14f-3453-41d0-bef9-a3e0c569773a
Lifecycle Workflows Administrator	Create and manage all aspects of workflows and tasks associated with Lifecycle Workflows in Microsoft Entra ID. PRIVILEGED	59d46f88-662b-457b-bceb-5c3809e5908f
Message Center Privacy Reader	Can read security messages and updates in Office 365 Message Center only.	ac16e43d-7b2d-40e0-ac05-243ff356ab5b
Message Center Reader	Can read messages and updates for their organization in Office 365 Message Center only.	790c1fb9-7f7d-4f88-86a1-ef1f95c05c1b
Microsoft 365 Backup Administrator	Back up and restore content across supported services (SharePoint, OneDrive, and Exchange Online) in Microsoft 365 Backup	1707125e-0aa2-4d4d-8655-a7c786c76a25
Microsoft 365 Migration Administrator	Perform all migration functionality to migrate content to Microsoft 365 using Migration Manager.	8c8b803f-96e1-4129-9349-20738d9f9652
Microsoft Entra Joined Device Local Administrator	Users assigned to this role are added to the local administrators group on Microsoft Entra joined devices.	9f06204d-73c1-4d4c-880a-6edb90606fd8
Microsoft Graph Data Connect Administrator	Manage aspects of Microsoft Graph Data Connect service in a tenant.	ee67aa9c-e510-4759-b906-227085a7fd4d

Role	Description	Template ID
Microsoft Hardware Warranty Administrator	Create and manage all aspects warranty claims and entitlements for Microsoft manufactured hardware, like Surface and HoloLens.	1501b917-7653-4ff9-a4b5-203eaf33784f
Microsoft Hardware Warranty Specialist	Create and read warranty claims for Microsoft manufactured hardware, like Surface and HoloLens.	281fe777-fb20-4fbb-b7a3-ccebce5b0d96
Network Administrator	Can manage network locations and review enterprise network design insights for Microsoft 365 Software as a Service applications.	d37c8bed-0711-4417-ba38-b4abe66ce4c2
Office Apps Administrator	Can manage Office apps cloud services, including policy and settings management, and manage the ability to select, unselect and publish 'what's new' feature content to end-user's devices.	2b745bdf-0803-4d80-aa65-822c4493daac
Organizational Branding Administrator	Manage all aspects of organizational branding in a tenant.	92ed04bf-c94a-4b82-9729-b799a7a4c178
Organizational Data Source Administrator	Set up and manage the ingestion of organizational data into Microsoft 365.	9d70768a-0cbc-4b4c-aea3-2e124b2477f4
Organizational Messages Approver	Review, approve, or reject new organizational messages for delivery in the Microsoft 365 admin center before they are sent to users.	e48398e2-f4bb-4074-8f31-4586725e205b
Organizational Messages Writer	Write, publish, manage, and review the organizational messages for end-users through Microsoft product surfaces.	507f53e4-4e52-4077-abd3-d2e1558b6ea2
Partner Tier1 Support	Do not use - not intended for general use. PRIVILEGED	4ba39ca4-527c-499a-b93d-d9b492c50246

Role	Description	Template ID
Partner Tier2 Support	Do not use - not intended for general use. PRIVILEGED	e00e864a-17c5-4a4b-9c06-f5b95a8d5bd8
Password Administrator	Can reset passwords for non-administrators and Password Administrators. PRIVILEGED	966707d0-3269-4727-9be2-8c3a10f19b9d
People Administrator	Manage profile photos of users and people settings for all users in the organization.	024906de-61e5-49c8-8572-40335f1e0e10
Permissions Management Administrator	Manage all aspects of Microsoft Entra Permissions Management.	af78dc32-cf4d-46f9-ba4e-4428526346b5
Places Administrator	Manage all aspects of the Microsoft Places service.	78b0ccd1-afc2-4f92-9116-b41aedd09592
Power Platform Administrator	Can create and manage all aspects of Microsoft Dynamics 365, Power Apps and Power Automate.	11648597-926c-4cf3-9c36-bcebb0ba8dcc
Printer Administrator	Can manage all aspects of printers and printer connectors.	644ef478-e28f-4e28-b9dc-3fdde9aa0b1f
Printer Technician	Can register and unregister printers and update printer status.	e8cef6f1-e4bd-4ea8-bc07-4b8d950f4477
Privileged Authentication Administrator	Can access to view, set and reset authentication method information for any user (admin or non-admin). PRIVILEGED	7be44c8a-adaf-4e2a-84d6-ab2649e08a13
Privileged Role Administrator	Can manage role assignments in Microsoft Entra ID, and all aspects of Privileged Identity Management. PRIVILEGED	e8611ab8-c189-46e8-94e1-60213ab1f814
Reports Reader	Can read sign-in and audit reports.	4a5d8f65-41da-4de4-8968-e035b65339cf
Search Administrator	Can create and manage all aspects of Microsoft Search	0964bb5e-9bdb-4d7b-ac29-58e794862a40

Role	Description	Template ID
	settings.	
Search Editor	Can create and manage the editorial content such as bookmarks, Q and As, locations, floorplan.	8835291a-918c-4fd7-a9ce-faa49f0cf7d9
Security Administrator	Can read security information and reports, and manage configuration in Microsoft Entra ID and Office 365. PRIVILEGED	194ae4cb-b126-40b2-bd5b-6091b380977d
Security Operator	Creates and manages security events. PRIVILEGED	5f2222b1-57c3-48ba-8ad5-d4759f1fde6f
Security Reader	Can read security information and reports in Microsoft Entra ID and Office 365. PRIVILEGED	5d6b6bb7-de71-4623-b4af-96380a352509
Service Support Administrator	Can read service health information and manage support tickets.	f023fd81-a637-4b56-95fd-791ac0226033
SharePoint Administrator	Can manage all aspects of the SharePoint service.	f28a1f50-f6e7-4571-818b-6a12f2af6b6c
SharePoint Backup Administrator	Back up and restore content (including granular restore) for SharePoint and OneDrive in Microsoft 365 Backup	9d3e04ba-3ee4-4d1b-a3a7-9aef423a09be
SharePoint Embedded Administrator	Manage all aspects of SharePoint Embedded containers.	1a7d78b6-429f-476b-b8eb-35fb715fffd4
Skype for Business Administrator	Can manage all aspects of the Skype for Business product.	75941009-915a-4869-abe7-691bff18279e
Teams Administrator	Can manage the Microsoft Teams service.	69091246-20e8-4a56-aa4d-066075b2a7a8
Teams Communications Administrator	Can manage calling and meetings features within the Microsoft Teams service.	baf37b3a-610e-45da-9e62-d9d1e5e8914b
Teams Communications Support Engineer	Can troubleshoot communications issues within	f70938a0-fc10-4177-9e90-2178f8765737

Role	Description	Template ID
	Teams using advanced tools.	
Teams Communications Support Specialist	Can troubleshoot communications issues within Teams using basic tools.	fcf91098-03e3-41a9-b5ba-6f0ec8188a12
Teams Devices Administrator	Can perform management related tasks on Teams certified devices.	3d762c5a-1b6c-493f-843e-55a3b42923d4
Teams Reader	Read everything in the Teams admin center, but not update anything.	1076ac91-f3d9-41a7-a339-dcdf5f480acc
Teams Telephony Administrator	Manage voice and telephony features and troubleshoot communication issues within the Microsoft Teams service.	aa38014f-0993-46e9-9b45-30501a20909d
Tenant Creator	Create new Microsoft Entra or Azure AD B2C tenants.	112ca1a2-15ad-4102-995e-45b0bc479a6a
Usage Summary Reports Reader	Read Usage reports and Adoption Score, but can't access user details.	75934031-6c7e-415a-99d7-48dbd49e875e
User Administrator	Can manage all aspects of users and groups, including resetting passwords for limited admins. PRIVILEGED	fe930be7-5e62-47db-91af-98c3a49a38b1
User Experience Success Manager	View product feedback, survey results, and reports to find training and communication opportunities.	27460883-1df1-4691-b032-3b79643e5e63
Virtual Visits Administrator	Manage and share Virtual Visits information and metrics from admin centers or the Virtual Visits app.	e300d9e7-4a2b-4295-9eff-f1c78b36cc98
Viva Glint Tenant Administrator	Manage and configure Microsoft Viva Glint settings in the Microsoft 365 admin center.	0ec3f692-38d6-4d14-9e69-0377ca7797ad
Viva Goals Administrator	Manage and configure all aspects of Microsoft Viva Goals.	92b086b3-e367-4ef2-b869-1de128fb986e
Viva Pulse Administrator	Can manage all settings for	87761b17-1ed2-4af3-9acd-

Role	Description	Template ID
	Microsoft Viva Pulse app.	92a150038160
Windows 365 Administrator	Can provision and manage all aspects of Cloud PCs.	11451d60-acb2-45eb-a7d6-43d0f0125c13
Windows Update Deployment Administrator	Can create and manage all aspects of Windows Update deployments through the Windows Update for Business deployment service.	32696413-001a-46ae-978c-ce0f6b3620d2
Yammer Administrator	Manage all aspects of the Yammer service.	810a2642-a034-447f-a5e8-41beaa378541

AI Administrator

Assign the AI Administrator role to users who need to do the following tasks:

- Manage all aspects of Microsoft 365 Copilot
- Manage AI-related enterprise services, extensibility, and copilot agents from the Integrated apps page in the Microsoft 365 admin center
- Approve and publish line-of-business copilot agents
- Read and configure Azure and Microsoft 365 service health dashboards
- View usage reports, adoption insights, and organizational insight
- Create and manage support tickets in Azure and the Microsoft 365 admin center

 Expand table

Actions	Description
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health
microsoft.azure.supportTickets/allEntities/allTasks	Create and manage Azure support tickets
microsoft.office365.copilot/allEntities/allProperties/allTasks	Create and manage all settings for Microsoft 365 Copilot
microsoft.office365.messageCenter/messages/read	Read messages in Message Center in the Microsoft 365 admin center, excluding security messages
microsoft.office365.network/performance/allProperties/read	Read all network performance properties in the Microsoft 365 admin center
microsoft.office365.search/content/manage	Create and delete content, and read and update all properties in Microsoft Search

Actions	Description
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.usageReports/allEntities/allProperties/read	Read Office 365 usage reports
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Application Administrator

PRIVILEGED

This is a [privileged role](#). Users in this role can create and manage all aspects of enterprise applications, application registrations, and application proxy settings. Note that users assigned to this role are not added as owners when creating new application registrations or enterprise applications.

This role also grants the ability to consent for delegated permissions and application permissions, with the exception of application permissions for Azure AD Graph and Microsoft Graph.

Important

This exception means that you can still consent to application permissions for *other* apps (for example, other Microsoft apps, 3rd-party apps, or apps that you have registered). You can still *request* these permissions as part of the app registration, but *granting* (that is, consenting to) these permissions requires a more privileged administrator, such as Privileged Role Administrator.

This role grants the ability to manage application credentials. Users assigned this role can add credentials to an application, and use those credentials to impersonate the application's identity. If the application's identity has been granted access to a resource, such as the ability to create or update User or other objects, then a user assigned to this role could perform those actions while impersonating the application. This ability to impersonate the application's identity may be an elevation of privilege over what the user can do via their role assignments. It is important to understand that assigning a user to

the Application Administrator role gives them the ability to impersonate an application's identity.

 Expand table

Actions	Description
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health
microsoft.azure.supportTickets/allEntities/allTasks	Create and manage Azure support tickets
microsoft.directory/adminConsentRequestPolicy/allProperties/allTasks	Manage admin consent request policies in Microsoft Entra ID
microsoft.directory/appConsent/appConsentRequests/allProperties/read	Read all properties of consent requests for applications registered with Microsoft Entra ID
microsoft.directory/applicationPolicies/basic/update	Update standard properties of application policies
microsoft.directory/applicationPolicies/create	Create application policies
microsoft.directory/applicationPolicies/delete	Delete application policies
microsoft.directory/applicationPolicies/owners/read	Read owners on application policies
microsoft.directory/applicationPolicies/owners/update	Update the owner property of application policies
microsoft.directory/applicationPolicies/policyAppliedTo/read	Read application policies applied to objects list
microsoft.directory/applicationPolicies/standard/read	Read standard properties of application policies
microsoft.directory/applications/applicationProxy/read	Read all application proxy properties
microsoft.directory/applications/applicationProxy/update	Update all application proxy properties
microsoft.directory/applications/applicationProxyAuthentication/update	Update authentication on all types of applications
microsoft.directory/applications/applicationProxySSLCertificate/update	Update SSL certificate settings for application proxy
microsoft.directory/applications/applicationProxyURLSettings/update	Update URL settings for application proxy

Actions	Description
microsoft.directory/applications/appRoles/update	Update the appRoles property on all types of applications
microsoft.directory/applications/audience/update	Update the audience property for applications
microsoft.directory/applications/authentication/update	Update authentication on all types of applications
microsoft.directory/applications/basic/update	Update basic properties for applications
microsoft.directory/applications/create	Create all types of applications
microsoft.directory/applications/credentials/update	Update application credentials PRIVILEGED
microsoft.directory/applications/delete	Delete all types of applications
microsoft.directory/applications/extensionProperties/update	Update extension properties on applications
microsoft.directory/applications/notes/update	Update notes of applications
microsoft.directory/applications/owners/update	Update owners of applications
microsoft.directory/applications/permissions/update	Update exposed permissions and required permissions on all types of applications
microsoft.directory/applications/policies/update	Update policies of applications
microsoft.directory/applications/synchronization/standard/read	Read provisioning settings associated with the application object
microsoft.directory/applications/tag/update	Update tags of applications
microsoft.directory/applications/verification/update	Update applicationsverification property
microsoft.directory/applicationTemplates/instantiate	Instantiate gallery applications from application templates
microsoft.directory/auditLogs/allProperties/read	Read all properties on audit logs, excluding custom security attributes audit logs
microsoft.directory/connectorGroups/allProperties/read	Read all properties of application proxy connector groups
microsoft.directory/connectorGroups/allProperties/update	Update all properties of application proxy connector groups
microsoft.directory/connectorGroups/create	Create application proxy connector groups

Actions	Description
microsoft.directory/connectorGroups/delete	Delete application proxy connector groups
microsoft.directory/connectors/allProperties/read	Read all properties of application proxy connectors
microsoft.directory/connectors/create	Create application proxy connectors
microsoft.directory/customAuthenticationExtensions/allProperties/allTasks	Create and manage custom authentication extensions PRIVILEGED
microsoft.directory/deletedItems/applications/delete	Permanently delete applications, which can no longer be restored
microsoft.directory/deletedItems/applications/restore	Restore soft deleted applications to original state
microsoft.directory/oauth2PermissionGrants/allProperties/allTasks	Create and delete OAuth 2.0 permission grants, and read and update all properties PRIVILEGED
microsoft.directory/provisioningLogs/allProperties/read	Read all properties of provisioning logs
microsoft.directory/servicePrincipals/appRoleAssignedTo/update	Update service principal role assignments
microsoft.directory/servicePrincipals/audience/update	Update audience properties on service principals
microsoft.directory/servicePrincipals/authentication/update	Update authentication properties on service principals
microsoft.directory/servicePrincipals/basic/update	Update basic properties on service principals
microsoft.directory/servicePrincipals/create	Create service principals
microsoft.directory/servicePrincipals/credentials/update	Update credentials of service principals PRIVILEGED
microsoft.directory/servicePrincipals/delete	Delete service principals
microsoft.directory/servicePrincipals/disable	Disable service principals
microsoft.directory/servicePrincipals/enable	Enable service principals
microsoft.directory/servicePrincipals/getPasswordSingleSignOnCredentials	Manage password single sign-on credentials on service principals
microsoft.directory/servicePrincipals/managePasswordSingleSignOnCredentials	Read password single sign-on credentials on service principals

Actions	Description
microsoft.directory/servicePrincipals/managePermissionsGrantsForAll.microsoft-application-admin	Grant consent for application permissions and delegated permissions on behalf of any user or all users, except for application permissions for Microsoft Graph and Azure AD Graph
microsoft.directory/servicePrincipals/notes/update	Update notes of service principals
microsoft.directory/servicePrincipals/owners/update	Update owners of service principals
microsoft.directory/servicePrincipals/permissions/update	Update permissions of service principals
microsoft.directory/servicePrincipals/policies/update	Update policies of service principals
microsoft.directory/servicePrincipals/synchronization.cloudTenantToExternalSystem/credentials/manage	Manage application provisioning secrets and credentials.
microsoft.directory/servicePrincipals/synchronization.cloudTenantToExternalSystem/jobs/manage	Start, restart, and pause application provisioning synchronization jobs.
microsoft.directory/servicePrincipals/synchronization.cloudTenantToExternalSystem/schema/manage	Create and manage application provisioning synchronization jobs and schema.
microsoft.directory/servicePrincipals/synchronization/standard/read	Read provisioning settings associated with your service principal
microsoft.directory/servicePrincipals/synchronizationCredentials/manage	Manage application provisioning secrets and credentials
microsoft.directory/servicePrincipals/synchronizationJobs/manage	Start, restart, and pause application provisioning synchronization jobs
microsoft.directory/servicePrincipals/synchronizationSchema/manage	Create and manage application provisioning synchronization jobs and schema
microsoft.directory/servicePrincipals/tag/update	Update the tag property for service principals
microsoft.directory/signInReports/allProperties/read	Read all properties on sign-in reports, including privileged properties
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests

Actions	Description
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Application Developer

PRIVILEGED

This is a [privileged role](#). Users in this role can create application registrations when the "Users can register applications" setting is set to No. This role also grants permission to consent on one's own behalf when the "Users can consent to apps accessing company data on their behalf" setting is set to No. Users assigned to this role are added as owners when creating new application registrations.

 Expand table

Actions	Description
microsoft.directory/applications/createAsOwner	Create all types of applications, and creator is added as the first owner
microsoft.directory/oAuth2PermissionGrants/createAsOwner	Create OAuth 2.0 permission grants, with creator as the first owner PRIVILEGED
microsoft.directory/servicePrincipals/createAsOwner	Create service principals, with creator as the first owner

Attack Payload Author

Users in this role can create attack payloads but not actually launch or schedule them. Attack payloads are then available to all administrators in the tenant who can use them to create a simulation. Access to reports is limited to simulations executed by the user, and this role doesn't grant access to aggregate reports such as Training efficacy, Repeat offenders, Training completion, or User coverage.

For more information, see these articles:

- [Get started using Attack simulation training](#)
- [Microsoft Defender for Office 365 permissions in the Microsoft Defender portal](#)
- [Permissions in the Microsoft Purview portal](#)

[Expand table](#)

Actions	Description
microsoft.office365.protectionCenter/attackSimulator/payload/allProperties/allTasks	Create and manage attack payloads in Attack Simulator
microsoft.office365.protectionCenter/attackSimulator/reports/allProperties/read	Read reports of attack simulation, responses, and associated training

Attack Simulation Administrator

Users in this role can create and manage all aspects of attack simulation creation, launch/scheduling of a simulation, and the review of simulation results. Members of this role have this access for all simulations in the tenant.

For more information, see these articles:

- [Microsoft Defender for Office 365 permissions in the Microsoft Defender portal](#)
- [Permissions in the Microsoft Purview compliance portal](#)

[Expand table](#)

Actions	Description
microsoft.office365.protectionCenter/attackSimulator/payload/allProperties/allTasks	Create and manage attack payloads in Attack Simulator
microsoft.office365.protectionCenter/attackSimulator/reports/allProperties/read	Read reports of attack simulation, responses, and associated training
microsoft.office365.protectionCenter/attackSimulator/simulation/allProperties/allTasks	Create and manage attack simulation templates in Attack Simulator

Attribute Assignment Administrator

Users with this role can assign and remove custom security attribute keys and values for supported Microsoft Entra objects such as users, service principals, and devices.

Important

By default, [Global Administrator](#) and other administrator roles do not have permissions to read, define, or assign custom security attributes.

For more information, see [Manage access to custom security attributes in Microsoft Entra ID](#).

 Expand table

Actions	Description
microsoft.directory/attributeSets/allProperties/read	Read all properties of attribute sets
microsoft.directory/azureManagedIdentities/customSecurityAttributes/read	Read custom security attribute values for Microsoft Entra managed identities
microsoft.directory/azureManagedIdentities/customSecurityAttributes/update	Update custom security attribute values for Microsoft Entra managed identities
microsoft.directory/customSecurityAttributeDefinitions/allProperties/read	Read all properties of custom security attribute definitions
microsoft.directory/devices/customSecurityAttributes/read	Read custom security attribute values for devices
microsoft.directory/devices/customSecurityAttributes/update	Update custom security attribute values for devices
microsoft.directory/servicePrincipals/customSecurityAttributes/read	Read custom security attribute values for service principals
microsoft.directory/servicePrincipals/customSecurityAttributes/update	Update custom security attribute values for service principals
microsoft.directory/users/customSecurityAttributes/read	Read custom security attribute values for users
microsoft.directory/users/customSecurityAttributes/update	Update custom security attribute values for users

Attribute Assignment Reader

Users with this role can read custom security attribute keys and values for supported Microsoft Entra objects.

Important

By default, [Global Administrator](#) and other administrator roles do not have permissions to read, define, or assign custom security attributes.

For more information, see [Manage access to custom security attributes in Microsoft Entra ID](#).

[Expand table](#)

Actions	Description
microsoft.directory/attributeSets/allProperties/read	Read all properties of attribute sets
microsoft.directory/azureManagedIdentities/customSecurityAttributes/read	Read custom security attribute values for Microsoft Entra managed identities
microsoft.directory/customSecurityAttributeDefinitions/allProperties/read	Read all properties of custom security attribute definitions
microsoft.directory/devices/customSecurityAttributes/read	Read custom security attribute values for devices
microsoft.directory/servicePrincipals/customSecurityAttributes/read	Read custom security attribute values for service principals
microsoft.directory/users/customSecurityAttributes/read	Read custom security attribute values for users

Attribute Definition Administrator

Users with this role can define a valid set of custom security attributes that can be assigned to supported Microsoft Entra objects. This role can also activate and deactivate custom security attributes.

Important

By default, [Global Administrator](#) and other administrator roles do not have permissions to read, define, or assign custom security attributes.

For more information, see [Manage access to custom security attributes in Microsoft Entra ID](#).

[Expand table](#)

Actions	Description
microsoft.directory/attributeSets/allProperties/allTasks	Manage all aspects of attribute sets
microsoft.directory/customSecurityAttributeDefinitions/allProperties/allTasks	Manage all aspects of custom security attribute definitions

Attribute Definition Reader

Users with this role can read the definition of custom security attributes.

Important

By default, [Global Administrator](#) and other administrator roles do not have permissions to read, define, or assign custom security attributes.

For more information, see [Manage access to custom security attributes in Microsoft Entra ID](#).

 Expand table

Actions	Description
microsoft.directory/attributeSets/allProperties/read	Read all properties of attribute sets
microsoft.directory/customSecurityAttributeDefinitions/allProperties/read	Read all properties of custom security attribute definitions

Attribute Log Administrator

Assign the Attribute Log Reader role to users who need to do the following tasks:

- Read audit logs for custom security attribute value changes
- Read audit logs for custom security attribute definition changes and assignments
- Configure diagnostic settings for custom security attributes

Users with this role **cannot** read audit logs for other events.

Important

By default, [Global Administrator](#) and other administrator roles do not have permissions to read, define, or assign custom security attributes.

For more information, see [Manage access to custom security attributes in Microsoft Entra ID](#).

 Expand table

Actions	Description
microsoft.azure.customSecurityAttributeDiagnosticSettings/allEntities/allProperties/allTasks	Configure all aspects of custom security attributes diagnostic settings

Actions	Description
microsoft.directory/customSecurityAttributeAuditLogs/allProperties/read	Read audit logs related to custom security attributes

Attribute Log Reader

Assign the Attribute Log Reader role to users who need to do the following tasks:

- Read audit logs for custom security attribute value changes
- Read audit logs for custom security attribute definition changes and assignments

Users with this role **cannot** do the following tasks:

- Configure diagnostic settings for custom security attributes
- Read audit logs for other events

 Important

By default, [Global Administrator](#) and other administrator roles do not have permissions to read, define, or assign custom security attributes.

For more information, see [Manage access to custom security attributes in Microsoft Entra ID](#).

 Expand table

Actions	Description
microsoft.directory/customSecurityAttributeAuditLogs/allProperties/read	Read audit logs related to custom security attributes

Attribute Provisioning Administrator

PRIVILEGED

This is a **privileged role**. Assign the Attribute Provisioning Administrator role to users who need to do the following tasks:

- Read and write attribute mappings for custom security attributes when provisioning in an application.
- Read and write provisioning and auditing logs for custom security attributes when provisioning in an application.

Users with this role cannot read audit logs for other events. This role must be used in conjunction with the Cloud Application Administrator or Application Administrator roles (from least to most privileged) to read provisioning configurations.

 Important

This role does not have the ability to create custom security attribute sets or to directly assign or update custom security attribute values for the user object. This role can only configure the flow of the custom security attributes in the provisioning app.

[Learn more](#)

 **Expand table**

Actions	Description
microsoft.directory/servicePrincipals/synchronization.customSecurityAttributes/schema/read	Read all custom security attributes in the synchronization schema PRIVILEGED
microsoft.directory/servicePrincipals/synchronization.customSecurityAttributes/schema/update	Update custom security attribute mappings in the synchronization schema PRIVILEGED

Attribute Provisioning Reader

PRIVILEGED

This is a **privileged role**. Assign the Attribute Provisioning Reader role to users who need to do the following tasks:

- Read the attribute mappings for custom security attributes when provisioning in an application.
- Read the provisioning and auditing logs for custom security attributes when provisioning in an application.

Users with this role can't read audit logs for other events. This role must be used with the Cloud Application Administrator or Application Administrator roles (from least to most privileged) to read provisioning configurations.

[Learn more](#)

 Expand table

Actions	Description
microsoft.directory/servicePrincipals/synchronization.customSecurityAttributes/schema/read	Read all custom security attributes in the synchronization schema PRIVILEGED

Authentication Administrator

PRIVILEGED

This is a [privileged role](#). Assign the Authentication Administrator role to users who need to do the following:

- Set or reset any authentication method (including passwords) for nonadministrators and some roles. For a list of the roles that an Authentication Administrator can read or update authentication methods, see [Who can reset passwords](#).
- Require users who are nonadministrators or assigned to some roles to re-register against existing nonpassword credentials (for example, MFA or FIDO), and can also revoke **remember MFA on the device**, which prompts for MFA on the next sign-in.
- Manage MFA settings in the legacy MFA management portal.
- Perform sensitive actions for some users. For more information, see [Who can perform sensitive actions](#).
- Create and manage support tickets in Azure and the Microsoft 365 admin center.

Users with this role **cannot** do the following:

- Cannot change the credentials or reset MFA for members and owners of a [role-assignable group](#).
- Cannot manage Hardware OATH tokens.

The following table compares the capabilities of authentication-related roles.

 Expand table

Role	Manage user's auth methods	Manage per-user MFA	Manage MFA settings	Manage auth method policy	Manage password protection policy	Update sensitive properties	Delete and restore users
Authentication Administrator	Yes for some users	No	No	No	No	Yes for some users	Yes for some users

Role	Manage user's auth methods	Manage per-user MFA	Manage MFA settings	Manage auth method policy	Manage password protection policy	Update sensitive properties	Delete and restore users
Privileged Authentication Administrator	Yes for all users	No	No	No	No	Yes for all users	Yes for all users
Authentication Policy Administrator	No	Yes	Yes	Yes	Yes	No	No
User Administrator	No	No	No	No	No	Yes for some users	Yes for some users

Important

Users with this role can change credentials for people who may have access to sensitive or private information or critical configuration inside and outside of Microsoft Entra ID. Changing the credentials of a user may mean the ability to assume that user's identity and permissions. For example:

- Application Registration and Enterprise Application owners, who can manage credentials of apps they own. Those apps may have privileged permissions in Microsoft Entra ID and elsewhere not granted to Authentication Administrators. Through this path, an Authentication Administrator can assume the identity of an application owner and then further assume the identity of a privileged application by updating the credentials for the application.
- Azure subscription owners, who may have access to sensitive or private information or critical configuration in Azure.
- Security Group and Microsoft 365 group owners, who can manage group membership. Those groups may grant access to sensitive or private information or critical configuration in Microsoft Entra ID and elsewhere.
- Administrators in other services outside of Microsoft Entra ID like Exchange Online, Microsoft Defender XDR portal, Microsoft Purview portal, and human resources systems.
- Nonadministrators like executives, legal counsel, and human resources employees who may have access to sensitive or private information.

Actions	Description
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health
microsoft.azure.supportTickets/allEntities/allTasks	Create and manage Azure support tickets
microsoft.directory/deletedItems/users/restore	Restore soft deleted users to original state
microsoft.directory/users/authenticationMethods/basic/update	Update basic properties of authentication methods for users PRIVILEGED
microsoft.directory/users/authenticationMethods/create	Update authentication methods for users PRIVILEGED
microsoft.directory/users/authenticationMethods/delete	Delete authentication methods for users PRIVILEGED
microsoft.directory/users/authenticationMethods/standard/restrictedRead	Read standard properties of authentication methods that do not include personally identifiable information for users
microsoft.directory/users/basic/update	Update basic properties on users
microsoft.directory/users/delete	Delete users PRIVILEGED
microsoft.directory/users/disable	Disable users PRIVILEGED
microsoft.directory/users/enable	Enable users PRIVILEGED
microsoft.directory/users/invalidateAllRefreshTokens	Force sign-out by invalidating user refresh tokens PRIVILEGED
microsoft.directory/users/manager/update	Update manager for users
microsoft.directory/users/password/update	Reset passwords for all users PRIVILEGED
microsoft.directory/users/restore	Restore deleted users
microsoft.directory/users/userPrincipalName/update	Update User Principal Name of users PRIVILEGED
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center

Actions	Description
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Authentication Extensibility Administrator

PRIVILEGED

This is a [privileged role](#). Assign the Authentication Extensibility Administrator role to users who need to do the following tasks:

- Create and manage all aspects of custom authentication extensions.

Users with this role can't do the following:

- Can't assign custom authentication extensions to applications to modify the authentication experiences, and can't consent to application permissions or create app registrations associated with the custom authentication extension. Instead, you must use the Application Administrator, Application Developer, or Cloud Application Administrator roles.

A custom authentication extension is an API endpoint created by a developer for authentication events and is registered in Microsoft Entra ID. Application administrators and application owners can use custom authentication extensions to customize their application's authentication experiences, such as sign in and sign up, or password reset.

[Learn more](#)

 Expand table

Actions	Description
microsoft.directory/customAuthenticationExtensions/allProperties/allTasks	Create and manage custom authentication extensions
	PRIVILEGED

Authentication Policy Administrator

Assign the Authentication Policy Administrator role to users who need to do the following:

- Configure the authentication methods policy, tenant-wide MFA settings, and password protection policy that determine which methods each user can register and use.
- Manage Password Protection settings: smart lockout configurations and updating the custom banned passwords list.
- Manage MFA settings in the legacy MFA management portal.
- Create and manage verifiable credentials.
- Create and manage Azure support tickets.

Users with this role **cannot** do the following:

- Cannot update sensitive properties. For more information, see [Who can perform sensitive actions](#).
- Cannot delete or restore users. For more information, see [Who can perform sensitive actions](#).
- Cannot manage Hardware OATH tokens.

The following table compares the capabilities of authentication-related roles.

 Expand table

Role	Manage user's auth methods	Manage per-user MFA	Manage MFA settings	Manage auth method policy	Manage password protection policy	Update sensitive properties	Delete and restore users
Authentication Administrator	Yes for some users	No	No	No	No	Yes for some users	Yes for some users
Privileged Authentication Administrator	Yes for all users	No	No	No	No	Yes for all users	Yes for all users
Authentication Policy Administrator	No	Yes	Yes	Yes	Yes	No	No
User Administrator	No	No	No	No	No	Yes for some users	Yes for some users

 Expand table

Actions	Description
microsoft.azure.supportTickets/allEntities/allTasks	Create and manage Azure support tickets

Actions	Description
microsoft.directory/organization/strongAuthentication/allTasks	Manage all aspects of strong authentication properties of an organization
microsoft.directory/userCredentialPolicies/basic/update	Update basic policies for users
microsoft.directory/userCredentialPolicies/create	Create credential policies for users
microsoft.directory/userCredentialPolicies/delete	Delete credential policies for users
microsoft.directory/userCredentialPolicies/owners/read	Read owners of credential policies for users
microsoft.directory/userCredentialPolicies/owners/update	Update owners of credential policies for users
microsoft.directory/userCredentialPolicies/policyAppliedTo/read	Read policy.appliesTo navigation link
microsoft.directory/userCredentialPolicies/standard/read	Read standard properties of credential policies for users
microsoft.directory/userCredentialPolicies/tenantDefault/update	Update policy.isOrganizationDefault property
microsoft.directory/verifiableCredentials/configuration/allProperties/read	Read configuration required to create and manage verifiable credentials
microsoft.directory/verifiableCredentials/configuration/allProperties/update	Update configuration required to create and manage verifiable credentials
microsoft.directory/verifiableCredentials/configuration/contracts/allProperties/read	Read a verifiable credential contract
microsoft.directory/verifiableCredentials/configuration/contracts/allProperties/update	Update a verifiable credential contract
microsoft.directory/verifiableCredentials/configuration/contracts/cards/allProperties/read	Read a verifiable credential card
microsoft.directory/verifiableCredentials/configuration/contracts/cards/revoke	Revoke a verifiable credential card
microsoft.directory/verifiableCredentials/configuration/contracts/create	Create a verifiable credential contract
microsoft.directory/verifiableCredentials/configuration/create	Create configuration required to create and manage verifiable credentials

Actions	Description
microsoft.directory/verifiableCredentials/configuration/delete	Delete configuration required to create and manage verifiable credentials and delete all of its verifiable credentials

Azure DevOps Administrator

Users with this role can manage all enterprise Azure DevOps policies, applicable to all Azure DevOps organizations backed by Microsoft Entra ID. Users in this role can manage these policies by navigating to any Azure DevOps organization that is backed by the company's Microsoft Entra ID. Additionally, users in this role can claim ownership of orphaned Azure DevOps organizations. This role grants no other Azure DevOps-specific permissions (for example, Project Collection Administrators) inside any of the Azure DevOps organizations backed by the company's Microsoft Entra organization.

[Expand table](#)

Actions	Description
microsoft.azure.devOps/allEntities/allTasks	Read and configure Azure DevOps

Azure Information Protection Administrator

Users with this role have all permissions in the Azure Information Protection service. This role allows configuring labels for the Azure Information Protection policy, managing protection templates, and activating protection. This role doesn't grant any permissions in Microsoft Entra ID Protection, Privileged Identity Management, Monitor Microsoft 365 Service Health, Microsoft Defender XDR portal, or Microsoft Purview portal.

[Expand table](#)

Actions	Description
microsoft.azure.informationProtection/allEntities/allTasks	Manage all aspects of Azure Information Protection
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health
microsoft.azure.supportTickets/allEntities/allTasks	Create and manage Azure support tickets
microsoft.directory/authorizationPolicy/standard/read	Read standard properties of authorization policy

Actions	Description
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

B2C IEF Keyset Administrator

PRIVILEGED

This is a [privileged role](#). Users assigned to this role can create and manage policy keys and secrets used for token encryption, token signing, and claim encryption/decryption. They can add new keys to existing key containers, enabling secret rollover without affecting existing applications. Additionally, users in this role can view the complete details of these secrets, including their expiration dates, even after creation.

Important

This is a sensitive role. The keyset administrator role should be carefully audited and assigned with care during preproduction and production.

 Expand table

Actions	Description
microsoft.directory/b2cTrustFrameworkKeySet/allProperties/allTasks	Read and configure key sets in Azure Active Directory B2C PRIVILEGED

B2C IEF Policy Administrator

Users in this role have the ability to create, read, update, and delete all custom policies in Azure AD B2C and therefore have full control over the Identity Experience Framework in the relevant Azure AD B2C organization. By editing policies, this user can establish direct federation with external identity providers, change the directory schema, change all user-facing content (HTML, CSS, JavaScript), change the requirements to complete an authentication, create new users, send user data to external systems including full migrations, and edit all user information

including sensitive fields like passwords and phone numbers. Conversely, this role cannot change the encryption keys or edit the secrets used for federation in the organization.

 Important

The B2 IEF Policy Administrator is a highly sensitive role that should be assigned on a very limited basis for organizations in production. Activities by these users should be closely audited, especially for organizations in production.

 **Expand table**

Actions	Description
microsoft.directory/b2cTrustFrameworkPolicy/allProperties/allTasks	Read and configure custom policies in Azure Active Directory B2C

Billing Administrator

Makes purchases, manages subscriptions, manages support tickets, and monitors service health.

 **Expand table**

Actions	Description
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health
microsoft.azure.supportTickets/allEntities/allTasks	Create and manage Azure support tickets
microsoft.commerce.billing/allEntities/allProperties/allTasks	Manage all aspects of Office 365 billing
microsoft.directory/organization/basic/update	Update basic properties on organization
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Cloud App Security Administrator

Users with this role have full permissions in Defender for Cloud Apps. They can add administrators, add Microsoft Defender for Cloud Apps policies and settings, upload logs, and perform governance actions.

 Expand table

Actions	Description
microsoft.directory/cloudAppSecurity/allProperties/allTasks	Create and delete all resources, and read and update standard properties in Microsoft Defender for Cloud Apps
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Cloud Application Administrator

PRIVILEGED

This is a [privileged role](#). Users in this role have the same permissions as the Application Administrator role, excluding the ability to manage application proxy. This role grants the ability to create and manage all aspects of enterprise applications and application registrations. Users assigned to this role are not added as owners when creating new application registrations or enterprise applications.

This role also grants the ability to consent for delegated permissions and application permissions, with the exception of application permissions for Azure AD Graph and Microsoft Graph.

 Important

This exception means that you can still consent to application permissions for *other* apps (for example, other Microsoft apps, 3rd-party apps, or apps that you have registered). You can still *request* these permissions as part of the app registration, but *granting* (that is, consenting to) these permissions requires a more privileged administrator, such as Privileged Role Administrator.

This role grants the ability to manage application credentials. Users assigned this role can add credentials to an application, and use those credentials to impersonate the application's identity. If the application's identity has been granted access to a resource, such as the ability to create or update User or other objects, then a user assigned to this role could perform those actions while impersonating the application. This ability to impersonate the application's identity may be an elevation of privilege over what the user

can do via their role assignments. It is important to understand that assigning a user to the Application Administrator role gives them the ability to impersonate an application's identity.

 Expand table

Actions	Description
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health
microsoft.azure.supportTickets/allEntities/allTasks	Create and manage Azure support tickets
microsoft.directory/adminConsentRequestPolicy/all Properties/allTasks	Manage admin consent request policies in Microsoft Entra ID
microsoft.directory/appConsent/appConsentRequests/allProperties/read	Read all properties of consent requests for applications registered with Microsoft Entra ID
microsoft.directory/applicationPolicies/basic/update	Update standard properties of application policies
microsoft.directory/applicationPolicies/create	Create application policies
microsoft.directory/applicationPolicies/delete	Delete application policies
microsoft.directory/applicationPolicies/owners/read	Read owners on application policies
microsoft.directory/applicationPolicies/owners/update	Update the owner property of application policies
microsoft.directory/applicationPolicies/policyAppliedTo/read	Read application policies applied to objects list
microsoft.directory/applicationPolicies/standard/read	Read standard properties of application policies
microsoft.directory/applications/appRoles/update	Update the appRoles property on all types of applications
microsoft.directory/applications/audience/update	Update the audience property for applications
microsoft.directory/applications/authentication/update	Update authentication on all types of applications
microsoft.directory/applications/basic/update	Update basic properties for applications
microsoft.directory/applications/create	Create all types of applications
microsoft.directory/applications/credentials/update	Update application credentials

PRIVILEGED

Actions	Description
microsoft.directory/applications/delete	Delete all types of applications
microsoft.directory/applications/extensionProperties/update	Update extension properties on applications
microsoft.directory/applications/notes/update	Update notes of applications
microsoft.directory/applications/owners/update	Update owners of applications
microsoft.directory/applications/permissions/update	Update exposed permissions and required permissions on all types of applications
microsoft.directory/applications/policies/update	Update policies of applications
microsoft.directory/applications/synchronization/standard/read	Read provisioning settings associated with the application object
microsoft.directory/applications/tag/update	Update tags of applications
microsoft.directory/applications/verification/update	Update applicationsverification property
microsoft.directory/applicationTemplates/instantiate	Instantiate gallery applications from application templates
microsoft.directory/auditLogs/allProperties/read	Read all properties on audit logs, excluding custom security attributes audit logs
microsoft.directory/deletedItems/applications/delete	Permanently delete applications, which can no longer be restored
microsoft.directory/deletedItems/applications/restore	Restore soft deleted applications to original state
microsoft.directory/oauth2PermissionGrants/allProperties/allTasks	Create and delete OAuth 2.0 permission grants, and read and update all properties PRIVILEGED
microsoft.directory/provisioningLogs/allProperties/read	Read all properties of provisioning logs
microsoft.directory/servicePrincipals/appRoleAssignedTo/update	Update service principal role assignments
microsoft.directory/servicePrincipals/audience/update	Update audience properties on service principals
microsoft.directory/servicePrincipals/authentication/update	Update authentication properties on service principals
microsoft.directory/servicePrincipals/basic/update	Update basic properties on service principals

Actions	Description
microsoft.directory/servicePrincipals/create	Create service principals
microsoft.directory/servicePrincipals/credentials/update	Update credentials of service principals PRIVILEGED
microsoft.directory/servicePrincipals/delete	Delete service principals
microsoft.directory/servicePrincipals/disable	Disable service principals
microsoft.directory/servicePrincipals/enable	Enable service principals
microsoft.directory/servicePrincipals/getPasswordSingleSignOnCredentials	Manage password single sign-on credentials on service principals
microsoft.directory/servicePrincipals/managePasswordSingleSignOnCredentials	Read password single sign-on credentials on service principals
microsoft.directory/servicePrincipals/managePermissionGrantsForAll.microsoft-application-admin	Grant consent for application permissions and delegated permissions on behalf of any user or all users, except for application permissions for Microsoft Graph and Azure AD Graph
microsoft.directory/servicePrincipals/notes/update	Update notes of service principals
microsoft.directory/servicePrincipals/owners/update	Update owners of service principals
microsoft.directory/servicePrincipals/permissions/update	Update permissions of service principals
microsoft.directory/servicePrincipals/policies/update	Update policies of service principals
microsoft.directory/servicePrincipals/synchronization.cloudTenantToExternalSystem/credentials/manage	Manage application provisioning secrets and credentials.
microsoft.directory/servicePrincipals/synchronization.cloudTenantToExternalSystem/jobs/manage	Start, restart, and pause application provisioning synchronization jobs.
microsoft.directory/servicePrincipals/synchronization.cloudTenantToExternalSystem/schema/manage	Create and manage application provisioning synchronization jobs and schema.
microsoft.directory/servicePrincipals/synchronization/standard/read	Read provisioning settings associated with your service principal
microsoft.directory/servicePrincipals/synchronizationCredentials/manage	Manage application provisioning secrets and credentials

Actions	Description
microsoft.directory/servicePrincipals/synchronizationJobs/manage	Start, restart, and pause application provisioning synchronization jobs
microsoft.directory/servicePrincipals/synchronizationSchema/manage	Create and manage application provisioning synchronization jobs and schema
microsoft.directory/servicePrincipals/tag/update	Update the tag property for service principals
microsoft.directory/signInReports/allProperties/read	Read all properties on sign-in reports, including privileged properties
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Cloud Device Administrator

PRIVILEGED

This is a [privileged role](#). Users in this role can enable, disable, and delete devices in Microsoft Entra ID and read Windows 10 BitLocker keys (if present) in the Azure portal. The role does not grant permissions to manage any other properties on the device.

 Expand table

Actions	Description
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health
microsoft.directory/auditLogs/allProperties/read	Read all properties on audit logs, excluding custom security attributes audit logs
microsoft.directory/authorizationPolicy/standard/read	Read standard properties of authorization policy
microsoft.directory/bitlockerKeys/key/read	Read bitlocker metadata and key on devices PRIVILEGED
microsoft.directory/deletedItems.devices/delete	Permanently delete devices, which can no longer be restored

Actions	Description
microsoft.directory/deletedItems/devices/restore	Restore soft deleted devices to original state
microsoft.directory/deviceLocalCredentials/password/read	Read all properties of the backed up local administrator account credentials for Microsoft Entra joined devices, including the password
microsoft.directory/deviceManagementPolicies/basic/update	Update basic properties on mobile device management and mobile app management policies PRIVILEGED
microsoft.directory/deviceManagementPolicies/standard/read	Read standard properties on mobile device management and mobile app management policies
microsoft.directory/deviceRegistrationPolicy/basic/update	Update basic properties on device registration policies PRIVILEGED
microsoft.directory/deviceRegistrationPolicy/standard/read	Read standard properties on device registration policies
microsoft.directory/devices/delete	Delete devices from Microsoft Entra ID
microsoft.directory/devices/disable	Disable devices in Microsoft Entra ID
microsoft.directory/devices/enable	Enable devices in Microsoft Entra ID
microsoft.directory/devices/permissions/update	Update the alternative name property on an IoT device
microsoft.directory/deviceTemplates/owners/read	Read owners on Internet of Things (IoT) device templates
microsoft.directory/deviceTemplates/owners/update	Update owners on Internet of Things (IoT) device templates
microsoft.directory/signInReports/allProperties/read	Read all properties on sign-in reports, including privileged properties
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center

Compliance Administrator

Users with this role have permissions to manage compliance-related features in the Microsoft Purview compliance portal, Microsoft 365 admin center, Azure, and Microsoft 365 Defender portal. Assignees can also manage all features within the Exchange admin center and create

support tickets for Azure and Microsoft 365. For more information, see [Roles and role groups in Microsoft Defender for Office 365 and Microsoft Purview compliance](#).

 Expand table

In	Can do
Microsoft Purview compliance portal	Protect and manage your organization's data across Microsoft 365 services Manage compliance alerts
Microsoft Purview Compliance Manager	Track, assign, and verify your organization's regulatory compliance activities
Microsoft 365 Defender portal	Manage data governance Perform legal and data investigation Manage Data Subject Request This role has the same permissions as the Compliance Administrator role group in Microsoft 365 Defender portal role-based access control.
Intune	View all Intune audit data
Microsoft Defender for Cloud Apps	Has read-only permissions and can manage alerts Can create and modify file policies and allow file governance actions Can view all the built-in reports under Data Management

 Expand table

Actions	Description
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health
microsoft.azure.supportTickets/allEntities/allTasks	Create and manage Azure support tickets
microsoft.directory/entitlementManagement/allProperties/read	Read all properties in Microsoft Entra entitlement management
microsoft.office365.complianceManager/allEntities/allTasks	Manage all aspects of Office 365 Compliance Manager
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Compliance Data Administrator

Users with this role have permissions to track data in the Microsoft Purview compliance portal, Microsoft 365 admin center, and Azure. Users can also track compliance data within the Exchange admin center, Compliance Manager, and Teams & Skype for Business admin center and create support tickets for Azure and Microsoft 365. For more information about the differences between Compliance Administrator and Compliance Data Administrator, see [Roles and role groups in Microsoft Defender for Office 365 and Microsoft Purview compliance](#).

 Expand table

In	Can do
Microsoft Purview compliance portal	Monitor compliance-related policies across Microsoft 365 services Manage compliance alerts
Microsoft Purview Compliance Manager	Track, assign, and verify your organization's regulatory compliance activities
Microsoft 365 Defender portal	Manage data governance Perform legal and data investigation Manage Data Subject Request This role has the same permissions as the Compliance Data Administrator role group in Microsoft 365 Defender portal role-based access control.
Intune	View all Intune audit data
Microsoft Defender for Cloud Apps	Has read-only permissions and can manage alerts Can create and modify file policies and allow file governance actions Can view all the built-in reports under Data Management

 Expand table

Actions	Description
microsoft.azure.informationProtection/allEntities/allTasks	Manage all aspects of Azure Information Protection
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health
microsoft.azure.supportTickets/allEntities/allTasks	Create and manage Azure support tickets
microsoft.directory/authorizationPolicy/standard/read	Read standard properties of authorization policy
microsoft.directory/cloudAppSecurity/allProperties/allTasks	Create and delete all resources, and read and update standard properties in Microsoft Defender

Actions	Description
	for Cloud Apps
microsoft.office365.complianceManager/allEntities/allTasks	Manage all aspects of Office 365 Compliance Manager
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Conditional Access Administrator

PRIVILEGED

This is a [privileged role](#). Users with this role have the ability to manage Microsoft Entra Conditional Access settings.

 Expand table

Actions	Description
microsoft.directory/conditionalAccessPolicies/basic/update	Update basic properties for Conditional Access policies
microsoft.directory/conditionalAccessPolicies/create	Create Conditional Access policies
microsoft.directory/conditionalAccessPolicies/delete	Delete Conditional Access policies
microsoft.directory/conditionalAccessPolicies/owners/read	Read the owners of Conditional Access policies
microsoft.directory/conditionalAccessPolicies/owners/update	Update owners for Conditional Access policies
microsoft.directory/conditionalAccessPolicies/policyAppliedTo/read	Read the "applied to" property for Conditional Access policies
microsoft.directory/conditionalAccessPolicies/standard/read	Read Conditional Access for policies
microsoft.directory/conditionalAccessPolicies/tenant	Update the default tenant for Conditional Access

Actions	Description
tDefault/update	policies
microsoft.directory/namedLocations/basic/update	Update basic properties of custom rules that define network locations
microsoft.directory/namedLocations/create	Create custom rules that define network locations
microsoft.directory/namedLocations/delete	Delete custom rules that define network locations
microsoft.directory/namedLocations/standard/read	Read basic properties of custom rules that define network locations
microsoft.directory/resourceNamespaces/resourceActions/authenticationContext/update	Update Conditional Access authentication context of Microsoft 365 role-based access control (RBAC) resource actions
	PRIVILEGED

Customer LockBox Access Approver

Manages [Microsoft Purview Customer Lockbox requests](#) in your organization. They receive email notifications for Customer Lockbox requests and can approve and deny requests from the Microsoft 365 admin center. They can also turn the Customer Lockbox feature on or off. Only Global Administrators can reset the passwords of people assigned to this role.

 Expand table

Actions	Description
microsoft.office365.lockbox/allEntities/allTasks	Manage all aspects of Customer Lockbox
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Desktop Analytics Administrator

Users in this role can manage the Desktop Analytics service. This includes the ability to view asset inventory, create deployment plans, and view deployment and health status.

 Expand table

Actions	Description
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health

Actions	Description
microsoft.azure.supportTickets/allEntities/allTasks	Create and manage Azure support tickets
microsoft.directory/authorizationPolicy/standard/read	Read standard properties of authorization policy
microsoft.office365.desktopAnalytics/allEntities/allTasks	Manage all aspects of Desktop Analytics

Directory Readers

Users in this role can read basic directory information. This role should be used for:

- Granting a specific set of guest users read access instead of granting it to all guest users.
- Granting a specific set of non-admin users access to Microsoft Entra admin center when "Restrict access to Microsoft Entra admin center" is set to "Yes".
- Granting service principals access to directory where Directory.Read.All is not an option.

[Expand table](#)

Actions	Description
microsoft.directory/administrativeUnits/members/read	Read members of administrative units
microsoft.directory/administrativeUnits/standard/read	Read basic properties on administrative units
microsoft.directory/applicationPolicies/standard/read	Read standard properties of application policies
microsoft.directory/applications/owners/read	Read owners of applications
microsoft.directory/applications/policies/read	Read policies of applications
microsoft.directory/applications/standard/read	Read standard properties of applications
microsoft.directory/contacts/memberOf/read	Read the group membership for all contacts in Microsoft Entra ID
microsoft.directory/contacts/standard/read	Read basic properties on contacts in Microsoft Entra ID
microsoft.directory/contracts/standard/read	Read basic properties on partner contracts
microsoft.directory/devices/memberOf/read	Read device memberships
microsoft.directory/devices/registeredOwners/read	Read registered owners of devices

Actions	Description
microsoft.directory/devices/registeredUsers/read	Read registered users of devices
microsoft.directory/devices/standard/read	Read basic properties on devices
microsoft.directory/directoryRoles/eligibleMembers/read	Read the eligible members of Microsoft Entra roles
microsoft.directory/directoryRoles/members/read	Read all members of Microsoft Entra roles
microsoft.directory/directoryRoles/standard/read	Read basic properties of Microsoft Entra roles
microsoft.directory/domains/standard/read	Read basic properties on domains
microsoft.directory/groups/appRoleAssignments/read	Read application role assignments of groups
microsoft.directory/groups/memberOf/read	Read the memberOf property on Security groups and Microsoft 365 groups, including role-assignable groups
microsoft.directory/groups/members/read	Read members of Security groups and Microsoft 365 groups, including role-assignable groups
microsoft.directory/groups/owners/read	Read owners of Security groups and Microsoft 365 groups, including role-assignable groups
microsoft.directory/groups/settings/read	Read settings of groups
microsoft.directory/groups/standard/read	Read standard properties of Security groups and Microsoft 365 groups, including role-assignable groups
microsoft.directory/groupSettings/standard/read	Read basic properties on group settings
microsoft.directory/groupSettingTemplates/standard/read	Read basic properties on group setting templates
microsoft.directory/oAuth2PermissionGrants/standard/read	Read basic properties on OAuth 2.0 permission grants
microsoft.directory/organization/standard/read	Read basic properties on an organization
microsoft.directory/organization/trustedCAsForPasswordlessAuth/read	Read trusted certificate authorities for passwordless authentication
microsoft.directory/roleAssignments/standard/read	Read basic properties on role assignments
microsoft.directory/roleDefinitions/standard/read	Read basic properties on role definitions
microsoft.directory/servicePrincipals/appRoleAssign	Read service principal role assignments

Actions	Description
edTo/read	
microsoft.directory/servicePrincipals/appRoleAssignments/read	Read role assignments assigned to service principals
microsoft.directory/servicePrincipals/memberOf/read	Read the group memberships on service principals
microsoft.directory/servicePrincipals/oAuth2PermissionGrants/read	Read delegated permission grants on service principals
microsoft.directory/servicePrincipals/ownedObjects/read	Read owned objects of service principals
microsoft.directory/servicePrincipals/owners/read	Read owners of service principals
microsoft.directory/servicePrincipals/policies/read	Read policies of service principals
microsoft.directory/servicePrincipals/standard/read	Read basic properties of service principals
microsoft.directory/subscribedSkus/standard/read	Read basic properties on subscriptions
microsoft.directory/users/appRoleAssignments/read	Read application role assignments for users
microsoft.directory/users/deviceForResourceAccount/read	Read deviceForResourceAccount of users
microsoft.directory/users/directReports/read	Read the direct reports for users
microsoft.directory/users/invitedBy/read	Read the user that invited an external user to a tenant
microsoft.directory/users/licenseDetails/read	Read license details of users
microsoft.directory/users/manager/read	Read manager of users
microsoft.directory/users/memberOf/read	Read the group memberships of users
microsoft.directory/users/oAuth2PermissionGrants/read	Read delegated permission grants on users
microsoft.directory/users/ownedDevices/read	Read owned devices of users
microsoft.directory/users/ownedObjects/read	Read owned objects of users
microsoft.directory/users/photo/read	Read photo of users
microsoft.directory/users/registeredDevices/read	Read registered devices of users
microsoft.directory/users/scopedRoleMemberOf/read	Read user's membership of a Microsoft Entra role,

Actions	Description
ad	that is scoped to an administrative unit
microsoft.directory/users/sponsors/read	Read sponsors of users
microsoft.directory/users/standard/read	Read basic properties on users

Directory Synchronization Accounts

Do not use. This role is automatically assigned to the Microsoft Entra Connect service, and is not intended or supported for any other use.

 Expand table

Actions	Description
microsoft.directory/onPremisesSynchronization/standard/read	Read standard on-premises directory synchronization information

Directory Writers

PRIVILEGED

This is a [privileged role](#). Users in this role can read and update basic information of users, groups, and service principals.

 Expand table

Actions	Description
microsoft.directory/applications/extensionProperties/update	Update extension properties on applications
microsoft.directory/contacts/create	Create contacts
microsoft.directory/groups/assignedLabels/update	Update the assigned labels property on groups of assigned membership type, excluding role-assignable groups
microsoft.directory/groups/assignLicense	Assign product licenses to groups for group-based licensing
microsoft.directory/groups/basic/update	Update basic properties on Security groups and Microsoft 365 groups, excluding role-assignable groups

Actions	Description
microsoft.directory/groups/classification/update	Update the classification property on Security groups and Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups/create	Create Security groups and Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups/dynamicMembershipRule/update	Update the dynamic membership rule on Security groups and Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups/groupType/update	Update properties that would affect the group type of Security groups and Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups/members/update	Update members of Security groups and Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups/onPremWriteBack/update	Update Microsoft Entra groups to be written back to on-premises with Microsoft Entra Connect
microsoft.directory/groups/owners/update	Update owners of Security groups and Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups/reprocessLicenseAssignment	Reprocess license assignments for group-based licensing
microsoft.directory/groups/settings/update	Update settings of groups
microsoft.directory/groups/visibility/update	Update the visibility property of Security groups and Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groupSettings/basic/update	Update basic properties on group settings
microsoft.directory/groupSettings/create	Create group settings
microsoft.directory/groupSettings/delete	Delete group settings
microsoft.directory/oAuth2PermissionGrants/basic/update	Update OAuth 2.0 permission grants PRIVILEGED
microsoft.directory/oAuth2PermissionGrants/create	Create OAuth 2.0 permission grants PRIVILEGED
microsoft.directory/servicePrincipals/appRoleAssignedTo/update	Update service principal role assignments
microsoft.directory/servicePrincipals/synchronization.cloudTenantToCloudTenant/credentials/manage	Manage cloud tenant to cloud tenant application provisioning secrets and credentials.

Actions	Description
microsoft.directory/servicePrincipals/synchronization.cloudTenantToCloudTenant/jobs/manage	Start, restart, and pause cloud tenant to cloud tenant application provisioning synchronization jobs.
microsoft.directory/servicePrincipals/synchronization.cloudTenantToCloudTenant/schema/manage	Create and manage cloud tenant to cloud tenant application provisioning synchronization jobs and schema.
microsoft.directory/servicePrincipals/synchronization.cloudTenantToExternalSystem/credentials/manage	Manage application provisioning secrets and credentials.
microsoft.directory/servicePrincipals/synchronization.cloudTenantToExternalSystem/jobs/manage	Start, restart, and pause application provisioning synchronization jobs.
microsoft.directory/servicePrincipals/synchronization.cloudTenantToExternalSystem/schema/manage	Create and manage application provisioning synchronization jobs and schema.
microsoft.directory/servicePrincipals/synchronizationCredentials/manage	Manage application provisioning secrets and credentials
microsoft.directory/servicePrincipals/synchronizationJobs/manage	Start, restart, and pause application provisioning synchronization jobs
microsoft.directory/servicePrincipals/synchronizationSchema/manage	Create and manage application provisioning synchronization jobs and schema
microsoft.directory/users/assignLicense	Manage user licenses
microsoft.directory/users/basic/update	Update basic properties on users
microsoft.directory/users/create	Add users PRIVILEGED
microsoft.directory/users/disable	Disable users PRIVILEGED
microsoft.directory/users/enable	Enable users PRIVILEGED
microsoft.directory/users/invalidateAllRefreshTokens	Force sign-out by invalidating user refresh tokens PRIVILEGED
microsoft.directory/users/inviteGuest	Invite guest users
microsoft.directory/users/manager/update	Update manager for users
microsoft.directory/users/photo/update	Update photo of users

Actions	Description
microsoft.directory/users/reprocessLicenseAssignment	Reprocess license assignments for users
microsoft.directory/users/sponsors/update	Update sponsors of users
microsoft.directory/users/userPrincipalName/update	Update User Principal Name of users PRIVILEGED

Domain Name Administrator

PRIVILEGED

This is a [privileged role](#). Users with this role can manage (read, add, verify, update, and delete) domain names. They can also read directory information about users, groups, and applications, as these objects possess domain dependencies. For on-premises environments, users with this role can configure domain names for federation so that associated users are always authenticated on-premises. These users can then sign into Microsoft Entra based services with their on-premises passwords via single sign-on. Federation settings need to be synced via Microsoft Entra Connect, so users also have permissions to manage Microsoft Entra Connect.

 Expand table

Actions	Description
microsoft.directory/domains/allProperties/allTasks	Create and delete domains, and read and update all properties PRIVILEGED
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Dragon Administrator

Assign the Dragon Administrator role to users who need to do the following tasks:

- Manage all aspects of the administrative experience in the Dragon admin center
- Provision clinical applications
- Create and manage the organization hierarchy
- Oversee healthcare groups

- Manage experiences of various clinical applications embedded in Electronic Health Record (EHR) systems
- Configure clinical applications, such as manage settings, view analytics, and handle library objects
- Create, manage, and view support tickets for their organization in the Dragon admin center
- Create, view, manage, and monitor billing plans for licenses purchased by their organization (additional roles may be required)

[Learn more](#)

 Expand table

Actions	Description
microsoft.healthPlatform/allEntities/allProperties/allTasks	Manage all aspects of Microsoft Dragon admin center

Dynamics 365 Administrator

Assign the Dynamics 365 Administrator role to users who need to manage all aspects of Dynamics 365 services, including configuration, user management, and support tickets.

 Expand table

Actions	Description
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health
microsoft.azure.supportTickets/allEntities/allTasks	Create and manage Azure support tickets
microsoft.dynamics365/allEntities/allTasks	Manage all aspects of Dynamics 365
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Dynamics 365 Business Central Administrator

Assign the Dynamics 365 Business Central Administrator role to users who need to do the following tasks:

- Access Dynamics 365 Business Central environments
- Perform all administrative tasks on environments
- Manage the lifecycle of customer's environments
- Supervise the extensions installed on environments
- Control upgrades of environments
- Perform data exports of environments
- Read and configure Azure and Microsoft 365 service health dashboards

This role does not provide any permissions for other Dynamics 365 products.

 Expand table

Actions	Description
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health
microsoft.directory/domains/standard/read	Read basic properties on domains
microsoft.directory/organization/standard/read	Read basic properties on an organization
microsoft.directory/subscribedSkus/standard/read	Read basic properties on subscriptions
microsoft.directory/users/standard/read	Read basic properties on users
microsoft.dynamics365.businessCentral/allEntities/allProperties/allTasks	Manage all aspects of Dynamics 365 Business Central
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Edge Administrator

Users in this role can create and manage the enterprise site list required for Internet Explorer mode on Microsoft Edge. This role grants permissions to create, edit, and publish the site list and additionally allows access to manage support tickets.

[Learn more](#) 

 Expand table

Actions	Description
microsoft.edge/allEntities/allProperties/allTasks	Manage all aspects of Microsoft Edge
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Exchange Administrator

Users with this role have global permissions within Microsoft Exchange Online, when the service is present. Also has the ability to create and manage all Microsoft 365 groups, manage support tickets, and monitor service health. For more information, see [About admin roles in the Microsoft 365 admin center](#).

Note

In the Microsoft Graph API and Microsoft Graph PowerShell, this role is named Exchange Service Administrator. In the [Azure portal](#), it is named Exchange Administrator. In the [Exchange admin center](#), it is named Exchange Online administrator.

 Expand table

Actions	Description
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health
microsoft.azure.supportTickets/allEntities/allTasks	Create and manage Azure support tickets
microsoft.backup/exchangeProtectionPolicies/allProperties/allTasks	Create and manage Exchange Online protection policy in Microsoft 365 Backup
microsoft.backup/exchangeRestoreSessions/allProperties/allTasks	Read and configure restore session for Exchange Online in Microsoft 365 Backup
microsoft.backup/restorePoints/userMailboxes/allProperties/allTasks	Manage all restore points associated with selected Exchange Online mailboxes in M365 Backup
microsoft.backup/userMailboxProtectionUnits/allProperties/allTasks	Manage mailboxes added to Exchange Online protection policy in Microsoft 365 Backup
microsoft.backup/userMailboxRestoreArtifacts/allProperties/allTasks	Manage mailboxes added to restore session for Exchange Online in Microsoft 365 Backup

Actions	Description
microsoft.directory/contacts/allProperties/read	Read all properties for contacts
microsoft.directory/contacts/memberOf/read	Read the group membership for all contacts in Microsoft Entra ID
microsoft.directory/contacts/standard/read	Read basic properties on contacts in Microsoft Entra ID
microsoft.directory/groups.unified/assignedLabels/update	Update the assigned labels property on Microsoft 365 groups of assigned membership type, excluding role-assignable groups
microsoft.directory/groups.unified/basic/update	Update basic properties on Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups.unified/create	Create Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups.unified/delete	Delete Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups.unified/members/update	Update members of Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups.unified/owners/update	Update owners of Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups.unified/restore	Restore Microsoft 365 groups from soft-deleted container, excluding role-assignable groups
microsoft.directory/groups/hiddenMembers/read	Read hidden members of Security groups and Microsoft 365 groups, including role-assignable groups
microsoft.directory/onPremisesSynchronization/standard/read	Read standard on-premises directory synchronization information
microsoft.office365.exchange/allEntities/basic/allTasks	Manage all aspects of Exchange Online
microsoft.office365.network/performance/allProperties/read	Read all network performance properties in the Microsoft 365 admin center
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests

Actions	Description
microsoft.office365.usageReports/allEntities/allProperties/read	Read Office 365 usage reports
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Exchange Backup Administrator

 Expand table

Actions	Description
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health
microsoft.azure.supportTickets/allEntities/allTasks	Create and manage Azure support tickets
microsoft.backup/exchangeProtectionPolicies/allProperties/allTasks	Create and manage Exchange Online protection policy in Microsoft 365 Backup
microsoft.backup/exchangeRestoreSessions/allProperties/allTasks	Read and configure restore session for Exchange Online in Microsoft 365 Backup
microsoft.backup/restorePoints/userMailboxes/allProperties/allTasks	Manage all restore points associated with selected Exchange Online mailboxes in M365 Backup
microsoft.backup/userMailboxProtectionUnits/allProperties/allTasks	Manage mailboxes added to Exchange Online protection policy in Microsoft 365 Backup
microsoft.backup/userMailboxRestoreArtifacts/allProperties/allTasks	Manage mailboxes added to restore session for Exchange Online in Microsoft 365 Backup
microsoft.office365.network/performance/allProperties/read	Read all network performance properties in the Microsoft 365 admin center
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.usageReports/allEntities/allProperties/read	Read Office 365 usage reports
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Exchange Recipient Administrator

Users with this role have read access to recipients and write access to the attributes of those recipients in Exchange Online. For more information, see [Recipients in Exchange Server](#).

 Expand table

Actions	Description
microsoft.office365.exchange/migration/allProperties/allTasks	Manage all tasks related to migration of recipients in Exchange Online
microsoft.office365.exchange/recipients/allProperties/allTasks	Create and delete all recipients, and read and update all properties of recipients in Exchange Online

Extended Directory User Administrator

 Expand table

Actions	Description
microsoft.directory/externalUserProfiles/basic/update	Update basic properties of external user profiles in the extended directory for Teams
microsoft.directory/externalUserProfiles/delete	Delete external user profiles in the extended directory for Teams
microsoft.directory/externalUserProfiles/standard/read	Read standard properties of external user profiles in the extended directory for Teams
microsoft.directory/pendingExternalUserProfiles/basic/update	Update basic properties of external user profiles in the extended directory for Teams
microsoft.directory/pendingExternalUserProfiles/create	Create external user profiles in the extended directory for Teams
microsoft.directory/pendingExternalUserProfiles/delete	Delete external user profiles in the extended directory for Teams
microsoft.directory/pendingExternalUserProfiles/standard/read	Read standard properties of external user profiles in the extended directory for Teams

External ID User Flow Administrator

Users with this role can create and manage user flows (also called "built-in" policies) in the Azure portal. These users can customize HTML/CSS/JavaScript content, change MFA requirements, select claims in the token, manage API connectors and their credentials, and configure session settings for all user flows in the Microsoft Entra organization. On the other hand, this role does not include the ability to review user data or make changes to the attributes that are included in the organization schema. Changes to Identity Experience Framework policies (also known as custom policies) are also outside the scope of this role.

[Expand table](#)

Actions	Description
microsoft.directory/b2cUserFlow/allProperties/allTasks	Read and configure user flow in Azure Active Directory B2C

External ID User Flow Attribute Administrator

Users with this role add or delete custom attributes available to all user flows in the Microsoft Entra organization. As such, users with this role can change or add new elements to the end-user schema and impact the behavior of all user flows, and indirectly result in changes to what data may be asked of end users and ultimately sent as claims to applications. This role can't edit user flows.

[Expand table](#)

Actions	Description
microsoft.directory/b2cUserAttribute/allProperties/allTasks	Read and configure user attribute in Azure Active Directory B2C

External Identity Provider Administrator

PRIVILEGED

This is a [privileged role](#). This administrator manages federation between Microsoft Entra organizations and external identity providers. With this role, users can add new identity providers and configure all available settings (e.g. authentication path, service ID, assigned key containers). This user can enable the Microsoft Entra organization to trust authentications from external identity providers. The resulting impact on end-user experiences depends on the type of organization:

- Microsoft Entra organizations for employees and partners: The addition of a federation (e.g. with Gmail) will immediately impact all guest invitations not yet redeemed. See [Adding Google as an identity provider for B2B guest users](#).
- Azure Active Directory B2C organizations: The addition of a federation (for example, with Facebook, or with another Microsoft Entra organization) does not immediately impact end-user flows until the identity provider is added as an option in a user flow (also called a built-in policy). See [Configuring a Microsoft account as an identity provider](#) for an example. To change user flows, the limited role of "B2C User Flow Administrator" is required.

 Expand table

Actions	Description
microsoft.directory/domains/federation/update	Update federation property of domains PRIVILEGED
microsoft.directory/identityProviders/allProperties/allTasks	Read and configure identity providers in Azure Active Directory B2C PRIVILEGED

Fabric Administrator

Users with this role have global permissions within Microsoft Fabric and Power BI, when the service is present, as well as the ability to manage support tickets and monitor service health. For more information, see [Understanding Fabric admin roles](#).

 Expand table

Actions	Description
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health
microsoft.azure.supportTickets/allEntities/allTasks	Create and manage Azure support tickets
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center
microsoft.powerApps.powerBI/allEntities/allTasks	Manage all aspects of Fabric and Power BI

Global Administrator

PRIVILEGED

This is a [privileged role](#). Users with this role have access to all administrative features in Microsoft Entra ID, as well as services that use Microsoft Entra identities like the Microsoft 365 Defender portal, the Microsoft Purview compliance portal, Exchange Online, SharePoint Online, and Skype for Business Online. Global Administrators can view Directory Activity logs. Furthermore, Global Administrators can [elevate their access](#) to manage all Azure subscriptions and management groups. This allows Global Administrators to get full access to all Azure resources using the respective Microsoft Entra tenant. The person who signs up for the Microsoft Entra organization becomes a Global Administrator. There can be more than one Global Administrator at your company. Global Administrators can reset the password for any user and all other administrators. A Global Administrator cannot remove their own Global Administrator assignment. This is to prevent a situation where an organization has zero Global Administrators.

ⓘ Note

As a best practice, Microsoft recommends that you assign the Global Administrator role to fewer than five people in your organization. For more information, see [Best practices for Microsoft Entra roles](#).

 Expand table

Actions	Description
microsoft.azure.advancedThreatProtection/allEntities/allTasks	Manage all aspects of Azure Advanced Threat Protection
microsoft.azure.informationProtection/allEntities/allTasks	Manage all aspects of Azure Information Protection
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health
microsoft.azure.supportTickets/allEntities/allTasks	Create and manage Azure support tickets
microsoft.backup/allEntities/allProperties/allTasks	Manage all aspects of Microsoft 365 Backup
microsoft.cloudPC/allEntities/allProperties/allTasks	Manage all aspects of Windows 365
microsoft.commerce.billing/allEntities/allProperties/allTasks	Manage all aspects of Office 365 billing

Actions	Description
microsoft.commerce.billing/purchases/standard/read	Read purchase services in Microsoft 365 admin center.
microsoft.directory/accessReviews/allProperties/allTasks	Create and delete access reviews, and read and update all properties of access reviews in Microsoft Entra ID
microsoft.directory/accessReviews/definitions/allProperties/allTasks	Manage access reviews of all reviewable resources in Microsoft Entra ID
microsoft.directory/adminConsentRequestPolicy/allProperties/allTasks	Manage admin consent request policies in Microsoft Entra ID
microsoft.directory/administrativeUnits/allProperties/allTasks	Create and manage administrative units (including members)
microsoft.directory/appConsent/appConsentRequests/allProperties/read	Read all properties of consent requests for applications registered with Microsoft Entra ID
microsoft.directory/applications/allProperties/allTasks	Create and delete applications, and read and update all properties PRIVILEGED
microsoft.directory/applications/synchronization/standard/read	Read provisioning settings associated with the application object
microsoft.directory/applicationTemplates/instantiate	Instantiate gallery applications from application templates
microsoft.directory/auditLogs/allProperties/read	Read all properties on audit logs, excluding custom security attributes audit logs
microsoft.directory/authorizationPolicy/allProperties/allTasks	Manage all aspects of authorization policy PRIVILEGED
microsoft.directory/bitlockerKeys/key/read	Read bitlocker metadata and key on devices PRIVILEGED
microsoft.directory/bulkJobs/basic/update	Update all the bulk jobs in a directory
microsoft.directory/bulkJobs/create	Create all bulk jobs in a directory
microsoft.directory/cloudAppSecurity/allProperties/allTasks	Create and delete all resources, and read and update standard properties in Microsoft Defender for Cloud Apps
microsoft.directory/conditionalAccessPolicies/allProperties/allTasks	Manage all properties of Conditional Access policies

Actions	Description
microsoft.directory/connectorGroups/allProperties/read	Read all properties of application proxy connector groups
microsoft.directory/connectorGroups/allProperties/update	Update all properties of application proxy connector groups
microsoft.directory/connectorGroups/create	Create application proxy connector groups
microsoft.directory/connectorGroups/delete	Delete application proxy connector groups
microsoft.directory/connectors/allProperties/read	Read all properties of application proxy connectors
microsoft.directory/connectors/create	Create application proxy connectors
microsoft.directory/contacts/allProperties/allTasks	Create and delete contacts, and read and update all properties
microsoft.directory/contracts/allProperties/allTasks	Create and delete partner contracts, and read and update all properties
microsoft.directory/crossTenantAccessPolicy/allowedCloudEndpoints/update	Update allowed cloud endpoints of cross-tenant access policy
microsoft.directory/crossTenantAccessPolicy/basic/update	Update basic settings of cross-tenant access policy
microsoft.directory/crossTenantAccessPolicy/default/b2bCollaboration/update	Update Microsoft Entra B2B collaboration settings of the default cross-tenant access policy
microsoft.directory/crossTenantAccessPolicy/default/b2bDirectConnect/update	Update Microsoft Entra B2B direct connect settings of the default cross-tenant access policy
microsoft.directory/crossTenantAccessPolicy/default/crossCloudMeetings/update	Update cross-cloud Teams meeting settings of the default cross-tenant access policy
microsoft.directory/crossTenantAccessPolicy/default/standard/read	Read basic properties of the default cross-tenant access policy
microsoft.directory/crossTenantAccessPolicy/default/tenantRestrictions/update	Update tenant restrictions of the default cross-tenant access policy
microsoft.directory/crossTenantAccessPolicy/partners/b2bCollaboration/update	Update Microsoft Entra B2B collaboration settings of cross-tenant access policy for partners
microsoft.directory/crossTenantAccessPolicy/partners/b2bDirectConnect/update	Update Microsoft Entra B2B direct connect settings of cross-tenant access policy for partners
microsoft.directory/crossTenantAccessPolicy/partners/create	Create cross-tenant access policy for partners

Actions	Description
microsoft.directory/crossTenantAccessPolicy/partners/crossCloudMeetings/update	Update cross-cloud Teams meeting settings of cross-tenant access policy for partners
microsoft.directory/crossTenantAccessPolicy/partners/delete	Delete cross-tenant access policy for partners
microsoft.directory/crossTenantAccessPolicy/partners/identitySynchronization/basic/update	Update basic settings of cross-tenant sync policy
microsoft.directory/crossTenantAccessPolicy/partners/identitySynchronization/create	Create cross-tenant sync policy for partners
microsoft.directory/crossTenantAccessPolicy/partners/identitySynchronization/standard/read	Read basic properties of cross-tenant sync policy
microsoft.directory/crossTenantAccessPolicy/partners/standard/read	Read basic properties of cross-tenant access policy for partners
microsoft.directory/crossTenantAccessPolicy/partners/templates/multiTenantOrganizationIdentitySynchronization/basic/update	Update cross tenant sync policy templates for multi-tenant organization
microsoft.directory/crossTenantAccessPolicy/partners/templates/multiTenantOrganizationIdentitySynchronization/resetToDefaultSettings	Reset cross tenant sync policy template for multi-tenant organization to default settings
microsoft.directory/crossTenantAccessPolicy/partners/templates/multiTenantOrganizationIdentitySynchronization/standard/read	Read basic properties of cross tenant sync policy templates for multi-tenant organization
microsoft.directory/crossTenantAccessPolicy/partners/templates/multiTenantOrganizationPartnerConfiguration/basic/update	Update cross tenant access policy templates for multi-tenant organization
microsoft.directory/crossTenantAccessPolicy/partners/templates/multiTenantOrganizationPartnerConfiguration/resetToDefaultSettings	Reset cross tenant access policy template for multi-tenant organization to default settings
microsoft.directory/crossTenantAccessPolicy/partners/templates/multiTenantOrganizationPartnerConfiguration/standard/read	Read basic properties of cross tenant access policy templates for multi-tenant organization
microsoft.directory/crossTenantAccessPolicy/partners/tenantRestrictions/update	Update tenant restrictions of cross-tenant access policy for partners
microsoft.directory/crossTenantAccessPolicy/standard/read	Read basic properties of cross-tenant access policy
microsoft.directory/customAuthenticationExtensions/allProperties/allTasks	Create and manage custom authentication extensions

Actions	Description
	PRIVILEGED
microsoft.directory/deletedItems/delete	Permanently delete objects, which can no longer be restored
microsoft.directory/deletedItems/restore	Restore soft deleted objects to original state
microsoft.directory/deviceLocalCredentials/password/read	Read all properties of the backed up local administrator account credentials for Microsoft Entra joined devices, including the password
microsoft.directory/deviceManagementPolicies/basic/update	Update basic properties on mobile device management and mobile app management policies PRIVILEGED
microsoft.directory/deviceManagementPolicies/standard/read	Read standard properties on mobile device management and mobile app management policies
microsoft.directory/deviceRegistrationPolicy/basic/update	Update basic properties on device registration policies PRIVILEGED
microsoft.directory/deviceRegistrationPolicy/standard/read	Read standard properties on device registration policies
microsoft.directory/devices/allProperties/allTasks	Create and delete devices, and read and update all properties PRIVILEGED
microsoft.directory/devices/permissions/update	Update the alternative name property on an IoT device
microsoft.directory/deviceTemplates/owners/read	Read owners on Internet of Things (IoT) device templates
microsoft.directory/deviceTemplates/owners/update	Update owners on Internet of Things (IoT) device templates
microsoft.directory/directoryRoles/allProperties/allTasks	Create and delete directory roles, and read and update all properties
microsoft.directory/directoryRoleTemplates/allProperties/allTasks	Create and delete Microsoft Entra role templates, and read and update all properties
microsoft.directory/domains/allProperties/allTasks	Create and delete domains, and read and update all properties PRIVILEGED
microsoft.directory/domains/federationConfiguration	Update basic federation configuration for domains

Actions	Description
on/basic/update	
microsoft.directory/domains/federationConfiguration/create	Create federation configuration for domains
microsoft.directory/domains/federationConfiguration/delete	Delete federation configuration for domains
microsoft.directory/domains/federationConfiguration/standard/read	Read standard properties of federation configuration for domains
microsoft.directory/entitlementManagement/allProperties/allTasks	Create and delete resources, and read and update all properties in Microsoft Entra entitlement management
microsoft.directory/externalUserProfiles/basic/update	Update basic properties of external user profiles in the extended directory for Teams
microsoft.directory/externalUserProfiles/delete	Delete external user profiles in the extended directory for Teams
microsoft.directory/externalUserProfiles/standard/read	Read standard properties of external user profiles in the extended directory for Teams
microsoft.directory/groups/allProperties/allTasks	Create and delete groups, and read and update all properties PRIVILEGED
microsoft.directory/groupsAssignableToRoles/allProperties/update	Update role-assignable groups
microsoft.directory/groupsAssignableToRoles/assignLicense	Assign a license to role-assignable groups
microsoft.directory/groupsAssignableToRoles/create	Create role-assignable groups
microsoft.directory/groupsAssignableToRoles/delete	Delete role-assignable groups
microsoft.directory/groupsAssignableToRoles/reprocessLicenseAssignment	Reprocess license assignments to role-assignable groups
microsoft.directory/groupsAssignableToRoles/restore	Restore role-assignable groups
microsoft.directory/groupSettings/allProperties/allTasks	Create and delete group settings, and read and update all properties
microsoft.directory/groupSettingTemplates/allProp	Create and delete group setting templates, and

Actions	Description
properties/allTasks	read and update all properties
microsoft.directory/hybridAuthenticationPolicy/allProperties/allTasks	Manage hybrid authentication policy in Microsoft Entra ID PRIVILEGED
microsoft.directory/identityProtection/allProperties/allTasks	Create and delete all resources, and read and update standard properties in Microsoft Entra ID Protection PRIVILEGED
microsoft.directory/lifecycleWorkflows/workflows/allProperties/allTasks	Manage all aspects of lifecycle workflows and tasks in Microsoft Entra ID
microsoft.directory/loginOrganizationBranding/allProperties/allTasks	Create and delete loginTenantBranding, and read and update all properties
microsoft.directory/multiTenantOrganization/basic/update	Update basic properties of a multi-tenant organization
microsoft.directory/multiTenantOrganization/create	Create a multi-tenant organization
microsoft.directory/multiTenantOrganization/joinRequest/organizationDetails/update	Join a multi-tenant organization
microsoft.directory/multiTenantOrganization/joinRequest/standard/read	Read properties of a multi-tenant organization join request
microsoft.directory/multiTenantOrganization/standard/read	Read basic properties of a multi-tenant organization
microsoft.directory/multiTenantOrganization/tenants/create	Create a tenant in a multi-tenant organization
microsoft.directory/multiTenantOrganization/tenants/delete	Delete a tenant participating in a multi-tenant organization
microsoft.directory/multiTenantOrganization/tenants/organizationDetails/read	Read organization details of a tenant participating in a multi-tenant organization
microsoft.directory/multiTenantOrganization/tenants/organizationDetails/update	Update basic properties of a tenant participating in a multi-tenant organization
microsoft.directory/multiTenantOrganization/tenants/standard/read	Read basic properties of a tenant participating in a multi-tenant organization
microsoft.directory/namedLocations/basic/update	Update basic properties of custom rules that define network locations
microsoft.directory/namedLocations/create	Create custom rules that define network locations

Actions	Description
microsoft.directory/namedLocations/delete	Delete custom rules that define network locations
microsoft.directory/namedLocations/standard/read	Read basic properties of custom rules that define network locations
microsoft.directory/oauth2PermissionGrants/allProperties/allTasks	Create and delete OAuth 2.0 permission grants, and read and update all properties PRIVILEGED
microsoft.directory/onPremisesSynchronization/basic/update	Update basic on-premises directory synchronization information
microsoft.directory/onPremisesSynchronization/standard/read	Read standard on-premises directory synchronization information
microsoft.directory/organization/allProperties/allTasks	Read and update all properties for an organization
microsoft.directory/passwordHashSync/allProperties/allTasks	Manage all aspects of Password Hash Synchronization (PHS) in Microsoft Entra ID
microsoft.directory/pendingExternalUserProfiles/basic/update	Update basic properties of external user profiles in the extended directory for Teams
microsoft.directory/pendingExternalUserProfiles/create	Create external user profiles in the extended directory for Teams
microsoft.directory/pendingExternalUserProfiles/delete	Delete external user profiles in the extended directory for Teams
microsoft.directory/pendingExternalUserProfiles/standard/read	Read standard properties of external user profiles in the extended directory for Teams
microsoft.directory/permissionGrantPolicies/basic/update	Update basic properties of permission grant policies
microsoft.directory/permissionGrantPolicies/create	Create permission grant policies
microsoft.directory/permissionGrantPolicies/delete	Delete permission grant policies
microsoft.directory/permissionGrantPolicies/standard/read	Read standard properties of permission grant policies
microsoft.directory/policies/allProperties/allTasks	Create and delete policies, and read and update all properties PRIVILEGED
microsoft.directory/privilegedIdentityManagement/allProperties/read	Read all resources in Privileged Identity Management

Actions	Description
microsoft.directory/provisioningLogs/allProperties/read	Read all properties of provisioning logs
microsoft.directory/resourceNamespaces/resourceActions/authenticationContext/update	Update Conditional Access authentication context of Microsoft 365 role-based access control (RBAC) resource actions PRIVILEGED
microsoft.directory/roleAssignments/allProperties/allTasks	Create and delete role assignments, and read and update all role assignment properties
microsoft.directory/roleDefinitions/allProperties/allTasks	Create and delete role definitions, and read and update all properties
microsoft.directory/scopedRoleMemberships/allProperties/allTasks	Create and delete scopedRoleMemberships, and read and update all properties
microsoft.directory/serviceAction/activateService	Can perform the "activate service" action for a service
microsoft.directory/serviceAction/disableDirectoryFeature	Can perform the "disable directory feature" service action
microsoft.directory/serviceAction/enableDirectoryFeature	Can perform the "enable directory feature" service action
microsoft.directory/serviceAction/getAvailableExtensionProperties	Can perform the getAvailableExtensionProperties service action
microsoft.directory/servicePrincipalCreationPolicies/basic/update	Update basic properties of service principal creation policies
microsoft.directory/servicePrincipalCreationPolicies/create	Create service principal creation policies
microsoft.directory/servicePrincipalCreationPolicies/delete	Delete service principal creation policies
microsoft.directory/servicePrincipalCreationPolicies/standard/read	Read standard properties of service principal creation policies
microsoft.directory/servicePrincipals/allProperties/allTasks	Create and delete service principals, and read and update all properties PRIVILEGED
microsoft.directory/servicePrincipals/managePermissionGrantsForAll.microsoft-company-admin	Grant consent for any permission to any application
microsoft.directory/servicePrincipals/synchronization	Manage cloud tenant to cloud tenant application

Actions	Description
n.cloudTenantToCloudTenant/credentials/manage	provisioning secrets and credentials.
microsoft.directory/servicePrincipals/synchronization.cloudTenantToCloudTenant/jobs/manage	Start, restart, and pause cloud tenant to cloud tenant application provisioning synchronization jobs.
microsoft.directory/servicePrincipals/synchronization.cloudTenantToCloudTenant/schema/manage	Create and manage cloud tenant to cloud tenant application provisioning synchronization jobs and schema.
microsoft.directory/servicePrincipals/synchronization.cloudTenantToExternalSystem/credentials/manage	Manage application provisioning secrets and credentials.
microsoft.directory/servicePrincipals/synchronization.cloudTenantToExternalSystem/jobs/manage	Start, restart, and pause application provisioning synchronization jobs.
microsoft.directory/servicePrincipals/synchronization.cloudTenantToExternalSystem/schema/manage	Create and manage application provisioning synchronization jobs and schema.
microsoft.directory/servicePrincipals/synchronization/standard/read	Read provisioning settings associated with your service principal
microsoft.directory/signInReports/allProperties/read	Read all properties on sign-in reports, including privileged properties
microsoft.directory/subscribedSkus/allProperties/allTasks	Buy and manage subscriptions and delete subscriptions
microsoft.directory/tenantManagement/tenants/create	Create new tenants in Microsoft Entra ID
microsoft.directory/users/allProperties/allTasks	Create and delete users, and read and update all properties PRIVILEGED
microsoft.directory/users/authenticationMethods/basic/update	Update basic properties of authentication methods for users PRIVILEGED
microsoft.directory/users/authenticationMethods/create	Update authentication methods for users PRIVILEGED
microsoft.directory/users/authenticationMethods/delete	Delete authentication methods for users PRIVILEGED
microsoft.directory/users/authenticationMethods/standard/read	Read standard properties of authentication methods for users PRIVILEGED

Actions	Description
microsoft.directory/users/convertExternalToInternalMemberUser	Convert external user to internal user
microsoft.directory/verifiableCredentials/configuration/allProperties/read	Read configuration required to create and manage verifiable credentials
microsoft.directory/verifiableCredentials/configuration/allProperties/update	Update configuration required to create and manage verifiable credentials
microsoft.directory/verifiableCredentials/configuration/contracts/allProperties/read	Read a verifiable credential contract
microsoft.directory/verifiableCredentials/configuration/contracts/allProperties/update	Update a verifiable credential contract
microsoft.directory/verifiableCredentials/configuration/contracts/cards/allProperties/read	Read a verifiable credential card
microsoft.directory/verifiableCredentials/configuration/contracts/cards/revoke	Revoke a verifiable credential card
microsoft.directory/verifiableCredentials/configuration/contracts/create	Create a verifiable credential contract
microsoft.directory/verifiableCredentials/configuration/create	Create configuration required to create and manage verifiable credentials
microsoft.directory/verifiableCredentials/configuration/delete	Delete configuration required to create and manage verifiable credentials and delete all of its verifiable credentials
microsoft.dynamics365/allEntities/allTasks	Manage all aspects of Dynamics 365
microsoft.edge/allEntities/allProperties/allTasks	Manage all aspects of Microsoft Edge
microsoft.flow/allEntities/allTasks	Manage all aspects of Microsoft Power Automate
microsoft.graph.dataConnect/allEntities/allProperties/allTasks	Manage aspects of Microsoft Graph Data Connect
microsoft.hardware.support/shippingAddress/allProperties/allTasks	Create, read, update, and delete shipping addresses for Microsoft hardware warranty claims, including shipping addresses created by others
microsoft.hardware.support/shippingStatus/allProperties/read	Read shipping status for open Microsoft hardware warranty claims
microsoft.hardware.support/warrantyClaims/allProperties/allTasks	Create and manage all aspects of Microsoft hardware warranty claims

Actions	Description
microsoft.healthPlatform/allEntities/allProperties/allTasks	Manage all aspects of Microsoft Dragon admin center
microsoft.insights/allEntities/allProperties/allTasks	Manage all aspects of Insights app
microsoft.intune/allEntities/allTasks	Manage all aspects of Microsoft Intune
microsoft.microsoft365.organizationalData/allEntities/allProperties/allTasks	Manage all aspects of organizational data in Microsoft 365
microsoft.networkAccess/allEntities/allProperties/allTasks	Manage all aspects of Microsoft Entra Network Access
microsoft.networkAccess/trafficLogs/standard/read	Read standard properties of traffic logs such as DeviceId, DestinationIp and PolicyRuleId
microsoft.office365.complianceManager/allEntities/allTasks	Manage all aspects of Office 365 Compliance Manager
microsoft.office365.copilot/allEntities/allProperties/allTasks	Create and manage all settings for Microsoft 365 Copilot
microsoft.office365.desktopAnalytics/allEntities/allTasks	Manage all aspects of Desktop Analytics
microsoft.office365.exchange/allEntities/basic/allTasks	Manage all aspects of Exchange Online
microsoft.office365.fileStorageContainers/allEntities/allProperties/allTasks	Manage all aspects of SharePoint Embedded containers
microsoft.office365.knowledge/contentUnderstanding/allProperties/allTasks	Read and update all properties of content understanding in Microsoft 365 admin center
microsoft.office365.knowledge/contentUnderstanding/analytics/allProperties/read	Read analytics reports of content understanding in Microsoft 365 admin center
microsoft.office365.knowledge/knowledgeNetwork/allProperties/allTasks	Read and update all properties of knowledge network in Microsoft 365 admin center
microsoft.office365.knowledge/knowledgeNetwork/topicVisibility/allProperties/allTasks	Manage topic visibility of knowledge network in Microsoft 365 admin center
microsoft.office365.knowledge/learningSources/allProperties/allTasks	Manage learning sources and all their properties in Learning App.
microsoft.office365.lockbox/allEntities/allTasks	Manage all aspects of Customer Lockbox
microsoft.office365.messageCenter/messages/read	Read messages in Message Center in the Microsoft 365 admin center, excluding security messages

Actions	Description
microsoft.office365.messageCenter/securityMessages/read	Read security messages in Message Center in the Microsoft 365 admin center
microsoft.office365.migrations/allEntities/allProperties/allTasks	Manage all aspects of Microsoft 365 migrations
microsoft.office365.network/performance/allProperties/read	Read all network performance properties in the Microsoft 365 admin center
microsoft.office365.organizationalMessages/allEntities/allProperties/allTasks	Manage all authoring aspects of Microsoft 365 Organizational Messages
microsoft.office365.protectionCenter/allEntities/allProperties/allTasks	Manage all aspects of the Security and Compliance centers
microsoft.office365.search/content/manage	Create and delete content, and read and update all properties in Microsoft Search
microsoft.office365.securityComplianceCenter/allEntities/allTasks	Create and delete all resources, and read and update standard properties in the Microsoft 365 Security and Compliance Center
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center
microsoft.office365.sharePoint/allEntities/allTasks	Create and delete all resources, and read and update standard properties in SharePoint
microsoft.office365.skypeForBusiness/allEntities/allTasks	Manage all aspects of Skype for Business Online
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.usageReports/allEntities/allProperties/read	Read Office 365 usage reports
microsoft.office365.userCommunication/allEntities/allTasks	Read and update what's new messages visibility
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center
microsoft.office365.yammer/allEntities/allProperties/allTasks	Manage all aspects of Yammer
microsoft.people/users/photo/read	Read profile photo of user
microsoft.people/users/photo/update	Update profile photo of user

Actions	Description
microsoft.peopleAdmin/organization/allProperties/read	Read people settings for users, such as pronouns, name pronunciation, and profile card settings
microsoft.peopleAdmin/organization/allProperties/update	Update people settings for users, such as pronouns, name pronunciation, and profile card settings
microsoft.permissionsManagement/allEntities/allProperties/allTasks	Manage all aspects of Microsoft Entra Permissions Management
microsoft.powerApps.powerBI/allEntities/allTasks	Manage all aspects of Fabric and Power BI
microsoft.powerApps/allEntities/allTasks	Manage all aspects of Power Apps
microsoft.teams/allEntities/allProperties/allTasks	Manage all resources in Teams
microsoft.virtualVisits/allEntities/allProperties/allTasks	Manage and share Virtual Visits information and metrics from admin centers or the Virtual Visits app
microsoft.viva.glint/allEntities/allProperties/allTasks	Manage and configure all Microsoft Viva Glint settings in the Microsoft 365 admin center
microsoft.viva.goals/allEntities/allProperties/allTasks	Manage all aspects of Microsoft Viva Goals
microsoft.viva.pulse/allEntities/allProperties/allTasks	Manage all aspects of Microsoft Viva Pulse
microsoft.windows.defenderAdvancedThreatProtection/allEntities/allTasks	Manage all aspects of Microsoft Defender for Endpoint
microsoft.windows.updateDeployments/allEntities/allProperties/allTasks	Read and configure all aspects of Windows Update Service

Global Reader

PRIVILEGED

This is a [privileged role](#). Users in this role can read settings and administrative information across Microsoft 365 services but can't take management actions. Global Reader is the read-only counterpart to Global Administrator. Assign Global Reader instead of Global Administrator for planning, audits, or investigations. Use Global Reader in combination with other limited admin roles like Exchange Administrator to make it easier to get work done without the assigning the Global Administrator role. Global Reader works with Microsoft 365 admin center, Exchange admin center, SharePoint admin center, Teams admin center, Microsoft 365 Defender portal, Microsoft Purview compliance portal, Azure portal, and Device Management admin center.

Users with this role **cannot** do the following:

- Cannot access the Purchase Services area in the Microsoft 365 admin center.

ⓘ **Note**

Global Reader role has the following limitations:

- OneDrive admin center - OneDrive admin center does not support the Global Reader role
- [Microsoft 365 Defender portal](#) - Global Reader can't do content search or see Secure Score.
- [Teams admin center](#) - Global Reader cannot read **Teams lifecycle, Analytics & reports, IP phone device management, and App catalog**. For more information, see [Use Microsoft Teams administrator roles to manage Teams](#).
- [Privileged Access Management](#) doesn't support the Global Reader role.
- [Azure Information Protection](#) - Global Reader is supported [for central reporting](#) only, and when your Microsoft Entra organization isn't on the [unified labeling platform](#).
- [SharePoint](#) - Global Reader has read access to SharePoint Online PowerShell cmdlets and Read APIs.
- [Power Platform admin center](#) - Global Reader is not yet supported in the Power Platform admin center.
- Microsoft Purview doesn't support the Global Reader role.

 Expand table

Actions	Description
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health
microsoft.backup/allEntities/allProperties/read	Read all aspects of Microsoft 365 Backup
microsoft.cloudPC/allEntities/allProperties/read	Read all aspects of Windows 365
microsoft.commerce.billing/allEntities/allProperties/read	Read all resources of Office 365 billing
microsoft.commerce.billing/purchases/standard/read	Read purchase services in Microsoft 365 admin center.
microsoft.directory/accessReviews/allProperties/read	Read all properties of access reviews

Actions	Description
d	
microsoft.directory/accessReviews/definitions/allProperties/read	Read all properties of access reviews of all reviewable resources in Microsoft Entra ID
microsoft.directory/adminConsentRequestPolicy/allProperties/read	Read all properties of admin consent request policies in Microsoft Entra ID
microsoft.directory/administrativeUnits/allProperties/read	Read all properties of administrative units, including members
microsoft.directory/appConsent/appConsentRequests/allProperties/read	Read all properties of consent requests for applications registered with Microsoft Entra ID
microsoft.directory/applications/allProperties/read	Read all properties (including privileged properties) on all types of applications
microsoft.directory/applications/synchronization/standard/read	Read provisioning settings associated with the application object
microsoft.directory/auditLogs/allProperties/read	Read all properties on audit logs, excluding custom security attributes audit logs
microsoft.directory/authorizationPolicy/standard/read	Read standard properties of authorization policy
microsoft.directory/bitlockerKeys/key/read	Read bitlocker metadata and key on devices PRIVILEGED
microsoft.directory/cloudAppSecurity/allProperties/read	Read all properties for Cloud app security
microsoft.directory/conditionalAccessPolicies/allProperties/read	Read all properties of Conditional Access policies
microsoft.directory/connectorGroups/allProperties/read	Read all properties of application proxy connector groups
microsoft.directory/connectors/allProperties/read	Read all properties of application proxy connectors
microsoft.directory/contacts/allProperties/read	Read all properties for contacts
microsoft.directory/crossTenantAccessPolicy/default/standard/read	Read basic properties of the default cross-tenant access policy
microsoft.directory/crossTenantAccessPolicy/partners/identitySynchronization/standard/read	Read basic properties of cross-tenant sync policy
microsoft.directory/crossTenantAccessPolicy/partners/standard/read	Read basic properties of cross-tenant access policy for partners

Actions	Description
microsoft.directory/crossTenantAccessPolicy/partners/templates/multiTenantOrganizationIdentitySynchronization/standard/read	Read basic properties of cross tenant sync policy templates for multi-tenant organization
microsoft.directory/crossTenantAccessPolicy/partners/templates/multiTenantOrganizationPartnerConfiguration/standard/read	Read basic properties of cross tenant access policy templates for multi-tenant organization
microsoft.directory/crossTenantAccessPolicy/standard/read	Read basic properties of cross-tenant access policy
microsoft.directory/customAuthenticationExtensions/allProperties/read	Read custom authentication extensions
microsoft.directory/deviceLocalCredentials/standard/read	Read all properties of the backed up local administrator account credentials for Microsoft Entra joined devices, except the password
microsoft.directory/deviceManagementPolicies/standard/read	Read standard properties on mobile device management and mobile app management policies
microsoft.directory/deviceRegistrationPolicy/standard/read	Read standard properties on device registration policies
microsoft.directory/devices/allProperties/read	Read all properties of devices
microsoft.directory/directoryRoles/allProperties/read	Read all properties of directory roles
microsoft.directory/directoryRoleTemplates/allProperties/read	Read all properties of directory role templates
microsoft.directory/domains/allProperties/read	Read all properties of domains
microsoft.directory/domains/federationConfiguration/standard/read	Read standard properties of federation configuration for domains
microsoft.directory/entitlementManagement/allProperties/read	Read all properties in Microsoft Entra entitlement management
microsoft.directory/externalUserProfiles/standard/read	Read standard properties of external user profiles in the extended directory for Teams
microsoft.directory/groups/allProperties/read	Read all properties (including privileged properties) on Security groups and Microsoft 365 groups, including role-assignable groups
microsoft.directory/groupSettings/allProperties/read	Read all properties of group settings

Actions	Description
microsoft.directory/groupSettingTemplates/allProperties/read	Read all properties of group setting templates
microsoft.directory/identityProtection/allProperties/read	Read all resources in Microsoft Entra ID Protection
microsoft.directory/lifecycleWorkflows/workflows/allProperties/read	Read all properties of lifecycle workflows and tasks in Microsoft Entra ID
microsoft.directory/loginOrganizationBranding/allProperties/read	Read all properties for your organization's branded sign-in page
microsoft.directory/multiTenantOrganization/joinRequest/standard/read	Read properties of a multi-tenant organization join request
microsoft.directory/multiTenantOrganization/standard/read	Read basic properties of a multi-tenant organization
microsoft.directory/multiTenantOrganization/tenants/organizationDetails/read	Read organization details of a tenant participating in a multi-tenant organization
microsoft.directory/multiTenantOrganization/tenants/standard/read	Read basic properties of a tenant participating in a multi-tenant organization
microsoft.directory/namedLocations/standard/read	Read basic properties of custom rules that define network locations
microsoft.directory/oauth2PermissionGrants/allProperties/read	Read all properties of OAuth 2.0 permission grants
microsoft.directory/onPremisesSynchronization/standard/read	Read standard on-premises directory synchronization information
microsoft.directory/organization/allProperties/read	Read all properties for an organization
microsoft.directory/pendingExternalUserProfiles/standard/read	Read standard properties of external user profiles in the extended directory for Teams
microsoft.directory/permissionGrantPolicies/standard/read	Read standard properties of permission grant policies
microsoft.directory/policies/allProperties/read	Read all properties of policies
microsoft.directory/privilegedIdentityManagement/allProperties/read	Read all resources in Privileged Identity Management
microsoft.directory/provisioningLogs/allProperties/read	Read all properties of provisioning logs
microsoft.directory/roleAssignments/allProperties/read	Read all properties of role assignments

Actions	Description
ead	
microsoft.directory/roleDefinitions/allProperties/read	Read all properties of role definitions
microsoft.directory/scopedRoleMemberships/allProperties/read	View members in administrative units
microsoft.directory/serviceAction/getAvailableExtensionProperties	Can perform the getAvailableExtentionProperties service action
microsoft.directory/servicePrincipalCreationPolicies/standard/read	Read standard properties of service principal creation policies
microsoft.directory/servicePrincipals/allProperties/read	Read all properties (including privileged properties) on servicePrincipals
microsoft.directory/servicePrincipals/synchronization/standard/read	Read provisioning settings associated with your service principal
microsoft.directory/signInReports/allProperties/read	Read all properties on sign-in reports, including privileged properties
microsoft.directory/subscribedSkus/allProperties/read	Read all properties of product subscriptions
microsoft.directory/users/allProperties/read	Read all properties of users PRIVILEGED
microsoft.directory/users/authenticationMethods/standard/restrictedRead	Read standard properties of authentication methods that do not include personally identifiable information for users
microsoft.directory/verifiableCredentials/configuration/allProperties/read	Read configuration required to create and manage verifiable credentials
microsoft.directory/verifiableCredentials/configuration/contracts/allProperties/read	Read a verifiable credential contract
microsoft.directory/verifiableCredentials/configuration/contracts/cards/allProperties/read	Read a verifiable credential card
microsoft.edge/allEntities/allProperties/read	Read all aspects of Microsoft Edge
microsoft.graph.dataConnect/allEntities/allProperties/read	Read aspects of Microsoft Graph Data Connect
microsoft.hardware.support/shippingAddress/allProperties/read	Read shipping addresses for Microsoft hardware warranty claims, including existing shipping addresses created by others

Actions	Description
microsoft.hardware.support/shippingStatus/allProperties/read	Read shipping status for open Microsoft hardware warranty claims
microsoft.hardware.support/warrantyClaims/allProperties/read	Read Microsoft hardware warranty claims
microsoft.healthPlatform/allEntities/allProperties/read	Read all aspects of Microsoft Dragon admin center
microsoft.insights/allEntities/allProperties/read	Read all aspects of Viva Insights
microsoft.microsoft365.organizationalData/allEntities/allProperties/read	Read all aspects of organizational data in Microsoft 365
microsoft.networkAccess/allEntities/allProperties/read	Read all aspects of Microsoft Entra Network Access
microsoft.office365.copilot/allEntities/allProperties/read	Read all settings for Microsoft 365 Copilot
microsoft.office365.fileStorageContainers/allEntities/allProperties/read	Read entities and permissions of SharePoint Embedded containers
microsoft.office365.messageCenter/messages/read	Read messages in Message Center in the Microsoft 365 admin center, excluding security messages
microsoft.office365.messageCenter/securityMessages/read	Read security messages in Message Center in the Microsoft 365 admin center
microsoft.office365.network/performance/allProperties/read	Read all network performance properties in the Microsoft 365 admin center
microsoft.office365.organizationalMessages/allEntities/allProperties/read	Read all aspects of Microsoft 365 Organizational Messages
microsoft.office365.protectionCenter/allEntities/allProperties/read	Read all properties in the Security and Compliance centers
microsoft.office365.securityComplianceCenter/allEntities/read	Read standard properties in Microsoft 365 Security and Compliance Center
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center
microsoft.office365.usageReports/allEntities/allProperties/read	Read Office 365 usage reports
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Actions	Description
microsoft.office365.yammer/allEntities/allProperties/read	Read all aspects of Yammer
microsoft.permissionsManagement/allEntities/allProperties/read	Read all aspects of Microsoft Entra Permissions Management
microsoft.teams/allEntities/allProperties/read	Read all properties of Microsoft Teams
microsoft.virtualVisits/allEntities/allProperties/read	Read all aspects of Virtual Visits
microsoft.viva.glint/allEntities/allProperties/read	Read all Microsoft Viva Glint settings in the Microsoft 365 admin center
microsoft.viva.goals/allEntities/allProperties/read	Read all aspects of Microsoft Viva Goals
microsoft.viva.pulse/allEntities/allProperties/read	Read all aspects of Microsoft Viva Pulse
microsoft.windows.updateDeployments/allEntities/allProperties/read	Read all aspects of Windows Update Service

Global Secure Access Administrator

Assign the Global Secure Access Administrator role to users who need to do the following:

- Create and manage all aspects of Microsoft Entra Internet Access and Microsoft Entra Private Access
- Manage access to public and private endpoints

Users with this role **cannot** do the following:

- Cannot manage enterprise applications, application registrations, Conditional Access, or application proxy settings

[Learn more](#)

 Expand table

Actions	Description
microsoft.azure.supportTickets/allEntities/allTasks	Create and manage Azure support tickets
microsoft.directory/applicationPolicies/standard/read	Read standard properties of application policies
microsoft.directory/applications/applicationProxy/read	Read all application proxy properties

Actions	Description
microsoft.directory/applications/owners/read	Read owners of applications
microsoft.directory/applications/policies/read	Read policies of applications
microsoft.directory/applications/standard/read	Read standard properties of applications
microsoft.directory/auditLogs/allProperties/read	Read all properties on audit logs, excluding custom security attributes audit logs
microsoft.directory/conditionalAccessPolicies/standard/read	Read Conditional Access for policies
microsoft.directory/connectorGroups/allProperties/read	Read all properties of application proxy connector groups
microsoft.directory/connectors/allProperties/read	Read all properties of application proxy connectors
microsoft.directory/crossTenantAccessPolicy/default/standard/read	Read basic properties of the default cross-tenant access policy
microsoft.directory/crossTenantAccessPolicy/partners/standard/read	Read basic properties of cross-tenant access policy for partners
microsoft.directory/crossTenantAccessPolicy/standard/read	Read basic properties of cross-tenant access policy
microsoft.directory/namedLocations/standard/read	Read basic properties of custom rules that define network locations
microsoft.directory/signInReports/allProperties/read	Read all properties on sign-in reports, including privileged properties
microsoft.networkAccess/allEntities/allProperties/allTasks	Manage all aspects of Microsoft Entra Network Access
microsoft.office365.messageCenter/messages/read	Read messages in Message Center in the Microsoft 365 admin center, excluding security messages
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Global Secure Access Log Reader

Assign the Global Secure Access Log Reader role to users who need to do the following:

- Read network traffic logs in Microsoft Entra Internet Access and Microsoft Entra Private Access for analysis by designated security personnel
- View log details such as session, connection, and transaction
- Filter logs based on criteria such as IP address and domain

[Learn more](#)

 Expand table

Actions	Description
microsoft.networkAccess/trafficLogs/standard/read	Read standard properties of traffic logs such as DeviceId, DestinationIp and PolicyRuleId

Groups Administrator

Users in this role can create/manage groups and its settings like naming and expiration policies. It is important to understand that assigning a user to this role gives them the ability to manage all groups in the organization across various workloads like Teams, SharePoint, Yammer in addition to Outlook. Also the user will be able to manage the various groups settings across various admin portals like Microsoft admin center, Azure portal, as well as workload specific ones like Teams and SharePoint admin centers.

 Expand table

Actions	Description
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health
microsoft.azure.supportTickets/allEntities/allTasks	Create and manage Azure support tickets
microsoft.directory/bulkJobs.groups/basic/update	Update bulk jobs related to groups
microsoft.directory/bulkJobs.groups/create	Create bulk jobs related to groups
microsoft.directory/bulkJobs.groups/standard/read	Read bulk jobs related to groups
microsoft.directory/deletedItems.groups/delete	Permanently delete groups, which can no longer be restored
microsoft.directory/deletedItems.groups/restore	Restore soft deleted groups to original state
microsoft.directory/groups/assignedLabels/update	Update the assigned labels property on groups of assigned membership type, excluding role-

Actions	Description
	assignable groups
microsoft.directory/groups/assignLicense	Assign product licenses to groups for group-based licensing
microsoft.directory/groups/basic/update	Update basic properties on Security groups and Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups/classification/update	Update the classification property on Security groups and Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups/create	Create Security groups and Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups/delete	Delete Security groups and Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups/dynamicMembershipRule/update	Update the dynamic membership rule on Security groups and Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups/groupType/update	Update properties that would affect the group type of Security groups and Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups/hiddenMembers/read	Read hidden members of Security groups and Microsoft 365 groups, including role-assignable groups
microsoft.directory/groups/members/update	Update members of Security groups and Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups/onPremWriteBack/update	Update Microsoft Entra groups to be written back to on-premises with Microsoft Entra Connect
microsoft.directory/groups/owners/update	Update owners of Security groups and Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups/reprocessLicenseAssignment	Reprocess license assignments for group-based licensing
microsoft.directory/groups/restore	Restore groups from soft-deleted container
microsoft.directory/groups/settings/update	Update settings of groups
microsoft.directory/groups/visibility/update	Update the visibility property of Security groups and Microsoft 365 groups, excluding role-assignable groups

Actions	Description
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Guest Inviter

Users in this role can manage Microsoft Entra B2B guest user invitations when the **Members can invite** user setting is set to No. More information about B2B collaboration at [About Microsoft Entra B2B collaboration](#). It does not include any other permissions.

 Expand table

Actions	Description
microsoft.directory/users/appRoleAssignments/read	Read application role assignments for users
microsoft.directory/users/deviceForResourceAccount/read	Read deviceForResourceAccount of users
microsoft.directory/users/directReports/read	Read the direct reports for users
microsoft.directory/users/invitedBy/read	Read the user that invited an external user to a tenant
microsoft.directory/users/inviteGuest	Invite guest users
microsoft.directory/users/licenseDetails/read	Read license details of users
microsoft.directory/users/manager/read	Read manager of users
microsoft.directory/users/memberOf/read	Read the group memberships of users
microsoft.directory/users/oAuth2PermissionGrants/read	Read delegated permission grants on users
microsoft.directory/users/ownedDevices/read	Read owned devices of users
microsoft.directory/users/ownedObjects/read	Read owned objects of users
microsoft.directory/users/photo/read	Read photo of users

Actions	Description
microsoft.directory/users/registeredDevices/read	Read registered devices of users
microsoft.directory/users/scopedRoleMemberOf/read	Read user's membership of a Microsoft Entra role, that is scoped to an administrative unit
microsoft.directory/users/sponsors/read	Read sponsors of users
microsoft.directory/users/standard/read	Read basic properties on users

Helpdesk Administrator

PRIVILEGED

This is a [privileged role](#). Users with this role can change passwords, invalidate refresh tokens, create and manage support requests with Microsoft for Azure and Microsoft 365 services, and monitor service health. Invalidating a refresh token forces the user to sign in again. Whether a Helpdesk Administrator can reset a user's password and invalidate refresh tokens depends on the role the user is assigned. For a list of the roles that a Helpdesk Administrator can reset passwords for and invalidate refresh tokens, see [Who can reset passwords](#).

Users with this role **cannot** do the following:

- Cannot change the credentials or reset MFA for members and owners of a [role-assignable group](#).

Important

Users with this role can change passwords for people who may have access to sensitive or private information or critical configuration inside and outside of Microsoft Entra ID. Changing the password of a user may mean the ability to assume that user's identity and permissions. For example:

- Application Registration and Enterprise Application owners, who can manage credentials of apps they own. Those apps may have privileged permissions in Microsoft Entra ID and elsewhere not granted to Helpdesk Administrators. Through this path a Helpdesk Administrator may be able to assume the identity of an application owner and then further assume the identity of a privileged application by updating the credentials for the application.
- Azure subscription owners, who might have access to sensitive or private information or critical configuration in Azure.

- Security Group and Microsoft 365 group owners, who can manage group membership. Those groups may grant access to sensitive or private information or critical configuration in Microsoft Entra ID and elsewhere.
- Administrators in other services outside of Microsoft Entra ID like Exchange Online, Microsoft 365 Defender portal, Microsoft Purview compliance portal, and human resources systems.
- Non-administrators like executives, legal counsel, and human resources employees who may have access to sensitive or private information.

Delegating administrative permissions over subsets of users and applying policies to a subset of users is possible with [Administrative Units](#).

This role was previously named Password Administrator in the [Azure portal](#). It was renamed to Helpdesk Administrator to align with the existing name in the Microsoft Graph API and Microsoft Graph PowerShell.

 Expand table

Actions	Description
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health
microsoft.azure.supportTickets/allEntities/allTasks	Create and manage Azure support tickets
microsoft.directory/bitlockerKeys/key/read	Read bitlocker metadata and key on devices PRIVILEGED
microsoft.directory/deviceLocalCredentials/standard/read	Read all properties of the backed up local administrator account credentials for Microsoft Entra joined devices, except the password
microsoft.directory/users/invalidateAllRefreshTokens	Force sign-out by invalidating user refresh tokens PRIVILEGED
microsoft.directory/users/password/update	Reset passwords for all users PRIVILEGED
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Hybrid Identity Administrator

PRIVILEGED

This is a [privileged role](#). Users in this role can create, manage and deploy provisioning configuration setup from Active Directory to Microsoft Entra ID using Cloud Provisioning as well as manage Microsoft Entra Connect, pass-through authentication (PTA), password hash synchronization (PHS), seamless single sign-on (seamless SSO), and federation settings. Does not have access to manage Microsoft Entra Connect Health. Users can also troubleshoot and monitor logs using this role.

 Expand table

Actions	Description
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health
microsoft.azure.supportTickets/allEntities/allTasks	Create and manage Azure support tickets
microsoft.directory/applications/appRoles/update	Update the appRoles property on all types of applications
microsoft.directory/applications/audience/update	Update the audience property for applications
microsoft.directory/applications/authentication/update	Update authentication on all types of applications
microsoft.directory/applications/basic/update	Update basic properties for applications
microsoft.directory/applications/create	Create all types of applications
microsoft.directory/applications/delete	Delete all types of applications
microsoft.directory/applications/notes/update	Update notes of applications
microsoft.directory/applications/owners/update	Update owners of applications
microsoft.directory/applications/permissions/update	Update exposed permissions and required permissions on all types of applications
microsoft.directory/applications/policies/update	Update policies of applications
microsoft.directory/applications/synchronization/standard/read	Read provisioning settings associated with the application object
microsoft.directory/applications/tag/update	Update tags of applications
microsoft.directory/applicationTemplates/instantiate	Instantiate gallery applications from application templates

Actions	Description
microsoft.directory/auditLogs/allProperties/read	Read all properties on audit logs, excluding custom security attributes audit logs
microsoft.directory/cloudProvisioning/allProperties/allTasks	Read and configure all properties of Microsoft Entra cloud provisioning service.
microsoft.directory/deletedItems.applications/delete	Permanently delete applications, which can no longer be restored
microsoft.directory/deletedItems.applications/restore	Restore soft deleted applications to original state
microsoft.directory/domains/allProperties/read	Read all properties of domains
microsoft.directory/domains/federation/update	Update federation property of domains PRIVILEGED
microsoft.directory/domains/federationConfiguration/basic/update	Update basic federation configuration for domains
microsoft.directory/domains/federationConfiguration/create	Create federation configuration for domains
microsoft.directory/domains/federationConfiguration/delete	Delete federation configuration for domains
microsoft.directory/domains/federationConfiguration/standard/read	Read standard properties of federation configuration for domains
microsoft.directory/hybridAuthenticationPolicy/allProperties/allTasks	Manage hybrid authentication policy in Microsoft Entra ID PRIVILEGED
microsoft.directory/onPremisesSynchronization/basic/update	Update basic on-premises directory synchronization information
microsoft.directory/onPremisesSynchronization/standard/read	Read standard on-premises directory synchronization information
microsoft.directory/organization/dirSync/update	Update the organization directory sync property
microsoft.directory/passwordHashSync/allProperties/allTasks	Manage all aspects of Password Hash Synchronization (PHS) in Microsoft Entra ID
microsoft.directory/provisioningLogs/allProperties/read	Read all properties of provisioning logs
microsoft.directory/servicePrincipals/appRoleAssignedTo/update	Update service principal role assignments

Actions	Description
microsoft.directory/servicePrincipals/audience/update	Update audience properties on service principals
microsoft.directory/servicePrincipals/authentication/update	Update authentication properties on service principals
microsoft.directory/servicePrincipals/basic/update	Update basic properties on service principals
microsoft.directory/servicePrincipals/create	Create service principals
microsoft.directory/servicePrincipals/delete	Delete service principals
microsoft.directory/servicePrincipals/disable	Disable service principals
microsoft.directory/servicePrincipals/enable	Enable service principals
microsoft.directory/servicePrincipals/notes/update	Update notes of service principals
microsoft.directory/servicePrincipals/owners/update	Update owners of service principals
microsoft.directory/servicePrincipals/permissions/update	Update permissions of service principals
microsoft.directory/servicePrincipals/policies/update	Update policies of service principals
microsoft.directory/servicePrincipals/synchronization.cloudTenantToCloudTenant/credentials/manage	Manage cloud tenant to cloud tenant application provisioning secrets and credentials.
microsoft.directory/servicePrincipals/synchronization.cloudTenantToCloudTenant/jobs/manage	Start, restart, and pause cloud tenant to cloud tenant application provisioning synchronization jobs.
microsoft.directory/servicePrincipals/synchronization.cloudTenantToCloudTenant/schema/manage	Create and manage cloud tenant to cloud tenant application provisioning synchronization jobs and schema.
microsoft.directory/servicePrincipals/synchronization.cloudTenantToExternalSystem/credentials/manage	Manage application provisioning secrets and credentials.
microsoft.directory/servicePrincipals/synchronization.cloudTenantToExternalSystem/jobs/manage	Start, restart, and pause application provisioning synchronization jobs.
microsoft.directory/servicePrincipals/synchronization.cloudTenantToExternalSystem/schema/manage	Create and manage application provisioning synchronization jobs and schema.
microsoft.directory/servicePrincipals/synchronization/standard/read	Read provisioning settings associated with your service principal

Actions	Description
microsoft.directory/servicePrincipals/synchronizationCredentials/manage	Manage application provisioning secrets and credentials
microsoft.directory/servicePrincipals/synchronizationJobs/manage	Start, restart, and pause application provisioning synchronization jobs
microsoft.directory/servicePrincipals/synchronizationSchema/manage	Create and manage application provisioning synchronization jobs and schema
microsoft.directory/servicePrincipals/tag/update	Update the tag property for service principals
microsoft.directory/signInReports/allProperties/read	Read all properties on sign-in reports, including privileged properties
microsoft.directory/users/authorizationInfo/update	Update the multivalued Certificate user IDs property of users
microsoft.office365.messageCenter/messages/read	Read messages in Message Center in the Microsoft 365 admin center, excluding security messages
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Identity Governance Administrator

Users with this role can manage Microsoft Entra ID Governance configuration, including access packages, access reviews, catalogs and policies, ensuring access is approved and reviewed and guest users who no longer need access are removed.

 Expand table

Actions	Description
microsoft.directory/accessReviews/allProperties/allTasks	Create and delete access reviews, and read and update all properties of access reviews in Microsoft Entra ID
microsoft.directory/accessReviews/definitions.applications/allProperties/allTasks	Manage access reviews of application role assignments in Microsoft Entra ID

Actions	Description
microsoft.directory/accessReviews/definitions.entitlementManagement/allProperties/allTasks	Manage access reviews for access package assignments in entitlement management
microsoft.directory/accessReviews/definitions.groups/allProperties/read	Read all properties of access reviews for membership in Security and Microsoft 365 groups, including role-assignable groups.
microsoft.directory/accessReviews/definitions.groups/allProperties/update	Update all properties of access reviews for membership in Security and Microsoft 365 groups, excluding role-assignable groups.
microsoft.directory/accessReviews/definitions.groups/create	Create access reviews for membership in Security and Microsoft 365 groups.
microsoft.directory/accessReviews/definitions.groups/delete	Delete access reviews for membership in Security and Microsoft 365 groups.
microsoft.directory/entitlementManagement/allProperties/allTasks	Create and delete resources, and read and update all properties in Microsoft Entra entitlement management
microsoft.directory/groups/members/update	Update members of Security groups and Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/servicePrincipals/appRoleAssignedTo/update	Update service principal role assignments

Insights Administrator

Users in this role can access the full set of administrative capabilities in the Microsoft Viva Insights app. This role has the ability to read directory information, monitor service health, file support tickets, and access the Insights Administrator settings aspects.

[Learn more](#) 

 Expand table

Actions	Description
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health
microsoft.azure.supportTickets/allEntities/allTasks	Create and manage Azure support tickets
microsoft.insights/allEntities/allProperties/allTasks	Manage all aspects of Insights app
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft

Actions	Description
	365 admin center
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Insights Analyst

Assign the Insights Analyst role to users who need to do the following:

- Analyze data in the Microsoft Viva Insights app, but can't manage any configuration settings
- Create, manage, and run queries
- View basic settings and reports in the Microsoft 365 admin center
- Create and manage service requests in the Microsoft 365 admin center

[Learn more](#) 

 Expand table

Actions	Description
microsoft.insights/queries/allProperties/allTasks	Run and manage queries in Viva Insights
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Insights Business Leader

Users in this role can access a set of dashboards and insights via the Microsoft Viva Insights app. This includes full access to all dashboards and presented insights and data exploration functionality. Users in this role do not have access to product configuration settings, which is the responsibility of the Insights Administrator role.

[Learn more](#) 

 Expand table

Actions	Description
microsoft.insights/programs/allProperties/update	Deploy and manage programs in Insights app
microsoft.insights/reports/allProperties/read	View reports and dashboard in Insights app

Intune Administrator

PRIVILEGED

This is a [privileged role](#). Users with this role have global permissions within Microsoft Intune Online, when the service is present. Additionally, this role contains the ability to manage users and devices in order to associate policy, as well as create and manage groups. For more information, see [Role-based administration control \(RBAC\) with Microsoft Intune](#).

This role can create and manage all security groups. However, Intune Administrator does not have admin rights over Microsoft 365 groups. That means the admin cannot update owners or memberships of all Microsoft 365 groups in the organization. However, he/she can manage the Microsoft 365 group that he creates which comes as a part of his/her end-user privileges. So, any Microsoft 365 group (not security group) that he/she creates should be counted against his/her quota of 250.

 **Note**

In the Microsoft Graph API and Microsoft Graph PowerShell, this role is named Intune Service Administrator. In the [Azure portal](#), it is named Intune Administrator.

 Expand table

Actions	Description
microsoft.azure.supportTickets/allEntities/allTasks	Create and manage Azure support tickets
microsoft.cloudPC/allEntities/allProperties/allTasks	Manage all aspects of Windows 365
microsoft.directory/bitlockerKeys/key/read	Read bitlocker metadata and key on devices PRIVILEGED
microsoft.directory/contacts/basic/update	Update basic properties on contacts
microsoft.directory/contacts/create	Create contacts
microsoft.directory/contacts/delete	Delete contacts

Actions	Description
microsoft.directory/deletedItems/devices/delete	Permanently delete devices, which can no longer be restored
microsoft.directory/deletedItems/devices/restore	Restore soft deleted devices to original state
microsoft.directory/deviceLocalCredentials/password/read	Read all properties of the backed up local administrator account credentials for Microsoft Entra joined devices, including the password
microsoft.directory/deviceManagementPolicies/standard/read	Read standard properties on mobile device management and mobile app management policies
microsoft.directory/deviceRegistrationPolicy/standard/read	Read standard properties on device registration policies
microsoft.directory/devices/basic/update	Update basic properties on devices
microsoft.directory/devices/create	Create devices (enroll in Microsoft Entra ID)
microsoft.directory/devices/delete	Delete devices from Microsoft Entra ID
microsoft.directory/devices/disable	Disable devices in Microsoft Entra ID
microsoft.directory/devices/enable	Enable devices in Microsoft Entra ID
microsoft.directory/devices/extensionAttributeSet1/update	Update the extensionAttribute1 to extensionAttribute5 properties on devices
microsoft.directory/devices/extensionAttributeSet2/update	Update the extensionAttribute6 to extensionAttribute10 properties on devices
microsoft.directory/devices/extensionAttributeSet3/update	Update the extensionAttribute11 to extensionAttribute15 properties on devices
microsoft.directory/devices/registeredOwners/update	Update registered owners of devices
microsoft.directory/devices/registeredUsers/update	Update registered users of devices
microsoft.directory/groups.security/assignedLabels/update	Update the assigned labels property on Security groups of assigned membership type, excluding role-assignable groups
microsoft.directory/groups.security/basic/update	Update basic properties on Security groups, excluding role-assignable groups
microsoft.directory/groups.security/classification/update	Update the classification property on Security groups, excluding role-assignable groups
microsoft.directory/groups.security/create	Create Security groups, excluding role-assignable

Actions	Description
	groups
microsoft.directory/groups.security/delete	Delete Security groups, excluding role-assignable groups
microsoft.directory/groups.security/dynamicMembershipRule/update	Update the dynamic membership rule on Security groups, excluding role-assignable groups
microsoft.directory/groups.security/members/update	Update members of Security groups, excluding role-assignable groups
microsoft.directory/groups.security/owners/update	Update owners of Security groups, excluding role-assignable groups
microsoft.directory/groups.security/visibility/update	Update the visibility property on Security groups, excluding role-assignable groups
microsoft.directory/groups/hiddenMembers/read	Read hidden members of Security groups and Microsoft 365 groups, including role-assignable groups
microsoft.directory/users/basic/update	Update basic properties on users
microsoft.directory/users/manager/update	Update manager for users
microsoft.directory/users/photo/update	Update photo of users
microsoft.intune/allEntities/allTasks	Manage all aspects of Microsoft Intune
microsoft.office365.organizationalMessages/allEntities/allProperties/read	Read all aspects of Microsoft 365 Organizational Messages
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

IoT Device Administrator

Assign the IoT Device Administrator role to users who need to do the following tasks:

- Provision new IoT devices using device templates
- Manage the lifecycle of IoT devices
- Configure certificates used for IoT device authentication
- Manage the lifecycle of IoT device templates

[Learn more](#)

[Expand table](#)

Actions	Description
microsoft.directory/certificateBasedDeviceAuthConfigurations/create	Create Certificate Authorities configurations for IoT Device trust and authentication
microsoft.directory/certificateBasedDeviceAuthConfigurations/credentials/update	Update credential related properties on certificate authority configurations for Internet of Things (IoT) device trust and authentication
microsoft.directory/certificateBasedDeviceAuthConfigurations/delete	Delete certificate authority configurations for Internet of Things (IoT) device
microsoft.directory/certificateBasedDeviceAuthConfigurations/standard/read	Read standard properties on certificate authority configurations for Internet of Things (IoT) device trust and authentication
microsoft.directory/deviceTemplates/create	Create Internet of Things (IoT) device templates
microsoft.directory/deviceTemplates/createDeviceFromTemplate	Create IoT Device from Internet of Things (IoT) device templates
microsoft.directory/deviceTemplates/delete	Delete Internet of Things (IoT) device templates
microsoft.directory/deviceTemplates/deviceInstances/read	Read device instances from Internet of Things (IoT) device links
microsoft.directory/deviceTemplates/owners/read	Read owners on Internet of Things (IoT) device templates
microsoft.directory/deviceTemplates/owners/update	Update owners on Internet of Things (IoT) device templates

Kaizala Administrator

Users with this role have global permissions to manage settings within Microsoft Kaizala, when the service is present, as well as the ability to manage support tickets and monitor service health. Additionally, the user can access reports related to adoption & usage of Kaizala by Organization members and business reports generated using the Kaizala actions.

[Expand table](#)

Actions	Description
microsoft.directory/authorizationPolicy/standard/read	Read standard properties of authorization policy

Actions	Description
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Knowledge Administrator

Users in this role have full access to all knowledge, learning and intelligent features settings in the Microsoft 365 admin center. They have a general understanding of the suite of products, licensing details and have responsibility to control access. Knowledge Administrator can create and manage content, like topics, acronyms and learning resources. Additionally, these users can create content centers, monitor service health, and create service requests.

 Expand table

Actions	Description
microsoft.directory/groups.security/basic/update	Update basic properties on Security groups, excluding role-assignable groups
microsoft.directory/groups.security/create	Create Security groups, excluding role-assignable groups
microsoft.directory/groups.security/createAsOwner	Create Security groups, excluding role-assignable groups. Creator is added as the first owner.
microsoft.directory/groups.security/delete	Delete Security groups, excluding role-assignable groups
microsoft.directory/groups.security/members/update	Update members of Security groups, excluding role-assignable groups
microsoft.directory/groups.security/owners/update	Update owners of Security groups, excluding role-assignable groups
microsoft.office365.knowledge/contentUnderstanding/allProperties/allTasks	Read and update all properties of content understanding in Microsoft 365 admin center
microsoft.office365.knowledge/knowledgeNetwork/allProperties/allTasks	Read and update all properties of knowledge network in Microsoft 365 admin center

Actions	Description
microsoft.office365.knowledge/learningSources/allProperties/allTasks	Manage learning sources and all their properties in Learning App.
microsoft.office365.protectionCenter/sensitivityLabels/allProperties/read	Read all properties of sensitivity labels in the Security and Compliance centers
microsoft.office365.sharePoint/allEntities/allTasks	Create and delete all resources, and read and update standard properties in SharePoint
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Knowledge Manager

Users in this role can create and manage content, like topics, acronyms and learning content. These users are primarily responsible for the quality and structure of knowledge. This user has full rights to topic management actions to confirm a topic, approve edits, or delete a topic. This role can also manage taxonomies as part of the term store management tool and create content centers.

 Expand table

Actions	Description
microsoft.directory/groups.security/basic/update	Update basic properties on Security groups, excluding role-assignable groups
microsoft.directory/groups.security/create	Create Security groups, excluding role-assignable groups
microsoft.directory/groups.security/createAsOwner	Create Security groups, excluding role-assignable groups. Creator is added as the first owner.
microsoft.directory/groups.security/delete	Delete Security groups, excluding role-assignable groups
microsoft.directory/groups.security/members/update	Update members of Security groups, excluding role-assignable groups
microsoft.directory/groups.security/owners/update	Update owners of Security groups, excluding role-assignable groups

Actions	Description
microsoft.office365.knowledge/contentUnderstanding/analytics/allProperties/read	Read analytics reports of content understanding in Microsoft 365 admin center
microsoft.office365.knowledge/knowledgeNetwork/topicVisibility/allProperties/allTasks	Manage topic visibility of knowledge network in Microsoft 365 admin center
microsoft.office365.sharePoint/allEntities/allTasks	Create and delete all resources, and read and update standard properties in SharePoint
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

License Administrator

Users in this role can read, add, remove, and update license assignments on users, groups (using group-based licensing), and manage the usage location on users. The role does not grant the ability to purchase or manage subscriptions, create or manage groups, or create or manage users beyond the usage location. This role has no access to view, create, or manage support tickets.

 Expand table

Actions	Description
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health
microsoft.directory/authorizationPolicy/standard/read	Read standard properties of authorization policy
microsoft.directory/groups/assignLicense	Assign product licenses to groups for group-based licensing
microsoft.directory/groups/reprocessLicenseAssignment	Reprocess license assignments for group-based licensing
microsoft.directory/users/assignLicense	Manage user licenses
microsoft.directory/users/reprocessLicenseAssignment	Reprocess license assignments for users
microsoft.directory/users/usageLocation/update	Update usage location of users
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft

Actions	Description
	365 admin center
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Lifecycle Workflows Administrator

PRIVILEGED

This is a [privileged role](#). Assign the Lifecycle Workflows Administrator role to users who need to do the following tasks:

- Create and manage all aspects of workflows and tasks associated with Lifecycle Workflows in Microsoft Entra ID
- Check the execution of scheduled workflows
- Launch on-demand workflow runs
- Inspect workflow execution logs

 Expand table

Actions	Description
microsoft.directory/lifecycleWorkflows/workflows/allProperties/allTasks	Manage all aspects of lifecycle workflows and tasks in Microsoft Entra ID
microsoft.directory/organization/strongAuthentication/read	Read strong authentication properties of an organization
microsoft.directory/users/lifeCycleInfo/read	Read lifecycle information of users, such as employeeLeaveDateTime

PRIVILEGED

Message Center Privacy Reader

Users in this role can monitor all notifications in the Message Center, including data privacy messages. Message Center Privacy Readers get email notifications including those related to data privacy and they can unsubscribe using Message Center Preferences. Only the Global Administrator and the Message Center Privacy Reader can read data privacy messages. Additionally, this role contains the ability to view groups, domains, and subscriptions. This role has no permission to view, create, or manage service requests.

[Expand table](#)

Actions	Description
microsoft.office365.messageCenter/messages/read	Read messages in Message Center in the Microsoft 365 admin center, excluding security messages
microsoft.office365.messageCenter/securityMessages/read	Read security messages in Message Center in the Microsoft 365 admin center
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Message Center Reader

Users in this role can monitor notifications and advisory health updates in [Message center](#) for their organization on configured services such as Exchange, Intune, and Microsoft Teams. Message Center Readers receive weekly email digests of posts, updates, and can share message center posts in Microsoft 365. In Microsoft Entra ID, users assigned to this role will only have read-only access on Microsoft Entra services such as users and groups. This role has no access to view, create, or manage support tickets.

[Expand table](#)

Actions	Description
microsoft.office365.messageCenter/messages/read	Read messages in Message Center in the Microsoft 365 admin center, excluding security messages
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Microsoft 365 Backup Administrator

Assign the Microsoft 365 Backup Administrator role to users who need to do the following tasks:

- Manage all aspects of Microsoft 365 Backup
- Create, edit, and manage backup configuration policies for SharePoint, OneDrive, and Exchange Online
- Perform restore operations for backed-up SharePoint sites, OneDrive accounts, and Exchange mailboxes

Actions	Description
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health
microsoft.azure.supportTickets/allEntities/allTasks	Create and manage Azure support tickets
microsoft.backup/allEntities/allProperties/allTasks	Manage all aspects of Microsoft 365 Backup
microsoft.office365.network/performance/allProperties/read	Read all network performance properties in the Microsoft 365 admin center
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.usageReports/allEntities/allProperties/read	Read Office 365 usage reports
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Microsoft 365 Migration Administrator

Assign the Microsoft 365 Migration Administrator role to users who need to do the following tasks:

- Use Migration Manager in the Microsoft 365 admin center to manage content migration to Microsoft 365, including Teams, OneDrive for Business, and SharePoint sites, from Google Drive, Dropbox, Box, and Egnyte
- Select migration sources, create migration inventories (such as Google Drive user lists), schedule and execute migrations, and download reports
- Create new SharePoint sites if the destination sites don't already exist, create SharePoint lists under the SharePoint admin sites, and create and update items in SharePoint lists
- Manage migration project settings and migration lifecycle for tasks
- Manage permission mappings from source to destination

ⓘ Note

This role doesn't allow you to migrate from file share sources using the SharePoint admin center. You can use the SharePoint Administrator role to migrate from file share sources.

[Expand table](#)

Actions	Description
microsoft.office365.migrations/allEntities/allProperties/allTasks	Manage all aspects of Microsoft 365 migrations
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Microsoft Entra Joined Device Local Administrator

This role is available for assignment only as an additional local administrator in [Device settings](#). Users with this role become local machine administrators on all Windows 10 devices that are joined to Microsoft Entra ID. They do not have the ability to manage devices objects in Microsoft Entra ID.

[Expand table](#)

Actions	Description
microsoft.directory/groupSettings/standard/read	Read basic properties on group settings
microsoft.directory/groupSettingTemplates/standard/read	Read basic properties on group setting templates

Microsoft Graph Data Connect Administrator

Assign the Microsoft Graph Data Connect Administrator role to users who need to do the following tasks:

- Access the full set of administrative capabilities of Microsoft Graph Data Connect
- Manage Microsoft Graph Data Connect settings in a tenant
- Enable or disable the Microsoft Graph Data Connect service
- Configure dataset workload selections in Microsoft Graph Data Connect
- Configure cross-tenant data movement settings in Microsoft Graph Data Connect
- View, approve, or deny application authorization requests for Microsoft Graph Data Connect
- View, create, update, or delete application registrations for Microsoft Graph Data Connect

Actions	Description
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health
microsoft.azure.supportTickets/allEntities/allTasks	Create and manage Azure support tickets
microsoft.graph.dataConnect/allEntities/allProperties/allTasks	Manage aspects of Microsoft Graph Data Connect
microsoft.office365.messageCenter/messages/read	Read messages in Message Center in the Microsoft 365 admin center, excluding security messages
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Microsoft Hardware Warranty Administrator

Assign the Microsoft Hardware Warranty Administrator role to users who need to do the following tasks:

- Create new warranty claims for Microsoft manufactured hardware, like Surface and HoloLens
- Search and read opened or closed warranty claims
- Search and read warranty claims by serial number
- Create, read, update, and delete shipping addresses
- Read shipping status for open warranty claims
- Create and manage service requests in the Microsoft 365 admin center
- Read Message center announcements in the Microsoft 365 admin center

A warranty claim is a request to have the hardware repaired or replaced in accordance with the terms of the warranty. For more information, see [Self-serve your Surface warranty & service requests](#).

Actions	Description
microsoft.hardware.support/shippingAddress/allProperties/allTasks	Create, read, update, and delete shipping addresses for Microsoft hardware warranty claims, including shipping addresses created by others
microsoft.hardware.support/shippingStatus/allProperties/read	Read shipping status for open Microsoft hardware warranty claims
microsoft.hardware.support/warrantyClaims/allProperties/allTasks	Create and manage all aspects of Microsoft hardware warranty claims
microsoft.office365.messageCenter/messages/read	Read messages in Message Center in the Microsoft 365 admin center, excluding security messages
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Microsoft Hardware Warranty Specialist

Assign the Microsoft Hardware Warranty Specialist role to users who need to do the following tasks:

- Create new warranty claims for Microsoft manufactured hardware, like Surface and HoloLens
- Read warranty claims that they created
- Read and update existing shipping addresses
- Read shipping status for open warranty claims they created
- Create and manage service requests in the Microsoft 365 admin center

A warranty claim is a request to have the hardware repaired or replaced in accordance with the terms of the warranty. For more information, see [Self-serve your Surface warranty & service requests](#).

 Expand table

Actions	Description
microsoft.hardware.support/shippingAddress/allProperties/read	Read shipping addresses for Microsoft hardware warranty claims, including existing shipping addresses created by others
microsoft.hardware.support/shippingStatus/allProperties	Read shipping status for open Microsoft hardware

Actions	Description
erties/read	warranty claims
microsoft.hardware.support/warrantyClaims/allProperties/read	Read Microsoft hardware warranty claims
microsoft.hardware.support/warrantyClaims/createAsOwner	Create Microsoft hardware warranty claims where creator is the owner
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Network Administrator

Users in this role can review network perimeter architecture recommendations from Microsoft that are based on network telemetry from their user locations. Network performance for Microsoft 365 relies on careful enterprise customer network perimeter architecture which is generally user location specific. This role allows for editing of discovered user locations and configuration of network parameters for those locations to facilitate improved telemetry measurements and design recommendations.

[Expand table](#)

Actions	Description
microsoft.office365.network/locations/allProperties/allTasks	Manage all aspects of network locations
microsoft.office365.network/performance/allProperties/read	Read all network performance properties in the Microsoft 365 admin center
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Office Apps Administrator

Users in this role can manage Microsoft 365 apps' cloud settings. This includes managing cloud policies, self-service download management and the ability to view Office apps related report. This role additionally grants the ability to manage support tickets, and monitor service health within the main admin center. Users assigned to this role can also manage communication of new features in Office apps.

[Expand table](#)

Actions	Description
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health
microsoft.azure.supportTickets/allEntities/allTasks	Create and manage Azure support tickets
microsoft.office365.messageCenter/messages/read	Read messages in Message Center in the Microsoft 365 admin center, excluding security messages
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.userCommunication/allEntities/allTasks	Read and update what's new messages visibility
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Organizational Branding Administrator

Assign the Organizational Branding Administrator role to users who need to do the following tasks:

- Manage all aspects of organizational branding in a tenant
- Read, create, update, and delete branding themes
- Manage the default branding theme and all branding localization themes

[Expand table](#)

Actions	Description
microsoft.directory/loginOrganizationBranding/allProperties/allTasks	Create and delete loginTenantBranding, and read and update all properties

Organizational Data Source Administrator

Assign the Organizational Data Source Administrator role to users who need to do the following tasks:

- Manage settings related to ingesting and managing organizational data for Microsoft 365 and Microsoft Viva applications

- Upload, update, and delete the ingested organizational data in Microsoft 365 and Microsoft Viva applications
- Export organizational data from the authorized applications

[Learn more](#)

 Expand table

Actions	Description
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health
microsoft.azure.supportTickets/allEntities/allTasks	Create and manage Azure support tickets
microsoft.microsoft365.organizationalData/allEntities/allProperties/allTasks	Manage all aspects of organizational data in Microsoft 365
microsoft.office365.messageCenter/messages/read	Read messages in Message Center in the Microsoft 365 admin center, excluding security messages
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Organizational Messages Approver

Assign the Organizational Messages Approver role to users who need to do the following tasks:

- Review, approve, or reject new organizational messages for delivery in the Microsoft 365 admin center before they are sent to users using the Microsoft 365 Organizational Messages platform
- Read all aspects of organizational messages
- Read basic properties on all resources in the Microsoft 365 admin center

 Expand table

Actions	Description
microsoft.office365.organizationalMessages/allEntities/allProperties/read	Read all aspects of Microsoft 365 Organizational Messages

Actions	Description
microsoft.office365.organizationalMessages/allEntities/allProperties/update	Approve or reject new organizational messages for delivery in the Microsoft 365 admin center
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Organizational Messages Writer

Assign the Organizational Messages Writer role to users who need to do the following tasks:

- Write, publish, and delete organizational messages using Microsoft 365 admin center or Microsoft Intune
- Manage organizational message delivery options using Microsoft 365 admin center or Microsoft Intune
- Read organizational message delivery results using Microsoft 365 admin center or Microsoft Intune
- View usage reports and most settings in the Microsoft 365 admin center, but can't make changes

[Expand table](#)

Actions	Description
microsoft.office365.organizationalMessages/allEntities/allProperties/allTasks	Manage all authoring aspects of Microsoft 365 Organizational Messages
microsoft.office365.usageReports/allEntities/standard/read	Read tenant-level aggregated Office 365 usage reports
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Partner Tier1 Support

PRIVILEGED

This is a [privileged role](#). Do not use. This role has been deprecated and will be removed from Microsoft Entra ID in the future. This role is intended for use by a small number of Microsoft resale partners, and is not intended for general use.

Important

This role can reset passwords and invalidate refresh tokens for only non-administrators.
This role should not be used because it is deprecated.

 Expand table

Actions	Description
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health
microsoft.azure.supportTickets/allEntities/allTasks	Create and manage Azure support tickets
microsoft.directory/applications/appRoles/update	Update the appRoles property on all types of applications
microsoft.directory/applications/audience/update	Update the audience property for applications
microsoft.directory/applications/authentication/update	Update authentication on all types of applications
microsoft.directory/applications/basic/update	Update basic properties for applications
microsoft.directory/applications/credentials/update	Update application credentials PRIVILEGED
microsoft.directory/applications/notes/update	Update notes of applications
microsoft.directory/applications/owners/update	Update owners of applications
microsoft.directory/applications/permissions/update	Update exposed permissions and required permissions on all types of applications
microsoft.directory/applications/policies/update	Update policies of applications
microsoft.directory/applications/tag/update	Update tags of applications
microsoft.directory/contacts/basic/update	Update basic properties on contacts
microsoft.directory/contacts/create	Create contacts
microsoft.directory/contacts/delete	Delete contacts
microsoft.directory/deletedItems.groups/restore	Restore soft deleted groups to original state
microsoft.directory/deletedItems.users/restore	Restore soft deleted users to original state
microsoft.directory/groups.unified/assignedLabels/update	Update the assigned labels property on Microsoft 365 groups of assigned membership type, excluding role-assignable groups
microsoft.directory/groups/create	Create Security groups and Microsoft 365 groups, excluding role-assignable groups

Actions	Description
microsoft.directory/groups/delete	Delete Security groups and Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups/members/update	Update members of Security groups and Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups/owners/update	Update owners of Security groups and Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups/restore	Restore groups from soft-deleted container
microsoft.directory/oAuth2PermissionGrants/allProperties/allTasks	Create and delete OAuth 2.0 permission grants, and read and update all properties PRIVILEGED
microsoft.directory/servicePrincipals/appRoleAssignedTo/update	Update service principal role assignments
microsoft.directory/users/assignLicense	Manage user licenses
microsoft.directory/users/basic/update	Update basic properties on users
microsoft.directory/users/create	Add users PRIVILEGED
microsoft.directory/users/delete	Delete users PRIVILEGED
microsoft.directory/users/disable	Disable users PRIVILEGED
microsoft.directory/users/enable	Enable users PRIVILEGED
microsoft.directory/users/invalidateAllRefreshTokens	Force sign-out by invalidating user refresh tokens PRIVILEGED
microsoft.directory/users/manager/update	Update manager for users
microsoft.directory/users/password/update	Reset passwords for all users PRIVILEGED
microsoft.directory/users/photo/update	Update photo of users
microsoft.directory/users/restore	Restore deleted users
microsoft.directory/users/userPrincipalName/update	Update User Principal Name of users PRIVILEGED

Actions	Description
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Partner Tier2 Support

PRIVILEGED

This is a [privileged role](#). Do not use. This role has been deprecated and will be removed from Microsoft Entra ID in the future. This role is intended for use by a small number of Microsoft resale partners, and is not intended for general use.

 **Important**

This role can reset passwords and invalidate refresh tokens for all non-administrators and administrators (including Global Administrators). This role should not be used because it is deprecated.

 Expand table

Actions	Description
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health
microsoft.azure.supportTickets/allEntities/allTasks	Create and manage Azure support tickets
microsoft.directory/applications/appRoles/update	Update the appRoles property on all types of applications
microsoft.directory/applications/audience/update	Update the audience property for applications
microsoft.directory/applications/authentication/update	Update authentication on all types of applications
microsoft.directory/applications/basic/update	Update basic properties for applications
microsoft.directory/applications/credentials/update	Update application credentials

PRIVILEGED

Actions	Description
microsoft.directory/applications/notes/update	Update notes of applications
microsoft.directory/applications/owners/update	Update owners of applications
microsoft.directory/applications/permissions/update	Update exposed permissions and required permissions on all types of applications
microsoft.directory/applications/policies/update	Update policies of applications
microsoft.directory/applications/tag/update	Update tags of applications
microsoft.directory/contacts/basic/update	Update basic properties on contacts
microsoft.directory/contacts/create	Create contacts
microsoft.directory/contacts/delete	Delete contacts
microsoft.directory/deletedItems.groups/restore	Restore soft deleted groups to original state
microsoft.directory/deletedItems.users/restore	Restore soft deleted users to original state
microsoft.directory/domains/allProperties/allTasks	Create and delete domains, and read and update all properties PRIVILEGED
microsoft.directory/groups.unified/assignedLabels/update	Update the assigned labels property on Microsoft 365 groups of assigned membership type, excluding role-assignable groups
microsoft.directory/groups/create	Create Security groups and Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups/delete	Delete Security groups and Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups/members/update	Update members of Security groups and Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups/owners/update	Update owners of Security groups and Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups/restore	Restore groups from soft-deleted container
microsoft.directory/oAuth2PermissionGrants/allProperties/allTasks	Create and delete OAuth 2.0 permission grants, and read and update all properties PRIVILEGED
microsoft.directory/organization/basic/update	Update basic properties on organization
microsoft.directory/roleAssignments/allProperties/a	Create and delete role assignments, and read and

Actions	Description
ITasks	update all role assignment properties
microsoft.directory/roleDefinitions/allProperties/allTasks	Create and delete role definitions, and read and update all properties
microsoft.directory/scopedRoleMemberships/allProperties/allTasks	Create and delete scopedRoleMemberships, and read and update all properties
microsoft.directory/servicePrincipals/appRoleAssignedTo/update	Update service principal role assignments
microsoft.directory/subscribedSkus/standard/read	Read basic properties on subscriptions
microsoft.directory/users/assignLicense	Manage user licenses
microsoft.directory/users/basic/update	Update basic properties on users
microsoft.directory/users/create	Add users PRIVILEGED
microsoft.directory/users/delete	Delete users PRIVILEGED
microsoft.directory/users/disable	Disable users PRIVILEGED
microsoft.directory/users/enable	Enable users PRIVILEGED
microsoft.directory/users/invalidateAllRefreshTokens	Force sign-out by invalidating user refresh tokens PRIVILEGED
microsoft.directory/users/manager/update	Update manager for users
microsoft.directory/users/password/update	Reset passwords for all users PRIVILEGED
microsoft.directory/users/photo/update	Update photo of users
microsoft.directory/users/restore	Restore deleted users
microsoft.directory/users/userPrincipalName/update	Update User Principal Name of users PRIVILEGED
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests

Actions	Description
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Password Administrator

PRIVILEGED

This is a [privileged role](#). Users with this role have limited ability to manage passwords. This role does not grant the ability to manage service requests or monitor service health. Whether a Password Administrator can reset a user's password depends on the role the user is assigned. For a list of the roles that a Password Administrator can reset passwords for, see [Who can reset passwords](#).

Users with this role **cannot** do the following:

- Cannot change the credentials or reset MFA for members and owners of a [role-assignable group](#).

 Expand table

Actions	Description
microsoft.directory/users/password/update	Reset passwords for all users PRIVILEGED
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

People Administrator

Assign the People Administrator role to users who need to do the following tasks:

- Update profile photos for all users including administrators
- Update people settings for all users, such as pronouns, name pronunciation, and profile card settings

 Expand table

Actions	Description
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the

Actions	Description
ead	Microsoft 365 admin center
microsoft.people/users/photo/read	Read profile photo of user
microsoft.people/users/photo/update	Update profile photo of user
microsoft.peopleAdmin/organization/allProperties/read	Read people settings for users, such as pronouns, name pronunciation, and profile card settings
microsoft.peopleAdmin/organization/allProperties/update	Update people settings for users, such as pronouns, name pronunciation, and profile card settings

Permissions Management Administrator

Assign the Permissions Management Administrator role to users who need to do the following tasks:

- Manage all aspects of Microsoft Entra Permissions Management, when the service is present

Learn more about Permissions Management roles and polices at [View information about roles/policies](#).

 Expand table

Actions	Description
microsoft.permissionsManagement/allEntities/allProperties/allTasks	Manage all aspects of Microsoft Entra Permissions Management

Places Administrator

Assign the Places Administrator role to users who need to do the following tasks:

- Manage all aspects of the Microsoft Places service
- Configure and manage buildings, floors, rooms, and desks
- Oversee and manage associated booking policies

[Learn more](#)

 Expand table

Actions	Description
microsoft.places/allEntities/allProperties/allTasks	Manage all aspects of the Microsoft Places service

Power Platform Administrator

Users in this role can create and manage all aspects of environments, Power Apps, Flows, Data Loss Prevention policies. Additionally, users with this role have the ability to manage support tickets and monitor service health.

 Expand table

Actions	Description
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health
microsoft.azure.supportTickets/allEntities/allTasks	Create and manage Azure support tickets
microsoft.dynamics365/allEntities/allTasks	Manage all aspects of Dynamics 365
microsoft.flow/allEntities/allTasks	Manage all aspects of Microsoft Power Automate
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center
microsoft.powerApps/allEntities/allTasks	Manage all aspects of Power Apps

Printer Administrator

Users in this role can register printers and manage all aspects of all printer configurations in the Microsoft Universal Print solution, including the Universal Print Connector settings. They can consent to all delegated print permission requests. Printer Administrators also have access to print reports.

 Expand table

Actions	Description
microsoft.azure.print/allEntities/allProperties/allTask	Create and delete printers and connectors, and

Actions	Description
s	read and update all properties in Microsoft Print

Printer Technician

Users with this role can register printers and manage printer status in the Microsoft Universal Print solution. They can also read all connector information. Key task a Printer Technician cannot do is set user permissions on printers and sharing printers.

 Expand table

Actions	Description
microsoft.azure.print/connectors/allProperties/read	Read all properties of connectors in Microsoft Print
microsoft.azure.print/printers/allProperties/read	Read all properties of printers in Microsoft Print
microsoft.azure.print/printers/basic/update	Update basic properties of printers in Microsoft Print
microsoft.azure.print/printers/register	Register printers in Microsoft Print
microsoft.azure.print/printers/unregister	Unregister printers in Microsoft Print

Privileged Authentication Administrator

PRIVILEGED

This is a [privileged role](#). Assign the Privileged Authentication Administrator role to users who need to do the following:

- Set or reset any authentication method (including passwords) for any user, including Global Administrators.
- Delete or restore any users, including Global Administrators. For more information, see [Who can perform sensitive actions](#).
- Force users to re-register against existing non-password credential (such as MFA or FIDO2) and revoke **remember MFA on the device**, prompting for MFA on the next sign-in of all users.
- Update sensitive properties for all users. For more information, see [Who can perform sensitive actions](#).
- Create and manage support tickets in Azure and the Microsoft 365 admin center.
- Configure certificate authorities with a PKI-based trust store (preview)

Users with this role **cannot** do the following:

- Cannot manage per-user MFA in the legacy MFA management portal.

The following table compares the capabilities of authentication-related roles.

 Expand table

Role	Manage user's auth methods	Manage per-user MFA	Manage MFA settings	Manage auth method policy	Manage password protection policy	Update sensitive properties	Delete and restore users
Authentication Administrator	Yes for some users	No	No	No	No	Yes for some users	Yes for some users
Privileged Authentication Administrator	Yes for all users	No	No	No	No	Yes for all users	Yes for all users
Authentication Policy Administrator	No	Yes	Yes	Yes	Yes	No	No
User Administrator	No	No	No	No	No	Yes for some users	Yes for some users

 Important

Users with this role can change credentials for people who may have access to sensitive or private information or critical configuration inside and outside of Microsoft Entra ID. Changing the credentials of a user may mean the ability to assume that user's identity and permissions. For example:

- Application Registration and Enterprise Application owners, who can manage credentials of apps they own. Those apps may have privileged permissions in Microsoft Entra ID and elsewhere not granted to Authentication Administrators. Through this path an Authentication Administrator can assume the identity of an application owner and then further assume the identity of a privileged application by updating the credentials for the application.
- Azure subscription owners, who may have access to sensitive or private information or critical configuration in Azure.

- Security Group and Microsoft 365 group owners, who can manage group membership. Those groups may grant access to sensitive or private information or critical configuration in Microsoft Entra ID and elsewhere.
- Administrators in other services outside of Microsoft Entra ID like Exchange Online, Microsoft 365 Defender portal, and Microsoft Purview compliance portal, and human resources systems.
- Non-administrators like executives, legal counsel, and human resources employees who may have access to sensitive or private information.

 Expand table

Actions	Description
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health
microsoft.azure.supportTickets/allEntities/allTasks	Create and manage Azure support tickets
microsoft.directory/deletedItems/users/restore	Restore soft deleted users to original state
microsoft.directory/users/authenticationMethods/basic/update	Update basic properties of authentication methods for users PRIVILEGED
microsoft.directory/users/authenticationMethods/create	Update authentication methods for users PRIVILEGED
microsoft.directory/users/authenticationMethods/delete	Delete authentication methods for users PRIVILEGED
microsoft.directory/users/authenticationMethods/standard/read	Read standard properties of authentication methods for users PRIVILEGED
microsoft.directory/users/authorizationInfo/update	Update the multivalued Certificate user IDs property of users
microsoft.directory/users/basic/update	Update basic properties on users
microsoft.directory/users/delete	Delete users PRIVILEGED
microsoft.directory/users/disable	Disable users PRIVILEGED
microsoft.directory/users/enable	Enable users PRIVILEGED

Actions	Description
microsoft.directory/users/invalidateAllRefreshTokens	Force sign-out by invalidating user refresh tokens PRIVILEGED
microsoft.directory/users/manager/update	Update manager for users
microsoft.directory/users/password/update	Reset passwords for all users PRIVILEGED
microsoft.directory/users/restore	Restore deleted users
microsoft.directory/users/userPrincipalName/update	Update User Principal Name of users PRIVILEGED
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Privileged Role Administrator

PRIVILEGED

This is a [privileged role](#). Users with this role can manage role assignments in Microsoft Entra ID, as well as within Microsoft Entra Privileged Identity Management. They can create and manage groups that can be assigned to Microsoft Entra roles. In addition, this role allows management of all aspects of Privileged Identity Management and administrative units.

Important

This role grants the ability to manage assignments for all Microsoft Entra roles including the Global Administrator role. This role does not include any other privileged abilities in Microsoft Entra ID like creating or updating users. However, users assigned to this role can grant themselves or others additional privilege by assigning additional roles.

 Expand table

Actions	Description
microsoft.directory/accessReviews/definitions.applications/allProperties/read	Read all properties of access reviews of application role assignments in Microsoft Entra ID
microsoft.directory/accessReviews/definitions.directoryRoles/allProperties/allTasks	Manage access reviews for Microsoft Entra role assignments
microsoft.directory/accessReviews/definitions.groups/allProperties/read	Read all properties of access reviews for membership in Security and Microsoft 365 groups, including role-assignable groups.
microsoft.directory/accessReviews/definitions.groupsAssignableToRoles/allProperties/update	Update all properties of access reviews for membership in groups that are assignable to Microsoft Entra roles
microsoft.directory/accessReviews/definitions.groupsAssignableToRoles/create	Create access reviews for membership in groups that are assignable to Microsoft Entra roles
microsoft.directory/accessReviews/definitions.groupsAssignableToRoles/delete	Delete access reviews for membership in groups that are assignable to Microsoft Entra roles
microsoft.directory/administrativeUnits/allProperties/allTasks	Create and manage administrative units (including members)
microsoft.directory/authorizationPolicy/allProperties/allTasks	Manage all aspects of authorization policy PRIVILEGED
microsoft.directory/directoryRoles/allProperties/allTasks	Create and delete directory roles, and read and update all properties
microsoft.directory/groupsAssignableToRoles/allProperties/update	Update role-assignable groups
microsoft.directory/groupsAssignableToRoles/assignLicense	Assign a license to role-assignable groups
microsoft.directory/groupsAssignableToRoles/create	Create role-assignable groups
microsoft.directory/groupsAssignableToRoles/delete	Delete role-assignable groups
microsoft.directory/groupsAssignableToRoles/reprocessLicenseAssignment	Reprocess license assignments to role-assignable groups
microsoft.directory/groupsAssignableToRoles/restore	Restore role-assignable groups
microsoft.directory/oauth2PermissionGrants/allProperties/allTasks	Create and delete OAuth 2.0 permission grants, and read and update all properties

Actions	Description
	PRIVILEGED
microsoft.directory/permissionGrantPolicies/allProperties/read	Read all properties of permission grant policies
microsoft.directory/permissionGrantPolicies/allProperties/update	Update all properties of permission grant policies
microsoft.directory/permissionGrantPolicies/create	Create permission grant policies
microsoft.directory/permissionGrantPolicies/delete	Delete permission grant policies
microsoft.directory/privilegedIdentityManagement/allProperties/allTasks	Create and delete all resources, and read and update standard properties in Privileged Identity Management
microsoft.directory/roleAssignments/allProperties/allTasks	Create and delete role assignments, and read and update all role assignment properties
microsoft.directory/roleDefinitions/allProperties/allTasks	Create and delete role definitions, and read and update all properties
microsoft.directory/scopedRoleMemberships/allProperties/allTasks	Create and delete scopedRoleMemberships, and read and update all properties
microsoft.directory/servicePrincipals/appRoleAssignedTo/update	Update service principal role assignments
microsoft.directory/servicePrincipals/managePermissionGrantsForAll.microsoft-company-admin	Grant consent for any permission to any application
microsoft.directory/servicePrincipals/permissions/update	Update permissions of service principals
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Reports Reader

Users with this role can view usage reporting data and the reports dashboard in Microsoft 365 admin center and the adoption context pack in Fabric and Power BI. Additionally, the role provides access to all sign-in logs, audit logs, and activity reports in Microsoft Entra ID and data returned by the Microsoft Graph reporting API. A user assigned to the Reports Reader role can access only relevant usage and adoption metrics. They don't have any admin permissions to configure settings or access the product-specific admin centers like Exchange. This role has no access to view, create, or manage support tickets.

[Expand table](#)

Actions	Description
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health
microsoft.directory/auditLogs/allProperties/read	Read all properties on audit logs, excluding custom security attributes audit logs
microsoft.directory/provisioningLogs/allProperties/read	Read all properties of provisioning logs
microsoft.directory/signInReports/allProperties/read	Read all properties on sign-in reports, including privileged properties
microsoft.office365.network/performance/allProperties/read	Read all network performance properties in the Microsoft 365 admin center
microsoft.office365.usageReports/allEntities/allProperties/read	Read Office 365 usage reports
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Search Administrator

Users in this role have full access to all Microsoft Search management features in the Microsoft 365 admin center. Additionally, these users can view the message center, monitor service health, and create service requests.

[Expand table](#)

Actions	Description
microsoft.office365.messageCenter/messages/read	Read messages in Message Center in the Microsoft 365 admin center, excluding security messages
microsoft.office365.search/content/manage	Create and delete content, and read and update all properties in Microsoft Search
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Search Editor

Users in this role can create, manage, and delete content for Microsoft Search in the Microsoft 365 admin center, including bookmarks, Q&As, and locations.

 Expand table

Actions	Description
microsoft.office365.messageCenter/messages/read	Read messages in Message Center in the Microsoft 365 admin center, excluding security messages
microsoft.office365.search/content/manage	Create and delete content, and read and update all properties in Microsoft Search
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Security Administrator

PRIVILEGED

This is a [privileged role](#). Users with this role have permissions to manage security-related features in the Microsoft 365 Defender portal, Microsoft Entra ID Protection, Microsoft Entra Authentication, Azure Information Protection, and Microsoft Purview compliance portal. For more information about Office 365 permissions, see [Roles and role groups in Microsoft Defender for Office 365 and Microsoft Purview compliance](#).

 Expand table

In	Can do
Microsoft 365 Defender portal	Monitor security-related policies across Microsoft 365 services Manage security threats and alerts View reports
Microsoft Entra ID Protection	All permissions of the Security Reader role Perform all ID Protection operations except for resetting passwords
Privileged Identity Management	All permissions of the Security Reader role Cannot manage Microsoft Entra role assignments or settings
Microsoft Purview compliance portal	Manage security policies View, investigate, and respond to security threats View reports

In	Can do
Azure Advanced Threat Protection	Monitor and respond to suspicious security activity
Microsoft Defender for Endpoint	Assign roles Manage machine groups Configure endpoint threat detection and automated remediation View, investigate, and respond to alerts View machines/device inventory
Intune	Maps to the Intune Endpoint Security Manager role
Microsoft Defender for Cloud Apps	Add admins, add policies and settings, upload logs and perform governance actions
Microsoft 365 service health	View the health of Microsoft 365 services
Smart lockout	Define the threshold and duration for lockouts when failed sign-in events happen.
Password Protection	Configure custom banned password list or on-premises password protection.
Cross-tenant synchronization	Configure cross-tenant access settings for users in another tenant. Security Administrators can't directly create and delete users, but can indirectly create and delete synchronized users from another tenant when both tenants are configured for cross-tenant synchronization, which is a privileged permission.

 [Expand table](#)

Actions	Description
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health
microsoft.azure.supportTickets/allEntities/allTasks	Create and manage Azure support tickets
microsoft.directory/applications/policies/update	Update policies of applications
microsoft.directory/auditLogs/allProperties/read	Read all properties on audit logs, excluding custom security attributes audit logs
microsoft.directory/authorizationPolicy/standard/read	Read standard properties of authorization policy
microsoft.directory/bitlockerKeys/key/read	Read bitlocker metadata and key on devices PRIVILEGED
microsoft.directory/conditionalAccessPolicies/basic/update	Update basic properties for Conditional Access policies

Actions	Description
microsoft.directory/conditionalAccessPolicies/create	Create Conditional Access policies
microsoft.directory/conditionalAccessPolicies/delete	Delete Conditional Access policies
microsoft.directory/conditionalAccessPolicies/owners/read	Read the owners of Conditional Access policies
microsoft.directory/conditionalAccessPolicies/owners/update	Update owners for Conditional Access policies
microsoft.directory/conditionalAccessPolicies/policyAppliedTo/read	Read the "applied to" property for Conditional Access policies
microsoft.directory/conditionalAccessPolicies/standard/read	Read Conditional Access for policies
microsoft.directory/conditionalAccessPolicies/tenantDefault/update	Update the default tenant for Conditional Access policies
microsoft.directory/crossTenantAccessPolicy/allowedCloudEndpoints/update	Update allowed cloud endpoints of cross-tenant access policy
microsoft.directory/crossTenantAccessPolicy/basic/update	Update basic settings of cross-tenant access policy
microsoft.directory/crossTenantAccessPolicy/default/b2bCollaboration/update	Update Microsoft Entra B2B collaboration settings of the default cross-tenant access policy
microsoft.directory/crossTenantAccessPolicy/default/b2bDirectConnect/update	Update Microsoft Entra B2B direct connect settings of the default cross-tenant access policy
microsoft.directory/crossTenantAccessPolicy/default/crossCloudMeetings/update	Update cross-cloud Teams meeting settings of the default cross-tenant access policy
microsoft.directory/crossTenantAccessPolicy/default/standard/read	Read basic properties of the default cross-tenant access policy
microsoft.directory/crossTenantAccessPolicy/default/tenantRestrictions/update	Update tenant restrictions of the default cross-tenant access policy
microsoft.directory/crossTenantAccessPolicy/partners/b2bCollaboration/update	Update Microsoft Entra B2B collaboration settings of cross-tenant access policy for partners
microsoft.directory/crossTenantAccessPolicy/partners/b2bDirectConnect/update	Update Microsoft Entra B2B direct connect settings of cross-tenant access policy for partners
microsoft.directory/crossTenantAccessPolicy/partners/create	Create cross-tenant access policy for partners

Actions	Description
microsoft.directory/crossTenantAccessPolicy/partners/crossCloudMeetings/update	Update cross-cloud Teams meeting settings of cross-tenant access policy for partners
microsoft.directory/crossTenantAccessPolicy/partners/delete	Delete cross-tenant access policy for partners
microsoft.directory/crossTenantAccessPolicy/partners/identitySynchronization/basic/update	Update basic settings of cross-tenant sync policy
microsoft.directory/crossTenantAccessPolicy/partners/identitySynchronization/create	Create cross-tenant sync policy for partners
microsoft.directory/crossTenantAccessPolicy/partners/identitySynchronization/standard/read	Read basic properties of cross-tenant sync policy
microsoft.directory/crossTenantAccessPolicy/partners/standard/read	Read basic properties of cross-tenant access policy for partners
microsoft.directory/crossTenantAccessPolicy/partners/templates/multiTenantOrganizationIdentitySynchronization/basic/update	Update cross tenant sync policy templates for multi-tenant organization
microsoft.directory/crossTenantAccessPolicy/partners/templates/multiTenantOrganizationIdentitySynchronization/resetToDefaultSettings	Reset cross tenant sync policy template for multi-tenant organization to default settings
microsoft.directory/crossTenantAccessPolicy/partners/templates/multiTenantOrganizationIdentitySynchronization/standard/read	Read basic properties of cross tenant sync policy templates for multi-tenant organization
microsoft.directory/crossTenantAccessPolicy/partners/templates/multiTenantOrganizationPartnerConfiguration/basic/update	Update cross tenant access policy templates for multi-tenant organization
microsoft.directory/crossTenantAccessPolicy/partners/templates/multiTenantOrganizationPartnerConfiguration/resetToDefaultSettings	Reset cross tenant access policy template for multi-tenant organization to default settings
microsoft.directory/crossTenantAccessPolicy/partners/templates/multiTenantOrganizationPartnerConfiguration/standard/read	Read basic properties of cross tenant access policy templates for multi-tenant organization
microsoft.directory/crossTenantAccessPolicy/partners/tenantRestrictions/update	Update tenant restrictions of cross-tenant access policy for partners
microsoft.directory/crossTenantAccessPolicy/standard/read	Read basic properties of cross-tenant access policy
microsoft.directory/deviceLocalCredentials/standard/read	Read all properties of the backed up local administrator account credentials for Microsoft

Actions	Description
	Entra joined devices, except the password
microsoft.directory/domains/federation/update	Update federation property of domains PRIVILEGED
microsoft.directory/domains/federationConfiguration/basic/update	Update basic federation configuration for domains
microsoft.directory/domains/federationConfiguration/create	Create federation configuration for domains
microsoft.directory/domains/federationConfiguration/delete	Delete federation configuration for domains
microsoft.directory/domains/federationConfiguration/standard/read	Read standard properties of federation configuration for domains
microsoft.directory/entitlementManagement/allProperties/read	Read all properties in Microsoft Entra entitlement management
microsoft.directory/identityProtection/allProperties/read	Read all resources in Microsoft Entra ID Protection
microsoft.directory/identityProtection/allProperties/update	Update all resources in Microsoft Entra ID Protection PRIVILEGED
microsoft.directory/multiTenantOrganization/basic/update	Update basic properties of a multi-tenant organization
microsoft.directory/multiTenantOrganization/create	Create a multi-tenant organization
microsoft.directory/multiTenantOrganization/joinRequest/organizationDetails/update	Join a multi-tenant organization
microsoft.directory/multiTenantOrganization/joinRequest/standard/read	Read properties of a multi-tenant organization join request
microsoft.directory/multiTenantOrganization/standard/read	Read basic properties of a multi-tenant organization
microsoft.directory/multiTenantOrganization/tenants/create	Create a tenant in a multi-tenant organization
microsoft.directory/multiTenantOrganization/tenants/delete	Delete a tenant participating in a multi-tenant organization
microsoft.directory/multiTenantOrganization/tenants/organizationDetails/read	Read organization details of a tenant participating in a multi-tenant organization

Actions	Description
microsoft.directory/multiTenantOrganization/tenants/organizationDetails/update	Update basic properties of a tenant participating in a multi-tenant organization
microsoft.directory/multiTenantOrganization/tenants/standard/read	Read basic properties of a tenant participating in a multi-tenant organization
microsoft.directory/namedLocations/basic/update	Update basic properties of custom rules that define network locations
microsoft.directory/namedLocations/create	Create custom rules that define network locations
microsoft.directory/namedLocations/delete	Delete custom rules that define network locations
microsoft.directory/namedLocations/standard/read	Read basic properties of custom rules that define network locations
microsoft.directory/policies/basic/update	Update basic properties on policies PRIVILEGED
microsoft.directory/policies/create	Create policies in Microsoft Entra ID
microsoft.directory/policies/delete	Delete policies in Microsoft Entra ID
microsoft.directory/policies/owners/update	Update owners of policies
microsoft.directory/policies/tenantDefault/update	Update default organization policies
microsoft.directory/privilegedIdentityManagement/allProperties/read	Read all resources in Privileged Identity Management
microsoft.directory/provisioningLogs/allProperties/read	Read all properties of provisioning logs
microsoft.directory/resourceNamespaces/resourceActions/authenticationContext/update	Update Conditional Access authentication context of Microsoft 365 role-based access control (RBAC) resource actions PRIVILEGED
microsoft.directory/servicePrincipals/policies/update	Update policies of service principals
microsoft.directory/signInReports/allProperties/read	Read all properties on sign-in reports, including privileged properties
microsoft.networkAccess/allEntities/allProperties/allTasks	Manage all aspects of Microsoft Entra Network Access
microsoft.office365.protectionCenter/allEntities/basic/update	Update basic properties of all resources in the Security and Compliance centers

Actions	Description
microsoft.office365.protectionCenter/allEntities/standard/read	Read standard properties of all resources in the Security and Compliance centers
microsoft.office365.protectionCenter/attackSimulator/payload/allProperties/allTasks	Create and manage attack payloads in Attack Simulator
microsoft.office365.protectionCenter/attackSimulator/reports/allProperties/read	Read reports of attack simulation, responses, and associated training
microsoft.office365.protectionCenter/attackSimulator/simulation/allProperties/allTasks	Create and manage attack simulation templates in Attack Simulator
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Security Operator

PRIVILEGED

This is a [privileged role](#). Users with this role can manage alerts and have global read-only access on security-related features, including all information in Microsoft 365 Defender portal, Microsoft Entra ID Protection, Privileged Identity Management, and Microsoft Purview compliance portal. For more information about Office 365 permissions, see [Roles and role groups in Microsoft Defender for Office 365 and Microsoft Purview compliance](#).

 Expand table

In	Can do
Microsoft 365 Defender portal	All permissions of the Security Reader role View, investigate, and respond to security threats alerts Manage security settings in Microsoft 365 Defender portal
Microsoft Entra ID Protection	All permissions of the Security Reader role Perform all ID Protection operations except for configuring or changing risk-based policies, resetting passwords, and configuring alert e-mails.
Privileged Identity Management	All permissions of the Security Reader role

In	Can do
Microsoft Purview compliance portal	All permissions of the Security Reader role View, investigate, and respond to security alerts
Microsoft Defender for Endpoint	All permissions of the Security Reader role View, investigate, and respond to security alerts When you turn on role-based access control in Microsoft Defender for Endpoint, users with read-only permissions such as the Security Reader role lose access until they're assigned a Microsoft Defender for Endpoint role.
Intune	All permissions of the Security Reader role
Microsoft Defender for Cloud Apps	All permissions of the Security Reader role View, investigate, and respond to security alerts
Microsoft 365 service health	View the health of Microsoft 365 services

 Expand table

Actions	Description
microsoft.azure.advancedThreatProtection/allEntities/allTasks	Manage all aspects of Azure Advanced Threat Protection
microsoft.azure.supportTickets/allEntities/allTasks	Create and manage Azure support tickets
microsoft.directory/auditLogs/allProperties/read	Read all properties on audit logs, excluding custom security attributes audit logs
microsoft.directory/authorizationPolicy/standard/read	Read standard properties of authorization policy
microsoft.directory/cloudAppSecurity/allProperties/allTasks	Create and delete all resources, and read and update standard properties in Microsoft Defender for Cloud Apps
microsoft.directory/identityProtection/allProperties/allTasks	Create and delete all resources, and read and update standard properties in Microsoft Entra ID Protection PRIVILEGED
microsoft.directory/privilegedIdentityManagement/allProperties/read	Read all resources in Privileged Identity Management
microsoft.directory/provisioningLogs/allProperties/read	Read all properties of provisioning logs
microsoft.directory/signInReports/allProperties/read	Read all properties on sign-in reports, including

Actions	Description
d	privileged properties
microsoft.intune/allEntities/read	Read all resources in Microsoft Intune
microsoft.office365.securityComplianceCenter/allEntities/allTasks	Create and delete all resources, and read and update standard properties in the Microsoft 365 Security and Compliance Center
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.windows.defenderAdvancedThreatProtection/allEntities/allTasks	Manage all aspects of Microsoft Defender for Endpoint

Security Reader

PRIVILEGED

This is a [privileged role](#). Users with this role have global read-only access on security-related feature, including all information in Microsoft 365 Defender portal, Microsoft Entra ID Protection, Privileged Identity Management, and the ability to read Microsoft Entra sign-in reports and audit logs, and in Microsoft Purview compliance portal. For more information about Office 365 permissions, see [Roles and role groups in Microsoft Defender for Office 365 and Microsoft Purview compliance](#).

 Expand table

In	Can do
Microsoft 365 Defender portal	View security-related policies across Microsoft 365 services View security threats and alerts View reports
Microsoft Entra ID Protection	View all ID Protection reports and Overview
Privileged Identity Management	Has read-only access to all information surfaced in Microsoft Entra Privileged Identity Management: Policies and reports for Microsoft Entra role assignments and security reviews. Cannot sign up for Microsoft Entra Privileged Identity Management or make any changes to it. In the Privileged Identity Management portal or via PowerShell, someone in this role can activate additional roles (for example, Privileged Role Administrator), if the user is eligible for them.

In	Can do
Microsoft Purview compliance portal	View security policies View and investigate security threats View reports
Microsoft Defender for Endpoint	View and investigate alerts When you turn on role-based access control in Microsoft Defender for Endpoint, users with read-only permissions such as the Security Reader role lose access until they're assigned a Microsoft Defender for Endpoint role.
Intune	Views user, device, enrollment, configuration, and application information. Cannot make changes to Intune.
Microsoft Defender for Cloud Apps	Has read permissions.
Microsoft 365 service health	View the health of Microsoft 365 services

 Expand table

Actions	Description
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health
microsoft.directory/accessReviews/definitions/allProperties/read	Read all properties of access reviews of all reviewable resources in Microsoft Entra ID
microsoft.directory/auditLogs/allProperties/read	Read all properties on audit logs, excluding custom security attributes audit logs
microsoft.directory/authorizationPolicy/standard/read	Read standard properties of authorization policy
microsoft.directory/bitlockerKeys/key/read	Read bitlocker metadata and key on devices PRIVILEGED
microsoft.directory/conditionalAccessPolicies/owners/read	Read the owners of Conditional Access policies
microsoft.directory/conditionalAccessPolicies/policyAppliedTo/read	Read the "applied to" property for Conditional Access policies
microsoft.directory/conditionalAccessPolicies/standard/read	Read Conditional Access for policies
microsoft.directory/crossTenantAccessPolicy/partners/templates/multiTenantOrganizationIdentitySync	Read basic properties of cross tenant sync policy templates for multi-tenant organization

Actions	Description
ronization/standard/read	
microsoft.directory/crossTenantAccessPolicy/partners/templates/multiTenantOrganizationPartnerConfiguration/standard/read	Read basic properties of cross tenant access policy templates for multi-tenant organization
microsoft.directory/deviceLocalCredentials/standard/read	Read all properties of the backed up local administrator account credentials for Microsoft Entra joined devices, except the password
microsoft.directory/domains/federationConfiguration/standard/read	Read standard properties of federation configuration for domains
microsoft.directory/entitlementManagement/allProperties/read	Read all properties in Microsoft Entra entitlement management
microsoft.directory/identityProtection/allProperties/read	Read all resources in Microsoft Entra ID Protection
microsoft.directory/multiTenantOrganization/joinRequest/standard/read	Read properties of a multi-tenant organization join request
microsoft.directory/multiTenantOrganization/standard/read	Read basic properties of a multi-tenant organization
microsoft.directory/multiTenantOrganization/tenants/organizationDetails/read	Read organization details of a tenant participating in a multi-tenant organization
microsoft.directory/multiTenantOrganization/tenants/standard/read	Read basic properties of a tenant participating in a multi-tenant organization
microsoft.directory/namedLocations/standard/read	Read basic properties of custom rules that define network locations
microsoft.directory/policies/owners/read	Read owners of policies
microsoft.directory/policies/policyAppliedTo/read	Read policies.policyAppliedTo property
microsoft.directory/policies/standard/read	Read basic properties on policies
microsoft.directory/privilegedIdentityManagement/allProperties/read	Read all resources in Privileged Identity Management
microsoft.directory/provisioningLogs/allProperties/read	Read all properties of provisioning logs
microsoft.directory/signInReports/allProperties/read	Read all properties on sign-in reports, including privileged properties
microsoft.networkAccess/allEntities/allProperties/read	Read all aspects of Microsoft Entra Network Access

Actions	Description
microsoft.office365.protectionCenter/allEntities/standard/read	Read standard properties of all resources in the Security and Compliance centers
microsoft.office365.protectionCenter/attackSimulator/payload/allProperties/read	Read all properties of attack payloads in Attack Simulator
microsoft.office365.protectionCenter/attackSimulator/reports/allProperties/read	Read reports of attack simulation, responses, and associated training
microsoft.office365.protectionCenter/attackSimulator/simulation/allProperties/read	Read all properties of attack simulation templates in Attack Simulator
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Service Support Administrator

Users with this role can create and manage support requests with Microsoft for Azure and Microsoft 365 services, and view the service dashboard and message center in the [Azure portal](#) and [Microsoft 365 admin center](#). For more information, see [About admin roles in the Microsoft 365 admin center](#).

ⓘ Note

This role was previously named Service Administrator in the [Azure portal](#) and [Microsoft 365 admin center](#). It was renamed to Service Support Administrator to align with the existing name in the Microsoft Graph API and Microsoft Graph PowerShell.

 Expand table

Actions	Description
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health
microsoft.azure.supportTickets/allEntities/allTasks	Create and manage Azure support tickets
microsoft.office365.network/performance/allProperties/read	Read all network performance properties in the Microsoft 365 admin center
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center

Actions	Description
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

SharePoint Administrator

Users with this role have global permissions within Microsoft SharePoint Online, when the service is present, as well as the ability to create and manage all Microsoft 365 groups, manage support tickets, and monitor service health. For more information, see [About admin roles in the Microsoft 365 admin center](#).

ⓘ Note

In the Microsoft Graph API and Microsoft Graph PowerShell, this role is named SharePoint Service Administrator. In the [Azure portal](#), it is named SharePoint Administrator.

ⓘ Note

This role also grants scoped permissions to the Microsoft Graph API for Microsoft Intune, allowing the management and configuration of policies related to SharePoint and OneDrive resources.

 Expand table

Actions	Description
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health
microsoft.azure.supportTickets/allEntities/allTasks	Create and manage Azure support tickets
microsoft.backup/oneDriveForBusinessProtectionPolicies/allProperties/allTasks	Create and manage OneDrive protection policy in Microsoft 365 Backup
microsoft.backup/oneDriveForBusinessRestoreSessions/allProperties/allTasks	Read and configure restore session for OneDrive in Microsoft 365 Backup
microsoft.backup/restorePoints/sites/allProperties/allTasks	Manage all restore points associated with selected SharePoint sites in M365 Backup

Actions	Description
microsoft.backup/restorePoints/userDrives/allProperties/allTasks	Manage all restore points associated with selected OneDrive accounts in M365 Backup
microsoft.backup/sharePointProtectionPolicies/allProperties/allTasks	Create and manage SharePoint protection policy in Microsoft 365 Backup
microsoft.backup/sharePointRestoreSessions/allProperties/allTasks	Read and configure restore session for SharePoint in Microsoft 365 Backup
microsoft.backup/siteProtectionUnits/allProperties/allTasks	Manage sites added to SharePoint protection policy in Microsoft 365 Backup
microsoft.backup/siteRestoreArtifacts/allProperties/allTasks	Manage sites added to restore session for SharePoint in Microsoft 365 Backup
microsoft.backup/userDriveProtectionUnits/allProperties/allTasks	Manage accounts added to OneDrive protection policy in Microsoft 365 Backup
microsoft.backup/userDriveRestoreArtifacts/allProperties/allTasks	Manage accounts added to restore session for OneDrive in Microsoft 365 Backup
microsoft.directory/groups.unified/assignedLabels/update	Update the assigned labels property on Microsoft 365 groups of assigned membership type, excluding role-assignable groups
microsoft.directory/groups.unified/basic/update	Update basic properties on Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups.unified/create	Create Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups.unified/delete	Delete Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups.unified/members/update	Update members of Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups.unified/owners/update	Update owners of Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups.unified/restore	Restore Microsoft 365 groups from soft-deleted container, excluding role-assignable groups
microsoft.directory/groups/hiddenMembers/read	Read hidden members of Security groups and Microsoft 365 groups, including role-assignable groups
microsoft.office365.migrations/allEntities/allProperties/allTasks	Manage all aspects of Microsoft 365 migrations

Actions	Description
microsoft.office365.network/performance/allProperties/read	Read all network performance properties in the Microsoft 365 admin center
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center
microsoft.office365.sharePoint/allEntities/allTasks	Create and delete all resources, and read and update standard properties in SharePoint
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.usageReports/allEntities/allProperties/read	Read Office 365 usage reports
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

SharePoint Backup Administrator

 Expand table

Actions	Description
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health
microsoft.azure.supportTickets/allEntities/allTasks	Create and manage Azure support tickets
microsoft.backup/oneDriveForBusinessProtectionPolicies/allProperties/allTasks	Create and manage OneDrive protection policy in Microsoft 365 Backup
microsoft.backup/oneDriveForBusinessRestoreSessions/allProperties/allTasks	Read and configure restore session for OneDrive in Microsoft 365 Backup
microsoft.backup/restorePoints/sites/allProperties/allTasks	Manage all restore points associated with selected SharePoint sites in M365 Backup
microsoft.backup/restorePoints/userDrives/allProperties/allTasks	Manage all restore points associated with selected OneDrive accounts in M365 Backup
microsoft.backup/sharePointProtectionPolicies/allProperties/allTasks	Create and manage SharePoint protection policy in Microsoft 365 Backup
microsoft.backup/sharePointRestoreSessions/allProperties/allTasks	Read and configure restore session for SharePoint in Microsoft 365 Backup
microsoft.backup/siteProtectionUnits/allProperties/allTasks	Manage sites added to SharePoint protection

Actions	Description
allTasks	policy in Microsoft 365 Backup
microsoft.backup/siteRestoreArtifacts/allProperties/allTasks	Manage sites added to restore session for SharePoint in Microsoft 365 Backup
microsoft.backup/userDriveProtectionUnits/allProperties/allTasks	Manage accounts added to OneDrive protection policy in Microsoft 365 Backup
microsoft.backup/userDriveRestoreArtifacts/allProperties/allTasks	Manage accounts added to restore session for OneDrive in Microsoft 365 Backup
microsoft.office365.network/performance/allProperties/read	Read all network performance properties in the Microsoft 365 admin center
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.usageReports/allEntities/allProperties/read	Read Office 365 usage reports
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

SharePoint Embedded Administrator

Assign the SharePoint Embedded Administrator role to users who need to do the following tasks:

- Perform all tasks using PowerShell, Microsoft Graph API, or SharePoint admin center
- Manage, configure, and maintain SharePoint Embedded containers
- Enumerate and manage SharePoint Embedded containers
- Enumerate and manage permissions for SharePoint Embedded containers
- Manage storage of SharePoint Embedded containers in a tenant
- Assign security and compliance policies on SharePoint Embedded containers
- Apply security and compliance policies on SharePoint Embedded containers in a tenant

[Learn more](#)

 Expand table

Actions	Description
microsoft.office365.fileStorageContainers/allEntities/allProperties/allTasks	Manage all aspects of SharePoint Embedded containers
microsoft.office365.network/performance/allProperties/read	Read all network performance properties in the Microsoft 365 admin center
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.usageReports/allEntities/allProperties/read	Read Office 365 usage reports
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Skype for Business Administrator

Users with this role have global permissions within Microsoft Skype for Business, when the service is present, as well as manage Skype-specific user attributes in Microsoft Entra ID. Additionally, this role grants the ability to manage support tickets and monitor service health, and to access the Teams and Skype for Business admin center. The account must also be licensed for Teams or it can't run Teams PowerShell cmdlets. For more information, see [Skype for Business Online Admin](#) and Teams licensing information at [Skype for Business add-on licensing](#).

ⓘ Note

In the Microsoft Graph API and Microsoft Graph PowerShell, this role is named Lync Service Administrator. In the [Azure portal](#), it is named Skype for Business Administrator.

 Expand table

Actions	Description
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health
microsoft.azure.supportTickets/allEntities/allTasks	Create and manage Azure support tickets
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center

Actions	Description
microsoft.office365.skypeForBusiness/allEntities/allTasks	Manage all aspects of Skype for Business Online
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.usageReports/allEntities/allProperties/read	Read Office 365 usage reports
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Teams Administrator

Users in this role can manage all aspects of the Microsoft Teams workload via the Microsoft Teams & Skype for Business admin center and the respective PowerShell modules. This includes, among other areas, all management tools related to telephony, messaging, meetings, and the teams themselves. This role additionally grants the ability to create and manage all Microsoft 365 groups, manage support tickets, and monitor service health.

[Expand table](#)

Actions	Description
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health
microsoft.azure.supportTickets/allEntities/allTasks	Create and manage Azure support tickets
microsoft.directory/authorizationPolicy/standard/read	Read standard properties of authorization policy
microsoft.directory/crossTenantAccessPolicy/allowedCloudEndpoints/update	Update allowed cloud endpoints of cross-tenant access policy
microsoft.directory/crossTenantAccessPolicy/default/crossCloudMeetings/update	Update cross-cloud Teams meeting settings of the default cross-tenant access policy
microsoft.directory/crossTenantAccessPolicy/default/standard/read	Read basic properties of the default cross-tenant access policy
microsoft.directory/crossTenantAccessPolicy/partners/create	Create cross-tenant access policy for partners
microsoft.directory/crossTenantAccessPolicy/partners/crossCloudMeetings/update	Update cross-cloud Teams meeting settings of cross-tenant access policy for partners

Actions	Description
microsoft.directory/crossTenantAccessPolicy/partners/standard/read	Read basic properties of cross-tenant access policy for partners
microsoft.directory/crossTenantAccessPolicy/standard/read	Read basic properties of cross-tenant access policy
microsoft.directory/externalUserProfiles/basic/update	Update basic properties of external user profiles in the extended directory for Teams
microsoft.directory/externalUserProfiles/delete	Delete external user profiles in the extended directory for Teams
microsoft.directory/externalUserProfiles/standard/read	Read standard properties of external user profiles in the extended directory for Teams
microsoft.directory/groups.unified/assignedLabels/update	Update the assigned labels property on Microsoft 365 groups of assigned membership type, excluding role-assignable groups
microsoft.directory/groups.unified/basic/update	Update basic properties on Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups.unified/create	Create Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups.unified/delete	Delete Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups.unified/members/update	Update members of Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups.unified/owners/update	Update owners of Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups.unified/restore	Restore Microsoft 365 groups from soft-deleted container, excluding role-assignable groups
microsoft.directory/groups/hiddenMembers/read	Read hidden members of Security groups and Microsoft 365 groups, including role-assignable groups
microsoft.directory/pendingExternalUserProfiles/basic/update	Update basic properties of external user profiles in the extended directory for Teams
microsoft.directory/pendingExternalUserProfiles/create	Create external user profiles in the extended directory for Teams
microsoft.directory/pendingExternalUserProfiles/delete	Delete external user profiles in the extended directory for Teams

Actions	Description
microsoft.directory/pendingExternalUserProfiles/standard/read	Read standard properties of external user profiles in the extended directory for Teams
microsoft.directory/permissionGrantPolicies/standard/read	Read standard properties of permission grant policies
microsoft.office365.network/performance/allProperties/read	Read all network performance properties in the Microsoft 365 admin center
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center
microsoft.office365.skypeForBusiness/allEntities/allTasks	Manage all aspects of Skype for Business Online
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.usageReports/allEntities/allProperties/read	Read Office 365 usage reports
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center
microsoft.teams/allEntities/allProperties/allTasks	Manage all resources in Teams

Teams Communications Administrator

Users in this role can manage aspects of the Microsoft Teams workload related to voice & telephony. This includes the management tools for telephone number assignment, voice and meeting policies, and full access to the call analytics toolset.

 Expand table

Actions	Description
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health
microsoft.azure.supportTickets/allEntities/allTasks	Create and manage Azure support tickets
microsoft.directory/authorizationPolicy/standard/read	Read standard properties of authorization policy
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center

Actions	Description
microsoft.office365.skypeForBusiness/allEntities/allTasks	Manage all aspects of Skype for Business Online
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.usageReports/allEntities/allProperties/read	Read Office 365 usage reports
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center
microsoft.teams/callQuality/allProperties/read	Read all data in the Call Quality Dashboard (CQD)
microsoft.teams/meetings/allProperties/allTasks	Manage meetings including meeting policies, configurations, and conference bridges
microsoft.teams/voice/allProperties/allTasks	Manage voice including calling policies and phone number inventory and assignment

Teams Communications Support Engineer

Users in this role can troubleshoot communication issues within Microsoft Teams & Skype for Business using the user call troubleshooting tools in the Microsoft Teams & Skype for Business admin center. Users in this role can view full call record information for all participants involved. This role has no access to view, create, or manage support tickets.

 Expand table

Actions	Description
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health
microsoft.directory/authorizationPolicy/standard/read	Read standard properties of authorization policy
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center
microsoft.office365.skypeForBusiness/allEntities/allTasks	Manage all aspects of Skype for Business Online
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center
microsoft.teams/callQuality/allProperties/read	Read all data in the Call Quality Dashboard (CQD)

Teams Communications Support Specialist

Users in this role can troubleshoot communication issues within Microsoft Teams & Skype for Business using the user call troubleshooting tools in the Microsoft Teams & Skype for Business admin center. Users in this role can only view user details in the call for the specific user they have looked up. This role has no access to view, create, or manage support tickets.

 Expand table

Actions	Description
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health
microsoft.directory/authorizationPolicy/standard/read	Read standard properties of authorization policy
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center
microsoft.office365.skypeForBusiness/allEntities/allTasks	Manage all aspects of Skype for Business Online
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center
microsoft.teams/callQuality/standard/read	Read basic data in the Call Quality Dashboard (CQD)

Teams Devices Administrator

Users with this role can manage [Teams-certified devices](#) from the Teams admin center. This role allows viewing all devices at single glance, with ability to search and filter devices. The user can check details of each device including logged-in account, make and model of the device. The user can change the settings on the device and update the software versions. This role does not grant permissions to check Teams activity and call quality of the device.

 Expand table

Actions	Description
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center
microsoft.teams/devices/standard/read	Manage all aspects of Teams-certified devices including configuration policies

Teams Reader

Assign the Teams Reader role to users who need to do the following tasks:

- Read settings and administrative information in the Teams admin center, but not perform any management actions
- Read the Microsoft Call Quality Dashboard (CQD), but not access any troubleshooting capabilities

Users with this role **cannot** do the following tasks:

- Cannot view Teams management
- Cannot access Meetings & Calls details of users
- Cannot access Notifications & Rules management
- Cannot access Frontline worker deployment management
- Cannot access the advanced collaboration insights dashboard

[Learn more](#)

 Expand table

Actions	Description
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center
microsoft.teams/allEntities/allProperties/read	Read all properties of Microsoft Teams

Teams Telephony Administrator

Assign the Teams Telephony Administrator role to users who need to do the following tasks:

- Manage voice and telephony, including calling policies, phone number management and assignment, and voice applications
- Access to only Public Switched Telephone Network (PSTN) usage reports from Teams admin center
- View user profile page
- Create and manage support tickets in Azure and the Microsoft 365 admin center

[Learn more](#)

 Expand table

Actions	Description
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health
microsoft.azure.supportTickets/allEntities/allTasks	Create and manage Azure support tickets
microsoft.directory/authorizationPolicy/standard/read	Read standard properties of authorization policy
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center
microsoft.office365.skypeForBusiness/allEntities/allTasks	Manage all aspects of Skype for Business Online
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.usageReports/allEntities/allProperties/read	Read Office 365 usage reports
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center
microsoft.teams/callQuality/allProperties/read	Read all data in the Call Quality Dashboard (CQD)
microsoft.teams/voice/allProperties/allTasks	Manage voice including calling policies and phone number inventory and assignment

Tenant Creator

Assign the Tenant Creator role to users who need to do the following tasks:

- Create both Microsoft Entra and Azure Active Directory B2C tenants even if the tenant creation toggle is turned off in the user settings

ⓘ Note

The tenant creators will be assigned the Global Administrator role on the new tenants they create.

 Expand table

Actions	Description
microsoft.directory/tenantManagement/tenants/create	Create new tenants in Microsoft Entra ID

Usage Summary Reports Reader

Assign the Usage Summary Reports Reader role to users who need to do the following tasks in the Microsoft 365 admin center:

- View the Usage reports and Adoption Score
- Read organizational insights, but not personally identifiable information (PII) of users

This role only allows users to view organizational-level data with the following exceptions:

- Member users can view user management data and settings.
- Guest users assigned this role cannot view user management data and settings.

 Expand table

Actions	Description
microsoft.office365.network/performance/allProperties/read	Read all network performance properties in the Microsoft 365 admin center
microsoft.office365.usageReports/allEntities/standard/read	Read tenant-level aggregated Office 365 usage reports
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

User Administrator

PRIVILEGED

This is a [privileged role](#). Assign the User Administrator role to users who need to do the following:

 Expand table

Permission	More information
Create users	
Update most user properties for all users, including all administrators	Who can perform sensitive actions
Update sensitive properties (including user principal name) for some users	Who can perform sensitive actions
Disable or enable some users	Who can perform sensitive

Permission	More information
	actions
Delete or restore some users	Who can perform sensitive actions
Create and manage user views	
Create and manage all groups	
Assign and read licenses for all users, including all administrators	
Reset passwords	Who can reset passwords
Invalidate refresh tokens	Who can reset passwords
Update (FIDO) device keys	
Update password expiration policies	
Create and manage support tickets in Azure and the Microsoft 365 admin center	
Monitor service health	

Users with this role **cannot** do the following:

- Cannot manage MFA.
- Cannot change the credentials or reset MFA for members and owners of a [role-assignable group](#).
- Cannot manage shared mailboxes.
- Cannot modify security questions for password reset operation.

Important

Users with this role can change passwords for people who may have access to sensitive or private information or critical configuration inside and outside of Microsoft Entra ID. Changing the password of a user may mean the ability to assume that user's identity and permissions. For example:

- Application Registration and Enterprise Application owners, who can manage credentials of apps they own. Those apps may have privileged permissions in Microsoft Entra ID and elsewhere not granted to User Administrators. Through this path a User Administrator may be able to assume the identity of an application owner and then further assume the identity of a privileged application by updating the credentials for the application.

- Azure subscription owners, who may have access to sensitive or private information or critical configuration in Azure.
- Security Group and Microsoft 365 group owners, who can manage group membership. Those groups may grant access to sensitive or private information or critical configuration in Microsoft Entra ID and elsewhere.
- Administrators in other services outside of Microsoft Entra ID like Exchange Online, Microsoft 365 Defender portal, Microsoft Purview compliance portal, and human resources systems.
- Non-administrators like executives, legal counsel, and human resources employees who may have access to sensitive or private information.

 Expand table

Actions	Description
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health
microsoft.azure.supportTickets/allEntities/allTasks	Create and manage Azure support tickets
microsoft.directory/accessReviews/definitions.applications/allProperties/allTasks	Manage access reviews of application role assignments in Microsoft Entra ID
microsoft.directory/accessReviews/definitions.directoryRoles/allProperties/read	Read all properties of access reviews for Microsoft Entra role assignments
microsoft.directory/accessReviews/definitions.entitlementManagement/allProperties/allTasks	Manage access reviews for access package assignments in entitlement management
microsoft.directory/accessReviews/definitions.groups/allProperties/read	Read all properties of access reviews for membership in Security and Microsoft 365 groups, including role-assignable groups.
microsoft.directory/accessReviews/definitions.groups/allProperties/update	Update all properties of access reviews for membership in Security and Microsoft 365 groups, excluding role-assignable groups.
microsoft.directory/accessReviews/definitions.groups/create	Create access reviews for membership in Security and Microsoft 365 groups.
microsoft.directory/accessReviews/definitions.groups/delete	Delete access reviews for membership in Security and Microsoft 365 groups.
microsoft.directory/contacts/basic/update	Update basic properties on contacts
microsoft.directory/contacts/create	Create contacts

Actions	Description
microsoft.directory/contacts/delete	Delete contacts
microsoft.directory/deletedItems.groups/restore	Restore soft deleted groups to original state
microsoft.directory/deletedItems.users/restore	Restore soft deleted users to original state
microsoft.directory/entitlementManagement/allProperties/allTasks	Create and delete resources, and read and update all properties in Microsoft Entra entitlement management
microsoft.directory/groups/assignLicense	Assign product licenses to groups for group-based licensing
microsoft.directory/groups/basic/update	Update basic properties on Security groups and Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups/classification/update	Update the classification property on Security groups and Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups/create	Create Security groups and Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups/delete	Delete Security groups and Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups/dynamicMembershipRule/update	Update the dynamic membership rule on Security groups and Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups/groupType/update	Update properties that would affect the group type of Security groups and Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups/hiddenMembers/read	Read hidden members of Security groups and Microsoft 365 groups, including role-assignable groups
microsoft.directory/groups/members/update	Update members of Security groups and Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups/onPremWriteBack/update	Update Microsoft Entra groups to be written back to on-premises with Microsoft Entra Connect
microsoft.directory/groups/owners/update	Update owners of Security groups and Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups/reprocessLicenseAssignment	Reprocess license assignments for group-based licensing

Actions	Description
microsoft.directory/groups/restore	Restore groups from soft-deleted container
microsoft.directory/groups/settings/update	Update settings of groups
microsoft.directory/groups/visibility/update	Update the visibility property of Security groups and Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/oAuth2PermissionGrants/allProperties/allTasks	Create and delete OAuth 2.0 permission grants, and read and update all properties PRIVILEGED
microsoft.directory/onPremisesSynchronization/standard/read	Read standard on-premises directory synchronization information
microsoft.directory/policies/standard/read	Read basic properties on policies
microsoft.directory/servicePrincipals/appRoleAssignedTo/update	Update service principal role assignments
microsoft.directory/users/assignLicense	Manage user licenses
microsoft.directory/users/basic/update	Update basic properties on users
microsoft.directory/users/convertExternalToInternalMemberUser	Convert external user to internal user
microsoft.directory/users/create	Add users PRIVILEGED
microsoft.directory/users/delete	Delete users PRIVILEGED
microsoft.directory/users/disable	Disable users PRIVILEGED
microsoft.directory/users/enable	Enable users PRIVILEGED
microsoft.directory/users/invalidateAllRefreshTokens	Force sign-out by invalidating user refresh tokens PRIVILEGED
microsoft.directory/users/inviteGuest	Invite guest users
microsoft.directory/users/lifecycleInfo/read	Read lifecycle information of users, such as employeeLeaveDateTime PRIVILEGED
microsoft.directory/users/manager/update	Update manager for users

Actions	Description
microsoft.directory/users/password/update	Reset passwords for all users PRIVILEGED
microsoft.directory/users/photo/update	Update photo of users
microsoft.directory/users/reprocessLicenseAssignment	Reprocess license assignments for users
microsoft.directory/users/restore	Restore deleted users
microsoft.directory/users/sponsors/update	Update sponsors of users
microsoft.directory/users/usageLocation/update	Update usage location of users
microsoft.directory/users/userPrincipalName/update	Update User Principal Name of users PRIVILEGED
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

User Experience Success Manager

Assign the User Experience Success Manager role to users who need to do the following tasks:

- Read organizational-level usage reports for Microsoft 365 Apps and services, but not user details
- View your organization's product feedback, Net Promoter Score (NPS) survey results, and help article views to identify communication and training opportunities
- Read message center posts and service health data

[Learn more](#)

 Expand table

Actions	Description
microsoft.commerce.billing/purchases/standard/read	Read purchase services in Microsoft 365 admin center.

Actions	Description
microsoft.office365.messageCenter/messages/read	Read messages in Message Center in the Microsoft 365 admin center, excluding security messages
microsoft.office365.network/performance/allProperties/read	Read all network performance properties in the Microsoft 365 admin center
microsoft.office365.organizationalMessages/allEntities/allProperties/read	Read all aspects of Microsoft 365 Organizational Messages
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center
microsoft.office365.usageReports/allEntities/standard/read	Read tenant-level aggregated Office 365 usage reports
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Virtual Visits Administrator

Users with this role can do the following tasks:

- Manage and configure all aspects of Virtual Visits in Bookings in the Microsoft 365 admin center, and in the Teams EHR connector
- View usage reports for Virtual Visits in the Teams admin center, Microsoft 365 admin center, Fabric, and Power BI
- View features and settings in the Microsoft 365 admin center, but can't edit any settings

Virtual Visits are a simple way to schedule and manage online and video appointments for staff and attendees. For example, usage reporting can show how sending SMS text messages before appointments can reduce the number of people who don't show up for appointments.

 Expand table

Actions	Description
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center
microsoft.virtualVisits/allEntities/allProperties/allTasks	Manage and share Virtual Visits information and metrics from admin centers or the Virtual Visits app

 Expand table

Actions	Description
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center
microsoft.virtualVisits/allEntities/allProperties/allTasks	Manage and share Virtual Visits information and metrics from admin centers or the Virtual Visits app

Viva Glint Tenant Administrator

Assign the Viva Glint Tenant Administrator role to users who need to do the following tasks:

- Read and configure Viva Glint settings in the Microsoft 365 admin center
- Assign or remove Viva Glint service admins
- Create and manage Viva Feature Access Management policies
- View and manage Viva Glint experiences (if applicable)
- Create and manage Azure support tickets

For more information, see [Key roles for Viva Glint](#) and [Assign Viva Glint Tenant and Service Administrators](#).

 Expand table

Actions	Description
microsoft.azure.serviceHealth/allEntities/allTasks	Read and configure Azure Service Health
microsoft.azure.supportTickets/allEntities/allTasks	Create and manage Azure support tickets
microsoft.office365.messageCenter/messages/read	Read messages in Message Center in the Microsoft 365 admin center, excluding security messages
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.usageReports/allEntities/allProperties/read	Read Office 365 usage reports
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center
microsoft.viva.glint/allEntities/allProperties/allTasks	Manage and configure all Microsoft Viva Glint settings in the Microsoft 365 admin center

Viva Goals Administrator

Assign the Viva Goals Administrator role to users who need to do the following tasks:

- Manage and configure all aspects of the Microsoft Viva Goals application
- Configure Microsoft Viva Goals admin settings
- Read Microsoft Entra tenant information
- Monitor Microsoft 365 service health
- Create and manage Microsoft 365 service requests

For more information, see [Roles and permissions in Viva Goals](#) and [Introduction to Microsoft Viva Goals](#).

 Expand table

Actions	Description
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center
microsoft.viva.goals/allEntities/allProperties/allTasks	Manage all aspects of Microsoft Viva Goals

Viva Pulse Administrator

Assign the Viva Pulse Administrator role to users who need to do the following tasks:

- Read and configure all settings of Viva Pulse
- Read basic properties on all resources in the Microsoft 365 admin center
- Read and configure Azure Service Health
- Create and manage Azure support tickets
- Read messages in Message Center in the Microsoft 365 admin center, excluding security messages
- Read usage reports in the Microsoft 365 admin center

For more information, see [Assign a Viva Pulse admin in the Microsoft 365 admin center](#).

 Expand table

Actions	Description
microsoft.office365.messageCenter/messages/read	Read messages in Message Center in the Microsoft 365 admin center, excluding security messages

Actions	Description
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.usageReports/allEntities/allProperties/read	Read Office 365 usage reports
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center
microsoft.viva.pulse/allEntities/allProperties/allTasks	Manage all aspects of Microsoft Viva Pulse

Windows 365 Administrator

Users with this role have global permissions on Windows 365 resources, when the service is present. Additionally, this role contains the ability to manage users and devices in order to associate policy, as well as create and manage groups.

This role can create and manage security groups, but does not have administrator rights over Microsoft 365 groups. That means administrators cannot update owners or memberships of Microsoft 365 groups in the organization. However, they can manage the Microsoft 365 group they create, which is a part of their end-user privileges. So, any Microsoft 365 group (not security group) they create is counted against their quota of 250.

Assign the Windows 365 Administrator role to users who need to do the following tasks:

- Manage Windows 365 Cloud PCs in Microsoft Intune
- Enroll and manage devices in Microsoft Entra ID, including assigning users and policies
- Create and manage security groups, but not role-assignable groups
- View basic properties in the Microsoft 365 admin center
- Read usage reports in the Microsoft 365 admin center
- Create and manage support tickets in Azure and the Microsoft 365 admin center

[Expand table](#)

Actions	Description
microsoft.azure.supportTickets/allEntities/allTasks	Create and manage Azure support tickets
microsoft.cloudPC/allEntities/allProperties/allTasks	Manage all aspects of Windows 365

Actions	Description
microsoft.directory/deletedItems/devices/delete	Permanently delete devices, which can no longer be restored
microsoft.directory/deletedItems/devices/restore	Restore soft deleted devices to original state
microsoft.directory/deviceManagementPolicies/standard/read	Read standard properties on mobile device management and mobile app management policies
microsoft.directory/deviceRegistrationPolicy/standard/read	Read standard properties on device registration policies
microsoft.directory/devices/basic/update	Update basic properties on devices
microsoft.directory/devices/create	Create devices (enroll in Microsoft Entra ID)
microsoft.directory/devices/delete	Delete devices from Microsoft Entra ID
microsoft.directory/devices/disable	Disable devices in Microsoft Entra ID
microsoft.directory/devices/enable	Enable devices in Microsoft Entra ID
microsoft.directory/devices/extensionAttributeSet1/update	Update the extensionAttribute1 to extensionAttribute5 properties on devices
microsoft.directory/devices/extensionAttributeSet2/update	Update the extensionAttribute6 to extensionAttribute10 properties on devices
microsoft.directory/devices/extensionAttributeSet3/update	Update the extensionAttribute11 to extensionAttribute15 properties on devices
microsoft.directory/devices/registeredOwners/update	Update registered owners of devices
microsoft.directory/devices/registeredUsers/update	Update registered users of devices
microsoft.directory/groups.security/assignedLabels/update	Update the assigned labels property on Security groups of assigned membership type, excluding role-assignable groups
microsoft.directory/groups.security/basic/update	Update basic properties on Security groups, excluding role-assignable groups
microsoft.directory/groups.security/classification/update	Update the classification property on Security groups, excluding role-assignable groups
microsoft.directory/groups.security/create	Create Security groups, excluding role-assignable groups
microsoft.directory/groups.security/delete	Delete Security groups, excluding role-assignable groups

Actions	Description
microsoft.directory/groups.security/dynamicMembershipRule/update	Update the dynamic membership rule on Security groups, excluding role-assignable groups
microsoft.directory/groups.security/members/update	Update members of Security groups, excluding role-assignable groups
microsoft.directory/groups.security/owners/update	Update owners of Security groups, excluding role-assignable groups
microsoft.directory/groups.security/visibility/update	Update the visibility property on Security groups, excluding role-assignable groups
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.usageReports/allEntities/allProperties/read	Read Office 365 usage reports
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center

Windows Update Deployment Administrator

Users in this role can create and manage all aspects of Windows Update deployments through the Windows Update for Business deployment service. The deployment service enables users to define settings for when and how updates are deployed, and specify which updates are offered to groups of devices in their tenant. It also allows users to monitor the update progress.

 Expand table

Actions	Description
microsoft.windows.updateDeployments/allEntities/allProperties/allTasks	Read and configure all aspects of Windows Update Service

Yammer Administrator

Assign the Yammer Administrator role to users who need to do the following tasks:

- Manage all aspects of Yammer
- Create, manage, and restore Microsoft 365 Groups, but not role-assignable groups

- View the hidden members of Security groups and Microsoft 365 groups, including role assignable groups
- Read usage reports in the Microsoft 365 admin center
- Create and manage service requests in the Microsoft 365 admin center
- View announcements in the Message center, but not security announcements
- View service health

[Learn more](#)

 Expand table

Actions	Description
microsoft.directory/groups.unified/assignedLabels/update	Update the assigned labels property on Microsoft 365 groups of assigned membership type, excluding role-assignable groups
microsoft.directory/groups.unified/basic/update	Update basic properties on Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups.unified/create	Create Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups.unified/delete	Delete Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups.unified/members/update	Update members of Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups.unified/owners/update	Update owners of Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups.unified/restore	Restore Microsoft 365 groups from soft-deleted container, excluding role-assignable groups
microsoft.directory/groups/hiddenMembers/read	Read hidden members of Security groups and Microsoft 365 groups, including role-assignable groups
microsoft.office365.messageCenter/messages/read	Read messages in Message Center in the Microsoft 365 admin center, excluding security messages
microsoft.office365.network/performance/allProperties/read	Read all network performance properties in the Microsoft 365 admin center
microsoft.office365.serviceHealth/allEntities/allTasks	Read and configure Service Health in the Microsoft 365 admin center
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests

Actions	Description
microsoft.office365.usageReports/allEntities/allProperties/read	Read Office 365 usage reports
microsoft.office365.webPortal/allEntities/standard/read	Read basic properties on all resources in the Microsoft 365 admin center
microsoft.office365.yammer/allEntities/allProperties/allTasks	Manage all aspects of Yammer

Deprecated roles

The following roles should not be used. They have been deprecated and will be removed from Microsoft Entra ID in the future.

- AdHoc License Administrator
- Device Join
- Device Managers
- Device Users
- Email Verified User Creator
- Mailbox Administrator
- Workplace Device Join

Roles not shown in the portal

Not every role returned by PowerShell or Microsoft Graph API is visible in Azure portal. The following table organizes those differences.

 Expand table

API name	Microsoft Entra admin center portal name	Notes
Device Join	Deprecated	Deprecated roles documentation
Device Managers	Deprecated	Deprecated roles documentation
Device Users	Deprecated	Deprecated roles documentation
Directory Synchronization Accounts	Not shown because it shouldn't be used	Directory Synchronization Accounts documentation
Guest User	Not shown because it can't be used	Modern Commerce Administrator

API name	Microsoft Entra admin center portal name	Notes
Modern Commerce Administrator	Not shown because it can't be used	Modern Commerce Administrator
Partner Tier 1 Support	Not shown because it shouldn't be used	Partner Tier1 Support documentation
Partner Tier 2 Support	Not shown because it shouldn't be used	Partner Tier2 Support documentation
Restricted Guest User	Not shown because it can't be used	NA
User	Not shown because it can't be used	NA
Workplace Device Join	Deprecated	Deprecated roles documentation

Modern Commerce Administrator

Template ID: d24aef57-1500-4070-84db-2666f29cf966

Don't use. This role isn't returned by PowerShell or the Microsoft Graph API. It's automatically assigned from Commerce, and isn't intended or supported for any other use.

The Modern Commerce Administrator role gives certain users permission to access Microsoft 365 admin center and see the left navigation entries for **Home**, **Billing**, and **Support**. The content available in these areas is controlled by [commerce-specific roles](#) assigned to users to manage products that they bought for themselves or your organization. This might include tasks like paying bills, or for access to billing accounts and billing profiles.

Users with the Modern Commerce Administrator role typically have administrative permissions in other Microsoft purchasing systems, but don't have Global Administrator or Billing Administrator roles used to access the admin center.

When is the Modern Commerce Administrator role assigned?

- **Self-service purchase in Microsoft 365 admin center** – Self-service purchase gives users a chance to try out new products by buying or signing up for them on their own. These products are managed in the admin center. Users who make a self-service purchase are assigned a role in the commerce system, and the Modern Commerce Administrator role so they can manage their purchases in admin center. Admins can block self-service purchases (for Fabric, Power BI, Power Apps, Power Automate) through [PowerShell](#). For more information, see [Self-service purchase FAQ](#).

- **Purchases from Microsoft commercial marketplace** – Similar to self-service purchase, when a user buys a product or service from Microsoft AppSource or Azure Marketplace, the Modern Commerce Administrator role is assigned if they don't have the Global Administrator or Billing Administrator role. In some cases, users might be blocked from making these purchases. For more information, see [Microsoft commercial marketplace](#).
- **Proposals from Microsoft** – A proposal is a formal offer from Microsoft for your organization to buy Microsoft products and services. When the person who is accepting the proposal doesn't have a Global Administrator or Billing Administrator role in Microsoft Entra ID, they're assigned both a commerce-specific role to complete the proposal and the Modern Commerce Administrator role to access admin center. When they access the admin center, they can only use features that are authorized by their commerce-specific role.
- **Commerce-specific roles** – Some users are assigned commerce-specific roles. If a user isn't a Global Administrator or Billing Administrator, they get the Modern Commerce Administrator role so they can access the admin center.

If the Modern Commerce Administrator role is unassigned from a user, they lose access to Microsoft 365 admin center. If they were managing any products, either for themselves or for your organization, they won't be able to manage them. This might include assigning licenses, changing payment methods, paying bills, or other tasks for managing subscriptions.

 Expand table

Actions	Description
microsoft.commerce.billing/partners/read	
microsoft.commerce.volumeLicenseServiceCenter/allEntities/allTasks	Manage all aspects of Volume Licensing Service Center
microsoft.office365.supportTickets/allEntities/allTasks	Create and manage Microsoft 365 service requests
microsoft.office365.webPortal/allEntities/basic/read	Read basic properties on all resources in the Microsoft 365 admin center

Next steps

- [Assign Microsoft Entra roles](#)
- [Understand the different roles](#)
- [Assign a user as an administrator of an Azure subscription](#)

Least privileged roles by task in Microsoft Entra ID

06/20/2025

This article describes the least privileged role you should use for several tasks in Microsoft Entra ID. You will find tasks organized by feature area and the least privileged role required to perform each task, along with additional non-Global Administrator roles that can perform the task.

You can further restrict permissions by assigning roles at smaller scopes or by creating your own custom roles. For more information, see [Assign Microsoft Entra roles](#) or [Create a custom role in Microsoft Entra ID](#).

Application proxy least privileged roles

Here are the least privileged roles you should use when performing tasks in [Microsoft Entra application proxy](#).

 Expand table

Task	Least privileged role	Additional roles
Configure application proxy app	Application Administrator	
Configure connector group properties	Application Administrator	
Create application registration when ability is disabled for all users	Application Developer	Cloud Application Administrator Application Administrator
Create connector group	Application Administrator	
Delete connector group	Application Administrator	
Disable application proxy	Application Administrator	
Download connector service	Application Administrator	
Read all configuration	Application Administrator	

External Identities/Azure AD B2C least privileged roles

Here are the least privileged roles you should use when performing tasks in [Microsoft Entra External ID](#) and [Azure Active Directory B2C](#).

 Expand table

Task	Least privileged role	Additional roles
Create Azure AD B2C directories	All non-guest users	
Create enterprise applications	Cloud Application Administrator	Application Administrator
Create, read, update, and delete B2C policies	B2C IEF Policy Administrator	
Create, read, update, and delete identity providers	External Identity Provider Administrator	
Create, read, update, and delete password reset user flows	External ID User Flow Administrator	
Create, read, update, and delete profile editing user flows	External ID User Flow Administrator	
Create, read, update, and delete sign-in user flows	External ID User Flow Administrator	
Create, read, update, and delete sign-up user flow	External ID User Flow Administrator	
Create, read, update, and delete user attributes	External ID User Flow Attribute Administrator	
Create, read, update, and delete users	User Administrator	
Configure B2B external collaboration settings - Guest user access	Privileged Role Administrator	
Configure B2B external collaboration settings - Guest invite settings	Guest Inviter	External ID User Flow Administrator
Configure B2B external collaboration settings - External user leave settings	External Identity Provider Administrator	
Configure B2B external collaboration settings - Collaboration restrictions	Global Administrator	

Task	Least privileged role	Additional roles
Read all configuration	Global Reader	
Read B2C audit logs	Global Reader	

 Note

Azure AD B2C Global Administrators do not have the same permissions as Microsoft Entra Global Administrators. If you have Azure AD B2C Global Administrator privileges, make sure that you are in an Azure AD B2C directory and not a Microsoft Entra directory.

Company branding least privileged roles

Here are the least privileged roles you should use when performing tasks for [company branding](#) in Microsoft Entra ID.

 Expand table

Task	Least privileged role	Additional roles
Configure company branding	Organizational Branding Administrator	
Read all configuration	Directory Readers	Default user role

Connect least privileged roles

Here are the least privileged roles you should use when performing tasks in [Microsoft Entra Connect](#).

 Expand table

Task	Least privileged role	Additional roles
Passthrough authentication	Hybrid Identity Administrator	
Read all configuration	Global Reader	Hybrid Identity Administrator
Seamless single sign-on	Hybrid Identity Administrator	

Connect Sync least privileged roles

Here are the least privileged roles you should use when performing tasks in [Microsoft Entra Connect Sync](#).

 Expand table

Task	Least privileged role	Additional roles
Manage on-premises directory synchronization	Hybrid Identity Administrator	

Cloud Provisioning least privileged roles

Here are the least privileged roles you should use when performing tasks for [identity provisioning](#) in Microsoft Entra ID.

 Expand table

Task	Least privileged role	Additional roles
Passthrough authentication	Hybrid Identity Administrator	
Read all configuration	Global Reader	Hybrid Identity Administrator
Seamless single sign-on	Hybrid Identity Administrator	

Connect Health least privileged roles

Here are the least privileged roles you should use when performing tasks in [Microsoft Entra Connect Health](#).

 Expand table

Task	Least privileged role	Additional roles
Add or delete services	Owner	
Apply fixes to sync error	Contributor	Owner
Configure notifications	Contributor	Owner
Configure settings	Owner	
Configure sync notifications	Contributor	Owner
Read ADFS security reports	Security Reader	Contributor

Task	Least privileged role	Additional roles
		Owner
Read all configuration	Reader	Contributor Owner
Read sync errors	Reader	Contributor Owner
Read sync services	Reader	Contributor Owner
View metrics and alerts	Reader	Contributor Owner
View metrics and alerts	Reader	Contributor Owner
View sync service metrics and alerts	Reader	Contributor Owner

Custom domain names least privileged roles

Here are the least privileged roles you should use when performing tasks for [custom domain names](#) in Microsoft Entra ID.

 Expand table

Task	Least privileged role	Additional roles
Manage domains	Domain Name Administrator	
Read all configuration	Directory Readers	Default user role

Domain Services least privileged roles

Here are the least privileged roles you should use when performing tasks in [Microsoft Entra Domain Services](#).

 Expand table

Task	Least privileged role	Additional roles
Create Microsoft Entra Domain Services instance	Application Administrator Groups Administrator	

Task	Least privileged role	Additional roles
	Domain Services Contributor	
Perform all Microsoft Entra Domain Services tasks	AAD DC Administrators group	
Read all configuration	Reader on Azure subscription containing AD DS service	

Devices least privileged roles

Here are the least privileged roles you should use when performing tasks for [device identity](#) in Microsoft Entra ID.

 Expand table

Task	Least privileged role	Additional roles
Delete device	Cloud Device Administrator	Intune Administrator
Disable device	Cloud Device Administrator	Intune Administrator
Enable device	Cloud Device Administrator	Intune Administrator
Read basic configuration	Default user role	
Read BitLocker keys	Cloud Device Administrator	Helpdesk Administrator Intune Administrator Security Administrator Security Reader
Provision and manage IoT devices	IoT Device Administrator	Cloud Device Administrator
Manage IoT device templates	IoT Device Administrator	Cloud Device Administrator

Enterprise applications least privileged roles

Here are the least privileged roles you should use when performing tasks for [application management](#) in Microsoft Entra ID.

 Expand table

Task	Least privileged role	Additional roles
Consent to any delegated permissions	Cloud Application Administrator	Application Administrator
Consent to application permissions not including Microsoft Graph	Cloud Application Administrator	Application Administrator
Consent to application permissions to Microsoft Graph	Privileged Role Administrator	
Consent to applications accessing own data	Default user role	
Create enterprise application	Cloud Application Administrator	Application Administrator
Manage Application Proxy	Application Administrator	
Read access review of a group or of an app	Security Reader	Security Administrator User Administrator
Read all configuration	Default user role	
Update enterprise application assignments	Enterprise application owner	Cloud Application Administrator Application Administrator User Administrator
Update enterprise application owners	Enterprise application owner	Cloud Application Administrator Application Administrator
Update enterprise application properties	Enterprise application owner	Cloud Application Administrator Application Administrator
Update enterprise application provisioning	Enterprise application owner	Cloud Application Administrator Application Administrator
Update enterprise application self-service	Enterprise application owner	Cloud Application Administrator Application Administrator
Update single sign-on properties	Enterprise application owner	Cloud Application Administrator Application Administrator
Create and modify custom authentication extensions	Authentication Extensibility Administrator	Application Administrator

Entitlement management least privileged roles

Here are the least privileged roles you should use when performing tasks for [entitlement management](#) in Microsoft Entra ID Governance.

[Expand table](#)

Task	Least privileged role	Additional roles
Tasks in Entitlement Management	Identity Governance Administrator . For roles lesser privilege than this within the Entitlement Management system, see: Delegation and roles in entitlement management .	

Groups least privileged roles

Here are the least privileged roles you should use when performing tasks for [groups](#) in Microsoft Entra ID.

[Expand table](#)

Task	Least privileged role	Additional roles
Assign license	User Administrator	
Create group	Groups Administrator	User Administrator
Create, update, or delete access review of a group or of an app	User Administrator	
Manage group expiration	User Administrator	
Manage group settings	Groups Administrator	User Administrator
Read all configuration (except hidden membership)	Directory Readers	Default user role
Read hidden membership	Group member	Group owner Password Administrator Exchange Administrator SharePoint Administrator Teams Administrator User Administrator
Read membership of groups with hidden membership	Helpdesk Administrator	User Administrator Teams Administrator
Revoke license	License Administrator	User Administrator
Update dynamic membership groups	Group owner	User Administrator

Task	Least privileged role	Additional roles
Update group owners	Group owner	User Administrator
Update group properties	Group owner	User Administrator
Delete group	Groups Administrator	User Administrator

Licenses least privileged roles

Here are the least privileged roles you should use when performing tasks for [Microsoft Entra licensing](#).

 Expand table

Task	Least privileged role	Additional roles
Assign license	License Administrator	User Administrator
Read all configuration	Directory Readers	Default user role
Revoke license	License Administrator	User Administrator
Try or buy subscription	Billing Administrator	

Lifecycle Workflows least privileged roles

Here are the least privileged roles you should use when performing tasks for [lifecycle workflows](#) in Microsoft Entra ID Governance.

 Expand table

Task	Least privileged role	Additional roles
Create a workflow	Lifecycle workflows Administrator	
Add a custom extension to a workflow	Lifecycle workflows Administrator . You must also have either the Logic App contributor or Owner Azure Resource Manager role.	

Microsoft Entra Health least privileged roles

Here are the least privileged roles you should use when performing tasks in [Microsoft Entra Health monitoring](#).

 Expand table

Task	Least privileged role	Additional roles
View scenario monitoring signals and alert configurations	Reports Reader	Security Reader Security Operator Security Administrator Helpdesk Administrator Global Reader
Update alerts and alert email configurations	Helpdesk Administrator	

Microsoft Entra ID Protection least privileged roles

Here are the least privileged roles you should use when performing tasks in [Microsoft Entra ID Protection](#).

 Expand table

Task	Least privileged role	Additional roles
Configure alert notifications	Security Administrator	
Configure and enable or disable MFA policy	Security Administrator	
Configure and enable or disable sign-in risk policy	Security Administrator	
Configure and enable or disable user risk policy	Security Administrator	
Configure weekly digests	Security Administrator	
Dismiss all risk detections	Security Operator	
Fix or dismiss vulnerability	Security Administrator	
Read all configuration	Security Reader	
Read all risk detections	Security Reader	
Read vulnerabilities	Security Reader	

Monitoring and health - Audit and sign-in logs least privileged roles

Here are the least privileged roles you should use when performing tasks for audit and sign-in logs in [Microsoft Entra monitoring](#).

 Expand table

Task	Least privileged role	Additional roles
Read audit and sign-in logs	Reports Reader	Application Administrator Cloud Application Administrator Cloud Device Administrator Global Secure Access Administrator Hybrid Identity Administrator Security Administrator Security Operator Security Reader

Monitoring and health - Provisioning logs least privileged roles

Here are the least privileged roles you should use when performing tasks for [Microsoft Entra provisioning logs](#).

 Expand table

Task	Least privileged role	Additional roles
Read provisioning logs	Reports Reader	Application Administrator Cloud Application Administrator Cloud Device Administrator Hybrid Identity Administrator Security Administrator Security Operator Security Reader

Monitoring and health - Recommendations least privileged roles

Here are the least privileged roles you should use when performing tasks for [Microsoft Entra identity recommendations](#).

 Expand table

Task	Least privileged role	Additional roles
Read recommendations	Reports Reader	Security Reader Global Reader Helpdesk Administrator Service Support Administrator User Administrator
Update recommendations	Authentication Policy Administrator	Application Administrator Authentication Administrator Cloud Application Administrator Conditional Access Administrator Exchange Administrator Hybrid Identity Administrator Identity Governance Administrator Privileged Role Administrator Security Administrator Security Operator SharePoint Administrator
Read Identity Secure Score improvement action	Service Support Administrator	Security Administrator Exchange Administrator
Update Identity Secure Score improvement action	SharePoint Administrator	Helpdesk Administrator User Administrator Security Reader Security Operator Global Reader

Monitoring and health - Sign-in diagnostic tool

Here are the least privileged roles you should use when running the [sign-in diagnostic tool](#).

 Expand table

Task	Least privileged roles	Additional roles
Use sign-in diagnostic from Diagnose and solve problems	Billing Administrator	Application Administrator Cloud Application Administrator Cloud Device Administrator Conditional Access Administrator

Task	Least privileged roles	Additional roles
		Customer LockBox Access Approver Groups Administrator License Administrator Global Reader Helpdesk Administrator Privileged Role Administrator Security Administrator User Administrator
Use sign-in diagnostic from the Sign-in logs	BOTH Reports Reader AND Billing Administrator	Global Secure Access Administrator Hybrid Identity Administrator Security Administrator Security Operator Security Reader

Multifactor authentication least privileged roles

Here are the least privileged roles you should use when performing tasks in [Microsoft Entra authentication](#).

 Expand table

Task	Least privileged role	Additional roles
Delete all existing app passwords generated by the selected users	Authentication Policy Administrator	Authentication Administrator
Disable per-user MFA	Authentication Administrator	Privileged Authentication Administrator
Enable per-user MFA	Authentication Administrator	Privileged Authentication Administrator
Manage MFA service settings	Authentication Policy Administrator	
Require selected users to provide contact methods again	Authentication Administrator	
Restore multifactor authentication on all remembered devices	Authentication Administrator	

MFA Server least privileged roles

Here are the least privileged roles you should use when performing tasks in [MFA Server](#).

 Expand table

Task	Least privileged role	Additional roles
Block/unblock users	Authentication Policy Administrator	
Configure account lockout	Authentication Policy Administrator	
Configure caching rules	Authentication Policy Administrator	
Configure fraud alert	Authentication Policy Administrator	
Configure notifications	Authentication Policy Administrator	
Configure one-time bypass	Authentication Policy Administrator	
Configure phone call settings	Authentication Policy Administrator	
Configure providers	Authentication Policy Administrator	
Configure server settings	Authentication Policy Administrator	
Read activity report	Global Reader	
Read all configuration	Global Reader	
Read server status	Global Reader	

Organizational relationships least privileged roles

Here are the least privileged roles you should use when performing tasks for [external collaboration settings](#) in Microsoft Entra External ID.

 Expand table

Task	Least privileged role	Additional roles
Manage identity providers	External Identity Provider Administrator	
Read all configuration	Global Reader	

Password reset least privileged roles

Here are the least privileged roles you should use when performing tasks for [password reset](#) in Microsoft Entra ID.

 Expand table

Task	Least privileged role	Additional roles
Configure authentication methods	Authentication Policy Administrator	
Configure customization	Authentication Policy Administrator	
Configure notification	Authentication Policy Administrator	
Configure on-premises integration	Authentication Policy Administrator	
Configure password reset properties	User Administrator	Authentication Policy Administrator
Configure registration	Authentication Policy Administrator	
Read all configuration	Security Administrator	User Administrator

Privileged Identity Management least privileged roles

Here are the least privileged roles you should use when performing tasks for [Microsoft Entra Privileged Identity Management](#) in Microsoft Entra ID Governance.

 Expand table

Task	Least privileged role	Additional roles
Assign users to roles	Privileged Role Administrator	
Configure role settings	Privileged Role Administrator	
View audit activity	Security Reader	
View role memberships	Security Reader	

Roles and administrators least privileged roles

Here are the least privileged roles you should use when performing tasks for [roles and administrators](#) in Microsoft Entra ID.

 Expand table

Task	Least privileged role	Additional roles
Manage role assignments	Privileged Role Administrator	
Read access review of a Microsoft Entra role	Security Reader	Security Administrator Privileged Role Administrator
Read all configuration	Default user role	

Security - Authentication methods least privileged roles

Here are the least privileged roles you should use when performing tasks for [authentication methods](#) in Microsoft Entra ID.

 Expand table

Task	Least privileged role	Additional roles
Enable or disable authentication methods	Authentication Policy Administrator	
View, provision on behalf of, and manage individual user authentication methods	Authentication Administrator	Privileged Authentication Administrator
Configure password protection	Security Administrator	

Task	Least privileged role	Additional roles
Configure smart logout	Security Administrator	
Read all configuration	Global Reader	

Security - Conditional Access least privileged roles

Here are the least privileged roles you should use when performing tasks for [Conditional Access](#) in Microsoft Entra ID.

 Expand table

Task	Least privileged role	Additional roles
Configure MFA trusted IP addresses	Conditional Access Administrator	
Create custom controls	Conditional Access Administrator	Security Administrator
Create named locations	Conditional Access Administrator	Security Administrator
Create policies	Conditional Access Administrator	Security Administrator
Create terms of use	Conditional Access Administrator	Security Administrator
Create VPN connectivity certificate	Cloud Application Administrator	Application Administrator
Delete classic policy	Conditional Access Administrator	Security Administrator
Delete terms of use	Conditional Access Administrator	Security Administrator
Delete VPN connectivity certificate	Conditional Access Administrator	Security Administrator
Disable classic policy	Conditional Access Administrator	Security Administrator
Manage custom controls	Conditional Access Administrator	Security Administrator
Manage named locations	Conditional Access Administrator	Security Administrator
Manage terms of use	Conditional Access Administrator	Security Administrator
Read all configuration	Security Reader	
Read named locations	Security Reader	
Read terms of use	Security Reader	Global Reader

Task	Least privileged role	Additional roles
Read which terms of use were accepted by the signed-in user	Default user role	

Security - Identity Security Score least privileged roles

Here are the least privileged roles you should use when performing tasks for [Identity Secure Score](#) in Microsoft Entra ID.

 Expand table

Task	Least privileged role	Additional roles
Read all configuration	Security Reader	Security Administrator
Read security score	Security Reader	Security Administrator
Update event status	Security Administrator	

Security - Risky sign-ins least privileged roles

Here are the least privileged roles you should use when performing tasks for [risky sign-ins](#) in Microsoft Entra ID Protection.

 Expand table

Task	Least privileged role	Additional roles
Read all configuration	Security Reader	
Read risky sign-ins	Security Reader	

Security - Users flagged for risk least privileged roles

Here are the least privileged roles you should use when performing tasks for [users flagged for risk](#) in Microsoft Entra ID Protection.

 Expand table

Task	Least privileged role	Additional roles
Dismiss all events	Security Administrator	
Read all configuration	Security Reader	
Read users flagged for risk	Security Reader	

Temporary Access Pass least privileged roles

Here are the least privileged roles you should use when performing tasks for [Temporary Access Pass](#) in Microsoft Entra ID.

 Expand table

Task	Least privileged role	Additional roles
Create, delete, or view a Temporary Access Pass for admins or members (except themselves)	Privileged Authentication Administrator	
Create, delete, or view a Temporary Access Pass for members (except themselves)	Authentication Administrator	
View a Temporary Access Pass details for a user (without reading the code itself)	Global Reader	
Configure or update the Temporary Access Pass authentication method policy	Authentication Policy Administrator	

Tenants least privileged roles

Here are the least privileged roles you should use when performing tasks in [Microsoft Entra tenants](#).

 Expand table

Task	Least privileged role	Additional roles
Create Microsoft Entra ID or Azure AD B2C Tenant	Tenant Creator	

Task	Least privileged role	Additional roles
Update Microsoft Entra tenant properties	Billing Administrator	
Manage privacy statement and contact	Billing Administrator	

Users least privileged roles

Here are the least privileged roles you should use when performing tasks for [users](#) in Microsoft Entra ID.

 Expand table

Task	Least privileged role	Additional roles
Add user to directory role	Privileged Role Administrator	
Add user to group	User Administrator	
Assign license	License Administrator	User Administrator
Create guest user	Guest Inviter	User Administrator
Reset guest user invite	Helpdesk Administrator	User Administrator
Create user	User Administrator	
Delete users	User Administrator	
Invalidate refresh tokens of limited admins	User Administrator	
Invalidate refresh tokens of non-admins	Helpdesk Administrator	User Administrator
Invalidate refresh tokens of privileged admins	Privileged Authentication Administrator	
Read basic configuration	Default user role	
Reset password for limited admins	User Administrator	
Reset password of non-admins	Password Administrator	User Administrator
Reset password of privileged admins	Privileged Authentication Administrator	

Task	Least privileged role	Additional roles
Revoke license	License Administrator	User Administrator
Update all properties except User Principal Name	User Administrator	
Update On-premises sync enabled property	Hybrid Identity Administrator	
Update profile photos and people settings	People Administrator	
Update User Principal Name for limited admins	User Administrator	
Update User Principal Name property on privileged admins	Privileged Authentication Administrator	
Update user settings - Default user role permissions	Privileged Role Administrator	
Update user settings - Guest user access	Privileged Role Administrator	
Update user settings - Administration center	Global Administrator	
Update user settings - LinkedIn account connections	Global Administrator	
Update user settings - Show keep user signed in	Global Administrator	
Update Authentication methods	Authentication Administrator	Privileged Authentication Administrator

Support least privileged roles

Here are the least privileged roles you should use when performing tasks for [support](#) in Microsoft Entra ID.

 Expand table

Task	Least privileged role	Additional roles
Submit support ticket	Service Support Administrator	Application Administrator Azure Information Protection Administrator

Task	Least privileged role	Additional roles
		Billing Administrator Cloud Application Administrator Compliance Administrator Dynamics 365 Administrator Desktop Analytics Administrator Exchange Administrator Helpdesk Administrator Intune Administrator Password Administrator Fabric Administrator Privileged Authentication Administrator SharePoint Administrator Skype for Business Administrator Teams Administrator Teams Communications Administrator User Administrator

Next steps

- [Assign Microsoft Entra roles](#)
- [Create a custom role in Microsoft Entra ID](#)
- [Microsoft Entra built-in roles](#)

What are the default user permissions in Microsoft Entra ID?

Article • 03/05/2025

In Microsoft Entra ID, all users are granted a set of default permissions. A user's access consists of the type of user, their [role assignments](#), and their ownership of individual objects.

This article describes those default permissions and compares the member and guest user defaults. The default user permissions can be changed only in user settings in Microsoft Entra ID.

Member and guest users

The set of default permissions depends on whether the user is a native member of the tenant (member user) or is brought over from another directory, such as a business-to-business (B2B) collaboration guest (guest user). For more information about adding guest users, see [What is Microsoft Entra B2B collaboration?](#). Here are the capabilities of the default permissions:

- *Member users* can register applications, manage their own profile photo and mobile phone number, change their own password, and invite B2B guests. These users can also read all directory information (with a few exceptions).
- *Guest users* have restricted directory permissions. They can manage their own profile, change their own password, and retrieve some information about other users, groups, and apps. However, they can't read all directory information.

For example, guest users can't enumerate the list of all users, groups, and other directory objects. Guests can be added to administrator roles, which grant them full read and write permissions. Guests can also invite other guests.

Compare member and guest default permissions

 Expand table

Area	Member user permissions	Default guest user permissions	Restricted guest user permissions
Users and contacts	- Enumerate the list of all users and contacts - Read all public properties of users and contacts - Invite guests - Change their own password - Manage their own mobile phone number - Manage their own photo - Invalidate their own refresh tokens	- Read their own properties - Read display name, email, sign-in name, photo, user principal name, and user type properties of other users and contacts - Change their own password - Search for another user by object ID (if allowed) - Read manager and direct report information of other users	- Read their own properties - Change their own password - Manage their own mobile phone number
Groups	- Create security groups - Create Microsoft 365 groups - Enumerate the list of all groups - Read all properties of groups - Read nonhidden group membership - Read hidden Microsoft 365 group membership for joined groups - Manage properties, ownership, and membership of groups that the user owns - Add guests to owned groups - Manage group membership settings - Delete owned groups - Restore owned Microsoft 365 groups	- Read properties of nonhidden groups, including membership and ownership (even nonjoined groups) - Read hidden Microsoft 365 group membership for joined groups - Search for groups by display name or object ID (if allowed)	- Read object ID for joined groups - Read membership and ownership of joined groups in some Microsoft 365 apps (if allowed)
Applications	Register (create) new applications	Read properties of registered and	Read properties of registered and

Area	Member user permissions	Default guest user permissions	Restricted guest user permissions
	- Enumerate the list of all applications - Read properties of registered and enterprise applications - Manage application properties, assignments, and credentials for owned applications - Create or delete application passwords for users - Delete owned applications - Restore owned applications - List permissions granted to applications	- enterprise applications - List permissions granted to applications	- enterprise applications - List permissions granted to applications
Devices	- Enumerate the list of all devices - Read all properties of devices - Manage all properties of owned devices	No permissions	No permissions
Organization	- Read all company information - Read all domains - Read configuration of certificate-based authentication - Read all partner contracts - Read multitenant organization basic details and active tenants	- Read company display name - Read all domains - Read configuration of certificate-based authentication	- Read company display name - Read all domains
Roles and scopes	- Read all administrative roles and memberships - Read all properties and membership of	No permissions	No permissions

Area	Member user permissions	Default guest user permissions	Restricted guest user permissions
administrative units			
Subscriptions	- Read all licensing subscriptions - Enable service plan memberships	No permissions	No permissions
Policies	- Read all properties of policies - Manage all properties of owned policies	No permissions	No permissions
Terms of use	Read terms of use a user has accepted.	Read terms of use a user has accepted.	Read terms of use a user has accepted.

Restrict member users' default permissions

It's possible to add restrictions to users' default permissions.

You can restrict default permissions for member users in the following ways:

⊗ Caution

Using the **Restrict access to Microsoft Entra administration portal** switch is **NOT** a security measure. For more information on the functionality, see the following table.


 Expand table

Permission	Setting explanation
Register applications	Setting this option to No prevents users from creating application registrations. You can then grant the ability back to specific individuals, by adding them to the application developer role.
Allow users to connect work or school account with LinkedIn	Setting this option to No prevents users from connecting their work or school account with their LinkedIn account. For more information, see LinkedIn account connections data sharing and consent .
Create security groups	Setting this option to No prevents users from creating security groups. Those users assigned at least the User Administrators role can still create security groups. To learn how, see Microsoft Entra cmdlets for configuring group settings .

Permission	Setting explanation
Create Microsoft 365 groups	Setting this option to No prevents users from creating Microsoft 365 groups. Setting this option to Some allows a set of users to create Microsoft 365 groups. Anyone assigned at least the User Administrator role can still create Microsoft 365 groups. To learn how, see Microsoft Entra cmdlets for configuring group settings.
Restrict access to Microsoft Entra administration portal	What does this switch do? No lets nonadministrators browse the Microsoft Entra administration portal. Yes Restricts nonadministrators from browsing the Microsoft Entra administration portal. Nonadministrators who are owners of groups or applications are unable to use the Azure portal to manage their owned resources. What does it not do? It doesn't restrict access to Microsoft Entra data using PowerShell, Microsoft GraphAPI, or other clients such as Visual Studio. It doesn't restrict access as long as a user is assigned a custom role (or any role). When should I use this switch? Use this option to prevent users from misconfiguring the resources that they own. When should I not use this switch? Don't use this switch as a security measure. Instead, create a Conditional Access policy that targets Windows Azure Service Management API that blocks nonadministrators access to Windows Azure Service Management API. How do I grant only a specific non-administrator users the ability to use the Microsoft Entra administration portal? Set this option to Yes, then assign them a role like global reader. Restrict access to the Microsoft Entra administration portal A Conditional Access policy that targets Windows Azure Service Management API targets access to all Azure management.
Restrict non-admin users from creating tenants	Users can create tenants in the Microsoft Entra ID and Microsoft Entra administration portal under Manage tenant. The creation of a tenant is recorded in the Audit log as category DirectoryManagement and activity Create Company. By default, the user who creates a Microsoft Entra tenant is automatically assigned the Global Administrator role. The newly created tenant doesn't inherit any settings or configurations. What does this switch do? Setting this option to Yes restricts creation of Microsoft Entra tenants to anyone assigned at least the Tenant Creator role. Setting this option to No allows nonadmin users to create Microsoft Entra tenants. Tenant create continues to be recorded in the Audit log. How do I grant only a specific non-administrator users the ability to create new tenants? Set this option to Yes, then assign them the Tenant Creator role.

Permission	Setting explanation
Restrict users from recovering the BitLocker key(s) for their owned devices	This setting can be found in the Microsoft Entra admin center in the Device Settings. Setting this option to Yes restricts users from being able to self-service recover BitLocker key(s) for their owned devices. Users must contact their organization's helpdesk to retrieve their BitLocker keys. Setting this option to No allows users to recover their BitLocker keys.
Read other users	This setting is available in Microsoft Graph and PowerShell only. Setting this flag to <code>\$false</code> prevents all nonadmins from reading user information from the directory. This flag might prevent reading user information in other Microsoft services like Microsoft Teams. This setting is meant for special circumstances, so we don't recommend setting the flag to <code>\$false</code>.

The **Restricted non-admin users from creating tenants** option is shown in the following screenshot.



Restrict guest users' default permissions

You can restrict default permissions for guest users in the following ways.

ⓘ Note

The **Guest user access restrictions** setting replaced the **Guest users permissions are limited** setting. For guidance on using this feature, see [Restrict guest access permissions in Microsoft Entra ID](#).

[Expand table](#)

Permission	Setting explanation
Guest user access restrictions	Setting this option to Guest users have the same access as members grants all member user permissions to guest users by default.
	Setting this option to Guest user access is restricted to properties and memberships of their own directory objects restricts guest access to only their own user profile by default. Access to other users is no longer allowed, even when they're searching by user principal name, object ID, or display name. Access to group information, including groups memberships, is also no longer allowed.
	This setting doesn't prevent access to joined groups in some Microsoft 365 services like Microsoft Teams. To learn more, see Microsoft Teams guest access .
	Guest users can still be added to administrator roles regardless of this permission setting.
Guests can invite	Setting this option to Yes allows guests to invite other guests. To learn more, see Configure external collaboration settings .

Object ownership

Application registration owner permissions

When a user registers an application, they're automatically added as an owner for the application. As an owner, they can manage the metadata of the application, such as the name and permissions that the app requests. They can also manage the tenant-specific configuration of the application, such as the single sign-on (SSO) configuration and user assignments.

An owner can also add or remove other owners. Unlike those users assigned at least the Application Administrator role, owners can manage only the applications that they own.

Enterprise application owner permissions

When a user adds a new enterprise application, they're automatically added as an owner. As an owner, they can manage the tenant-specific configuration of the application, such as the SSO configuration, provisioning, and user assignments.

An owner can also add or remove other owners. Unlike those users assigned at least the Application Administrator role, owners can manage only the applications that they own.

Group owner permissions

When a user creates a group, they're automatically added as an owner for that group. As an owner, they can manage properties of the group (such as the name) and manage group membership.

An owner can also add or remove other owners. Unlike those users assigned at least the [Groups Administrator](#) role, owners can manage only the groups that they own and they can add or remove group members only if the group's membership type is **Assigned**.

To assign a group owner, see [Managing owners for a group](#).

To use Privileged Access Management (PIM) to make a group eligible for a role assignment, see [Use Microsoft Entra groups to manage role assignments](#).

Ownership permissions

The following tables describe the specific permissions in Microsoft Entra ID that member users have over objects they own. Users have these permissions only on objects that they own.

Owned application registrations

Users can perform the following actions on owned application registrations:

 [Expand table](#)

Action	Description
microsoft.directory/applications/audience/update	Update the <code>applications.audience</code> property in Microsoft Entra ID.
microsoft.directory/applications/authentication/update	Update the <code>applications.authentication</code> property in Microsoft Entra ID.
microsoft.directory/applications/basic/update	Update basic properties on applications in Microsoft Entra ID.
microsoft.directory/applications/credentials/update	Update the <code>applications.credentials</code> property in Microsoft Entra ID.
microsoft.directory/applications/delete	Delete applications in Microsoft Entra ID.
microsoft.directory/applications/owners/update	Update the <code>applications.owners</code> property in Microsoft Entra ID.
microsoft.directory/applications/permissions/update	Update the <code>applications.permissions</code> property in Microsoft Entra ID.
microsoft.directory/applications/policies/update	Update the <code>applications.policies</code> property in Microsoft Entra ID.
microsoft.directory/applications/restore	Restore applications in Microsoft Entra ID.

Owned enterprise applications

Users can perform the following actions on owned enterprise applications. An enterprise application consists of a service principal, one or more application policies, and sometimes an application object in the same tenant as the service principal.

 Expand table

Action	Description
microsoft.directory/auditLogs/allProperties/read	Read all properties (including privileged properties) on audit logs in Microsoft Entra ID.
microsoft.directory/policies/basic/update	Update basic properties on policies in Microsoft Entra ID.
microsoft.directory/policies/delete	Delete policies in Microsoft Entra ID.
microsoft.directory/policies/owners/update	Update the <code>policies.owners</code> property in Microsoft Entra ID.
microsoft.directory/servicePrincipals/appRoleAssignedTo/update	Update the <code>servicePrincipals.appRoleAssignedTo</code> property in Microsoft Entra ID.
microsoft.directory/servicePrincipals/appRoleAssignments/update	Update the <code>users.appRoleAssignments</code> property in Microsoft Entra ID.
microsoft.directory/servicePrincipals/audience/update	Update the <code>servicePrincipals.audience</code> property in Microsoft Entra ID.
microsoft.directory/servicePrincipals/authentication/update	Update the <code>servicePrincipals.authentication</code> property in Microsoft Entra ID.
microsoft.directory/servicePrincipals/basic/update	Update basic properties on service principals in Microsoft Entra ID.
microsoft.directory/servicePrincipals/credentials/update	Update the <code>servicePrincipals.credentials</code> property in Microsoft Entra ID.
microsoft.directory/servicePrincipals/delete	Delete service principals in Microsoft Entra ID.
microsoft.directory/servicePrincipals/owners/update	Update the <code>servicePrincipals.owners</code> property in Microsoft Entra ID.
microsoft.directory/servicePrincipals/permissions/update	Update the <code>servicePrincipals.permissions</code> property in Microsoft Entra ID.

Action	Description
microsoft.directory/servicePrincipals/policies/update	Update the <code>servicePrincipals.policies</code> property in Microsoft Entra ID.
microsoft.directory/signInReports/allProperties/read	Read all properties (including privileged properties) on sign-in reports in Microsoft Entra ID.
microsoft.directory/servicePrincipals/synchronizationCredentials/manage	Manage application provisioning secrets and credentials
microsoft.directory/servicePrincipals/synchronizationJobs/manage	Start, restart, and pause application provisioning synchronization jobs
microsoft.directory/servicePrincipals/synchronizationSchema/manage	Create and manage application provisioning synchronization jobs and schema
microsoft.directory/servicePrincipals/synchronization/standard/read	Read provisioning settings associated with your service principal

Owned devices

Users can perform the following actions on owned devices:

 Expand table

Action	Description
microsoft.directory/devices/bitLockerRecoveryKeys/read	Read the <code>devices.bitLockerRecoveryKeys</code> property in Microsoft Entra ID.
microsoft.directory/devices/disable	Disable devices in Microsoft Entra ID.

Owned groups

Users can perform the following actions on owned groups.

Note

Owners of dynamic membership groups must have the Groups Administrator, Intune Administrator, or User Administrator role to edit rules for dynamic membership groups. For more information, see [Create or update a dynamic membership group in Microsoft Entra ID](#).

Action	Description
microsoft.directory/groups/appRoleAssignments/update	Update the <code>groups.appRoleAssignments</code> property in Microsoft Entra ID.
microsoft.directory/groups/basic/update	Update basic properties on groups in Microsoft Entra ID.
microsoft.directory/groups/delete	Delete groups in Microsoft Entra ID.
microsoft.directory/groups/members/update	Update the <code>groups.members</code> property in Microsoft Entra ID.
microsoft.directory/groups/owners/update	Update the <code>groups.owners</code> property in Microsoft Entra ID.
microsoft.directory/groups/restore	Restore groups in Microsoft Entra ID.
microsoft.directory/groups/settings/update	Update the <code>groups.settings</code> property in Microsoft Entra ID.

Next steps

- To learn more about the **Guest user access restrictions** setting, see [Restrict guest access permissions in Microsoft Entra ID](#).
- To learn more about how to assign Microsoft Entra administrator roles, see [Assign a user to administrator roles in Microsoft Entra ID](#).
- To learn more about how resource access is controlled in Microsoft Azure, see [Understanding resource access in Azure](#).
- [Manage users](#).

Feedback

Was this page helpful?

 Yes

 No

[Provide product feedback](#) 

Application registration permissions for custom roles in Microsoft Entra ID

Article • 03/30/2025

This article outlines the app registration permissions available for custom role definitions in Microsoft Entra ID. These permissions allow administrators to manage application registrations with specific access levels, ensuring secure and efficient management of applications within the organization.

License requirements

Using this feature requires Microsoft Entra ID P1 licenses. To find the right license for your requirements, see [Compare generally available features of Microsoft Entra ID](#).

Permissions for managing single-tenant applications

When choosing the permissions for your custom role, you can grant access to manage only single-tenant applications. Single-tenant applications are available only to users in the Microsoft Entra organization where the application is registered.

Single-tenant applications are defined as having **Supported account types** set to "Accounts in this organizational directory only." In the Graph API, single-tenant applications have the `signInAudience` property set to "AzureADMyOrg."

To grant access to manage only single-tenant applications, use the permissions indicated as follows with the subtype **applications.myOrganization**. For example, `microsoft.directory/applications.myOrganization/basic/update`.

See the [custom roles overview](#) for an explanation of the terms subtype, permission, and property set. The following information is specific to application registrations.

Create and delete

There are two permissions available for granting the ability to create application registrations, each with different behavior:

microsoft.directory/applications/createAsOwner


Assigning this permission results in the creator being added as the first owner of the created app registration. The created app registration counts towards the creator's 250 created objects quota.

microsoft.directory/applications/create

Granting this permission prevents the creator from being added as the first owner of the app registration and excludes the app registration from the creator's 250-object quota. Use this permission carefully as there's nothing preventing the assignee from creating app registrations until the directory-level quota is reached.

If both permissions are assigned, the /create permission takes precedence. Though the /createAsOwner permission doesn't automatically add the creator as the first owner, owners can be specified during the creation of the app registration when using Graph APIs or PowerShell cmdlets.

Create permissions grant access to the **New registration** command.



There are two permissions available for granting the ability to delete app registrations:

microsoft.directory/applications/delete

Grants the ability to delete app registrations regardless of subtype including both single-tenant and multitenant applications.

microsoft.directory/applications.myOrganization/delete

Grants the ability to delete app registrations restricted to those that are accessible only to accounts in your organization or single-tenant applications (myOrganization subtype).

Microsoft Azure

Search resources, services, and docs

Home > Contoso - App registrations > Contoso staff reports

Contoso staff reports

Search (Ctrl+/)

Delete Endpoints

Welcome to the new and improved App registrations. Looking to learn how it's changed from App regist

Display name : f/128 Blog Support

Application (client) ID : 00001111-aaaa-2222-bbbb-3333cccc4444 Redirec

Directory (tenant) ID : aaaabbbb-0000-cccc-1111-dddd2222eeee Manag

Object ID : aaaaaaaa-0000-1111-2222-bbbbbbbbbbbbbb

Call APIs

Build more powerful apps with rich user and business data from Microsoft services and your own company's data sources.

View API Permissions

Docu

Microsc

Authent

Authent

Code sa

Microsc

Glossary

Help an

! Note

When assigning a role that contains create permissions, the role assignment must be made at the directory scope. A create permission assigned at a resource scope doesn't grant the ability to create app registrations.

Read

All member users in the organization can read app registration information by default. However, guest users and application service principals can't. If you plan to assign a role to a guest user or application, you must include the appropriate read permissions.

microsoft.directory/applications/allProperties/read


Grants the ability to read all properties of single-tenant and multitenant applications outside of properties that can't be read in any situation like credentials.

microsoft.directory/applications.myOrganization/allProperties/read

Grants the same permissions as microsoft.directory/applications/allProperties/read, but only for single-tenant applications.

microsoft.directory/applications/owners/read

Grants the ability to read owners property on single-tenant and multitenant applications. Grants access to all fields on the application registration owners page:



microsoft.directory/applications/standard/read

Grants access to read standard application registration properties. This includes properties across application registration pages.

microsoft.directory/applications.myOrganization/standard/read

Grants the same permissions as microsoft.directory/applications/standard/read, but for only single-tenant applications.

Update

The "Update" permissions in Microsoft Entra ID allow administrators to modify various properties of application registrations. These permissions are essential for maintaining and managing both single-tenant and multitenant applications. Depending on the specific permission granted, administrators can update properties such as supported account types, authentication settings, branding details, and more. The following is a detailed list of the available update permissions and their specific capabilities.

microsoft.directory/applications/allProperties/update


Allows the ability to update all properties on single-tenant and multitenant applications.

microsoft.directory/applications.myOrganization/allProperties/update

Grants the same permissions as `microsoft.directory/applications/allProperties/update`, but only for single-tenant applications.

`microsoft.directory/applications/audience/update`

Allows the ability to update the supported account type (`signInAudience`) property on single-tenant and multitenant applications.




`microsoft.directory/applications.myOrganization/audience/update`

Grants the same permissions as `microsoft.directory/applications/audience/update`, but only for single-tenant applications.

`microsoft.directory/applications/authentication/update`

Allows the ability to update the reply URL, sign-out URL, implicit flow, and publisher domain properties on single-tenant and multitenant applications. Grants access to all fields on the application registration authentication page except supported account types:




microsoft.directory/applications.myOrganization/authentication/update

Grants the same permissions as microsoft.directory/applications/authentication/update, but only for single-tenant applications.

microsoft.directory/applications/basic/update

Allows the ability to update the name, logo, homepage URL, terms of service URL, and privacy statement URL properties on single-tenant and multitenant applications. Grants access to all fields on the application registration branding page:




microsoft.directory/applications.myOrganization/basic/update

Grants the same permissions as microsoft.directory/applications/basic/update, but only for single-tenant applications.

microsoft.directory/applications/credentials/update

Allows the ability to update the certificates and client secrets properties on single-tenant and multitenant applications. Grants access to all fields on the application registration certificates & secrets page:




microsoft.directory/applications.myOrganization/credentials/update

Grants the same permissions as microsoft.directory/applications/credentials/update, but only for single-tenant applications.

microsoft.directory/applications/owners/update

Allows the ability to update the owner property on single-tenant and multitenant. Grants access to all fields on the application registration owners page:




microsoft.directory/applications.myOrganization/owners/update

Grants the same permissions as microsoft.directory/applications/owners/update, but only for single-tenant applications.

microsoft.directory/applications/permissions/update

This permission allows updates to various properties on single-tenant and multitenant applications, including delegated permissions, application permissions, authorized client applications, required permissions, and consent properties. It doesn't grant the ability to perform consent. Grants access to all fields on the application registration API permissions and Expose an API pages:



Microsoft Azure

Search resources, services, and docs

Home > Contoso - App registrations > Contoso staff reports - Expose an API

Contoso staff reports - Expose an API

Search (Ctrl+/)

- Overview
- Quickstart
- Manage
 - Branding
 - Authentication
 - Certificates & secrets
 - API permissions
 - Expose an API**
 - Owners
 - Roles and administrators (Previ...
 - Manifest
- Support + Troubleshooting
 - Troubleshooting
 - New support request

Application ID URI http://adapplication/00001111-aaaa-2222-bbbb-3333... Edit

Scopes defined by this API

Define custom scopes to restrict access to data and functionality protected by the API. An app API can request that a user or admin consent to one or more of these.

[+ Add a scope](#)

SCOPES	WHO CAN CONSENT
http://adapplication/00001111-aaaa-2222-bbbb-3333-cccc-4...	Admins and users

Authorized client applications

Authorizing a client application indicates that this API trusts the application and users should this API.

[+ Add a client application](#)

CLIENT ID	SCOPES
No client applications have been authorized	

microsoft.directory/applications.myOrganization/permissions/update

Grants the same permissions as microsoft.directory/applications/permissions/update, but only for single-tenant applications.

Next steps

- [Create a custom role in Microsoft Entra ID](#)
- [List role assignments](#)

Feedback

Was this page helpful?

Yes

No

[Provide product feedback](#)

Enterprise application permissions for custom roles in Microsoft Entra ID

Article • 03/30/2025

This article contains the currently available enterprise application permissions for custom role definitions in Microsoft Entra ID. In this article, you'll find permission lists for some common scenarios and the full list of enterprise app permissions.

License requirements

Using this feature requires Microsoft Entra ID P1 licenses. To find the right license for your requirements, see [Compare generally available features of Microsoft Entra ID](#).

Enterprise application permissions

For more information about how to use these permissions, see [Assign custom roles to manage enterprise apps](#)

Assigning users or groups to an application

To delegate the assignment of user and groups that can access SAML based single sign-on applications. Permissions required

- microsoft.directory/servicePrincipals/appRoleAssignedTo/update

Creating gallery applications

To delegate the creation of Microsoft Entra Gallery applications such as ServiceNow, F5, Salesforce, among others. Permissions required:

- microsoft.directory/applicationTemplates/instantiate

Configuring basic SAML URLs

To delegate the update and read of basic SAML Configurations for SAML based single sign-on applications. Permissions required:

- microsoft.directory/servicePrincipals/authentication/update
- microsoft.directory/applications.myOrganization/authentication/update

Rolling over or creating signing certs

To delegate the management of signing certificates for SAML based single sign-on applications. Permissions required.

microsoft.directory/servicePrincipals/credentials/update

Update expiring sign-in cert notification email address

To delegate the update of expiring sign-in certificates notification email addresses for SAML based single sign-on applications. Permissions required:

- microsoft.directory/applications.myOrganization/authentication/update
- microsoft.directory/applications.myOrganization/permissions/update
- microsoft.directory/servicePrincipals/authentication/update
- microsoft.directory/servicePrincipals/basic/update

Manage SAML token signature and Sign-in algorithm

To delegate the update of the SAML token signature and sign-in algorithm for SAML based single sign-on applications. Permissions required:

- microsoft.directory/applicationPolicies/basic/update
- microsoft.directory/applications/authentication/update
- microsoft.directory/servicePrincipals/policies/update

Manage user attributes and claims

To delegate the create, delete, and update of user attributes and claims for SAML based single sign-on applications. Permissions required:

- microsoft.directory/applicationPolicies/basic/update
- microsoft.directory/applications/authentication/update
- microsoft.directory/servicePrincipals/policies/update

App provisioning permissions

Performing any write operation such as managing the job, schema, or credentials through the UI will also require the read permissions to view the provisioning page.

Setting the scope to all users and groups or assigned users and groups currently requires both the synchronizationJob and synchronizationCredentials permissions.

Turn on or restart provisioning jobs

To delegate ability to turn on, off and restart provisioning jobs. Permissions required:

- microsoft.directory/servicePrincipals/synchronizationJobs/manage

Configure the provisioning schema

To delegate updates to attribute mapping. Permissions required:

- microsoft.directory/servicePrincipals/synchronizationSchema/manage

Read provisioning settings associated with the application object

To delegate ability to read provisioning settings associated with the object. Permissions required:

- microsoft.directory/applications/synchronization/standard/read

Read provisioning settings associated with your service principal

To delegate ability to read provisioning settings associated with your service principal. Permissions required:

- microsoft.directory/servicePrincipals/synchronization/standard/read

Authorize application access for provisioning

To delegate ability to authorize application access for provisioning. Example input OAuth bearer token. Permissions required:

- microsoft.directory/servicePrincipals/synchronizationCredentials/manage

Application Proxy permissions

Performing any write operations to the Application Proxy properties of the application also requires the permissions to update the application's basic properties and authentication.

To read and perform any write operations to the Application Proxy properties of the application also requires the read permissions to view connector groups as this is part of the list of properties shown on the page.

Delegate Application Proxy connector management

To delegate create, read, update, and delete actions for connector management.

Permissions required:

- microsoft.directory/connectorGroups/allProperties/read
- microsoft.directory/connectorGroups/allProperties/update
- microsoft.directory/connectorGroups/create
- microsoft.directory/connectorGroups/delete
- microsoft.directory/connectors/allProperties/read
- microsoft.directory/connectors/create

Delegate Application Proxy settings management

To delegate create, read, update, and delete actions for Application Proxy properties on an app. Permissions required:

- microsoft.directory/applications/applicationProxy/read
- microsoft.directory/applications/applicationProxy/update
- microsoft.directory/applications/applicationProxyAuthentication/update
- microsoft.directory/applications/applicationProxySslCertificate/update
- microsoft.directory/applications/applicationProxyUrlSettings/update
- microsoft.directory/applications/basic/update
- microsoft.directory/applications/authentication/update
- microsoft.directory/connectorGroups/allProperties/read

Read Application Proxy Settings for an app

To delegate read permissions for Application Proxy properties on an app. Permissions required:

- microsoft.directory/applications/applicationProxy/read
- microsoft.directory/connectorGroups/allProperties/read

Update URL configuration Application Proxy settings for an app

To delegate create, read, update, and delete (CRUD) permissions for updating the Application Proxy external URL, internal URL, and SSL certificate properties. Permissions required:

- microsoft.directory/applications/applicationProxy/read
- microsoft.directory/connectorGroups/allProperties/read

- microsoft.directory/applications/basic/update
- microsoft.directory/applications/authentication/update
- microsoft.directory/applications/applicationProxyAuthentication/update
- microsoft.directory/applications/applicationProxySslCertificate/update
- microsoft.directory/applications/applicationProxyUrlSettings/update

Full list of permissions

 Expand table

Permission	Description
microsoft.directory/applicationPolicies/allProperties/read	Read all properties (including privileged properties) on application policies
microsoft.directory/applicationPolicies/allProperties/update	Update all properties (including privileged properties) on application policies
microsoft.directory/applicationPolicies/basic/update	Update standard properties of application policies
microsoft.directory/applicationPolicies/create	Create application policies
microsoft.directory/applicationPolicies/createAsOwner	Create application policies, and creator is added as the first owner
microsoft.directory/applicationPolicies/delete	Delete application policies
microsoft.directory/applicationPolicies/owners/read	Read owners on application policies
microsoft.directory/applicationPolicies/owners/update	Update the owner property of application policies
microsoft.directory/applicationPolicies/policyAppliedTo/read	Read application policies applied to objects list
microsoft.directory/applicationPolicies/standard/read	Read standard properties of application policies
microsoft.directory/servicePrincipals/allProperties/allTasks	Create and delete service principals, and read and update all properties
microsoft.directory/servicePrincipals/allProperties/read	Read all properties (including privileged properties) on servicePrincipals
microsoft.directory/servicePrincipals/allProperties/update	Update all properties (including privileged properties) on servicePrincipals

Permission	Description
microsoft.directory/servicePrincipals/appRoleAsignedTo/read	Read service principal role assignments
microsoft.directory/servicePrincipals/appRoleAsignedTo/update	Update service principal role assignments
microsoft.directory/servicePrincipals/appRoleAssignments/read	Read role assignments assigned to service principals
microsoft.directory/servicePrincipals/audience/update	Update audience properties on service principals
microsoft.directory/servicePrincipals/authentication/update	Update authentication properties on service principals
microsoft.directory/servicePrincipals/basic/update	Update basic properties on service principals
microsoft.directory/servicePrincipals/create	Create service principals
microsoft.directory/servicePrincipals/createAsOwner	Create service principals, with creator as the first owner
microsoft.directory/servicePrincipals/credentials/update	Update credentials of service principals
microsoft.directory/servicePrincipals/delete	Delete service principals
microsoft.directory/servicePrincipals/disable	Disable service principals
microsoft.directory/servicePrincipals/enable	Enable service principals
microsoft.directory/servicePrincipals/getPasswordSingleSignOnCredentials	Read password single sign-on credentials on service principals
microsoft.directory/servicePrincipals/managePasswordSingleSignOnCredentials	Manage password single sign-on credentials on service principals
microsoft.directory/servicePrincipals/oauth2PermissionGrants/read	Read delegated permission grants on service principals
microsoft.directory/servicePrincipals/owners/read	Read owners of service principals
microsoft.directory/servicePrincipals/owners/update	Update owners of service principals
microsoft.directory/servicePrincipals/permissions/update	Update permissions of service principals

Permission	Description
microsoft.directory/servicePrincipals/policies/read	Read policies of service principals
microsoft.directory/servicePrincipals/policies/update	Update policies of service principals
microsoft.directory/servicePrincipals/standard/read	Read basic properties of service principals
microsoft.directory/servicePrincipals/synchronization/standard/read	Read provisioning settings associated with your service principal
microsoft.directory/servicePrincipals/tag/update	Update the tag property for service principals
microsoft.directory/applicationTemplates/instantiate	Instantiate gallery applications from application templates
microsoft.directory/auditLogs/allProperties/read	Read all properties on audit logs, including privileged properties
microsoft.directory/signInReports/allProperties/read	Read all properties on sign-in reports, including privileged properties
microsoft.directory/applications/applicationProxy/read	Read all application proxy properties
microsoft.directory/applications/applicationProxy/update	Update all application proxy properties
microsoft.directory/applications/applicationProxyAuthentication/update	Update authentication on all types of applications
microsoft.directory/applications/applicationProxyUrlSettings/update	Update URL settings for application proxy
microsoft.directory/applications/applicationProxySslCertificate/update	Update SSL certificate settings for application proxy
microsoft.directory/applications/synchronization/standard/read	Read provisioning settings associated with the application object
microsoft.directory/connectorGroups/create	Create private network connector groups
microsoft.directory/connectorGroups/delete	Delete private network connector groups
microsoft.directory/connectorGroups/allProperties/read	Read all properties of private network connector groups
microsoft.directory/connectorGroups/allProperties/update	Update all properties of private network

Permission	Description
ies/update	connector groups
microsoft.directory/connectors/create	Create private network connectors
microsoft.directory/connectors/allProperties/read	Read all properties of private network connectors
microsoft.directory/servicePrincipals/synchronizationJobs/manage	Start, restart, and pause application provisioning synchronization jobs
microsoft.directory/servicePrincipals/synchronization/standard/read	Read provisioning settings associated with your service principal
microsoft.directory/servicePrincipals/synchronizationSchema/manage	Create and manage application provisioning synchronization jobs and schema
microsoft.directory/provisioningLogs/allProperties/read	Read all properties of provisioning logs

Next steps

- [Create a custom role in Microsoft Entra ID](#)
- [List Microsoft Entra role assignments](#)

Feedback

Was this page helpful?

 Yes

 No

[Provide product feedback](#) 

App consent permissions for custom roles in Microsoft Entra ID

Article • 03/30/2025

This article contains the currently available app consent permissions for custom role definitions in Microsoft Entra ID. In this article, you'll find the permissions required for some common scenarios related to app consent and permissions.

License requirements

Using this feature requires Microsoft Entra ID P1 licenses. To find the right license for your requirements, see [Compare generally available features of Microsoft Entra ID](#).

App consent permissions

Use the permissions listed in this article to manage app consent policies, as well as the permission to grant consent to apps.

ⓘ Note

The Microsoft Entra admin center does not yet support adding the permissions listed in this article to a custom role definition. You must [use Microsoft Graph PowerShell to create a custom role](#) with the permissions listed in this article.

Granting delegated permissions to apps on behalf of self (user consent)

To allow users to grant consent to applications on behalf of themselves (user consent), subject to an app consent policy.

- `microsoft.directory/servicePrincipals/managePermissionGrantsForSelf.{id}`

Where `{id}` is replaced by the ID of an [app consent policy](#) which will set the conditions which must be met for this permission to be active.

For example, to allow users to grant consent on their own behalf, subject to the built-in app consent policy with ID `microsoft-user-default-low`, you would use the permission `...managePermissionGrantsForSelf.microsoft-user-default-low`.

Granting permissions to apps on behalf of all (admin consent)

To delegate tenant-wide admin consent to apps, for both delegated permissions and application permissions (app roles):

- `microsoft.directory/servicePrincipals/managePermissionGrantsForAll.{id}`

Where `{id}` is replaced by the ID of an [app consent policy](#) which will set the conditions which must be met for this permission to be usable.

For example, to allow role assignees to grant tenant-wide admin consent to apps subject to a custom [app consent policy](#) with ID `low-risk-any-app`, you would use the permission `microsoft.directory/servicePrincipals/managePermissionGrantsForAll.low-risk-any-app`.

Managing app consent policies

To delegate the creation, update and deletion of [app consent policies](#).

- `microsoft.directory/permissionGrantPolicies/create`
- `microsoft.directory/permissionGrantPolicies/standard/read`
- `microsoft.directory/permissionGrantPolicies/basic/update`
- `microsoft.directory/permissionGrantPolicies/delete`

Full list of permissions

[Expand table](#)

Permission	Description
<code>microsoft.directory/servicePrincipals/managePermissionGrantsForSelf.{id}</code>	Grants the ability to consent to apps on behalf of self (user consent), subject to app consent policy <code>{id}</code> .
<code>microsoft.directory/servicePrincipals/managePermissionGrantsForAll.{id}</code>	Grants the permission to consent to apps on behalf of all (tenant-wide admin consent), subject to app consent policy <code>{id}</code> .
<code>microsoft.directory/permissionGrantPolicies/standard/read</code>	Read standard properties of permission grant policies
<code>microsoft.directory/permissionGrantPolicies/basic/update</code>	Update basic properties of permission grant policies

Permission	Description
microsoft.directory/permissionGrantPolicies/create	Create permission grant policies
microsoft.directory/permissionGrantPolicies/delete	Delete permission grant policies

Next steps

- [Create a custom role in Microsoft Entra ID](#)
- [List Microsoft Entra role assignments](#)

Feedback

Was this page helpful?

 Yes

 No

[Provide product feedback](#) 

Device management permissions for Microsoft Entra custom roles

Article • 07/18/2024

Device management permissions can be used in custom role definitions in Microsoft Entra ID to grant fine-grained access such as the following:

- Enable or disable devices
- Delete devices
- Read BitLocker recovery keys
- Read BitLocker metadata
- Read device registration policies
- Update device registration policies

This article lists the permissions you can use in your custom roles for different device management scenarios. For information about how to create custom roles, see [Create and assign a custom role in Microsoft Entra ID](#).

Enable or disable devices

The following permissions are available to toggle device states.

- microsoft.directory/devices/enable
- microsoft.directory/devices/disable

Read BitLocker recovery keys

The following permission is available to read BitLocker metadata and recovery keys. Note that this single permission provides read for both BitLocker metadata and recovery keys.

- microsoft.directory/bitlockerKeys/key/read

You can view the BitLocker recovery key by selecting a device from the **All Devices** page, and then selecting **Show Recovery Key**. For more information about reading BitLocker recovery keys, see [View or copy BitLocker keys](#).

BITLOCKER KEY ID	BITLOCKER RECOVERY KEY (Preview)	DRIVE TYPE
	Show Recovery Key	Operating system drive
	Show Recovery Key	Operating system drive

ⓘ Note

When devices that utilize [Windows Autopilot](#) are reused to join to Entra, **and there is a new device owner**, that new device owner must contact an administrator to acquire the BitLocker recovery key for that device. Custom role or administrative unit scoped administrators will lose access to BitLocker recovery keys for those devices that have undergone device ownership changes. These scoped administrators will need to contact a non-scoped administrator for the recovery keys. For more information, see the article [Find the primary user of an Intune device](#).

Read BitLocker metadata

The following permission is available to read the BitLocker metadata for all devices.

- microsoft.directory/bitlockerKeys/metadata/read

You can read the BitLocker metadata for all devices, but you can't read the BitLocker recovery key.


BITLECKER KEY ID	BITLECKER RECOVERY KEY (Preview)	DRIVE TYPE
	Show Recovery Key	Operating system drive
	Show Recovery Key	Operating system drive

Read device registration policies

The following permission is available to read tenant-wide device registration settings.

- microsoft.directory/deviceRegistrationPolicy/standard/read

You can read device settings in the Microsoft Entra admin center.



Update device registration policies

The following permission is available to update tenant-wide device registration settings.

- microsoft.directory/deviceRegistrationPolicy/basic/update

Full list of permissions

Read

 Expand table

Permission	Description
microsoft.directory/devices/createdFrom/read	Read created from Internet of Things (IoT) device template links
microsoft.directory/devices/registeredOwners/read	Read registered owners of devices

Permission	Description
microsoft.directory/devices/registeredUsers/read	Read registered users of devices
microsoft.directory/devices/standard/read	Read basic properties on devices
microsoft.directory/bitlockerKeys/key/read	Read bitlocker metadata and key on devices
microsoft.directory/bitlockerKeys/metadata/read	Read bitlocker key metadata on devices
microsoft.directory/deviceRegistrationPolicy/standard/read	Read standard properties on device registration policies

Update

[Expand table](#)

Permission	Description
microsoft.directory/devices/registeredOwners/update	Update registered owners of devices
microsoft.directory/devices/registeredUsers/update	Update registered users of devices
microsoft.directory/devices/enable	Enable devices in Microsoft Entra ID
microsoft.directory/devices/disable	Disable devices in Microsoft Entra ID
microsoft.directory/deviceRegistrationPolicy/basic/update	Update basic properties on device registration policies

Delete

[Expand table](#)

Permission	Description
microsoft.directory/devices/delete	Delete devices from Microsoft Entra ID

Next steps

- [Create and assign a custom role in Microsoft Entra ID](#)
- [List Microsoft Entra role assignments](#)

Feedback

Was this page helpful?



Yes



No

[Provide product feedback](#) 

User management permissions for Microsoft Entra custom roles

Article • 10/23/2023

User management permissions can be used in custom role definitions in Microsoft Entra ID to grant fine-grained access such as the following:

- Read or update basic properties of users
- Read identity of users
- Read or update job information of users
- Update contact information of users
- Update parental controls of users
- Update settings of users
- Read direct reports of users
- Update extension properties of users
- Read device information of users
- Read or manage licenses of users
- Update password policies of users
- Read assignments and memberships of users

This article lists the permissions you can use in your custom roles for different user management scenarios. For information about how to create custom roles, see [Create and assign a custom role in Microsoft Entra ID](#).

License requirements

Using this feature requires Microsoft Entra ID P1 licenses. To find the right license for your requirements, see [Compare generally available features of Microsoft Entra ID](#).

Read or update basic properties of users

The following permissions are available to read or update basic properties of users.

Permission	Description
microsoft.directory/users/standard/read	Read basic properties on users
microsoft.directory/users/basic/update	Update basic properties on users

Read identity of users

The following permissions are available to read identity of users.

Permission	Description
microsoft.directory/users/identities/read	Read identities of users

Read or update job information of users

The following permissions are available to read or update job information of users.

Permission	Description
microsoft.directory/users/manager/read	Read manager of users
microsoft.directory/users/manager/update	Update manager for users
microsoft.directory/users/jobInfo/update	Update job information of users

Update contact information of users

The following permissions are available to update contact information of users.

Permission	Description
microsoft.directory/users/contactInfo/update	Update contact properties on users

Update parental controls of users

The following permissions are available to update parental controls of users.

Permission	Description
microsoft.directory/users/parentalControls/update	Update parental controls of users

Update settings of users

The following permissions are available to update settings of users.

Permission	Description
microsoft.directory/users/usageLocation/update	Update usage location of users

Read direct reports of users

The following permissions are available to read direct reports of users.

Permission	Description
microsoft.directory/users/directReports/read	Read the direct reports for users

Update extension properties of users

The following permissions are available to update extension properties of users.

Permission	Description
microsoft.directory/users/extensionProperties/update	Update extension properties of users

Read device information of users

The following permissions are available to read device information of users.

Permission	Description
microsoft.directory/users/ownedDevices/read	Read owned devices of users
microsoft.directory/users/registeredDevices/read	Read registered devices of users
microsoft.directory/users/deviceForResourceAccount/read	Read deviceForResourceAccount of users

Read or manage licenses of users

The following permissions are available to read or manage licenses of users.

Permission	Description
microsoft.directory/users/licenseDetails/read	Read license details of users

Permission	Description
microsoft.directory/users/assignLicense	Manage user licenses
microsoft.directory/users/reprocessLicenseAssignment	Reprocess license assignments for users

Update password policies of users

The following permissions are available to update password policies of users.

Permission	Description
microsoft.directory/users/passwordPolicies/update	Update password policies properties of users

Read assignments and memberships of users

The following permissions are available to read assignments and memberships of users.

Permission	Description
microsoft.directory/users/appRoleAssignments/read	Read application role assignments for users
microsoft.directory/users/scopedRoleMemberOf/read	Read user's membership of a Microsoft Entra role, that is scoped to an administrative unit
microsoft.directory/users/memberOf/read	Read the group memberships of users

Full list of permissions

Permission	Description
microsoft.directory/users/appRoleAssignments/read	Read application role assignments for users
microsoft.directory/users/assignLicense	Manage user licenses
microsoft.directory/users/basic/update	Update basic properties on users
microsoft.directory/users/contactInfo/update	Update contact properties on users
microsoft.directory/users/deviceForResourceAccount/read	Read deviceForResourceAccount of users
microsoft.directory/users/directReports/read	Read the direct reports for users

Permission	Description
microsoft.directory/users/extensionProperties/update	Update extension properties of users
microsoft.directory/users/identities/read	Read identities of users
microsoft.directory/users/jobInfo/update	Update job information of users
microsoft.directory/users/licenseDetails/read	Read license details of users
microsoft.directory/users/manager/read	Read manager of users
microsoft.directory/users/manager/update	Update manager for users
microsoft.directory/users/memberOf/read	Read the group memberships of users
microsoft.directory/users/ownedDevices/read	Read owned devices of users
microsoft.directory/users/parentalControls/update	Update parental controls of users
microsoft.directory/users/passwordPolicies/update	Update password policies properties of users
microsoft.directory/users/registeredDevices/read	Read registered devices of users
microsoft.directory/users/reprocessLicenseAssignment	Reprocess license assignments for users
microsoft.directory/users/scopedRoleMemberOf/read	Read user's membership of a Microsoft Entra role, that is scoped to an administrative unit
microsoft.directory/users/standard/read	Read basic properties on users
microsoft.directory/users/usageLocation/update	Update usage location of users

Next steps

- [Create and assign a custom role in Microsoft Entra ID](#)
- [List Microsoft Entra role assignments](#)

Group management permissions for Microsoft Entra custom roles

Article • 08/25/2024

Group management permissions can be used in custom role definitions in Microsoft Entra ID to grant fine-grained access such as the following:

- Manage group properties like name and description
- Manage members and owners
- Create or delete groups
- Read audit logs
- Manage a specific type of group

This article lists the permissions you can use in your custom roles for different group management scenarios. For information about how to create custom roles, see [Create and assign a custom role in Microsoft Entra ID](#).

License requirements

Using this feature requires Microsoft Entra ID P1 licenses. To find the right license for your requirements, see [Compare generally available features of Microsoft Entra ID](#).

How to interpret group management permissions

To interpret the group management permissions, it helps to understand what the different permission subtypes mean.

 Expand table

Permission subtype	Permission subtype description
groups	Manage security groups and Microsoft 365 groups, excluding role-assignable groups
groups.unified	Manage Microsoft 365 groups of both dynamic and assigned membership type, excluding role-assignable groups
groups.unified.assignedMembership	Manage Microsoft 365 groups of only assigned membership type, excluding role-assignable

Permission subtype	Permission subtype description
	groups
groups.security	Manage security groups of both dynamic and assigned membership type, excluding role-assignable groups
groups.security.assignedMembership	Manage security groups of only assigned membership type, excluding role-assignable groups

The following table has example permissions for updating group members of different subtypes.

 Expand table

Permission example	Permission description
microsoft.directory/ groups /members/update	Update members of Security groups and Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/ groups.unified /members/update	Update members of Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/ groups.unified.assignedMembership /members/update	Update members of Microsoft 365 groups of assigned membership type, excluding role-assignable groups
microsoft.directory/ groups.security /members/update	Update members of Security groups, excluding role-assignable groups
microsoft.directory/ groups.security.assignedMembership /members/update	Update members of Security groups of assigned membership type, excluding role-assignable groups

Read group information

The following permissions are available to read properties, members, and owners of groups.

 Expand table

Permission	Description
microsoft.directory/groups/allProperties/read	Read all properties (including privileged properties) on Security groups and Microsoft

Permission	Description
	365 groups, including role-assignable groups
microsoft.directory/groups/standard/read	Read standard properties of Security groups and Microsoft 365 groups, including role-assignable groups
microsoft.directory/groups/members/read	Read members of Security groups and Microsoft 365 groups, including role-assignable groups
microsoft.directory/groups/memberOf/read	Read the memberOf property on Security groups and Microsoft 365 groups, including role-assignable groups
microsoft.directory/groups/owners/read	Read owners of Security groups and Microsoft 365 groups, including role-assignable groups

Create groups

The following permissions are available to create groups of different types.

 Expand table

Permission	Description
microsoft.directory/groups/create	Create Security groups and Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups.unified/create	Create Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups.unified.assignedMembership/create	Create Microsoft 365 groups of assigned membership type, excluding role-assignable groups
microsoft.directory/groups.security/create	Create Security groups, excluding role-assignable groups
microsoft.directory/groups.security.assignedMembership/create	Create Security groups of assigned membership type, excluding role-assignable groups
microsoft.directory/groups/createAsOwner	Create Security groups and Microsoft 365 groups, excluding role-assignable groups. Creator is added as the first owner.

Permission	Description
microsoft.directory/groups.unified/createAsOwner	Create Microsoft 365 groups, excluding role-assignable groups. Creator is added as the first owner.
microsoft.directory/groups.unified.assignedMembership/createAsOwner	Create Microsoft 365 groups of assigned membership type, excluding role-assignable groups. Creator is added as the first owner.
microsoft.directory/groups.security/createAsOwner	Create Security groups, excluding role-assignable groups. Creator is added as the first owner.
microsoft.directory/groups.security.assignedMembership/createAsOwner	Create Security groups of assigned membership type, excluding role-assignable groups. Creator is added as the first owner.

Update group information

The following permissions are available to update properties and members of groups.

[Expand table](#)

Permission	Description
microsoft.directory/groups/allProperties/update	Update all properties (including privileged properties) on Security groups and Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups.unified/allProperties/update	Update all properties (including privileged properties) on Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups.unified.assignedMembership/allProperties/update	Update all properties (including privileged properties) on Microsoft 365 groups of assigned membership type, excluding role-assignable groups
microsoft.directory/groups.security/allProperties/update	Update all properties (including privileged properties) on Security groups, excluding role-assignable groups
microsoft.directory/groups.security.assignedMembership/allProperties/update	Update all properties (including privileged properties) on Security groups of assigned membership type, excluding role-assignable groups

Permission	Description
microsoft.directory/groups/basic/update	Update basic properties on Security groups and Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups.unified/basic/update	Update basic properties on Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups.unified.assignedMembership/basic/update	Update basic properties on Microsoft 365 groups of assigned membership type, excluding role-assignable groups
microsoft.directory/groups.security/basic/update	Update basic properties on Security groups, excluding role-assignable groups
microsoft.directory/groups.security.assignedMembership/basic/update	Update basic properties on Security groups of assigned membership type, excluding role-assignable groups
microsoft.directory/groups/classification/update	Update the classification property on Security groups and Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups.unified/classification/update	Update the classification property on Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups.unified.assignedMembership/classification/update	Update the classification property on Microsoft 365 groups of assigned membership type, excluding role-assignable groups
microsoft.directory/groups.security/classification/update	Update the classification property on Security groups, excluding role-assignable groups
microsoft.directory/groups.security.assignedMembership/classification/update	Update the classification property on Security groups of assigned membership type, excluding role-assignable groups
microsoft.directory/groups/dynamicMembershipRule/update	Update the rule for dynamic membership groups on Security groups and Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups.unified/dynamicMembershipRule/update	Update the rule for dynamic membership groups on Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups.security/dynamicMembershipRule/update	Update the rule for dynamic membership groups on Security groups, excluding role-assignable groups
microsoft.directory/groups/members/update	Update members of Security groups and Microsoft 365 groups, excluding role-

Permission	Description
	assignable groups
microsoft.directory/groups.unified/members/update	Update members of Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups.unified.assignedMembership/members/update	Update members of Microsoft 365 groups of assigned membership type, excluding role-assignable groups
microsoft.directory/groups.security/members/update	Update members of Security groups, excluding role-assignable groups
microsoft.directory/groups.security.assignedMembership/members/update	Update members of Security groups of assigned membership type, excluding role-assignable groups

Update members of different group types

The following permissions are available to update members of different group types.

 Expand table

Permission	Description
microsoft.directory/groups/members/update	Update members of Security groups and Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups.unified/members/update	Update members of Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups.unified.assignedMembership/members/update	Update members of Microsoft 365 groups of assigned membership type, excluding role-assignable groups
microsoft.directory/groups.security/members/update	Update members of Security groups, excluding role-assignable groups
microsoft.directory/groups.security.assignedMembership/members/update	Update members of Security groups of assigned membership type, excluding role-assignable groups

Delete groups

The following permissions are available to delete groups.

Permission	Description
microsoft.directory/groups/delete	Delete Security groups and Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups.unified/members/update	Update members of Microsoft 365 groups, excluding role-assignable groups
microsoft.directory/groups.unified.assignedMembership/members/update	Update members of Microsoft 365 groups of assigned membership type, excluding role-assignable groups
microsoft.directory/groups.security/members/update	Update members of Security groups, excluding role-assignable groups
microsoft.directory/groups.security.assignedMembership/members/update	Update members of Security groups of assigned membership type, excluding role-assignable groups

Next steps

- [Create and assign a custom role in Microsoft Entra ID](#)
- [List Microsoft Entra role assignments](#)

Feedback

Was this page helpful?

 Yes

 No

[Provide product feedback](#) 

Microsoft Entra service limits and restrictions

09/28/2025

This article contains the usage constraints and other service limits for the Microsoft Entra ID, part of Microsoft Entra, service. If you're looking for the full set of Microsoft Azure service limits, see [Azure Subscription and Service Limits, Quotas, and Constraints](#).

Here are the usage constraints and other service limits for the Microsoft Entra service.

 Expand table

Category	Limit
Tenants	- A single user can belong to a maximum of 500 Microsoft Entra tenants as a member or a guest. - Create a maximum of 200 tenants. - Limit of 300 license-based subscriptions (such as Microsoft 365 subscriptions) per tenant.
Domains	- You can add no more than 5,000 managed domain names. - If you set up all of your domains for federation with on-premises Active Directory, you can add no more than 2,500 domain names in each tenant.

Category	Limit
Resources	- By default, a maximum of 50,000 Microsoft Entra resources can be created in a single tenant by users of the Microsoft Entra ID Free edition. If you have at least one verified domain, the default Microsoft Entra service quota for your organization is extended to 300,000 Microsoft Entra resources. The Microsoft Entra service quota for organizations created by self-service sign-up remains 50,000 Microsoft Entra resources, even after you perform an internal admin takeover and the organization is converted to a managed tenant with at least one verified domain. This service limit is unrelated to the pricing tier limit of 500,000 resources on the Microsoft Entra pricing page. To go beyond the default quota, you must contact Microsoft Support. - A non-admin user can create no more than 250 Microsoft Entra resources. Both active resources and deleted resources that are available to restore count toward this quota. Only deleted Microsoft Entra resources that were deleted fewer than 30 days ago are available to restore. Deleted Microsoft Entra resources that are no longer available to restore count toward this quota at a value of one-quarter for 30 days. If you have developers who are likely to repeatedly exceed this quota in the course of their regular duties, you can create and assign a custom role with permission to create a limitless number of app registrations. - Resource limitations apply to all directory objects in a given Microsoft Entra tenant, including users, groups, applications, and service principals.
Schema extensions	- String-type extensions can have a maximum of 256 characters. - Binary-type extensions are limited to 256 bytes. - Only 100 extension values, across <i>all</i> types and <i>all</i> applications, can be written to any single Microsoft Entra resource. - Only User, Group, TenantDetail, Device, Application, and ServicePrincipal entities can be extended with string-type or binary-type single-valued attributes. - Only the "equals" operator is supported for DateTime-type extensions. Range operators like "greater than" or "less than" are not supported.

Category	Limit
Applications	• A maximum of 100 users and service principals can be owners of a single application. • A user, group, or service principal can have a maximum of 1,500 app role assignments. The limitation is on the assigned service principal, user, or group across all app roles and not on the number of assignments of a single app role. This limit includes app role assignments where the resource service principal has been soft-deleted. • A user can have credentials configured for a maximum of 48 apps using password-based single sign-on. This limit only applies for credentials configured when the user is directly assigned the app, not when the user is a member of a group that is assigned. • A group can have credentials configured for a maximum of 48 apps using password-based single sign-on. • See additional limits in Validation differences by supported account types.
Application manifest	A maximum of 1,200 entries can be added to the application manifest. See additional limits in Validation differences by supported account types.
Groups	• A non-admin user can create a maximum of 250 groups in a Microsoft Entra organization. Any Microsoft Entra admin who can manage groups in the organization can also create an unlimited number of groups (up to the Microsoft Entra object limit). If you assign a role to a user to remove the limit for that user, assign a less privileged, built-in role such as User Administrator or Groups Administrator. • A Microsoft Entra organization can have a maximum of 15,000 dynamic groups (including those originating from Microsoft Entra entitlement management automatic assignment policies) and dynamic administrative units combined. • A maximum of 500 role-assignable groups can be created in a single Microsoft Entra organization (tenant). • A maximum of 100 users can be owners of a single group. • There is a limit of 1010 groups per token allowed for Entra Kerberos. • Any number of Microsoft Entra resources can be members of a single group. • If a user (or group) is a member of more than 2,048 groups (direct and nested), their access might be blocked. This limit applies to both direct and nested group memberships. See Users, groups, and workload identities assignments in Conditional Access. • A user can be a member of any number of groups. The following service-specific limits apply when group memberships are used in authentication or authorization (including direct and indirect memberships): ◦ SharePoint Online: When security groups are used with SharePoint Online, a user can be a part of up to 2,047 security groups in total, including direct and indirect membership. When this limit is exceeded, authentication and search results can become unpredictable. See SharePoint limits. ◦ SAML tokens: If optional groups claims are enabled, up to 150 group memberships (including nested groups) are included in SAML assertions. If a user is in more than 150 groups, the groups claim is omitted and an

Category	Limit
	overage claim is sent instead. See Configure optional claims and the SAML token claims reference for implementation guidance. ◦ JWT/OIDC tokens: If optional groups claims are enabled, up to 200 group memberships (including nested groups) are included in JWT tokens. If a user is in more than 200 groups, the groups claim is omitted and an overage claim is sent instead. See Configure optional claims and the Access token claims reference for implementation guidance. ◦ Conditional Access policies: Policy evaluation supports up to 4,096 group memberships per user (direct and indirect). When this limit is exceeded, policy enforcement might fail. See Users, groups, and workload identities assignments in Conditional Access. • Starting with Microsoft Entra Connect v2.0, the V2 endpoint is the default API. The number of members in a group that you can synchronize from your on-premises Active Directory to Microsoft Entra ID by using Microsoft Entra Connect is limited to 250,000 members. For more information, see Microsoft Entra Connect Sync V2. • When you select a list of groups, you can assign a group expiration policy to a maximum of 500 Microsoft 365 groups. There's no limit when the policy is applied to all Microsoft 365 groups. At this time, the following scenarios are supported with nested groups: • One group can be added as a member of another group, and you can achieve group nesting. • Group membership claims. When an app is configured to receive group membership claims in the token, nested groups in which the signed-in user is a member are included. • Conditional Access (when a Conditional Access policy has a group scope). • Restricting access to self-serve password reset. • Restricting which users can do Microsoft Entra join and device registration. The following scenarios are <i>not</i> supported with nested groups: • App role assignment, for both access and provisioning. Assigning groups to an app is supported, but any groups nested within the directly assigned group won't have access. • Group-based licensing (assigning a license automatically to all members of a group). • Microsoft 365 Groups.
Application Proxy	• A maximum of 500 transactions* per second per Application Proxy application. • A maximum of 750 transactions per second for the Microsoft Entra organization. *A transaction is defined as a single HTTP request and response for a unique

Category	Limit
	resource. When clients are throttled, they receive a 429 response (too many requests). Transaction metrics are collected on each connector and can be monitored using performance counters under the object name <code>Microsoft Entra private network connector</code> .
Access Panel	There's no limit to the number of applications per user that can be displayed in the Access Panel, regardless of the number of assigned licenses.
Reports	A maximum of 1,000 rows can be viewed or downloaded in any report. Any additional data is truncated.
Administrative units	• A Microsoft Entra resource can be a member of no more than 30 administrative units. • There isn't a specific limit for the number of administrative units in a tenant, but you can only have a maximum of 100 restricted management administrative units in a tenant. • A Microsoft Entra organization can have a maximum of 15,000 dynamic groups (including those originating from Microsoft Entra entitlement management automatic assignment policies) and dynamic administrative units combined.
Microsoft Entra roles and permissions	• A maximum of 100 Microsoft Entra custom roles  can be created in a Microsoft Entra organization. • A maximum of 150 Microsoft Entra custom role assignments for a single principal at any scope. • A maximum of 100 Microsoft Entra built-in role assignments for a single principal at non-tenant scope (such as an administrative unit or Microsoft Entra object). There's no limit to Microsoft Entra built-in role assignments at tenant scope. For more information, see Assign Microsoft Entra roles. • A group can't be added as a group owner. • A user's ability to read other users' tenant information can be restricted only by the Microsoft Entra organization-wide switch to disable all non-admin users' access to all tenant information (not recommended). For more information, see To restrict the default permissions for member users. • It might take up to 15 minutes or you might have to sign out and sign back in before admin role membership additions and revocations take effect.
Conditional Access Policies	A maximum of 195 policies can be created in a single Microsoft Entra organization (tenant).
Terms of use	You can add no more than 40 terms to a single Microsoft Entra organization (tenant).
Multitenant organizations	• A maximum of 100 active tenants, including the owner tenant. The owner tenant can add more than 100 pending tenants, but they won't be able to join the multitenant organization if the limit is exceeded. This limit is applied at the time a pending tenant joins a multitenant organization.

Category	Limit
	This limit is specific to the number of tenants in a multitenant organization. It doesn't apply to cross-tenant synchronization by itself.

Related content

- [Configure group claims for applications by using Microsoft Entra ID](#)
- [Sign up for Azure as an organization](#)
- [How Azure subscriptions are associated with Microsoft Entra ID](#)

Microsoft.Graph.Identity.Governance Module

Microsoft Graph PowerShell Cmdlets

Microsoft.Graph.Identity.Governance Cmdlets

 Expand table

Cmdlet	Description
Add-MgIdentityGovernanceAccessReviewDefinitionInstanceDecision	Apply review decisions on an accessReviewInstance if the decisions were not applied automatically because the autoApplyDecisionsEnabled property is false in the review's accessReviewScheduleSettings. The status of the accessReviewInstance must be Completed to call this method.  Note To view the beta release of this cmdlet, view Add-MgBetaIdentityGovernanceAccessReviewDefinitionInstanceDecision
Get-MgAgreement	Get entity from agreements by key  Note To view the beta release of this cmdlet, view Get-MgBetaAgreement
Get-MgAgreementAcceptance	Read-only. Information about acceptances of this agreement.  Note To view the beta release of this cmdlet, view Get-MgBetaAgreementAcceptance
Get-MgAgreementAcceptanceCount	Get the number of the resource  Note To view the beta release of this cmdlet, view Get-MgBetaAgreementAcceptanceCount
Get-MgAgreementFile	Retrieve the details of an agreement file, including the language and version information. The default file can have multiple versions, each with its own language, that can be retrieved by specifying the Accept-Language header.  Note To view the beta release of this cmdlet, view Get-MgBetaAgreementFile
Get-MgAgreementFileCount	Get the number of the resource  Note

Cmdlet	Description
	To view the beta release of this cmdlet, view Get-MgBetaAgreementFileCount
Get-MgAgreementFileLocalization	The localized version of the terms of use agreement files attached to the agreement. Note To view the beta release of this cmdlet, view Get-MgBetaAgreementFileLocalization
Get-MgAgreementFileLocalizationCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaAgreementFileLocalizationCount
Get-MgAgreementFileLocalizationVersion	Read-only. Customized versions of the terms of use agreement in the Microsoft Entra tenant. Note To view the beta release of this cmdlet, view Get-MgBetaAgreementFileLocalizationVersion
Get-MgAgreementFileLocalizationVersionCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaAgreementFileLocalizationVersionCount
Get-MgAgreementFileVersion	Read-only. Customized versions of the terms of use agreement in the Microsoft Entra tenant. Note To view the beta release of this cmdlet, view Get-MgBetaAgreementFileVersion
Get-MgAgreementFileVersionCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaAgreementFileVersionCount
Get-MgEntitlementManagementAccessPackage	Retrieve an access package with a list of accessPackageResourceRoleScope objects. These objects represent the resource roles that an access package assigns to each subject. Each object links to an accessPackageResourceRole and an accessPackageResourceScope.

Cmdlet	Description
	Note To view the beta release of this cmdlet, view Get-MgBetaEntitlementManagementAccessPackage
Get-MgEntitlementManagementAccessPackageApplicablePolicyRequirement	In Microsoft Entra entitlement management, this action retrieves a list of accessPackageAssignmentRequestRequirements objects that the currently signed-in user can use to create an accessPackageAssignmentRequest. Each requirement object corresponds to an access package assignment policy that the currently signed-in user is allowed to request an assignment for. Note To view the beta release of this cmdlet, view Get-MgBetaEntitlementManagementAccessPackageApplicablePolicyRequirement
Get-MgEntitlementManagementAccessPackageAssignmentApprovalCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaEntitlementManagementAccessPackageAssignmentApprovalCount
Get-MgEntitlementManagementAccessPackageAssignmentApprovalStage	Retrieve the properties of an approvalStage object. An approval stage is contained within an approval object.
Get-MgEntitlementManagementAccessPackageAssignmentApprovalStageCount	Get the number of the resource
Get-MgEntitlementManagementAccessPackageAssignmentPolicy	Read-only. Nullable. Supports \$expand. Note To view the beta release of this cmdlet, view Get-MgBetaEntitlementManagementAccessPackageAssignmentPolicy
Get-MgEntitlementManagementAccessPackageCatalog	Required when creating the access package. Read-only. Nullable. Note To view the beta release of this cmdlet, view Get-MgBetaEntitlementManagementAccessPackageCatalog
Get-MgEntitlementManagementAccessPackageCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-

Cmdlet	Description
	MgBetaEntitlementManagementAccessPackageCount
Get-MgEntitlementManagementAccessPackageIncompatibleAccessPackage	Retrieve a list of the accessPackage objects that have been marked as incompatible on an accessPackage. Note To view the beta release of this cmdlet, view Get-MgBetaEntitlementManagementAccessPackageIncompatibleAccessPackage
Get-MgEntitlementManagementAccessPackageIncompatibleAccessPackageByRef	Retrieve a list of the accessPackage objects that have been marked as incompatible on an accessPackage. Note To view the beta release of this cmdlet, view Get-MgBetaEntitlementManagementAccessPackageIncompatibleAccessPackageByRef
Get-MgEntitlementManagementAccessPackageIncompatibleGroup	Retrieve a list of the group objects that have been marked as incompatible on an accessPackage. Note To view the beta release of this cmdlet, view Get-MgBetaEntitlementManagementAccessPackageIncompatibleGroup
Get-MgEntitlementManagementAccessPackageIncompatibleGroupByRef	Retrieve a list of the group objects that have been marked as incompatible on an accessPackage. Note To view the beta release of this cmdlet, view Get-MgBetaEntitlementManagementAccessPackageIncompatibleGroupByRef
Get-MgEntitlementManagementAccessPackageIncompatibleWith	The access packages that are incompatible with this package. Read-only. Note To view the beta release of this cmdlet, view Get-MgBetaEntitlementManagementAccessPackageIncompatibleWith
Get-MgEntitlementManagementAssignment	In Microsoft Entra entitlement management, retrieve the properties and relationships of an accessPackageAssignment object.
Get-MgEntitlementManagementAssignmentAdditional	In Microsoft Entra Entitlement Management, retrieve a collection of accessPackageAssignment objects that indicate a target user has an assignment to a specified access package and also an assignment to another, potentially incompatible, access package. This can be used to prepare to configure the

Cmdlet	Description
	incompatible access packages for a specific access package.
Get-MgEntitlementManagementAssignmentCount	Get the number of the resource
Get-MgEntitlementManagementAssignmentPolicy	In Microsoft Entra entitlement management, retrieve the properties and relationships of an accessPackageAssignmentPolicy object.
Get-MgEntitlementManagementAssignmentPolicyAccessPackage	Access package containing this policy. Read-only. Supports \$expand.
Get-MgEntitlementManagementAssignmentPolicyCatalog	Catalog of the access package containing this policy. Read-only.
Get-MgEntitlementManagementAssignmentPolicyCount	Get the number of the resource
Get-MgEntitlementManagementAssignmentPolicyCustomExtensionStageSetting	The collection of stages when to execute one or more custom access package workflow extensions. Supports \$expand.
Get-MgEntitlementManagementAssignmentPolicyCustomExtensionStageSettingCount	Get the number of the resource
Get-MgEntitlementManagementAssignmentPolicyCustomExtensionStageSettingCustomExtension	Indicates the custom workflow extension that will be executed at this stage. Nullable. Supports \$expand.
Get-MgEntitlementManagementAssignmentPolicyQuestion	Questions that are posed to the requestor.
Get-MgEntitlementManagementAssignmentPolicyQuestionCount	Get the number of the resource
Get-MgEntitlementManagementAssignmentRequest	In Microsoft Entra entitlement management, retrieve the properties and relationships of an accessPackageAssignmentRequest object. Note To view the beta release of this cmdlet, view Get-MgBetaEntitlementManagementAssignmentRequest
Get-MgEntitlementManagementAssignmentRequestCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaEntitlementManagementAssignmentRequestCount
Get-MgEntitlementManagementCatalog	Retrieve the properties and relationships of an accessPackageCatalog object.
Get-MgEntitlementManagementCatalogAccessPackageCount	Get the number of the resource
Get-MgEntitlementManagementCatalogCount	Get the number of the resource
Get-MgEntitlementManagementCatalogCustomWorkflowExtension	Read the properties and relationships of an accessPackageAssignmentWorkflowExtension object.
Get-MgEntitlementManagementCatalogCustomWorkflowExtensionCount	Get the number of the resource
Get-MgEntitlementManagementCatalogResource	Access package resources in this catalog.
Get-MgEntitlementManagementCatalogResourceCount	Get the number of the resource
Get-MgEntitlementManagementCatalogResourceEnvironment	Contains the environment information for the resource. This can be set using either the @odata.bind annotation or the environment's originId.Supports \$expand.
Get-MgEntitlementManagementCatalogResourceRole	Get resourceRoles from identityGovernance

Cmdlet	Description
Get-MgEntitlementManagementCatalogResourceRoleCount	Get the number of the resource
Get-MgEntitlementManagementCatalogResourceRoleResource	Get resource from identityGovernance
Get-MgEntitlementManagementCatalogResourceRoleResourceEnvironment	Contains the environment information for the resource. This can be set using either the @odata.bind annotation or the environment's originId.Supports \$expand.
Get-MgEntitlementManagementCatalogResourceRoleResourceScope	Read-only. Nullable. Supports \$expand.
Get-MgEntitlementManagementCatalogResourceRoleResourceScopeCount	Get the number of the resource
Get-MgEntitlementManagementCatalogResourceRoleResourceScopeResource	Get resource from identityGovernance
Get-MgEntitlementManagementCatalogResourceRoleResourceScopeResourceEnvironment	Contains the environment information for the resource. This can be set using either the @odata.bind annotation or the environment's originId.Supports \$expand.
Get-MgEntitlementManagementCatalogResourceRoleResourceScopeResourceRole	Read-only. Nullable. Supports \$expand.
Get-MgEntitlementManagementCatalogResourceRoleResourceScopeResourceRoleCount	Get the number of the resource
Get-MgEntitlementManagementCatalogResourceScope	Get resourceScopes from identityGovernance
Get-MgEntitlementManagementCatalogResourceScopeCount	Get the number of the resource
Get-MgEntitlementManagementCatalogResourceScopeResource	Get resource from identityGovernance
Get-MgEntitlementManagementCatalogResourceScopeResourceEnvironment	Contains the environment information for the resource. This can be set using either the @odata.bind annotation or the environment's originId.Supports \$expand.
Get-MgEntitlementManagementCatalogResourceScopeResourceRole	Read-only. Nullable. Supports \$expand.
Get-MgEntitlementManagementCatalogResourceScopeResourceRoleCount	Get the number of the resource
Get-MgEntitlementManagementCatalogResourceScopeResourceRoleResource	Get resource from identityGovernance
Get-MgEntitlementManagementCatalogResourceScopeResourceRoleResourceEnvironment	Contains the environment information for the resource. This can be set using either the @odata.bind annotation or the environment's originId.Supports \$expand.
Get-MgEntitlementManagementCatalogResourceScopeResourceRoleResourceScope	Read-only. Nullable. Supports \$expand.
Get-MgEntitlementManagementCatalogResourceScopeResourceRoleResourceScopeCount	Get the number of the resource
Get-MgEntitlementManagementConnectedOrganization	Retrieve the properties and relationships of a connectedOrganization object.
	 Note To view the beta release of this cmdlet, view Get-MgBetaEntitlementManagementConnectedOrganization
Get-MgEntitlementManagementConnectedOrganizationCount	Get the number of the resource
	 Note To view the beta release of this cmdlet, view Get-MgBetaEntitlementManagementConnectedOrganizationCount
Get-MgEntitlementManagementConnectedOrganizationExternalSponsor	Get externalSponsors from identityGovernance

Cmdlet	Description
	 Note To view the beta release of this cmdlet, view Get-MgBetaEntitlementManagementConnectedOrganizationExternalSponsor
Get-MgEntitlementManagementConnectedOrganizationExternalSponsorByRef	Get ref of externalSponsors from identityGovernance  Note To view the beta release of this cmdlet, view Get-MgBetaEntitlementManagementConnectedOrganizationExternalSponsorByRef
Get-MgEntitlementManagementConnectedOrganizationExternalSponsorCount	Get the number of the resource  Note To view the beta release of this cmdlet, view Get-MgBetaEntitlementManagementConnectedOrganizationExternalSponsorCount
Get-MgEntitlementManagementConnectedOrganizationInternalSponsor	Get internalSponsors from identityGovernance  Note To view the beta release of this cmdlet, view Get-MgBetaEntitlementManagementConnectedOrganizationInternalSponsor
Get-MgEntitlementManagementConnectedOrganizationInternalSponsorByRef	Get ref of internalSponsors from identityGovernance  Note To view the beta release of this cmdlet, view Get-MgBetaEntitlementManagementConnectedOrganizationInternalSponsorByRef
Get-MgEntitlementManagementConnectedOrganizationInternalSponsorCount	Get the number of the resource  Note To view the beta release of this cmdlet, view Get-MgBetaEntitlementManagementConnectedOrganizationInternalSponsorCount
Get-MgEntitlementManagementResource	The resources associated with the catalogs.
Get-MgEntitlementManagementResourceCount	Get the number of the resource
Get-MgEntitlementManagementResourceEnvironment	A reference to the geolocation environments in which a resource is located.
Get-MgEntitlementManagementResourceEnvironmentCount	Get the number of the resource
Get-MgEntitlementManagementResourceEnvironmentResource	Read-only. Required.

Cmdlet	Description
Get-MgEntitlementManagementResourceEnvironmentResourceCount	Get the number of the resource
Get-MgEntitlementManagementResourceEnvironmentResourceRole	Read-only. Nullable. Supports \$expand.
Get-MgEntitlementManagementResourceEnvironmentResourceRoleCount	Get the number of the resource
Get-MgEntitlementManagementResourceEnvironmentResourceRoleResource	Get resource from identityGovernance
Get-MgEntitlementManagementResourceEnvironmentResourceRoleResourceEnvironment	Contains the environment information for the resource. This can be set using either the @odata.bind annotation or the environment's originId.Supports \$expand.
Get-MgEntitlementManagementResourceEnvironmentResourceRoleResourceScope	Read-only. Nullable. Supports \$expand.
Get-MgEntitlementManagementResourceEnvironmentResourceRoleResourceScopeCount	Get the number of the resource
Get-MgEntitlementManagementResourceEnvironmentResourceRoleResourceScopeResource	Get resource from identityGovernance
Get-MgEntitlementManagementResourceEnvironmentResourceRoleResourceScopeResourceEnvironment	Contains the environment information for the resource. This can be set using either the @odata.bind annotation or the environment's originId.Supports \$expand.
Get-MgEntitlementManagementResourceEnvironmentResourceScope	Read-only. Nullable. Supports \$expand.
Get-MgEntitlementManagementResourceEnvironmentResourceScopeCount	Get the number of the resource
Get-MgEntitlementManagementResourceEnvironmentResourceScopeResource	Get resource from identityGovernance
Get-MgEntitlementManagementResourceEnvironmentResourceScopeResourceEnvironment	Contains the environment information for the resource. This can be set using either the @odata.bind annotation or the environment's originId.Supports \$expand.
Get-MgEntitlementManagementResourceEnvironmentResourceScopeResourceRole	Read-only. Nullable. Supports \$expand.
Get-MgEntitlementManagementResourceEnvironmentResourceScopeResourceRoleCount	Get the number of the resource
Get-MgEntitlementManagementResourceEnvironmentResourceScopeResourceRoleResource	Get resource from identityGovernance
Get-MgEntitlementManagementResourceEnvironmentResourceScopeResourceRoleResourceEnvironment	Contains the environment information for the resource. This can be set using either the @odata.bind annotation or the environment's originId.Supports \$expand.
Get-MgEntitlementManagementResourceRequest	Represents a request to add or remove a resource to or from a catalog respectively.
Get-MgEntitlementManagementResourceRequestCatalog	Get catalog from identityGovernance
Get-MgEntitlementManagementResourceRequestCatalogAccessPackage	The access packages in this catalog. Read-only. Nullable.
Get-MgEntitlementManagementResourceRequestCatalogAccessPackageCount	Get the number of the resource
Get-MgEntitlementManagementResourceRequestCatalogCustomWorkflowExtension	Get customWorkflowExtensions from identityGovernance
Get-MgEntitlementManagementResourceRequestCatalogCustomWorkflowExtensionCount	Get the number of the resource
Get-MgEntitlementManagementResourceRequestCatalogResource	Access package resources in this catalog.
Get-MgEntitlementManagementResourceRequestCatalogResourceCount	Get the number of the resource
Get-MgEntitlementManagementResourceRequestCatalogResourceEnvironment	Contains the environment information for the resource. This can be set using either the @odata.bind annotation or the environment's originId.Supports \$expand.
Get-MgEntitlementManagementResourceRequestCatalogResourceRole	Get resourceRoles from identityGovernance
Get-MgEntitlementManagementResourceRequestCatalogResourceRoleCount	Get the number of the resource
Get-MgEntitlementManagementResourceRequestCatalogResourceRoleResource	Get resource from identityGovernance

Cmdlet	Description
Get-MgEntitlementManagementResourceRequestCatalogResourceRoleResourceEnvironment	Contains the environment information for the resource. This can be set using either the @odata.bind annotation or the environment's originId.Supports \$expand.
Get-MgEntitlementManagementResourceRequestCatalogResourceRoleResourceScope	Read-only. Nullable. Supports \$expand.
Get-MgEntitlementManagementResourceRequestCatalogResourceRoleResourceScopeCount	Get the number of the resource
Get-MgEntitlementManagementResourceRequestCatalogResourceRoleResourceScopeResource	Get resource from identityGovernance
Get-MgEntitlementManagementResourceRequestCatalogResourceRoleResourceScopeResourceEnvironment	Contains the environment information for the resource. This can be set using either the @odata.bind annotation or the environment's originId.Supports \$expand.
Get-MgEntitlementManagementResourceRequestCatalogResourceRoleResourceScopeResourceRole	Read-only. Nullable. Supports \$expand.
Get-MgEntitlementManagementResourceRequestCatalogResourceRoleResourceScopeResourceRoleCount	Get the number of the resource
Get-MgEntitlementManagementResourceRequestCatalogResourceScope	Get resourceScopes from identityGovernance
Get-MgEntitlementManagementResourceRequestCatalogResourceScopeCount	Get the number of the resource
Get-MgEntitlementManagementResourceRequestCatalogResourceScopeResource	Get resource from identityGovernance
Get-MgEntitlementManagementResourceRequestCatalogResourceScopeResourceEnvironment	Contains the environment information for the resource. This can be set using either the @odata.bind annotation or the environment's originId.Supports \$expand.
Get-MgEntitlementManagementResourceRequestCatalogResourceScopeResourceRole	Read-only. Nullable. Supports \$expand.
Get-MgEntitlementManagementResourceRequestCatalogResourceScopeResourceRoleCount	Get the number of the resource
Get-MgEntitlementManagementResourceRequestCatalogResourceScopeResourceRoleResource	Get resource from identityGovernance
Get-MgEntitlementManagementResourceRequestCatalogResourceScopeResourceRoleResourceEnvironment	Contains the environment information for the resource. This can be set using either the @odata.bind annotation or the environment's originId.Supports \$expand.
Get-MgEntitlementManagementResourceRequestCatalogResourceScopeResourceRoleResourceScope	Read-only. Nullable. Supports \$expand.
Get-MgEntitlementManagementResourceRequestCatalogResourceScopeResourceRoleResourceScopeCount	Get the number of the resource
Get-MgEntitlementManagementResourceRequestCount	Get the number of the resource
Get-MgEntitlementManagementResourceRequestResource	Get resource from identityGovernance
Get-MgEntitlementManagementResourceRequestResourceEnvironment	Contains the environment information for the resource. This can be set using either the @odata.bind annotation or the environment's originId.Supports \$expand.
Get-MgEntitlementManagementResourceRequestResourceRole	Read-only. Nullable. Supports \$expand.
Get-MgEntitlementManagementResourceRequestResourceRoleCount	Get the number of the resource
Get-MgEntitlementManagementResourceRequestResourceRoleResource	Get resource from identityGovernance
Get-MgEntitlementManagementResourceRequestResourceRoleResourceEnvironment	Contains the environment information for the resource. This can be set using either the @odata.bind annotation or the environment's originId.Supports \$expand.
Get-MgEntitlementManagementResourceRequestResourceRoleResourceScope	Read-only. Nullable. Supports \$expand.
Get-MgEntitlementManagementResourceRequestResourceRoleResourceScopeCount	Get the number of the resource
Get-MgEntitlementManagementResourceRequestResourceRoleResourceScopeResource	Get resource from identityGovernance
Get-MgEntitlementManagementResourceRequestResourceRoleResourceScopeResourceEnvironment	Contains the environment information for the resource. This can be set using either the @odata.bind annotation or the environment's originId.Supports \$expand.

Cmdlet	Description
Get-MgEntitlementManagementResourceRequestResourceScope	Read-only. Nullable. Supports \$expand.
Get-MgEntitlementManagementResourceRequestResourceScopeCount	Get the number of the resource
Get-MgEntitlementManagementResourceRequestResourceScopeResource	Get resource from identityGovernance
Get-MgEntitlementManagementResourceRequestResourceScopeResourceEnvironment	Contains the environment information for the resource. This can be set using either the @odata.bind annotation or the environment's originId.Supports \$expand.
Get-MgEntitlementManagementResourceRequestResourceScopeResourceRole	Read-only. Nullable. Supports \$expand.
Get-MgEntitlementManagementResourceRequestResourceScopeResourceRoleCount	Get the number of the resource
Get-MgEntitlementManagementResourceRequestResourceScopeResourceRoleResource	Get resource from identityGovernance
Get-MgEntitlementManagementResourceRequestResourceScopeResourceRoleResourceEnvironment	Contains the environment information for the resource. This can be set using either the @odata.bind annotation or the environment's originId.Supports \$expand.
Get-MgEntitlementManagementResourceRole	Read-only. Nullable. Supports \$expand.
Get-MgEntitlementManagementResourceRoleCount	Get the number of the resource
Get-MgEntitlementManagementResourceRoleResource	Get resource from identityGovernance
Get-MgEntitlementManagementResourceRoleResourceEnvironment	Contains the environment information for the resource. This can be set using either the @odata.bind annotation or the environment's originId.Supports \$expand.
Get-MgEntitlementManagementResourceRoleResourceScope	Read-only. Nullable. Supports \$expand.
Get-MgEntitlementManagementResourceRoleResourceScopeCount	Get the number of the resource
Get-MgEntitlementManagementResourceRoleResourceScopeResource	Get resource from identityGovernance
Get-MgEntitlementManagementResourceRoleResourceScopeResourceEnvironment	Contains the environment information for the resource. This can be set using either the @odata.bind annotation or the environment's originId.Supports \$expand.
Get-MgEntitlementManagementResourceRoleScope	Get resourceRoleScopes from identityGovernance
Get-MgEntitlementManagementResourceRoleScopeCount	Get the number of the resource
Get-MgEntitlementManagementResourceRoleScopeResource	Get resource from identityGovernance
Get-MgEntitlementManagementResourceRoleScopeResourceEnvironment	Contains the environment information for the resource. This can be set using either the @odata.bind annotation or the environment's originId.Supports \$expand.
Get-MgEntitlementManagementResourceRoleScopeResourceRole	Read-only. Nullable. Supports \$expand.
Get-MgEntitlementManagementResourceRoleScopeResourceRoleCount	Get the number of the resource
Get-MgEntitlementManagementResourceRoleScopeResourceRoleResource	Get resource from identityGovernance
Get-MgEntitlementManagementResourceRoleScopeResourceRoleResourceEnvironment	Contains the environment information for the resource. This can be set using either the @odata.bind annotation or the environment's originId.Supports \$expand.
Get-MgEntitlementManagementResourceRoleScopeResourceRoleResourceScope	Read-only. Nullable. Supports \$expand.
Get-MgEntitlementManagementResourceRoleScopeResourceRoleResourceScopeCount	Get the number of the resource
Get-MgEntitlementManagementResourceRoleScopeResourceScope	Read-only. Nullable. Supports \$expand.
Get-MgEntitlementManagementResourceRoleScopeResourceScopeCount	Get the number of the resource
Get-MgEntitlementManagementResourceRoleScopeRole	Get role from identityGovernance
Get-MgEntitlementManagementResourceRoleScopeRoleResource	Get resource from identityGovernance

Cmdlet	Description
Get-MgEntitlementManagementResourceRoleScopeRoleResourceEnvironment	Contains the environment information for the resource. This can be set using either the @odata.bind annotation or the environment's originId.Supports \$expand.
Get-MgEntitlementManagementResourceRoleScopeRoleResourceRole	Read-only. Nullable. Supports \$expand.
Get-MgEntitlementManagementResourceRoleScopeRoleResourceRoleCount	Get the number of the resource
Get-MgEntitlementManagementResourceRoleScopeRoleResourceScope	Read-only. Nullable. Supports \$expand.
Get-MgEntitlementManagementResourceRoleScopeRoleResourceScopeCount	Get the number of the resource
Get-MgEntitlementManagementResourceRoleScopeRoleResourceScopeResource	Get resource from identityGovernance
Get-MgEntitlementManagementResourceRoleScopeRoleResourceScopeResourceEnvironment	Contains the environment information for the resource. This can be set using either the @odata.bind annotation or the environment's originId.Supports \$expand.
Get-MgEntitlementManagementResourceRoleScopeRoleResourceScopeResourceRole	Read-only. Nullable. Supports \$expand.
Get-MgEntitlementManagementResourceRoleScopeRoleResourceScopeResourceRoleCount	Get the number of the resource
Get-MgEntitlementManagementResourceScope	Read-only. Nullable. Supports \$expand.
Get-MgEntitlementManagementResourceScopeCount	Get the number of the resource
Get-MgEntitlementManagementResourceScopeResource	Get resource from identityGovernance
Get-MgEntitlementManagementResourceScopeResourceEnvironment	Contains the environment information for the resource. This can be set using either the @odata.bind annotation or the environment's originId.Supports \$expand.
Get-MgEntitlementManagementResourceScopeResourceRole	Read-only. Nullable. Supports \$expand.
Get-MgEntitlementManagementResourceScopeResourceRoleCount	Get the number of the resource
Get-MgEntitlementManagementResourceScopeResourceRoleResource	Get resource from identityGovernance
Get-MgEntitlementManagementResourceScopeResourceRoleResourceEnvironment	Contains the environment information for the resource. This can be set using either the @odata.bind annotation or the environment's originId.Supports \$expand.
Get-MgEntitlementManagementSetting	Retrieve the properties of an entitlementManagementSettings object. Note To view the beta release of this cmdlet, view Get-MgBetaEntitlementManagementSetting
Get-MgIdentityGovernanceAccessReviewDefinition	Read the properties and relationships of an accessReviewScheduleDefinition object. To retrieve the instances of the access review series, use the list accessReviewInstance API. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceAccessReviewDefinition
Get-MgIdentityGovernanceAccessReviewDefinitionCount	Get the number of the resource Note

Cmdlet	Description
	To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceAccessReviewDefinitionCount
Get-MgIdentityGovernanceAccessReviewDefinitionInstance	Read the properties and relationships of an accessReviewInstance object. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceAccessReviewDefinitionInstance
Get-MgIdentityGovernanceAccessReviewDefinitionInstanceContactedReviewer	Returns the collection of reviewers who were contacted to complete this review. While the reviewers and fallbackReviewers properties of the accessReviewScheduleDefinition might specify group owners or managers as reviewers, contactedReviewers returns their individual identities. Supports \$select. Read-only. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceAccessReviewDefinitionInstanceContactedReviewer
Get-MgIdentityGovernanceAccessReviewDefinitionInstanceContactedReviewerCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceAccessReviewDefinitionInstanceContactedReviewerCount
Get-MgIdentityGovernanceAccessReviewDefinitionInstanceCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceAccessReviewDefinitionInstanceCount
Get-MgIdentityGovernanceAccessReviewDefinitionInstanceDecision	Read the properties and relationships of an accessReviewInstanceDecisionItem object. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceAccessReviewDefinitionInstanceDecision
Get-MgIdentityGovernanceAccessReviewDefinitionInstanceDecisionCount	Get the number of the resource Note

Cmdlet	Description
	To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceAccessReviewDefinitionInstanceDecisionCount
Get-MgIdentityGovernanceAccessReviewDefinitionInstanceDecisionInsight	Insights are recommendations to reviewers on whether to approve or deny a decision. There can be multiple insights associated with an <code>accessReviewInstanceDecisionItem</code>. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceAccessReviewDefinitionInstanceDecisionInsight
Get-MgIdentityGovernanceAccessReviewDefinitionInstanceDecisionInsightCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceAccessReviewDefinitionInstanceDecisionInsightCount
Get-MgIdentityGovernanceAccessReviewDefinitionInstanceStage	Retrieve the properties and relationships of an <code>accessReviewStage</code> object. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceAccessReviewDefinitionInstanceStage
Get-MgIdentityGovernanceAccessReviewDefinitionInstanceStageCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceAccessReviewDefinitionInstanceStageCount
Get-MgIdentityGovernanceAccessReviewDefinitionInstanceStageDecision	Read the properties and relationships of an <code>accessReviewInstanceDecisionItem</code> object. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceAccessReviewDefinitionInstanceStageDecision
Get-MgIdentityGovernanceAccessReviewDefinitionInstanceStageDecisionCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-

Cmdlet	Description
	MgBetaIdentityGovernanceAccessReviewDefinitionInstanceStageDecisionCount
Get-MgIdentityGovernanceAccessReviewDefinitionInstanceStageDecisionInsight	Insights are recommendations to reviewers on whether to approve or deny a decision. There can be multiple insights associated with an <code>accessReviewInstanceDecisionItem</code>. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceAccessReviewDefinitionInstanceStageDecisionInsight
Get-MgIdentityGovernanceAccessReviewHistoryDefinition	Retrieve an <code>accessReviewHistoryDefinition</code> object by its identifier. All the properties of the access review history definition object are returned. If the definition is 30 days or older, a 404 Not Found error is returned. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceAccessReviewHistoryDefinition
Get-MgIdentityGovernanceAccessReviewHistoryDefinitionCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceAccessReviewHistoryDefinitionCount
Get-MgIdentityGovernanceAccessReviewHistoryDefinitionInstance	If the <code>accessReviewHistoryDefinition</code> is a recurring definition, instances represent each recurrence. A definition that doesn't recur will have exactly one instance. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceAccessReviewHistoryDefinitionInstance
Get-MgIdentityGovernanceAccessReviewHistoryDefinitionInstanceCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceAccessReviewHistoryDefinitionInstanceCount
Get-MgIdentityGovernanceAppConsentRequest	Read the properties and relationships of an <code>appConsentRequest</code> object.

Cmdlet	Description
	Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceAppConsentRequest
Get-MgIdentityGovernanceAppConsentRequestCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceAppConsentRequestCount
Get-MgIdentityGovernanceAppConsentRequestUserConsentRequest	Read the properties and relationships of a userConsentRequest object. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceAppConsentRequestUserConsentRequest
Get-MgIdentityGovernanceAppConsentRequestUserConsentRequestApproval	Approval decisions associated with a request. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceAppConsentRequestUserConsentRequestApproval
Get-MgIdentityGovernanceAppConsentRequestUserConsentRequestApprovalStage	A collection of stages in the approval decision.
Get-MgIdentityGovernanceAppConsentRequestUserConsentRequestApprovalStageCount	Get the number of the resource
Get-MgIdentityGovernanceAppConsentRequestUserConsentRequestCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceAppConsentRequestUserConsentRequestCount
Get-MgIdentityGovernanceLifecycleWorkflow	Read the properties and relationships of a workflow object. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflow
Get-MgIdentityGovernanceLifecycleWorkflowCount	Get the number of the resource Note

Cmdlet	Description
	To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowCount
Get-MgIdentityGovernanceLifecycleWorkflowCreatedBy	The user who created the workflow. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowCreatedBy.
Get-MgIdentityGovernanceLifecycleWorkflowCreatedByMailboxSetting	Settings for the primary mailbox of the signed-in user. You can get or update settings for sending automatic replies to incoming messages, locale, and time zone. Returned only on \$select. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowCreatedByMailboxSetting
Get-MgIdentityGovernanceLifecycleWorkflowCreatedByServiceProvisioningError	Errors published by a federated service describing a nontransient, service-specific error regarding the properties or link from a user object. Supports \$filter (eq, not, for isResolved and serviceInstance). Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowCreatedByServiceProvisioningError
Get-MgIdentityGovernanceLifecycleWorkflowCreatedByServiceProvisioningErrorCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowCreatedByServiceProvisioningErrorCount
Get-MgIdentityGovernanceLifecycleWorkflowCustomTaskExtension	Read the properties and relationships of a customTaskExtension object. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowCustomTaskExtension
Get-MgIdentityGovernanceLifecycleWorkflowCustomTaskExtensionCount	Get the number of the resource Note

Cmdlet	Description
	To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowCustomTaskExtensionCount
Get-MgIdentityGovernanceLifecycleWorkflowCustomTaskExtensionCreatedBy	The unique identifier of the Microsoft Entra user that created the custom task extension.Supports \$filter(eq, ne) and \$expand. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowCustomTaskExtensionCreatedBy
Get-MgIdentityGovernanceLifecycleWorkflowCustomTaskExtensionCreatedByMailboxSetting	Settings for the primary mailbox of the signed-in user. You can get or update settings for sending automatic replies to incoming messages, locale, and time zone. Returned only on \$select. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowCustomTaskExtensionCreatedByMailboxSetting
Get-MgIdentityGovernanceLifecycleWorkflowCustomTaskExtensionCreatedByServiceProvisioningError	Errors published by a federated service describing a nontransient, service-specific error regarding the properties or link from a user object. Supports \$filter (eq, not, for isResolved and serviceInstance). Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowCustomTaskExtensionCreatedByServiceProvisioningError
Get-MgIdentityGovernanceLifecycleWorkflowCustomTaskExtensionCreatedByServiceProvisioningErrorCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowCustomTaskExtensionCreatedByServiceProvisioningErrorCount
Get-MgIdentityGovernanceLifecycleWorkflowCustomTaskExtensionLastModifiedBy	The unique identifier of the Microsoft Entra user that modified the custom task extension last.Supports \$filter(eq, ne) and \$expand. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowCustomTaskExtensionLastModifiedBy

Cmdlet	Description
Get-MgIdentityGovernanceLifecycleWorkflowCustomTaskExtensionLastModifiedByMailboxSetting	kflowCustomTaskExtensionLastModifiedBy Settings for the primary mailbox of the signed-in user. You can get or update settings for sending automatic replies to incoming messages, locale, and time zone. Returned only on \$select. ⓘ Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowCustomTaskExtensionLastModifiedByMailboxSetting
Get-MgIdentityGovernanceLifecycleWorkflowCustomTaskExtensionLastModifiedByServiceProvisioningError	Errors published by a federated service describing a nontransient, service-specific error regarding the properties or link from a user object. Supports \$filter (eq, not, for isResolved and serviceInstance). ⓘ Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowCustomTaskExtensionLastModifiedByServiceProvisioningError
Get-MgIdentityGovernanceLifecycleWorkflowCustomTaskExtensionLastModifiedByServiceProvisioningErrorCount	Get the number of the resource ⓘ Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowCustomTaskExtensionLastModifiedByServiceProvisioningErrorCount
Get-MgIdentityGovernanceLifecycleWorkflowDeletedItem	Deleted workflows in your lifecycle workflows instance. ⓘ Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowDeletedItem
Get-MgIdentityGovernanceLifecycleWorkflowDeletedItemWorkflow	Retrieve a deleted workflow object. ⓘ Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowDeletedItemWorkflow
Get-MgIdentityGovernanceLifecycleWorkflowDeletedItemWorkflowCount	Get the number of the resource ⓘ Note

Cmdlet	Description
	To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowDeletedItemWorkflowCount
Get-MgIdentityGovernanceLifecycleWorkflowDeletedItemWorkflowCreatedBy	The user who created the workflow. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowDeletedItemWorkflowCreatedBy.
Get-MgIdentityGovernanceLifecycleWorkflowDeletedItemWorkflowExecutionScope	The unique identifier of the Microsoft Entra identity that last modified the workflow object. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowDeletedItemWorkflowExecutionScope.
Get-MgIdentityGovernanceLifecycleWorkflowDeletedItemWorkflowLastModifiedBy	The unique identifier of the Microsoft Entra identity that last modified the workflow. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowDeletedItemWorkflowLastModifiedBy.
Get-MgIdentityGovernanceLifecycleWorkflowDeletedItemWorkflowRun	Workflow runs. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowDeletedItemWorkflowRun
Get-MgIdentityGovernanceLifecycleWorkflowDeletedItemWorkflowTask	The tasks in the workflow. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowDeletedItemWorkflowTask
Get-MgIdentityGovernanceLifecycleWorkflowDeletedItemWorkflowTaskReport	Represents the aggregation of task execution data for tasks within a workflow object. Note To view the beta release of this cmdlet, view Get-

Cmdlet	Description
	MgBetaIdentityGovernanceLifecycleWorkflowDeletedItemWorkflowTaskReport
Get-MgIdentityGovernanceLifecycleWorkflowDeletedItemWorkflowUserProcessingResult	Per-user workflow execution results. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowDeletedItemWorkflowUserProcessingResult
Get-MgIdentityGovernanceLifecycleWorkflowDeletedItemWorkflowVersion	The workflow versions that are available. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowDeletedItemWorkflowVersion
Get-MgIdentityGovernanceLifecycleWorkflowExecutionScope	The unique identifier of the Microsoft Entra identity that last modified the workflow object. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowExecutionScope
Get-MgIdentityGovernanceLifecycleWorkflowExecutionScopeCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowExecutionScopeCount
Get-MgIdentityGovernanceLifecycleWorkflowInsight	The insight container holding workflow insight summaries for a tenant. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowInsight
Get-MgIdentityGovernanceLifecycleWorkflowLastModifiedBy	The unique identifier of the Microsoft Entra identity that last modified the workflow. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowLastModifiedBy

Cmdlet	Description
Get-MgIdentityGovernanceLifecycleWorkflowLastModifiedByMailboxSetting	Settings for the primary mailbox of the signed-in user. You can get or update settings for sending automatic replies to incoming messages, locale, and time zone. Returned only on \$select. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowLastModifiedByMailboxSetting
Get-MgIdentityGovernanceLifecycleWorkflowLastModifiedByServiceProvisioningError	Errors published by a federated service describing a nontransient, service-specific error regarding the properties or link from a user object. Supports \$filter (eq, not, for isResolved and serviceInstance). Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowLastModifiedByServiceProvisioningError
Get-MgIdentityGovernanceLifecycleWorkflowLastModifiedByServiceProvisioningErrorCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowLastModifiedByServiceProvisioningErrorCount
Get-MgIdentityGovernanceLifecycleWorkflowRun	Read the properties and relationships of a run object. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowRun
Get-MgIdentityGovernanceLifecycleWorkflowRunCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowRunCount
Get-MgIdentityGovernanceLifecycleWorkflowRunTaskProcessingResult	The related taskProcessingResults. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowRunTaskProcessingResult

Cmdlet	Description
Get-MgIdentityGovernanceLifecycleWorkflowRunTaskProcessingResultCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowRunTaskProcessingResultCount
Get-MgIdentityGovernanceLifecycleWorkflowRunTaskProcessingResultSubject	The unique identifier of the Microsoft Entra user targeted for the task execution.Supports \$filter(eq, ne) and \$expand. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowRunTaskProcessingResultSubject
Get-MgIdentityGovernanceLifecycleWorkflowRunTaskProcessingResultSubjectMailboxSetting	Settings for the primary mailbox of the signed-in user. You can get or update settings for sending automatic replies to incoming messages, locale, and time zone. Returned only on \$select. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowRunTaskProcessingResultSubjectMailboxSetting
Get-MgIdentityGovernanceLifecycleWorkflowRunTaskProcessingResultSubjectServiceProvisioningError	Errors published by a federated service describing a nontransient, service-specific error regarding the properties or link from a user object. Supports \$filter (eq, not, for isResolved and serviceInstance). Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowRunTaskProcessingResultSubjectServiceProvisioningError
Get-MgIdentityGovernanceLifecycleWorkflowRunTaskProcessingResultSubjectServiceProvisioningErrorCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowRunTaskProcessingResultSubjectServiceProvisioningErrorCount
Get-MgIdentityGovernanceLifecycleWorkflowRunTaskProcessingResultTask	The related workflow task Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowRunTaskProcessingResultTask

Cmdlet	Description
	MgBetaIdentityGovernanceLifecycleWorkflowRunTaskProcessingResultTask
Get-MgIdentityGovernanceLifecycleWorkflowRunUserProcessingResult	Get the user processing result of a user processing result of a run. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowRunUserProcessingResult
Get-MgIdentityGovernanceLifecycleWorkflowRunUserProcessingResultCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowRunUserProcessingResultCount
Get-MgIdentityGovernanceLifecycleWorkflowRunUserProcessingResultSubject	The unique identifier of the AAD user targeted for the taskProcessingResult.Supports \$filter(eq, ne) and \$expand. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowRunUserProcessingResultSubject
Get-MgIdentityGovernanceLifecycleWorkflowRunUserProcessingResultSubjectMailboxSetting	Settings for the primary mailbox of the signed-in user. You can get or update settings for sending automatic replies to incoming messages, locale, and time zone. Returned only on \$select. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowRunUserProcessingResultSubjectMailboxSetting
Get-MgIdentityGovernanceLifecycleWorkflowRunUserProcessingResultSubjectServiceProvisioningError	Errors published by a federated service describing a nontransient, service-specific error regarding the properties or link from a user object. Supports \$filter (eq, not, for isResolved and serviceInstance). Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowRunUserProcessingResultSubjectServiceProvisioningError
Get-MgIdentityGovernanceLifecycleWorkflowRunUserProcessingResultSubjectServiceProvisioningErrorCount	Get the number of the resource Note

Cmdlet	Description
	To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowRunUserProcessingResultSubjectServiceProvisioningErrorCount
Get-MgIdentityGovernanceLifecycleWorkflowRunUserProcessingResultTaskProcessingResult	The associated individual task execution. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowRunUserProcessingResultTaskProcessingResult
Get-MgIdentityGovernanceLifecycleWorkflowSetting	Read the properties and relationships of a lifecycleManagementSettings object. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowSetting
Get-MgIdentityGovernanceLifecycleWorkflowTask	Get a specific task from a workflow or workflowVersion. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowTask
Get-MgIdentityGovernanceLifecycleWorkflowTaskCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowTaskCount
Get-MgIdentityGovernanceLifecycleWorkflowTaskDefinition	Read the details of a built-in workflow task in Lifecycle Workflows. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowTaskDefinition
Get-MgIdentityGovernanceLifecycleWorkflowTaskDefinitionCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-

Cmdlet	Description
	MgBetaIdentityGovernanceLifecycleWorkflowTaskDefinitionCount
Get-MgIdentityGovernanceLifecycleWorkflowTaskProcessingResult	The result of processing the task. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowTaskProcessingResult
Get-MgIdentityGovernanceLifecycleWorkflowTaskProcessingResultCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowTaskProcessingResultCount
Get-MgIdentityGovernanceLifecycleWorkflowTaskProcessingResultSubject	The unique identifier of the Microsoft Entra user targeted for the task execution.Supports \$filter(eq, ne) and \$expand. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowTaskProcessingResultSubject
Get-MgIdentityGovernanceLifecycleWorkflowTaskProcessingResultSubjectMailboxSetting	Settings for the primary mailbox of the signed-in user. You can get or update settings for sending automatic replies to incoming messages, locale, and time zone. Returned only on \$select. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowTaskProcessingResultSubjectMailboxSetting
Get-MgIdentityGovernanceLifecycleWorkflowTaskProcessingResultSubjectServiceProvisioningError	Errors published by a federated service describing a nontransient, service-specific error regarding the properties or link from a user object. Supports \$filter (eq, not, for isResolved and serviceInstance). Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowTaskProcessingResultSubjectServiceProvisioningError
Get-MgIdentityGovernanceLifecycleWorkflowTaskProcessingResultSubjectServiceProvisioningErrorCount	Get the number of the resource Note

Cmdlet	Description
	To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowTaskProcessingResultSubjectServiceProvisioningErrorCount
Get-MgIdentityGovernanceLifecycleWorkflowTaskProcessingResultTask	The related workflow task Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowTaskProcessingResultTask
Get-MgIdentityGovernanceLifecycleWorkflowTaskReport	Represents the aggregation of task execution data for tasks within a workflow object. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowTaskReport
Get-MgIdentityGovernanceLifecycleWorkflowTaskReportCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowTaskReportCount
Get-MgIdentityGovernanceLifecycleWorkflowTaskReportTask	The related lifecycle workflow task.Supports \$filter(eq, ne) and \$expand. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowTaskReportTask
Get-MgIdentityGovernanceLifecycleWorkflowTaskReportTaskDefinition	The taskDefinition associated with the related lifecycle workflow task.Supports \$filter(eq, ne) and \$expand. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowTaskReportTaskDefinition
Get-MgIdentityGovernanceLifecycleWorkflowTaskReportTaskProcessingResult	The related lifecycle workflow taskProcessingResults. Note To view the beta release of this cmdlet, view Get-

Cmdlet	Description
	MgBetaIdentityGovernanceLifecycleWorkflowTaskReportTaskProcessingResult
Get-MgIdentityGovernanceLifecycleWorkflowTaskReportTaskProcessingResultCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowTaskReportTaskProcessingResultCount
Get-MgIdentityGovernanceLifecycleWorkflowTaskReportTaskProcessingResultSubject	The unique identifier of the Microsoft Entra user targeted for the task execution.Supports \$filter(eq, ne) and \$expand. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowTaskReportTaskProcessingResultSubject
Get-MgIdentityGovernanceLifecycleWorkflowTaskReportTaskProcessingResultSubjectMailboxSetting	Settings for the primary mailbox of the signed-in user. You can get or update settings for sending automatic replies to incoming messages, locale, and time zone. Returned only on \$select. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowTaskReportTaskProcessingResultSubjectMailboxSetting
Get-MgIdentityGovernanceLifecycleWorkflowTaskReportTaskProcessingResultSubjectServiceProvisioningError	Errors published by a federated service describing a nontransient, service-specific error regarding the properties or link from a user object. Supports \$filter (eq, not, for isResolved and servicelInstance). Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowTaskReportTaskProcessingResultSubjectServiceProvisioningError
Get-MgIdentityGovernanceLifecycleWorkflowTaskReportTaskProcessingResultSubjectServiceProvisioningErrorCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowTaskReportTaskProcessingResultSubjectServiceProvisioningErrorCount
Get-MgIdentityGovernanceLifecycleWorkflowTaskReportTaskProcessingResultTask	The related workflow task

Cmdlet	Description
	Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowTaskReportTaskProcessingResultTask
Get-MgIdentityGovernanceLifecycleWorkflowTemplate	Read the properties and relationships of a workflowTemplate object. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowTemplate
Get-MgIdentityGovernanceLifecycleWorkflowTemplateCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowTemplateCount
Get-MgIdentityGovernanceLifecycleWorkflowTemplateTask	Represents the configured tasks to execute and their execution sequence within a workflow. This relationship is expanded by default. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowTemplateTask
Get-MgIdentityGovernanceLifecycleWorkflowTemplateTaskCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowTemplateTaskCount
Get-MgIdentityGovernanceLifecycleWorkflowTemplateTaskProcessingResult	The result of processing the task. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowTemplateTaskProcessingResult
Get-MgIdentityGovernanceLifecycleWorkflowTemplateTaskProcessingResultCount	Get the number of the resource Note

Cmdlet	Description
	To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowTemplateTaskProcessingResultCount
Get-MgIdentityGovernanceLifecycleWorkflowTemplateTaskProcessingResultSubject	The unique identifier of the Microsoft Entra user targeted for the task execution.Supports \$filter(eq, ne) and \$expand. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowTemplateTaskProcessingResultSubject
Get-MgIdentityGovernanceLifecycleWorkflowTemplateTaskProcessingResultSubjectMailboxSetting	Settings for the primary mailbox of the signed-in user. You can get or update settings for sending automatic replies to incoming messages, locale, and time zone. Returned only on \$select. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowTemplateTaskProcessingResultSubjectMailboxSetting
Get-MgIdentityGovernanceLifecycleWorkflowTemplateTaskProcessingResultSubjectServiceProvisioningError	Errors published by a federated service describing a nontransient, service-specific error regarding the properties or link from a user object. Supports \$filter (eq, not, for isResolved and serviceInstance). Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowTemplateTaskProcessingResultSubjectServiceProvisioningError
Get-MgIdentityGovernanceLifecycleWorkflowTemplateTaskProcessingResultSubjectServiceProvisioningErrorCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowTemplateTaskProcessingResultSubjectServiceProvisioningErrorCount
Get-MgIdentityGovernanceLifecycleWorkflowTemplateTaskProcessingResultTask	The related workflow task Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowTemplateTaskProcessingResultTask

Cmdlet	Description
	MgBetaIdentityGovernanceLifecycleWorkflowTemplateTaskProcessingResultTask
Get-MgIdentityGovernanceLifecycleWorkflowUserProcessingResult	Per-user workflow execution results. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowUserProcessingResult
Get-MgIdentityGovernanceLifecycleWorkflowUserProcessingResultCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowUserProcessingResultCount
Get-MgIdentityGovernanceLifecycleWorkflowUserProcessingResultSubject	The unique identifier of the AAD user targeted for the taskProcessingResult.Supports \$filter(eq, ne) and \$expand. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowUserProcessingResultSubject
Get-MgIdentityGovernanceLifecycleWorkflowUserProcessingResultSubjectMailboxSetting	Settings for the primary mailbox of the signed-in user. You can get or update settings for sending automatic replies to incoming messages, locale, and time zone. Returned only on \$select. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowUserProcessingResultSubjectMailboxSetting
Get-MgIdentityGovernanceLifecycleWorkflowUserProcessingResultSubjectServiceProvisioningError	Errors published by a federated service describing a nontransient, service-specific error regarding the properties or link from a user object. Supports \$filter (eq, not, for isResolved and serviceInstance). Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowUserProcessingResultSubjectServiceProvisioningError
Get-MgIdentityGovernanceLifecycleWorkflowUserProcessingResultSubjectServiceProvisioningErrorCount	Get the number of the resource Note

Cmdlet	Description
	To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowUserProcessingResultSubjectServiceProvisioningErrorCount
Get-MgIdentityGovernanceLifecycleWorkflowUserProcessingResultTaskProcessingResult	The associated individual task execution. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowUserProcessingResultTaskProcessingResult
Get-MgIdentityGovernanceLifecycleWorkflowVersion	Read the properties and relationships of a workflowVersion object. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowVersion
Get-MgIdentityGovernanceLifecycleWorkflowVersionCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowVersionCount
Get-MgIdentityGovernanceLifecycleWorkflowVersionCreatedBy	The user who created the workflow. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowVersionCreatedBy
Get-MgIdentityGovernanceLifecycleWorkflowVersionCreatedByMailboxSetting	Settings for the primary mailbox of the signed-in user. You can get or update settings for sending automatic replies to incoming messages, locale, and time zone. Returned only on \$select. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowVersionCreatedByMailboxSetting
Get-MgIdentityGovernanceLifecycleWorkflowVersionCreatedByServiceProvisioningError	Errors published by a federated service describing a nontransient, service-specific error regarding the properties or link from a user object. Supports \$filter (eq, not, for isResolved and serviceInstance). Note

Cmdlet	Description
	To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowVersionCreatedByServiceProvisioningError
Get-MgIdentityGovernanceLifecycleWorkflowVersionCreatedByServiceProvisioningErrorCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowVersionCreatedByServiceProvisioningErrorCount
Get-MgIdentityGovernanceLifecycleWorkflowVersionLastModifiedBy	The unique identifier of the Microsoft Entra identity that last modified the workflow. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowVersionLastModifiedBy
Get-MgIdentityGovernanceLifecycleWorkflowVersionLastModifiedByMailboxSetting	Settings for the primary mailbox of the signed-in user. You can get or update settings for sending automatic replies to incoming messages, locale, and time zone. Returned only on \$select. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowVersionLastModifiedByMailboxSetting
Get-MgIdentityGovernanceLifecycleWorkflowVersionLastModifiedByServiceProvisioningError	Errors published by a federated service describing a nontransient, service-specific error regarding the properties or link from a user object. Supports \$filter (eq, not, for isResolved and serviceInstance). Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowVersionLastModifiedByServiceProvisioningError
Get-MgIdentityGovernanceLifecycleWorkflowVersionLastModifiedByServiceProvisioningErrorCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowVersionLastModifiedByServiceProvisioningErrorCount

Cmdlet	Description
Get-MgIdentityGovernanceLifecycleWorkflowVersionTask	Get a specific task from a workflow or workflowVersion. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowVersionTask
Get-MgIdentityGovernanceLifecycleWorkflowVersionTaskCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowVersionTaskCount
Get-MgIdentityGovernanceLifecycleWorkflowVersionTaskProcessingResult	The result of processing the task. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowVersionTaskProcessingResult
Get-MgIdentityGovernanceLifecycleWorkflowVersionTaskProcessingResultCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowVersionTaskProcessingResultCount
Get-MgIdentityGovernanceLifecycleWorkflowVersionTaskProcessingResultSubject	The unique identifier of the Microsoft Entra user targeted for the task execution.Supports \$filter(eq, ne) and \$expand. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowVersionTaskProcessingResultSubject
Get-MgIdentityGovernanceLifecycleWorkflowVersionTaskProcessingResultSubjectMailboxSetting	Settings for the primary mailbox of the signed-in user. You can get or update settings for sending automatic replies to incoming messages, locale, and time zone. Returned only on \$select. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowVersionTaskProcessingResultSubjectMailboxSetting

Cmdlet	Description
Get-MgIdentityGovernanceLifecycleWorkflowVersionTaskProcessingResultSubjectServiceProvisioningError	Errors published by a federated service describing a nontransient, service-specific error regarding the properties or link from a user object. Supports \$filter (eq, not, for isResolved and serviceInstance). Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowVersionTaskProcessingResultSubjectServiceProvisioningError
Get-MgIdentityGovernanceLifecycleWorkflowVersionTaskProcessingResultSubjectServiceProvisioningErrorCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowVersionTaskProcessingResultSubjectServiceProvisioningErrorCount
Get-MgIdentityGovernanceLifecycleWorkflowVersionTaskProcessingResultTask	The related workflow task Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceLifecycleWorkflowVersionTaskProcessingResultTask
Get-MgIdentityGovernancePrivilegedAccess	Get privilegedAccess from identityGovernance Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccess
Get-MgIdentityGovernancePrivilegedAccessGroup	A group that's governed through Privileged Identity Management (PIM). Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroup
Get-MgIdentityGovernancePrivilegedAccessGroupAssignmentApproval	Get assignmentApprovals from identityGovernance Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroupAssignmentApproval
Get-MgIdentityGovernancePrivilegedAccessGroupAssignmentApprovalCount	Get the number of the resource

Cmdlet	Description
	Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroupAssignmentApprovalCount
Get-MgIdentityGovernancePrivilegedAccessGroupAssignmentApprovalStage	A collection of stages in the approval decision.
Get-MgIdentityGovernancePrivilegedAccessGroupAssignmentApprovalStageCount	Get the number of the resource
Get-MgIdentityGovernancePrivilegedAccessGroupAssignmentSchedule	Read the properties and relationships of a privilegedAccessGroupAssignmentSchedule object. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroupAssignmentSchedule
Get-MgIdentityGovernancePrivilegedAccessGroupAssignmentScheduleActivatedUsing	When the request activates an ownership or membership assignment in PIM for Groups, this object represents the eligibility relationship. Otherwise, it's null. Supports \$expand. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroupAssignmentScheduleActivatedUsing
Get-MgIdentityGovernancePrivilegedAccessGroupAssignmentScheduleCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroupAssignmentScheduleCount
Get-MgIdentityGovernancePrivilegedAccessGroupAssignmentScheduleGroup	References the group that is the scope of the membership or ownership assignment through PIM for Groups. Supports \$expand and \$select nested in \$expand for select properties like id, displayName, and mail. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroupAssignmentScheduleGroup
Get-MgIdentityGovernancePrivilegedAccessGroupAssignmentScheduleGroupServiceProvisioningError	Errors published by a federated service describing a nontransient, service-specific error regarding the properties or link from a group object. Supports \$filter (eq, not, for isResolved and serviceInstance). Note

Cmdlet	Description
	To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroupAssignmentScheduleGroupServiceProvisioningError
Get-MgIdentityGovernancePrivilegedAccessGroupAssignmentScheduleGroupServiceProvisioningErrorCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroupAssignmentScheduleGroupServiceProvisioningErrorCount
Get-MgIdentityGovernancePrivilegedAccessGroupAssignmentScheduleInstance	Read the properties and relationships of a privilegedAccessGroupAssignmentScheduleInstance object. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroupAssignmentScheduleInstance
Get-MgIdentityGovernancePrivilegedAccessGroupAssignmentScheduleInstanceActivatedUsing	When the request activates a membership or ownership in PIM for Groups, this object represents the eligibility request for the group. Otherwise, it is null. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroupAssignmentScheduleInstanceActivatedUsing
Get-MgIdentityGovernancePrivilegedAccessGroupAssignmentScheduleInstanceCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroupAssignmentScheduleInstanceCount
Get-MgIdentityGovernancePrivilegedAccessGroupAssignmentScheduleInstanceGroup	References the group that is the scope of the membership or ownership assignment through PIM for Groups. Supports \$expand. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroupAssignmentScheduleInstanceGroup

Cmdlet	Description
Get-MgIdentityGovernancePrivilegedAccessGroupAssignmentScheduleInstanceGroupServiceProvisioningError	Errors published by a federated service describing a nontransient, service-specific error regarding the properties or link from a group object. Supports \$filter (eq, not, for isResolved and serviceInstance). Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroupAssignmentScheduleInstanceGroupServiceProvisioningError
Get-MgIdentityGovernancePrivilegedAccessGroupAssignmentScheduleInstanceGroupServiceProvisioningErrorCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroupAssignmentScheduleInstanceGroupServiceProvisioningErrorCount
Get-MgIdentityGovernancePrivilegedAccessGroupAssignmentScheduleInstancePrincipal	References the principal that's in the scope of the membership or ownership assignment request through the group that's governed by PIM. Supports \$expand. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroupAssignmentScheduleInstancePrincipal
Get-MgIdentityGovernancePrivilegedAccessGroupAssignmentSchedulePrincipal	References the principal that's in the scope of this membership or ownership assignment request to the group that's governed through PIM. Supports \$expand and \$select nested in \$expand for id only. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroupAssignmentSchedulePrincipal
Get-MgIdentityGovernancePrivilegedAccessGroupAssignmentScheduleRequest	Read the properties and relationships of a privilegedAccessGroupAssignmentScheduleRequest object. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroupAssignmentScheduleRequest
Get-MgIdentityGovernancePrivilegedAccessGroupAssignmentScheduleRequestActivatedUsing	When the request activates a membership or ownership assignment in PIM for Groups, this object represents the eligibility policy for the group. Otherwise, it is null. Supports \$expand.

Cmdlet	Description
	Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroupAssignmentScheduleRequestActivatedUsing
Get-MgIdentityGovernancePrivilegedAccessGroupAssignmentScheduleRequestCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroupAssignmentScheduleRequestCount
Get-MgIdentityGovernancePrivilegedAccessGroupAssignmentScheduleRequestGroup	References the group that is the scope of the membership or ownership assignment request through PIM for Groups. Supports \$expand and \$select nested in \$expand for select properties like id, displayName, and mail. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroupAssignmentScheduleRequestGroup
Get-MgIdentityGovernancePrivilegedAccessGroupAssignmentScheduleRequestGroupServiceProvisioningError	Errors published by a federated service describing a nontransient, service-specific error regarding the properties or link from a group object. Supports \$filter (eq, not, for isResolved and serviceInstance). Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroupAssignmentScheduleRequestGroupServiceProvisioningError
Get-MgIdentityGovernancePrivilegedAccessGroupAssignmentScheduleRequestGroupServiceProvisioningErrorCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroupAssignmentScheduleRequestGroupServiceProvisioningErrorCount
Get-MgIdentityGovernancePrivilegedAccessGroupAssignmentScheduleRequestPrincipal	References the principal that's in the scope of this membership or ownership assignment request through the group that's governed by PIM. Supports \$expand and \$select nested in \$expand for id only. Note

Cmdlet	Description
	To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroupAssignmentScheduleRequestPrincipal
Get-MgIdentityGovernancePrivilegedAccessGroupAssignmentScheduleRequestTargetSchedule	Schedule created by this request. Supports \$expand. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroupAssignmentScheduleRequestTargetSchedule
Get-MgIdentityGovernancePrivilegedAccessGroupEligibilitySchedule	Read the properties and relationships of a privilegedAccessGroupEligibilitySchedule object. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroupEligibilitySchedule
Get-MgIdentityGovernancePrivilegedAccessGroupEligibilityScheduleCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroupEligibilityScheduleCount
Get-MgIdentityGovernancePrivilegedAccessGroupEligibilityScheduleGroup	References the group that is the scope of the membership or ownership eligibility through PIM for Groups. Supports \$expand. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroupEligibilityScheduleGroup
Get-MgIdentityGovernancePrivilegedAccessGroupEligibilityScheduleGroupServiceProvisioningError	Errors published by a federated service describing a nontransient, service-specific error regarding the properties or link from a group object. Supports \$filter (eq, not, for isResolved and serviceInstance). Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroupEligibilityScheduleGroupServiceProvisioningError
Get-MgIdentityGovernancePrivilegedAccessGroupEligibilityScheduleGroupServiceProvisioningErrorCount	Get the number of the resource Note

Cmdlet	Description
	To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroupEligibilityScheduleGroupServiceProvisioningErrorCount
Get-MgIdentityGovernancePrivilegedAccessGroupEligibilityScheduleInstance	Read the properties and relationships of a privilegedAccessGroupEligibilityScheduleInstance object. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroupEligibilityScheduleInstance
Get-MgIdentityGovernancePrivilegedAccessGroupEligibilityScheduleInstanceCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroupEligibilityScheduleInstanceCount
Get-MgIdentityGovernancePrivilegedAccessGroupEligibilityScheduleInstanceGroup	References the group that is the scope of the membership or ownership eligibility through PIM for Groups. Supports \$expand. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroupEligibilityScheduleInstanceGroup
Get-MgIdentityGovernancePrivilegedAccessGroupEligibilityScheduleInstanceGroupServiceProvisioningError	Errors published by a federated service describing a nontransient, service-specific error regarding the properties or link from a group object. Supports \$filter (eq, not, for isResolved and serviceInstance). Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroupEligibilityScheduleInstanceGroupServiceProvisioningError
Get-MgIdentityGovernancePrivilegedAccessGroupEligibilityScheduleInstanceGroupServiceProvisioningErrorCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroupEligibilityScheduleInstanceGroupServiceProvisioningErrorCount

Cmdlet	Description
Get-MgIdentityGovernancePrivilegedAccessGroupEligibilityScheduleInstancePrincipal	References the principal that's in the scope of the membership or ownership eligibility request through the group that's governed by PIM. Supports \$expand. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroupEligibilityScheduleInstancePrincipal
Get-MgIdentityGovernancePrivilegedAccessGroupEligibilitySchedulePrincipal	References the principal that's in the scope of this membership or ownership eligibility request to the group that's governed by PIM. Supports \$expand. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroupEligibilitySchedulePrincipal
Get-MgIdentityGovernancePrivilegedAccessGroupEligibilityScheduleRequest	Read the properties and relationships of a privilegedAccessGroupEligibilityScheduleRequest object. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroupEligibilityScheduleRequest
Get-MgIdentityGovernancePrivilegedAccessGroupEligibilityScheduleRequestCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroupEligibilityScheduleRequestCount
Get-MgIdentityGovernancePrivilegedAccessGroupEligibilityScheduleRequestGroup	References the group that is the scope of the membership or ownership eligibility request through PIM for Groups. Supports \$expand and \$select nested in \$expand for select properties like id, displayName, and mail. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroupEligibilityScheduleRequestGroup
Get-MgIdentityGovernancePrivilegedAccessGroupEligibilityScheduleRequestGroupServiceProvisioningError	Errors published by a federated service describing a nontransient, service-specific error regarding the properties or link from a group object. Supports \$filter (eq, not, for isResolved and serviceInstance).

Cmdlet	Description
	Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroupEligibilityScheduleRequestGroupServiceProvisioningError
Get-MgIdentityGovernancePrivilegedAccessGroupEligibilityScheduleRequestGroupServiceProvisioningErrorCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroupEligibilityScheduleRequestGroupServiceProvisioningErrorCount
Get-MgIdentityGovernancePrivilegedAccessGroupEligibilityScheduleRequestPrincipal	References the principal that's in the scope of the membership or ownership eligibility request through the group that's governed by PIM. Supports \$expand and \$select nested in \$expand for id only. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroupEligibilityScheduleRequestPrincipal
Get-MgIdentityGovernancePrivilegedAccessGroupEligibilityScheduleRequestTargetSchedule	Schedule created by this request. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernancePrivilegedAccessGroupEligibilityScheduleRequestTargetSchedule
Get-MgIdentityGovernanceTermsOfUseAgreement	Retrieve the properties and relationships of an agreement object. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceTermsOfUseAgreement
Get-MgIdentityGovernanceTermsOfUseAgreementAcceptance	Represents the current status of a user's response to a company's customizable terms of use agreement. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceTermsOfUseAgreementAcceptance

Cmdlet	Description
Get-MgIdentityGovernanceTermsOfUseAgreementAcceptanceCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceTermsOfUseAgreementAcceptanceCount
Get-MgIdentityGovernanceTermsOfUseAgreementCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceTermsOfUseAgreementCount
Get-MgIdentityGovernanceTermsOfUseAgreementFile	Retrieve the details of an agreement file, including the language and version information. The default file can have multiple versions, each with its own language, that can be retrieved by specifying the Accept-Language header. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceTermsOfUseAgreementFile
Get-MgIdentityGovernanceTermsOfUseAgreementFileCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceTermsOfUseAgreementFileCount
Get-MgIdentityGovernanceTermsOfUseAgreementFileLocalization	The localized version of the terms of use agreement files attached to the agreement. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceTermsOfUseAgreementFileLocalization
Get-MgIdentityGovernanceTermsOfUseAgreementFileLocalizationCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceTermsOfUseAgreementFileLocalizationCount
Get-MgIdentityGovernanceTermsOfUseAgreementFileLocalizationVersion	Read-only. Customized versions of the terms of use agreement in the Microsoft Entra tenant.

Cmdlet	Description
	Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceTermsOfUseAgreementFileLocalizationVersion
Get-MgIdentityGovernanceTermsOfUseAgreementFileLocalizationVersionCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceTermsOfUseAgreementFileLocalizationVersionCount
Get-MgIdentityGovernanceTermsOfUseAgreementFileVersion	Read-only. Customized versions of the terms of use agreement in the Microsoft Entra tenant. Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceTermsOfUseAgreementFileVersion
Get-MgIdentityGovernanceTermsOfUseAgreementFileVersionCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaIdentityGovernanceTermsOfUseAgreementFileVersionCount
Get-MgRoleManagementDirectory	Get directory from roleManagement Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectory
Get-MgRoleManagementDirectoryResourceNamespace	Get resourceNamespaces from roleManagement Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryResourceNamespace
Get-MgRoleManagementDirectoryResourceNamespaceCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryResourceNamespaceCount

Cmdlet	Description
Get-MgRoleManagementDirectoryResourceNamespaceResourceAction	Get resourceActions from roleManagement Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryResourceNamespaceResourceAction
Get-MgRoleManagementDirectoryResourceNamespaceResourceActionCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryResourceNamespaceResourceActionCount
Get-MgRoleManagementDirectoryRoleAssignment	Retrieve the properties and relationships of a unifiedRoleAssignment object. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleAssignment
Get-MgRoleManagementDirectoryRoleAssignmentAppScope	Read-only property with details of the app specific scope when the assignment scope is app specific. Containment entity. Supports \$expand for the entitlement provider only. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleAssignmentAppScope
Get-MgRoleManagementDirectoryRoleAssignmentCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleAssignmentCount
Get-MgRoleManagementDirectoryRoleAssignmentDirectoryScope	The directory object that is the scope of the assignment. Read-only. Supports \$expand for the directory provider. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleAssignmentDirectoryScope
Get-MgRoleManagementDirectoryRoleAssignmentPrincipal	Referencing the assigned principal. Read-only. Supports \$expand except for the Exchange provider.

Cmdlet	Description
	Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleAssignmentPrincipal
Get-MgRoleManagementDirectoryRoleAssignmentRoleDefinition	The roleDefinition the assignment is for. Supports \$expand. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleAssignmentRoleDefinition
Get-MgRoleManagementDirectoryRoleAssignmentSchedule	Retrieve the schedule for an active role assignment operation. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleAssignmentSchedule
Get-MgRoleManagementDirectoryRoleAssignmentScheduleActivatedUsing	If the request is from an eligible administrator to activate a role, this parameter shows the related eligible assignment for that activation. Otherwise, it's null. Supports \$expand. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleAssignmentScheduleActivatedUsing
Get-MgRoleManagementDirectoryRoleAssignmentScheduleAppScope	Read-only property with details of the app-specific scope when the role eligibility or assignment is scoped to an app. Nullable. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleAssignmentScheduleAppScope
Get-MgRoleManagementDirectoryRoleAssignmentScheduleCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleAssignmentScheduleCount
Get-MgRoleManagementDirectoryRoleAssignmentScheduleDirectoryScope	The directory object that is the scope of the role eligibility or assignment. Read-only.

Cmdlet	Description
	Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleAssignmentScheduleDirectoryScope
Get-MgRoleManagementDirectoryRoleAssignmentScheduleInstance	Get the instance of an active role assignment. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleAssignmentScheduleInstance
Get-MgRoleManagementDirectoryRoleAssignmentScheduleInstanceActivatedUsing	If the request is from an eligible administrator to activate a role, this parameter shows the related eligible assignment for that activation. Otherwise, it's null. Supports \$expand and \$select nested in \$expand. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleAssignmentScheduleInstanceActivatedUsing
Get-MgRoleManagementDirectoryRoleAssignmentScheduleInstanceAppScope	Read-only property with details of the app-specific scope when the assignment or role eligibility is scoped to an app. Nullable. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleAssignmentScheduleInstanceAppScope
Get-MgRoleManagementDirectoryRoleAssignmentScheduleInstanceCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleAssignmentScheduleInstanceCount
Get-MgRoleManagementDirectoryRoleAssignmentScheduleInstanceDirectoryScope	The directory object that is the scope of the assignment or role eligibility. Read-only. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleAssignmentScheduleInstanceDirectoryScope

Cmdlet	Description
Get-MgRoleManagementDirectoryRoleAssignmentScheduleInstancePrincipal	The principal that's getting a role assignment or role eligibility through the request. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleAssignmentScheduleInstancePrincipal
Get-MgRoleManagementDirectoryRoleAssignmentScheduleInstanceRoleDefinition	Detailed information for the roleDefinition object that is referenced through the roleDefinitionId property. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleAssignmentScheduleInstanceRoleDefinition
Get-MgRoleManagementDirectoryRoleAssignmentSchedulePrincipal	The principal that's getting a role assignment or that's eligible for a role through the request. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleAssignmentSchedulePrincipal
Get-MgRoleManagementDirectoryRoleAssignmentScheduleRequest	In PIM, read the details of a request for an active and persistent role assignment made through the unifiedRoleAssignmentScheduleRequest object. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleAssignmentScheduleRequest
Get-MgRoleManagementDirectoryRoleAssignmentScheduleRequestActivatedUsing	If the request is from an eligible administrator to activate a role, this parameter will show the related eligible assignment for that activation. Otherwise, it's null. Supports \$expand and \$select nested in \$expand. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleAssignmentScheduleRequestActivatedUsing
Get-MgRoleManagementDirectoryRoleAssignmentScheduleRequestAppScope	Read-only property with details of the app-specific scope when the assignment is scoped to an app. Nullable. Supports \$expand. Note

Cmdlet	Description
	To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleAssignmentScheduleRequestAppScope
Get-MgRoleManagementDirectoryRoleAssignmentScheduleRequestCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleAssignmentScheduleRequestCount
Get-MgRoleManagementDirectoryRoleAssignmentScheduleRequestDirectoryScope	The directory object that is the scope of the assignment. Read-only. Supports \$expand. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleAssignmentScheduleRequestDirectoryScope
Get-MgRoleManagementDirectoryRoleAssignmentScheduleRequestPrincipal	The principal that's getting a role assignment through the request. Supports \$expand and \$select nested in \$expand for id only. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleAssignmentScheduleRequestPrincipal
Get-MgRoleManagementDirectoryRoleAssignmentScheduleRequestRoleDefinition	Detailed information for the unifiedRoleDefinition object that is referenced through the roleDefinitionId property. Supports \$expand and \$select nested in \$expand. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleAssignmentScheduleRequestRoleDefinition
Get-MgRoleManagementDirectoryRoleAssignmentScheduleRequestTargetSchedule	The schedule for an eligible role assignment that is referenced through the targetScheduleId property. Supports \$expand and \$select nested in \$expand. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleAssignmentScheduleRequestTargetSchedule

Cmdlet	Description
Get-MgRoleManagementDirectoryRoleAssignmentScheduleRoleDefinition	Detailed information for the roleDefinition object that is referenced through the roleDefinitionId property. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleAssignmentScheduleRoleDefinition
Get-MgRoleManagementDirectoryRoleDefinition	Read the properties and relationships of a unifiedRoleDefinition object. The following role-based access control (RBAC) providers are currently supported: Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleDefinition
Get-MgRoleManagementDirectoryRoleDefinitionCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleDefinitionCount
Get-MgRoleManagementDirectoryRoleDefinitionInheritPermissionFrom	Read-only collection of role definitions that the given role definition inherits from. Only Microsoft Entra built-in roles (isBuiltIn is true) support this attribute. Supports \$expand. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleDefinitionInheritPermissionFrom
Get-MgRoleManagementDirectoryRoleDefinitionInheritPermissionFromCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleDefinitionInheritPermissionFromCount
Get-MgRoleManagementDirectoryRoleEligibilitySchedule	Retrieve the schedule for a role eligibility operation. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleEligibilitySchedule

Cmdlet	Description
Get-MgRoleManagementDirectoryRoleEligibilityScheduleAppScope	Read-only property with details of the app-specific scope when the role eligibility or assignment is scoped to an app. Nullable. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleEligibilityScheduleAppScope
Get-MgRoleManagementDirectoryRoleEligibilityScheduleCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleEligibilityScheduleCount
Get-MgRoleManagementDirectoryRoleEligibilityScheduleDirectoryScope	The directory object that is the scope of the role eligibility or assignment. Read-only. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleEligibilityScheduleDirectoryScope
Get-MgRoleManagementDirectoryRoleEligibilityScheduleInstance	Get the instance of a role eligibility. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleEligibilityScheduleInstance
Get-MgRoleManagementDirectoryRoleEligibilityScheduleInstanceAppScope	Read-only property with details of the app-specific scope when the assignment or role eligibility is scoped to an app. Nullable. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleEligibilityScheduleInstanceAppScope
Get-MgRoleManagementDirectoryRoleEligibilityScheduleInstanceCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleEligibilityScheduleInstanceCount
Get-MgRoleManagementDirectoryRoleEligibilityScheduleInstanceDirectoryScope	The directory object that is the scope of the assignment or role eligibility. Read-only.

Cmdlet	Description
	Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleEligibilityScheduleInstanceDirectoryScope
Get-MgRoleManagementDirectoryRoleEligibilityScheduleInstancePrincipal	The principal that's getting a role assignment or role eligibility through the request. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleEligibilityScheduleInstancePrincipal
Get-MgRoleManagementDirectoryRoleEligibilityScheduleInstanceRoleDefinition	Detailed information for the roleDefinition object that is referenced through the roleDefinitionId property. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleEligibilityScheduleInstanceRoleDefinition
Get-MgRoleManagementDirectoryRoleEligibilitySchedulePrincipal	The principal that's getting a role assignment or that's eligible for a role through the request. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleEligibilitySchedulePrincipal
Get-MgRoleManagementDirectoryRoleEligibilityScheduleRequest	In PIM, read the details of a request for a role eligibility request made through the unifiedRoleEligibilityScheduleRequest object. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleEligibilityScheduleRequest
Get-MgRoleManagementDirectoryRoleEligibilityScheduleRequestAppScope	Read-only property with details of the app-specific scope when the role eligibility is scoped to an app. Nullable. Supports \$expand. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleEligibilityScheduleRequestAppScope
Get-MgRoleManagementDirectoryRoleEligibilityScheduleRequestCount	Get the number of the resource

Cmdlet	Description
	Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleEligibilityScheduleRequestCount
Get-MgRoleManagementDirectoryRoleEligibilityScheduleRequestDirectoryScope	The directory object that is the scope of the role eligibility. Read-only. Supports \$expand. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleEligibilityScheduleRequestDirectoryScope
Get-MgRoleManagementDirectoryRoleEligibilityScheduleRequestPrincipal	The principal that's getting a role eligibility through the request. Supports \$expand. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleEligibilityScheduleRequestPrincipal
Get-MgRoleManagementDirectoryRoleEligibilityScheduleRequestRoleDefinition	Detailed information for the unifiedRoleDefinition object that is referenced through the roleDefinitionId property. Supports \$expand. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleEligibilityScheduleRequestRoleDefinition
Get-MgRoleManagementDirectoryRoleEligibilityScheduleRequestTargetSchedule	The schedule for a role eligibility that is referenced through the targetScheduleId property. Supports \$expand. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleEligibilityScheduleRequestTargetSchedule
Get-MgRoleManagementDirectoryRoleEligibilityScheduleRoleDefinition	Detailed information for the roleDefinition object that is referenced through the roleDefinitionId property. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementDirectoryRoleEligibilityScheduleRoleDefinition
Get-MgRoleManagementEntitlementManagement	Container for roles and assignments for entitlement management resources.

Cmdlet	Description
	Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagement
Get-MgRoleManagementEntitlementManagementResourceNamespace	Get resourceNamespaces from roleManagement Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementResourceNamespace
Get-MgRoleManagementEntitlementManagementResourceNamespaceCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementResourceNamespaceCount
Get-MgRoleManagementEntitlementManagementResourceNamespaceResourceAction	Get resourceActions from roleManagement Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementResourceNamespaceResourceAction
Get-MgRoleManagementEntitlementManagementResourceNamespaceResourceActionCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementResourceNamespaceResourceActionCount
Get-MgRoleManagementEntitlementManagementRoleAssignment	Resource to grant access to users or groups. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleAssignment
Get-MgRoleManagementEntitlementManagementRoleAssignmentAppScope	Read-only property with details of the app specific scope when the assignment scope is app specific. Containment entity. Supports \$expand for the entitlement provider only. Note

Cmdlet	Description
	To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleAssignmentAppScope
Get-MgRoleManagementEntitlementManagementRoleAssignmentCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleAssignmentCount
Get-MgRoleManagementEntitlementManagementRoleAssignmentDirectoryScope	The directory object that is the scope of the assignment. Read-only. Supports \$expand for the directory provider. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleAssignmentDirectoryScope
Get-MgRoleManagementEntitlementManagementRoleAssignmentPrincipal	Referencing the assigned principal. Read-only. Supports \$expand except for the Exchange provider. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleAssignmentPrincipal
Get-MgRoleManagementEntitlementManagementRoleAssignmentRoleDefinition	The roleDefinition the assignment is for. Supports \$expand. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleAssignmentRoleDefinition
Get-MgRoleManagementEntitlementManagementRoleAssignmentSchedule	Schedules for active role assignment operations. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleAssignmentSchedule
Get-MgRoleManagementEntitlementManagementRoleAssignmentScheduleActivatedUsing	If the request is from an eligible administrator to activate a role, this parameter shows the related eligible assignment for that activation. Otherwise, it's null. Supports \$expand. Note

Cmdlet	Description
	To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleAssignmentScheduleActivatedUsing
Get-MgRoleManagementEntitlementManagementRoleAssignmentScheduleAppScope	Read-only property with details of the app-specific scope when the role eligibility or assignment is scoped to an app. Nullable. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleAssignmentScheduleAppScope
Get-MgRoleManagementEntitlementManagementRoleAssignmentScheduleCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleAssignmentScheduleCount
Get-MgRoleManagementEntitlementManagementRoleAssignmentScheduleDirectoryScope	The directory object that is the scope of the role eligibility or assignment. Read-only. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleAssignmentScheduleDirectoryScope
Get-MgRoleManagementEntitlementManagementRoleAssignmentScheduleInstance	Instances for active role assignments. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleAssignmentScheduleInstance
Get-MgRoleManagementEntitlementManagementRoleAssignmentScheduleInstanceActivatedUsing	If the request is from an eligible administrator to activate a role, this parameter shows the related eligible assignment for that activation. Otherwise, it's null. Supports \$expand and \$select nested in \$expand. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementMa

Cmdlet	Description
	managementRoleAssignmentScheduleInstanceActivatedUsing
Get-MgRoleManagementEntitlementManagementRoleAssignmentScheduleInstanceAppScope	Read-only property with details of the app-specific scope when the assignment or role eligibility is scoped to an app. Nullable. 📌 Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleAssignmentScheduleInstanceAppScope
Get-MgRoleManagementEntitlementManagementRoleAssignmentScheduleInstanceCount	Get the number of the resource 📌 Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleAssignmentScheduleInstanceCount
Get-MgRoleManagementEntitlementManagementRoleAssignmentScheduleInstanceDirectoryScope	The directory object that is the scope of the assignment or role eligibility. Read-only. 📌 Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleAssignmentScheduleInstanceDirectoryScope
Get-MgRoleManagementEntitlementManagementRoleAssignmentScheduleInstancePrincipal	The principal that's getting a role assignment or role eligibility through the request. 📌 Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleAssignmentScheduleInstancePrincipal
Get-MgRoleManagementEntitlementManagementRoleAssignmentScheduleInstanceRoleDefinition	Detailed information for the roleDefinition object that is referenced through the roleDefinitionId property. 📌 Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleAssignmentScheduleInstanceRoleDefinition
Get-MgRoleManagementEntitlementManagementRoleAssignmentSchedulePrincipal	The principal that's getting a role assignment or that's eligible for a role through the request.

Cmdlet	Description
	Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleAssignmentSchedulePrincipal
Get-MgRoleManagementEntitlementManagementRoleAssignmentScheduleRequest	Requests for active role assignments to principals through PIM. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleAssignmentScheduleRequest
Get-MgRoleManagementEntitlementManagementRoleAssignmentScheduleRequestActivatedUsing	If the request is from an eligible administrator to activate a role, this parameter will show the related eligible assignment for that activation. Otherwise, it's null. Supports \$expand and \$select nested in \$expand. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleAssignmentScheduleRequestActivatedUsing
Get-MgRoleManagementEntitlementManagementRoleAssignmentScheduleRequestAppScope	Read-only property with details of the app-specific scope when the assignment is scoped to an app. Nullable. Supports \$expand. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleAssignmentScheduleRequestAppScope
Get-MgRoleManagementEntitlementManagementRoleAssignmentScheduleRequestCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleAssignmentScheduleRequestCount
Get-MgRoleManagementEntitlementManagementRoleAssignmentScheduleRequestDirectoryScope	The directory object that is the scope of the assignment. Read-only. Supports \$expand. Note To view the beta release of this cmdlet, view Get-

Cmdlet	Description
	MgBetaRoleManagementEntitlementManagementRoleAssignmentScheduleRequestDirectoryScope
Get-MgRoleManagementEntitlementManagementRoleAssignmentScheduleRequestPrincipal	The principal that's getting a role assignment through the request. Supports \$expand and \$select nested in \$expand for id only. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleAssignmentScheduleRequestPrincipal
Get-MgRoleManagementEntitlementManagementRoleAssignmentScheduleRequestRoleDefinition	Detailed information for the unifiedRoleDefinition object that is referenced through the roleDefinitionId property. Supports \$expand and \$select nested in \$expand. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleAssignmentScheduleRequestRoleDefinition
Get-MgRoleManagementEntitlementManagementRoleAssignmentScheduleRequestTargetSchedule	The schedule for an eligible role assignment that is referenced through the targetScheduleId property. Supports \$expand and \$select nested in \$expand. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleAssignmentScheduleRequestTargetSchedule
Get-MgRoleManagementEntitlementManagementRoleAssignmentScheduleRoleDefinition	Detailed information for the roleDefinition object that is referenced through the roleDefinitionId property. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleAssignmentScheduleRoleDefinition
Get-MgRoleManagementEntitlementManagementRoleDefinition	Resource representing the roles allowed by RBAC providers and the permissions assigned to the roles. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleDefinition

Cmdlet	Description
Get-MgRoleManagementEntitlementManagementRoleDefinitionCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleDefinitionCount
Get-MgRoleManagementEntitlementManagementRoleDefinitionInheritPermissionFrom	Read-only collection of role definitions that the given role definition inherits from. Only Microsoft Entra built-in roles (isBuiltIn is true) support this attribute. Supports \$expand. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleDefinitionInheritPermissionFrom
Get-MgRoleManagementEntitlementManagementRoleDefinitionInheritPermissionFromCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleDefinitionInheritPermissionFromCount
Get-MgRoleManagementEntitlementManagementRoleEligibilitySchedule	Schedules for role eligibility operations. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleEligibilitySchedule
Get-MgRoleManagementEntitlementManagementRoleEligibilityScheduleAppScope	Read-only property with details of the app-specific scope when the role eligibility or assignment is scoped to an app. Nullable. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleEligibilityScheduleAppScope
Get-MgRoleManagementEntitlementManagementRoleEligibilityScheduleCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleEligibilityScheduleCount

Cmdlet	Description
Get-MgRoleManagementEntitlementManagementRoleEligibilityScheduleDirectoryScope	The directory object that is the scope of the role eligibility or assignment. Read-only. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleEligibilityScheduleDirectoryScope
Get-MgRoleManagementEntitlementManagementRoleEligibilityScheduleInstance	Instances for role eligibility requests. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleEligibilityScheduleInstance
Get-MgRoleManagementEntitlementManagementRoleEligibilityScheduleInstanceAppScope	Read-only property with details of the app-specific scope when the assignment or role eligibility is scoped to an app. Nullable. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleEligibilityScheduleInstanceAppScope
Get-MgRoleManagementEntitlementManagementRoleEligibilityScheduleInstanceCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleEligibilityScheduleInstanceCount
Get-MgRoleManagementEntitlementManagementRoleEligibilityScheduleInstanceDirectoryScope	The directory object that is the scope of the assignment or role eligibility. Read-only. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleEligibilityScheduleInstanceDirectoryScope
Get-MgRoleManagementEntitlementManagementRoleEligibilityScheduleInstancePrincipal	The principal that's getting a role assignment or role eligibility through the request. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleEligibilityScheduleInstancePrincipal

Cmdlet	Description
	managementRoleEligibilityScheduleInstancePrincipal
Get-MgRoleManagementEntitlementManagementRoleEligibilityScheduleInstanceRoleDefinition	Detailed information for the roleDefinition object that is referenced through the roleDefinitionId property. 📘 Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleEligibilityScheduleInstanceRoleDefinition
Get-MgRoleManagementEntitlementManagementRoleEligibilitySchedulePrincipal	The principal that's getting a role assignment or that's eligible for a role through the request. 📘 Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleEligibilitySchedulePrincipal
Get-MgRoleManagementEntitlementManagementRoleEligibilityScheduleRequest	Requests for role eligibilities for principals through PIM. 📘 Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleEligibilityScheduleRequest
Get-MgRoleManagementEntitlementManagementRoleEligibilityScheduleRequestAppScope	Read-only property with details of the app-specific scope when the role eligibility is scoped to an app. Nullable. Supports \$expand. 📘 Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleEligibilityScheduleRequestAppScope
Get-MgRoleManagementEntitlementManagementRoleEligibilityScheduleRequestCount	Get the number of the resource 📘 Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleEligibilityScheduleRequestCount
Get-MgRoleManagementEntitlementManagementRoleEligibilityScheduleRequestDirectoryScope	The directory object that is the scope of the role eligibility. Read-only. Supports \$expand.

Cmdlet	Description
	Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleEligibilityScheduleRequestDirectoryScope
Get-MgRoleManagementEntitlementManagementRoleEligibilityScheduleRequestPrincipal	The principal that's getting a role eligibility through the request. Supports \$expand. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleEligibilityScheduleRequestPrincipal
Get-MgRoleManagementEntitlementManagementRoleEligibilityScheduleRequestRoleDefinition	Detailed information for the unifiedRoleDefinition object that is referenced through the roleDefinitionId property. Supports \$expand. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleEligibilityScheduleRequestRoleDefinition
Get-MgRoleManagementEntitlementManagementRoleEligibilityScheduleRequestTargetSchedule	The schedule for a role eligibility that is referenced through the targetScheduleId property. Supports \$expand. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleEligibilityScheduleRequestTargetSchedule
Get-MgRoleManagementEntitlementManagementRoleEligibilityScheduleRoleDefinition	Detailed information for the roleDefinition object that is referenced through the roleDefinitionId property. Note To view the beta release of this cmdlet, view Get-MgBetaRoleManagementEntitlementManagementRoleEligibilityScheduleRoleDefinition
Get-MgUserAgreementAcceptance	The user's terms of use acceptance statuses. Read-only. Nullable. Note To view the beta release of this cmdlet, view Get-

Cmdlet	Description
	MgBetaUserAgreementAcceptance
Get-MgUserAgreementAcceptanceCount	Get the number of the resource Note To view the beta release of this cmdlet, view Get-MgBetaUserAgreementAcceptanceCount
Initialize-MgIdentityGovernanceLifecycleWorkflow	Run a workflow object on-demand. You can run any workflow on-demand, including scheduled workflows. Workflows created from the 'Real-time employee termination' template are run on-demand only. When you run a workflow on demand, the tasks are executed regardless of whether the user state matches the scope and trigger execution conditions. Note To view the beta release of this cmdlet, view Initialize-MgBetaIdentityGovernanceLifecycleWorkflow
Initialize-MgIdentityGovernanceLifecycleWorkflowDeletedItemWorkflow	Run a workflow object on-demand. You can run any workflow on-demand, including scheduled workflows. Workflows created from the 'Real-time employee termination' template are run on-demand only. When you run a workflow on demand, the tasks are executed regardless of whether the user state matches the scope and trigger execution conditions. Note To view the beta release of this cmdlet, view Initialize-MgBetaIdentityGovernanceLifecycleWorkflowDeletedItemWorkflow
Invoke-MgAcceptIdentityGovernanceAccessReviewDefinitionInstanceRecommendation	Allows the acceptance of recommendations on all accessReviewInstanceDecisionItem objects that haven't been reviewed on an accessReviewInstance object for which the calling user is a reviewer. Note To view the beta release of this cmdlet, view Invoke-MgBetaAcceptIdentityGovernanceAccessReviewDefinitionInstanceRecommendation
Invoke-MgBatchIdentityGovernanceAccessReviewDefinitionInstanceRecordDecision	Enables reviewers to review all accessReviewInstanceDecisionItem objects in batches by using principalId, resourceId, or neither. Note To view the beta release of this cmdlet, view Invoke-MgBetaBatchIdentityGovernanceAccess

Cmdlet	Description
	ReviewDefinitionInstanceRecordDecision
Invoke-MgFilterEntitlementManagementAccessPackageAssignmentApprovalByCurrentUser	In Microsoft Entra entitlement management, return a collection of access package assignment approvals. The objects returned are those that are in scope for approval by the calling user. In PIM for Groups, return a collection of assignment approvals. The objects returned are those that are in scope for approval by the calling user. Note To view the beta release of this cmdlet, view Invoke-MgBetaFilterEntitlementManagementAccessPackageAssignmentApprovalByCurrentUser
Invoke-MgFilterEntitlementManagementAccessPackageByCurrentUser	In Microsoft Entra Entitlement Management, retrieve a list of accessPackage objects filtered on the signed-in user. Note To view the beta release of this cmdlet, view Invoke-MgBetaFilterEntitlementManagementAccessPackageByCurrentUser
Invoke-MgFilterEntitlementManagementAssignmentByCurrentUser	In Microsoft Entra Entitlement Management, retrieve a list of accessPackageAssignment objects filtered on the signed-in user.
Invoke-MgFilterEntitlementManagementAssignmentRequestByCurrentUser	In Microsoft Entra Entitlement Management, retrieve a list of accessPackageAssignmentRequest objects filtered on the signed-in user. Note To view the beta release of this cmdlet, view Invoke-MgBetaFilterEntitlementManagementAssignmentRequestByCurrentUser
Invoke-MgFilterIdentityGovernanceAccessReviewDefinitionByCurrentUser	Returns accessReviewScheduleDefinition objects where the calling user is a reviewer on one or more accessReviewInstance objects. Note To view the beta release of this cmdlet, view Invoke-MgBetaFilterIdentityGovernanceAccessReviewDefinitionByCurrentUser
Invoke-MgFilterIdentityGovernanceAccessReviewDefinitionInstanceByCurrentUser	Retrieve all accessReviewInstance objects on a given accessReviewScheduleDefinition where the calling user is a reviewer on one or more accessReviewInstanceDecisionItem objects. Note

Cmdlet	Description
	To view the beta release of this cmdlet, view Invoke-MgBetaFilterIdentityGovernanceAccessReviewDefinitionInstanceByCurrentUser
Invoke-MgFilterIdentityGovernanceAccessReviewDefinitionInstanceDecisionByCurrentUser	Retrieve all decision items for an instance of an access review or a stage of an instance of a multi-stage access review, for which the calling user is the reviewer. The decision items are represented by accessReviewInstanceDecisionItem objects on a given accessReviewInstance or accessReviewStage for which the calling user is the reviewer. Note To view the beta release of this cmdlet, view Invoke-MgBetaFilterIdentityGovernanceAccessReviewDefinitionInstanceDecisionByCurrentUser
Invoke-MgFilterIdentityGovernanceAccessReviewDefinitionInstanceStageByCurrentUser	Return all accessReviewStage objects on a given accessReviewInstance where the calling user is a reviewer on one or more accessReviewInstanceDecisionItem objects. Note To view the beta release of this cmdlet, view Invoke-MgBetaFilterIdentityGovernanceAccessReviewDefinitionInstanceStageByCurrentUser
Invoke-MgFilterIdentityGovernanceAccessReviewDefinitionInstanceStageDecisionByCurrentUser	Retrieve all decision items for an instance of an access review or a stage of an instance of a multi-stage access review, for which the calling user is the reviewer. The decision items are represented by accessReviewInstanceDecisionItem objects on a given accessReviewInstance or accessReviewStage for which the calling user is the reviewer. Note To view the beta release of this cmdlet, view Invoke-MgBetaFilterIdentityGovernanceAccessReviewDefinitionInstanceStageDecisionByCurrentUser
Invoke-MgFilterIdentityGovernanceAppConsentRequestByCurrentUser	Retrieve a collection of appConsentRequest objects for which the current user is the reviewer and the status of the userConsentRequest for accessing the specified app is InProgress. Note To view the beta release of this cmdlet, view Invoke-MgBetaFilterIdentityGovernanceAppConsentRequestByCurrentUser
Invoke-MgFilterIdentityGovernanceAppConsentRequestUserConsentRequestByCurrentUser	Retrieve a collection of userConsentRequest objects for accessing a specified app, for which the current

Cmdlet	Description
	user is the reviewer. Note To view the beta release of this cmdlet, view Invoke-MgBetaFilterIdentityGovernanceAppConsentRequestUserConsentRequestByCurrentUser
Invoke-MgFilterIdentityGovernancePrivilegedAccessGroupAssignmentApprovalByCurrentUser	In Microsoft Entra entitlement management, return a collection of access package assignment approvals. The objects returned are those that are in scope for approval by the calling user. In PIM for Groups, return a collection of assignment approvals. The objects returned are those that are in scope for approval by the calling user. Note To view the beta release of this cmdlet, view Invoke-MgBetaFilterIdentityGovernancePrivilegedAccessGroupAssignmentApprovalByCurrentUser
Invoke-MgFilterIdentityGovernancePrivilegedAccessGroupAssignmentScheduleByCurrentUser	In PIM for Groups, retrieve the schedules for membership or ownership assignments for the calling principal to groups that are governed by PIM. Note To view the beta release of this cmdlet, view Invoke-MgBetaFilterIdentityGovernancePrivilegedAccessGroupAssignmentScheduleByCurrentUser
Invoke-MgFilterIdentityGovernancePrivilegedAccessGroupAssignmentScheduleInstanceByCurrentUser	In PIM for Groups, retrieve the schedule instances for membership or ownership assignments for the calling principal to groups that are governed by PIM. Note To view the beta release of this cmdlet, view Invoke-MgBetaFilterIdentityGovernancePrivilegedAccessGroupAssignmentScheduleInstanceByCurrentUser
Invoke-MgFilterIdentityGovernancePrivilegedAccessGroupAssignmentScheduleRequestByCurrentUser	In PIM for Groups, retrieve the requests for membership or ownership assignments for the calling principal to groups that are governed by PIM. Note To view the beta release of this cmdlet, view Invoke-MgBetaFilterIdentityGovernancePrivilegedAccessGroupAssignmentScheduleRequestByCurrentUser

Cmdlet	Description
Invoke-MgFilterIdentityGovernancePrivilegedAccessGroupEligibilityScheduleByCurrentUser	Retrieve schedules of membership and ownership eligibility requests for the calling principal. Note To view the beta release of this cmdlet, view Invoke-MgBetaFilterIdentityGovernancePrivilegedAccessGroupEligibilityScheduleByCurrentUser
Invoke-MgFilterIdentityGovernancePrivilegedAccessGroupEligibilityScheduleInstanceByCurrentUser	Return instances of membership and ownership eligibility schedules for the calling principal. Note To view the beta release of this cmdlet, view Invoke-MgBetaFilterIdentityGovernancePrivilegedAccessGroupEligibilityScheduleInstanceByCurrentUser
Invoke-MgFilterIdentityGovernancePrivilegedAccessGroupEligibilityScheduleRequestByCurrentUser	In PIM for Groups, retrieve the requests for membership or ownership eligibilities for the calling principal to groups that are governed by PIM. Note To view the beta release of this cmdlet, view Invoke-MgBetaFilterIdentityGovernancePrivilegedAccessGroupEligibilityScheduleRequestByCurrentUser
Invoke-MgFilterRoleManagementDirectoryRoleAssignmentScheduleByCurrentUser	Retrieve the schedules for active role assignment operations for which the signed-in user is the principal. Note To view the beta release of this cmdlet, view Invoke-MgBetaFilterRoleManagementDirectoryRoleAssignmentScheduleByCurrentUser
Invoke-MgFilterRoleManagementDirectoryRoleAssignmentScheduleInstanceByCurrentUser	Get the instances of active role assignments for the calling principal. Note To view the beta release of this cmdlet, view Invoke-MgBetaFilterRoleManagementDirectoryRoleAssignmentScheduleInstanceByCurrentUser
Invoke-MgFilterRoleManagementDirectoryRoleAssignmentScheduleRequestByCurrentUser	In PIM, retrieve the requests for active role assignments for a particular principal. The principal can be the creator or approver of the unifiedRoleAssignmentScheduleRequest object, or they can be the target of the assignment.

Cmdlet	Description
	Note To view the beta release of this cmdlet, view Invoke-MgBetaFilterRoleManagementDirectoryRoleAssignmentScheduleRequestByCurrentUser
Invoke-MgFilterRoleManagementDirectoryRoleEligibilityScheduleByCurrentUser	Retrieve the schedules for role eligibilities for which the signed-in user is the principal. Note To view the beta release of this cmdlet, view Invoke-MgBetaFilterRoleManagementDirectoryRoleEligibilityScheduleByCurrentUser
Invoke-MgFilterRoleManagementDirectoryRoleEligibilityScheduleInstanceByCurrentUser	Get the instances of eligible roles for the calling principal. Note To view the beta release of this cmdlet, view Invoke-MgBetaFilterRoleManagementDirectoryRoleEligibilityScheduleInstanceByCurrentUser
Invoke-MgFilterRoleManagementDirectoryRoleEligibilityScheduleRequestByCurrentUser	In PIM, retrieve the requests for role eligibilities for a particular principal. The principal can be the creator or approver of the unifiedRoleEligibilityScheduleRequest object, or they can be the target of the role eligibility. Note To view the beta release of this cmdlet, view Invoke-MgBetaFilterRoleManagementDirectoryRoleEligibilityScheduleRequestByCurrentUser
Invoke-MgFilterRoleManagementEntitlementManagementRoleAssignmentScheduleByCurrentUser	Retrieve the schedules for active role assignment operations for which the signed-in user is the principal. Note To view the beta release of this cmdlet, view Invoke-MgBetaFilterRoleManagementEntitlementManagementRoleAssignmentScheduleByCurrentUser
Invoke-MgFilterRoleManagementEntitlementManagementRoleAssignmentScheduleInstanceByCurrentUser	Get the instances of active role assignments for the calling principal. Note To view the beta release of this cmdlet, view Invoke-

Cmdlet	Description
	MgBetaFilterRoleManagementEntitlementManagementRoleAssignmentScheduleInstanceByCurrentUser
Invoke-MgFilterRoleManagementEntitlementManagementRoleAssignmentScheduleRequestByCurrentUser	In PIM, retrieve the requests for active role assignments for a particular principal. The principal can be the creator or approver of the unifiedRoleAssignmentScheduleRequest object, or they can be the target of the assignment. Note To view the beta release of this cmdlet, view Invoke-MgBetaFilterRoleManagementEntitlementManagementRoleAssignmentScheduleRequestByCurrentUser
Invoke-MgFilterRoleManagementEntitlementManagementRoleEligibilityScheduleByCurrentUser	Retrieve the schedules for role eligibilities for which the signed-in user is the principal. Note To view the beta release of this cmdlet, view Invoke-MgBetaFilterRoleManagementEntitlementManagementRoleEligibilityScheduleByCurrentUser
Invoke-MgFilterRoleManagementEntitlementManagementRoleEligibilityScheduleInstanceByCurrentUser	Get the instances of eligible roles for the calling principal. Note To view the beta release of this cmdlet, view Invoke-MgBetaFilterRoleManagementEntitlementManagementRoleEligibilityScheduleInstanceByCurrentUser
Invoke-MgFilterRoleManagementEntitlementManagementRoleEligibilityScheduleRequestByCurrentUser	In PIM, retrieve the requests for role eligibilities for a particular principal. The principal can be the creator or approver of the unifiedRoleEligibilityScheduleRequest object, or they can be the target of the role eligibility. Note To view the beta release of this cmdlet, view Invoke-MgBetaFilterRoleManagementEntitlementManagementRoleEligibilityScheduleRequestByCurrentUser
Invoke-MgGraphIdentityGovernanceLifecycleWorkflowInsight	Provide a summary of workflows processed, by category, in a tenant. This allows you to quickly get category information, by numerical value, bypassing other information found in the WorkflowsProcessedSummary call. Note

Cmdlet	Description
	To view the beta release of this cmdlet, view Invoke-MgBetaGraphIdentityGovernanceLifecycleWorkflowInsight
Invoke-MgSummaryIdentityGovernanceLifecycleWorkflowRun	Get a summary of runs for a specified time period. Because the amount of runs returned by the List API call can be overwhelming, this summary allows the administrator to get a quick overview based on counts. Note To view the beta release of this cmdlet, view Invoke-MgBetaSummaryIdentityGovernanceLifecycleWorkflowRun
Invoke-MgSummaryIdentityGovernanceLifecycleWorkflowRunUserProcessingResult	Invoke function summary Note To view the beta release of this cmdlet, view Invoke-MgBetaSummaryIdentityGovernanceLifecycleWorkflowRunUserProcessingResult
Invoke-MgSummaryIdentityGovernanceLifecycleWorkflowTaskReport	Get a taskReportSummary object. This API provides a summary of task processing results for a specified time period. Because the volume of task processing results and task reports returned by the List API calls can be overwhelming, this summary allows the administrator to get a quick overview based on counts. Note To view the beta release of this cmdlet, view Invoke-MgBetaSummaryIdentityGovernanceLifecycleWorkflowTaskReport
Invoke-MgSummaryIdentityGovernanceLifecycleWorkflowUserProcessingResult	Invoke function summary Note To view the beta release of this cmdlet, view Invoke-MgBetaSummaryIdentityGovernanceLifecycleWorkflowUserProcessingResult
Invoke-MgTopIdentityGovernanceLifecycleWorkflowInsightTaskProcessedSummary	Provide a summary of the most processed tasks, known as top tasks, for a specified time period in a tenant. The task definition is provided, along with numerical counts of total, successful, and failed runs. For information about workflows processed, see insights: topWorkflowsProcessedSummary. Note To view the beta release of this cmdlet, view Invoke-

Cmdlet	Description
	MgBetaTopIdentityGovernanceLifecycleWorkflowInsightTaskProcessedSummary.
Invoke-MgTopIdentityGovernanceLifecycleWorkflowInsightWorkflowProcessedSummary	Provide a summary of the workflows processed the most, known as top workflows, for a specified period in a tenant. Workflow basic details are given, along with run information. For information about tasks processed, see insights: topTasksProcessedSummary. Note To view the beta release of this cmdlet, view Invoke-MgBetaTopIdentityGovernanceLifecycleWorkflowInsightWorkflowProcessedSummary.
Invoke-MgWorkflowIdentityGovernanceLifecycleWorkflowInsightProcessedSummary	Provide a summary of all workflows processed within a tenant for a specified period. Because the amount of results for listed workflows as returned by the List workflows does not tell you which workflows were processed from the list of created workflows, this summary gives you a quick overview of processed status based on counts. Note To view the beta release of this cmdlet, view Invoke-MgBetaWorkflowIdentityGovernanceLifecycleWorkflowInsightProcessedSummary.
New-MgAgreement	Add new entity to agreements Note To view the beta release of this cmdlet, view New-MgBetaAgreement
New-MgAgreementAcceptance	Create new navigation property to acceptances for agreements Note To view the beta release of this cmdlet, view New-MgBetaAgreementAcceptance
New-MgAgreementFile	Create new navigation property to files for agreements Note To view the beta release of this cmdlet, view New-MgBetaAgreementFile
New-MgAgreementFileLocalization	Create new navigation property to localizations for agreements Note

Cmdlet	Description
	To view the beta release of this cmdlet, view New-MgBetaAgreementFileLocalization
New-MgAgreementFileLocalizationVersion	Create new navigation property to versions for agreements Note To view the beta release of this cmdlet, view New-MgBetaAgreementFileLocalizationVersion
New-MgAgreementFileVersion	Create new navigation property to versions for agreements Note To view the beta release of this cmdlet, view New-MgBetaAgreementFileVersion
New-MgEntitlementManagementAccessPackage	Create a new accessPackage object. The access package will be added to an existing accessPackageCatalog. Note To view the beta release of this cmdlet, view New-MgBetaEntitlementManagementAccessPackage
New-MgEntitlementManagementAccessPackageAssignmentApprovalStage	Create new navigation property to stages for identityGovernance
New-MgEntitlementManagementAccessPackageAssignmentPolicy	Create new navigation property to assignmentPolicies for identityGovernance Note To view the beta release of this cmdlet, view New-MgBetaEntitlementManagementAccessPackageAssignmentPolicy
New-MgEntitlementManagementAccessPackageIncompatibleAccessPackageByRef	Add an accessPackage to the list of access packages that have been marked as incompatible on an accessPackage. Note To view the beta release of this cmdlet, view New-MgBetaEntitlementManagementAccessPackageIncompatibleAccessPackageByRef
New-MgEntitlementManagementAccessPackageIncompatibleGroupByRef	Add a group to the list of groups that have been marked as incompatible on an accessPackage. Note

Cmdlet	Description
	To view the beta release of this cmdlet, view New-MgBetaEntitlementManagementAccessPackageIncompatibleGroupByRef
New-MgEntitlementManagementAccessPackageResourceRoleScope	Create a new accessPackageResourceRoleScope for adding a resource role to an access package. The access package resource, for a group, an app, or a SharePoint Online site, must already exist in the access package catalog, and the originId for the resource role retrieved from the list of the resource roles. Once you add the resource role scope to the access package, the user will receive this resource role through any current and future access package assignments. Note To view the beta release of this cmdlet, view New-MgBetaEntitlementManagementAccessPackageResourceRoleScope
New-MgEntitlementManagementAssignment	Create new navigation property to assignments for identityGovernance
New-MgEntitlementManagementAssignmentPolicy	Create a new accessPackageAssignmentPolicy object in Microsoft Entra entitlement management. The request includes a reference to the accessPackage that contains this policy, which must already exist.
New-MgEntitlementManagementAssignmentPolicyCustomExtensionStageSetting	Create new navigation property to customExtensionStageSettings for identityGovernance
New-MgEntitlementManagementAssignmentPolicyQuestion	Create new navigation property to questions for identityGovernance
New-MgEntitlementManagementAssignmentRequest	In Microsoft Entra Entitlement Management, create a new accessPackageAssignmentRequest object. This operation is used to assign a user to an access package, update the assignment, or to remove an access package assignment. Note To view the beta release of this cmdlet, view New-MgBetaEntitlementManagementAssignmentRequest
New-MgEntitlementManagementCatalog	Create a new accessPackageCatalog object.
New-MgEntitlementManagementCatalogCustomWorkflowExtension	Create a new accessPackageAssignmentRequestWorkflowExtension or accessPackageAssignmentWorkflowExtension object and add it to an existing accessPackageCatalog object. You must explicitly provide an @odata.type property that indicates whether the object is an accessPackageAssignmentRequestWorkflowExtension or an accessPackageAssignmentWorkflowExtension.
New-MgEntitlementManagementCatalogResource	Create new navigation property to resources for identityGovernance
New-MgEntitlementManagementCatalogResourceRole	Create new navigation property to resourceRoles for identityGovernance

Cmdlet	Description
New-MgEntitlementManagementCatalogResourceRoleResourceScope	Create new navigation property to scopes for identityGovernance
New-MgEntitlementManagementCatalogResourceRoleResourceScopeResourceRole	Create new navigation property to roles for identityGovernance
New-MgEntitlementManagementCatalogResourceScope	Create new navigation property to resourceScopes for identityGovernance
New-MgEntitlementManagementCatalogResourceScopeResourceRole	Create new navigation property to roles for identityGovernance
New-MgEntitlementManagementCatalogResourceScopeResourceRoleResourceScope	Create new navigation property to scopes for identityGovernance
New-MgEntitlementManagementConnectedOrganization	Create a new connectedOrganization object. Note To view the beta release of this cmdlet, view New-MgBetaEntitlementManagementConnectedOrganization
New-MgEntitlementManagementConnectedOrganizationExternalSponsorByRef	Add a user or a group to the connected organization's external sponsors. The external sponsors are a set of users who can approve requests on behalf of other users from that connected organization. Note To view the beta release of this cmdlet, view New-MgBetaEntitlementManagementConnectedOrganizationExternalSponsorByRef
New-MgEntitlementManagementConnectedOrganizationInternalSponsorByRef	Add a user or a group to the connected organization's internal sponsors. The internal sponsors are a set of users who can approve requests on behalf of other users from that connected organization. Note To view the beta release of this cmdlet, view New-MgBetaEntitlementManagementConnectedOrganizationInternalSponsorByRef
New-MgEntitlementManagementResource	Create new navigation property to resources for identityGovernance
New-MgEntitlementManagementResourceEnvironment	Create new navigation property to resourceEnvironments for identityGovernance
New-MgEntitlementManagementResourceEnvironmentResource	Create new navigation property to resources for identityGovernance
New-MgEntitlementManagementResourceEnvironmentResourceRole	Create new navigation property to roles for identityGovernance
New-MgEntitlementManagementResourceEnvironmentResourceRoleResourceScope	Create new navigation property to scopes for identityGovernance
New-MgEntitlementManagementResourceEnvironmentResourceScope	Create new navigation property to scopes for identityGovernance

Cmdlet	Description
New-MgEntitlementManagementResourceEnvironmentResourceScopeResourceRole	Create new navigation property to roles for identityGovernance
New-MgEntitlementManagementResourceRequest	Create a new accessPackageResourceRequest object to request the addition of a resource to an access package catalog, update of a resource, or the removal of a resource from a catalog. A resource must be included in an access package catalog before a role of that resource can be added to an access package.
New-MgEntitlementManagementResourceRequestCatalogCustomWorkflowExtension	Create new navigation property to customWorkflowExtensions for identityGovernance
New-MgEntitlementManagementResourceRequestCatalogResource	Create new navigation property to resources for identityGovernance
New-MgEntitlementManagementResourceRequestCatalogResourceRole	Create new navigation property to resourceRoles for identityGovernance
New-MgEntitlementManagementResourceRequestCatalogResourceRoleResourceScope	Create new navigation property to scopes for identityGovernance
New-MgEntitlementManagementResourceRequestCatalogResourceRoleResourceScopeResourceRole	Create new navigation property to roles for identityGovernance
New-MgEntitlementManagementResourceRequestCatalogResourceScope	Create new navigation property to resourceScopes for identityGovernance
New-MgEntitlementManagementResourceRequestCatalogResourceScopeResourceRole	Create new navigation property to roles for identityGovernance
New-MgEntitlementManagementResourceRequestCatalogResourceScopeResourceRoleResourceScope	Create new navigation property to scopes for identityGovernance
New-MgEntitlementManagementResourceRequestResourceRole	Create new navigation property to roles for identityGovernance
New-MgEntitlementManagementResourceRequestResourceRoleResourceScope	Create new navigation property to scopes for identityGovernance
New-MgEntitlementManagementResourceRequestResourceScope	Create new navigation property to scopes for identityGovernance
New-MgEntitlementManagementResourceRequestResourceScopeResourceRole	Create new navigation property to roles for identityGovernance
New-MgEntitlementManagementResourceRole	Create new navigation property to roles for identityGovernance
New-MgEntitlementManagementResourceRoleResourceScope	Create new navigation property to scopes for identityGovernance
New-MgEntitlementManagementResourceRoleScope	Create new navigation property to resourceRoleScopes for identityGovernance
New-MgEntitlementManagementResourceRoleScopeResourceRole	Create new navigation property to roles for identityGovernance
New-MgEntitlementManagementResourceRoleScopeResourceRoleResourceScope	Create new navigation property to scopes for identityGovernance
New-MgEntitlementManagementResourceRoleScopeResourceScope	Create new navigation property to scopes for identityGovernance
New-MgEntitlementManagementResourceRoleScopeRoleResourceRole	Create new navigation property to roles for identityGovernance
New-MgEntitlementManagementResourceRoleScopeRoleResourceScope	Create new navigation property to scopes for identityGovernance
New-MgEntitlementManagementResourceRoleScopeRoleResourceScopeResourceRole	Create new navigation property to roles for identityGovernance
New-MgEntitlementManagementResourceScope	Create new navigation property to scopes for identityGovernance

Cmdlet	Description
New-MgEntitlementManagementResourceScopeResourceRole	Create new navigation property to roles for identityGovernance
New-MgIdentityGovernanceAccessReviewDefinition	Create a new accessReviewScheduleDefinition object. Note To view the beta release of this cmdlet, view New-MgBetaIdentityGovernanceAccessReviewDefinition
New-MgIdentityGovernanceAccessReviewDefinitionInstance	Create new navigation property to instances for identityGovernance Note To view the beta release of this cmdlet, view New-MgBetaIdentityGovernanceAccessReviewDefinitionInstance
New-MgIdentityGovernanceAccessReviewDefinitionInstanceContactedReviewer	Create new navigation property to contactedReviewers for identityGovernance Note To view the beta release of this cmdlet, view New-MgBetaIdentityGovernanceAccessReviewDefinitionInstanceContactedReviewer
New-MgIdentityGovernanceAccessReviewDefinitionInstanceDecision	Create new navigation property to decisions for identityGovernance Note To view the beta release of this cmdlet, view New-MgBetaIdentityGovernanceAccessReviewDefinitionInstanceDecision
New-MgIdentityGovernanceAccessReviewDefinitionInstanceDecisionInsight	Create new navigation property to insights for identityGovernance Note To view the beta release of this cmdlet, view New-MgBetaIdentityGovernanceAccessReviewDefinitionInstanceDecisionInsight
New-MgIdentityGovernanceAccessReviewDefinitionInstanceStage	Create new navigation property to stages for identityGovernance Note To view the beta release of this cmdlet, view New-MgBetaIdentityGovernanceAccessReviewDefinitionInstanceStage

Cmdlet	Description
New-MgIdentityGovernanceAccessReviewDefinitionInstanceStageDecision	Create new navigation property to decisions for identityGovernance Note To view the beta release of this cmdlet, view New-MgBetaIdentityGovernanceAccessReviewDefinitionInstanceStageDecision
New-MgIdentityGovernanceAccessReviewDefinitionInstanceStageDecisionInsight	Create new navigation property to insights for identityGovernance Note To view the beta release of this cmdlet, view New-MgBetaIdentityGovernanceAccessReviewDefinitionInstanceStageDecisionInsight
New-MgIdentityGovernanceAccessReviewHistoryDefinition	Create a new accessReviewHistoryDefinition object. Note To view the beta release of this cmdlet, view New-MgBetaIdentityGovernanceAccessReviewHistoryDefinition
New-MgIdentityGovernanceAccessReviewHistoryDefinitionInstance	Create new navigation property to instances for identityGovernance Note To view the beta release of this cmdlet, view New-MgBetaIdentityGovernanceAccessReviewHistoryDefinitionInstance
New-MgIdentityGovernanceAccessReviewHistoryDefinitionInstanceDownloadUri	Generates a URI for an accessReviewHistoryInstance object the status for which is done. Each URI can be used to retrieve the instance's review history data. Each URI is valid for 24 hours and can be retrieved by fetching the downloadUri property from the accessReviewHistoryInstance object. Note To view the beta release of this cmdlet, view New-MgBetaIdentityGovernanceAccessReviewHistoryDefinitionInstanceDownloadUri
New-MgIdentityGovernanceAppConsentRequest	Create new navigation property to appConsentRequests for identityGovernance Note To view the beta release of this cmdlet, view New-

Cmdlet	Description
	MgBetaIdentityGovernanceAppConsentRequest
New-MgIdentityGovernanceAppConsentRequestUserConsentRequest	Create new navigation property to userConsentRequests for identityGovernance Note To view the beta release of this cmdlet, view New-MgBetaIdentityGovernanceAppConsentRequestUserConsentRequest
New-MgIdentityGovernanceAppConsentRequestUserConsentRequestApprovalStage	Create new navigation property to stages for identityGovernance
New-MgIdentityGovernanceLifecycleWorkflow	Create a new workflow object. You can create up to 100 workflows in a tenant. Note To view the beta release of this cmdlet, view New-MgBetaIdentityGovernanceLifecycleWorkflow
New-MgIdentityGovernanceLifecycleWorkflowCustomTaskExtension	Create a new customTaskExtension object. Note To view the beta release of this cmdlet, view New-MgBetaIdentityGovernanceLifecycleWorkflowCustomTaskExtension
New-MgIdentityGovernanceLifecycleWorkflowDeletedItemWorkflowNewVersion	Create a new version of the workflow object. Note To view the beta release of this cmdlet, view New-MgBetaIdentityGovernanceLifecycleWorkflowDeletedItemWorkflowNewVersion
New-MgIdentityGovernanceLifecycleWorkflowDeletedItemWorkflowTask	Create new navigation property to tasks for identityGovernance Note To view the beta release of this cmdlet, view New-MgBetaIdentityGovernanceLifecycleWorkflowDeletedItemWorkflowTask
New-MgIdentityGovernanceLifecycleWorkflowNewVersion	Create a new version of the workflow object. Note To view the beta release of this cmdlet, view New-

Cmdlet	Description
	MgBetaIdentityGovernanceLifecycleWorkflowNewVersion
New-MgIdentityGovernanceLifecycleWorkflowTask	Create new navigation property to tasks for identityGovernance Note To view the beta release of this cmdlet, view New-MgBetaIdentityGovernanceLifecycleWorkflowTask
New-MgIdentityGovernanceLifecycleWorkflowVersionTask	Create new navigation property to tasks for identityGovernance Note To view the beta release of this cmdlet, view New-MgBetaIdentityGovernanceLifecycleWorkflowVersionTask
New-MgIdentityGovernancePrivilegedAccessGroupAssignmentApproval	Create new navigation property to assignmentApprovals for identityGovernance Note To view the beta release of this cmdlet, view New-MgBetaIdentityGovernancePrivilegedAccessGroupAssignmentApproval
New-MgIdentityGovernancePrivilegedAccessGroupAssignmentApprovalStage	Create new navigation property to stages for identityGovernance
New-MgIdentityGovernancePrivilegedAccessGroupAssignmentSchedule	Create new navigation property to assignmentSchedules for identityGovernance Note To view the beta release of this cmdlet, view New-MgBetaIdentityGovernancePrivilegedAccessGroupAssignmentSchedule
New-MgIdentityGovernancePrivilegedAccessGroupAssignmentScheduleInstance	Create new navigation property to assignmentScheduleInstances for identityGovernance Note To view the beta release of this cmdlet, view New-MgBetaIdentityGovernancePrivilegedAccessGroupAssignmentScheduleInstance
New-MgIdentityGovernancePrivilegedAccessGroupAssignmentScheduleRequest	Create a new privilegedAccessGroupAssignmentScheduleRequest object. Note

Cmdlet	Description
	To view the beta release of this cmdlet, view New-MgBetaIdentityGovernancePrivilegedAccessGroupAssignmentScheduleRequest
New-MgIdentityGovernancePrivilegedAccessGroupEligibilitySchedule	Create new navigation property to eligibilitySchedules for identityGovernance Note To view the beta release of this cmdlet, view New-MgBetaIdentityGovernancePrivilegedAccessGroupEligibilitySchedule
New-MgIdentityGovernancePrivilegedAccessGroupEligibilityScheduleInstance	Create new navigation property to eligibilityScheduleInstances for identityGovernance Note To view the beta release of this cmdlet, view New-MgBetaIdentityGovernancePrivilegedAccessGroupEligibilityScheduleInstance
New-MgIdentityGovernancePrivilegedAccessGroupEligibilityScheduleRequest	Create a new privilegedAccessGroupEligibilityScheduleRequest object. Note To view the beta release of this cmdlet, view New-MgBetaIdentityGovernancePrivilegedAccessGroupEligibilityScheduleRequest
New-MgIdentityGovernanceTermsOfUseAgreement	Create a new agreement object. Note To view the beta release of this cmdlet, view New-MgBetaIdentityGovernanceTermsOfUseAgreement
New-MgIdentityGovernanceTermsOfUseAgreementAcceptance	Create new navigation property to agreementAcceptances for identityGovernance Note To view the beta release of this cmdlet, view New-MgBetaIdentityGovernanceTermsOfUseAgreementAcceptance
New-MgIdentityGovernanceTermsOfUseAgreementFile	Create a new localized agreement file. Note To view the beta release of this cmdlet, view New-

Cmdlet	Description
	MgBetaIdentityGovernanceTermsOfUseAgreementFile
New-MgIdentityGovernanceTermsOfUseAgreementFileLocalization	Create new navigation property to localizations for identityGovernance Note To view the beta release of this cmdlet, view New-MgBetaIdentityGovernanceTermsOfUseAgreementFileLocalization
New-MgIdentityGovernanceTermsOfUseAgreementFileLocalizationVersion	Create new navigation property to versions for identityGovernance Note To view the beta release of this cmdlet, view New-MgBetaIdentityGovernanceTermsOfUseAgreementFileLocalizationVersion
New-MgIdentityGovernanceTermsOfUseAgreementFileVersion	Create new navigation property to versions for identityGovernance Note To view the beta release of this cmdlet, view New-MgBetaIdentityGovernanceTermsOfUseAgreementFileVersion
New-MgRoleManagementDirectoryResourceNamespace	Create new navigation property to resourceNamespaces for roleManagement Note To view the beta release of this cmdlet, view New-MgBetaRoleManagementDirectoryResourceNamespace
New-MgRoleManagementDirectoryResourceNamespaceResourceAction	Create new navigation property to resourceActions for roleManagement Note To view the beta release of this cmdlet, view New-MgBetaRoleManagementDirectoryResourceNamespaceResourceAction
New-MgRoleManagementDirectoryRoleAssignment	Create a new unifiedRoleAssignment object. Note To view the beta release of this cmdlet, view New-MgBetaRoleManagementDirectoryRoleAssignment

Cmdlet	Description
New-MgRoleManagementDirectoryRoleAssignmentSchedule	Create new navigation property to roleAssignmentSchedules for roleManagement Note To view the beta release of this cmdlet, view New-MgBetaRoleManagementDirectoryRoleAssignmentSchedule
New-MgRoleManagementDirectoryRoleAssignmentScheduleInstance	Create new navigation property to roleAssignmentScheduleInstances for roleManagement Note To view the beta release of this cmdlet, view New-MgBetaRoleManagementDirectoryRoleAssignmentScheduleInstance
New-MgRoleManagementDirectoryRoleAssignmentScheduleRequest	In PIM, carry out the following operations through the unifiedRoleAssignmentScheduleRequest object: To call this API to update, renew, and extend assignments for yourself, you must have multifactor authentication (MFA) enforced, and running the query in a session in which they were challenged for MFA. See Enable per-user Microsoft Entra multifactor authentication to secure sign-in events. Note To view the beta release of this cmdlet, view New-MgBetaRoleManagementDirectoryRoleAssignmentScheduleRequest
New-MgRoleManagementDirectoryRoleDefinition	Create a new custom unifiedRoleDefinition object. This feature requires a Microsoft Entra ID P1 or P2 license. Note To view the beta release of this cmdlet, view New-MgBetaRoleManagementDirectoryRoleDefinition
New-MgRoleManagementDirectoryRoleDefinitionInheritPermissionFrom	Create new navigation property to inheritsPermissionsFrom for roleManagement Note To view the beta release of this cmdlet, view New-MgBetaRoleManagementDirectoryRoleDefinitionInheritPermissionFrom
New-MgRoleManagementDirectoryRoleEligibilitySchedule	Create new navigation property to roleEligibilitySchedules for roleManagement Note

Cmdlet	Description
	To view the beta release of this cmdlet, view New-MgBetaRoleManagementDirectoryRoleEligibilitySchedule
New-MgRoleManagementDirectoryRoleEligibilityScheduleInstance	Create new navigation property to roleEligibilityScheduleInstances for roleManagement Note To view the beta release of this cmdlet, view New-MgBetaRoleManagementDirectoryRoleEligibilityScheduleInstance
New-MgRoleManagementDirectoryRoleEligibilityScheduleRequest	In PIM, request for a role eligibility for a principal through the unifiedRoleEligibilityScheduleRequest object. This operation allows both admins and eligible users to add, revoke, or extend eligible assignments. Note To view the beta release of this cmdlet, view New-MgBetaRoleManagementDirectoryRoleEligibilityScheduleRequest
New-MgRoleManagementEntitlementManagementResourceNamespace	Create new navigation property to resourceNamespaces for roleManagement Note To view the beta release of this cmdlet, view New-MgBetaRoleManagementEntitlementManagementResourceNamespace
New-MgRoleManagementEntitlementManagementResourceNamespaceResourceAction	Create new navigation property to resourceActions for roleManagement Note To view the beta release of this cmdlet, view New-MgBetaRoleManagementEntitlementManagementResourceNamespaceResourceAction
New-MgRoleManagementEntitlementManagementRoleAssignment	Create a new unifiedRoleAssignment object. Note To view the beta release of this cmdlet, view New-MgBetaRoleManagementEntitlementManagementRoleAssignment
New-MgRoleManagementEntitlementManagementRoleAssignmentSchedule	Create new navigation property to roleAssignmentSchedules for roleManagement Note

Cmdlet	Description
	To view the beta release of this cmdlet, view New-MgBetaRoleManagementEntitlementManagementRoleAssignmentSchedule
New-MgRoleManagementEntitlementManagementRoleAssignmentScheduleInstance	Create new navigation property to roleAssignmentScheduleInstances for roleManagement Note To view the beta release of this cmdlet, view New-MgBetaRoleManagementEntitlementManagementRoleAssignmentScheduleInstance
New-MgRoleManagementEntitlementManagementRoleAssignmentScheduleRequest	Create new navigation property to roleAssignmentScheduleRequests for roleManagement Note To view the beta release of this cmdlet, view New-MgBetaRoleManagementEntitlementManagementRoleAssignmentScheduleRequest
New-MgRoleManagementEntitlementManagementRoleDefinition	Create new navigation property to roleDefinitions for roleManagement Note To view the beta release of this cmdlet, view New-MgBetaRoleManagementEntitlementManagementRoleDefinition
New-MgRoleManagementEntitlementManagementRoleDefinitionInheritPermissionFrom	Create new navigation property to inheritsPermissionsFrom for roleManagement Note To view the beta release of this cmdlet, view New-MgBetaRoleManagementEntitlementManagementRoleDefinitionInheritPermissionFrom
New-MgRoleManagementEntitlementManagementRoleEligibilitySchedule	Create new navigation property to roleEligibilitySchedules for roleManagement Note To view the beta release of this cmdlet, view New-MgBetaRoleManagementEntitlementManagementRoleEligibilitySchedule
New-MgRoleManagementEntitlementManagementRoleEligibilityScheduleInstance	Create new navigation property to roleEligibilityScheduleInstances for roleManagement

Cmdlet	Description
	Note To view the beta release of this cmdlet, view New-MgBetaRoleManagementEntitlementManagementRoleEligibilityScheduleInstance
New-MgRoleManagementEntitlementManagementRoleEligibilityScheduleRequest	Create new navigation property to roleEligibilityScheduleRequests for roleManagement Note To view the beta release of this cmdlet, view New-MgBetaRoleManagementEntitlementManagementRoleEligibilityScheduleRequest
Remove-MgAgreement	Delete entity from agreements Note To view the beta release of this cmdlet, view Remove-MgBetaAgreement
Remove-MgAgreementAcceptance	Delete navigation property acceptances for agreements Note To view the beta release of this cmdlet, view Remove-MgBetaAgreementAcceptance
Remove-MgAgreementFile	Delete navigation property file for agreements Note To view the beta release of this cmdlet, view Remove-MgBetaAgreementFile
Remove-MgAgreementFileLocalization	Delete navigation property localizations for agreements Note To view the beta release of this cmdlet, view Remove-MgBetaAgreementFileLocalization
Remove-MgAgreementFileLocalizationVersion	Delete navigation property versions for agreements Note To view the beta release of this cmdlet, view Remove-MgBetaAgreementFileLocalizationVersion

Cmdlet	Description
Remove-MgAgreementFileVersion	Delete navigation property versions for agreements Note To view the beta release of this cmdlet, view Remove-MgBetaAgreementFileVersion
Remove-MgEntitlementManagementAccessPackage	Delete an accessPackage object. You cannot delete an access package if it has any accessPackageAssignment. Note To view the beta release of this cmdlet, view Remove-MgBetaEntitlementManagementAccessPackage
Remove-MgEntitlementManagementAccessPackageAssignmentApproval	Delete navigation property accessPackageAssignmentApprovals for identityGovernance Note To view the beta release of this cmdlet, view Remove-MgBetaEntitlementManagementAccessPackageAssignmentApproval
Remove-MgEntitlementManagementAccessPackageAssignmentApprovalStage	Delete navigation property stages for identityGovernance
Remove-MgEntitlementManagementAccessPackageAssignmentPolicy	Delete navigation property assignmentPolicies for identityGovernance Note To view the beta release of this cmdlet, view Remove-MgBetaEntitlementManagementAccessPackageAssignmentPolicy
Remove-MgEntitlementManagementAccessPackageIncompatibleAccessPackageByRef	Remove an access package from the list of access packages that have been marked as incompatible on an accessPackage. Note To view the beta release of this cmdlet, view Remove-MgBetaEntitlementManagementAccessPackageIncompatibleAccessPackageByRef
Remove-MgEntitlementManagementAccessPackageIncompatibleGroupByRef	Remove a group from the list of groups that have been marked as incompatible on an accessPackage. Note To view the beta release of this cmdlet, view Remove-

Cmdlet	Description
	MgBetaEntitlementManagementAccessPackageIncompatibleGroupByRef
Remove-MgEntitlementManagementAccessPackageResourceRoleScope	Remove an accessPackageResourceRoleScope from an accessPackage list of resource role scopes. Note To view the beta release of this cmdlet, view Remove-MgBetaEntitlementManagementAccessPackageResourceRoleScope
Remove-MgEntitlementManagementAssignment	Delete navigation property assignments for identityGovernance
Remove-MgEntitlementManagementAssignmentPolicy	In Microsoft Entra entitlement management, delete an accessPackageAssignmentPolicy.
Remove-MgEntitlementManagementAssignmentPolicyCustomExtensionStageSetting	Delete navigation property customExtensionStageSettings for identityGovernance
Remove-MgEntitlementManagementAssignmentPolicyQuestion	Delete navigation property questions for identityGovernance
Remove-MgEntitlementManagementAssignmentRequest	Delete an accessPackageAssignmentRequest object. This request can be made to remove a denied or completed request. You cannot delete an access package assignment request if it has any accessPackageAssignment objects. Note To view the beta release of this cmdlet, view Remove-MgBetaEntitlementManagementAssignmentRequest
Remove-MgEntitlementManagementCatalog	Delete an accessPackageCatalog.
Remove-MgEntitlementManagementCatalogCustomWorkflowExtension	Delete an accessPackageAssignmentWorkflowExtension object. The custom workflow extension must first be removed from any associated policies before it can be deleted. Follow these steps to remove the custom workflow extension from any associated policies:
Remove-MgEntitlementManagementCatalogResource	Delete navigation property resources for identityGovernance
Remove-MgEntitlementManagementCatalogResourceRole	Delete navigation property resourceRoles for identityGovernance
Remove-MgEntitlementManagementCatalogResourceRoleResource	Delete navigation property resource for identityGovernance
Remove-MgEntitlementManagementCatalogResourceRoleResourceScope	Delete navigation property scopes for identityGovernance
Remove-MgEntitlementManagementCatalogResourceRoleResourceScopeResource	Delete navigation property resource for identityGovernance
Remove-MgEntitlementManagementCatalogResourceRoleResourceScopeResourceRole	Delete navigation property roles for identityGovernance
Remove-MgEntitlementManagementCatalogResourceScope	Delete navigation property resourceScopes for identityGovernance
Remove-MgEntitlementManagementCatalogResourceScopeResource	Delete navigation property resource for

Cmdlet	Description
	identityGovernance
Remove-MgEntitlementManagementCatalogResourceScopeResourceRole	Delete navigation property roles for identityGovernance
Remove-MgEntitlementManagementCatalogResourceScopeResourceRoleResource	Delete navigation property resource for identityGovernance
Remove-MgEntitlementManagementCatalogResourceScopeResourceRoleResourceScope	Delete navigation property scopes for identityGovernance
Remove-MgEntitlementManagementConnectedOrganization	Delete a connectedOrganization object. Note To view the beta release of this cmdlet, view Remove-MgBetaEntitlementManagementConnectedOrganization
Remove-MgEntitlementManagementConnectedOrganizationExternalSponsorDirectoryObjectByRef	Remove a user or a group from the connected organization's external sponsors. The external sponsors are a set of users who can approve requests on behalf of other users from that connected organization. Note To view the beta release of this cmdlet, view Remove-MgBetaEntitlementManagementConnectedOrganizationExternalSponsorDirectoryObjectByRef
Remove-MgEntitlementManagementConnectedOrganizationInternalSponsorDirectoryObjectByRef	Remove a user or a group from the connected organization's internal sponsors. The internal sponsors are a set of users who can approve requests on behalf of other users from that connected organization. Note To view the beta release of this cmdlet, view Remove-MgBetaEntitlementManagementConnectedOrganizationInternalSponsorDirectoryObjectByRef
Remove-MgEntitlementManagementResource	Delete navigation property resources for identityGovernance
Remove-MgEntitlementManagementResourceEnvironment	Delete navigation property resourceEnvironments for identityGovernance
Remove-MgEntitlementManagementResourceEnvironmentResource	Delete navigation property resources for identityGovernance
Remove-MgEntitlementManagementResourceEnvironmentResourceRole	Delete navigation property roles for identityGovernance
Remove-MgEntitlementManagementResourceEnvironmentResourceRoleResource	Delete navigation property resource for identityGovernance
Remove-MgEntitlementManagementResourceEnvironmentResourceRoleResourceScope	Delete navigation property scopes for identityGovernance
Remove-MgEntitlementManagementResourceEnvironmentResourceRoleResourceScopeResource	Delete navigation property resource for identityGovernance

Cmdlet	Description
Remove-MgEntitlementManagementResourceEnvironmentResourceScope	Delete navigation property scopes for identityGovernance
Remove-MgEntitlementManagementResourceEnvironmentResourceScopeResource	Delete navigation property resource for identityGovernance
Remove-MgEntitlementManagementResourceEnvironmentResourceScopeResourceRole	Delete navigation property roles for identityGovernance
Remove-MgEntitlementManagementResourceEnvironmentResourceScopeResourceRoleResource	Delete navigation property resource for identityGovernance
Remove-MgEntitlementManagementResourceRequest	Delete navigation property resourceRequests for identityGovernance
Remove-MgEntitlementManagementResourceRequestCatalog	Delete navigation property catalog for identityGovernance
Remove-MgEntitlementManagementResourceRequestCatalogCustomWorkflowExtension	Delete navigation property customWorkflowExtensions for identityGovernance
Remove-MgEntitlementManagementResourceRequestCatalogResource	Delete navigation property resources for identityGovernance
Remove-MgEntitlementManagementResourceRequestCatalogResourceRole	Delete navigation property resourceRoles for identityGovernance
Remove-MgEntitlementManagementResourceRequestCatalogResourceRoleResource	Delete navigation property resource for identityGovernance
Remove-MgEntitlementManagementResourceRequestCatalogResourceRoleResourceScope	Delete navigation property scopes for identityGovernance
Remove-MgEntitlementManagementResourceRequestCatalogResourceRoleResourceScopeResource	Delete navigation property resource for identityGovernance
Remove-MgEntitlementManagementResourceRequestCatalogResourceRoleResourceScopeResourceRole	Delete navigation property roles for identityGovernance
Remove-MgEntitlementManagementResourceRequestCatalogResourceScope	Delete navigation property resourceScopes for identityGovernance
Remove-MgEntitlementManagementResourceRequestCatalogResourceScopeResource	Delete navigation property resource for identityGovernance
Remove-MgEntitlementManagementResourceRequestCatalogResourceScopeResourceRole	Delete navigation property roles for identityGovernance
Remove-MgEntitlementManagementResourceRequestCatalogResourceScopeResourceRoleResource	Delete navigation property resource for identityGovernance
Remove-MgEntitlementManagementResourceRequestCatalogResourceScopeResourceRoleResourceScope	Delete navigation property scopes for identityGovernance
Remove-MgEntitlementManagementResourceRequestResource	Delete navigation property resource for identityGovernance
Remove-MgEntitlementManagementResourceRequestResourceRole	Delete navigation property roles for identityGovernance
Remove-MgEntitlementManagementResourceRequestResourceRoleResource	Delete navigation property resource for identityGovernance
Remove-MgEntitlementManagementResourceRequestResourceRoleResourceScope	Delete navigation property scopes for identityGovernance
Remove-MgEntitlementManagementResourceRequestResourceRoleResourceScopeResource	Delete navigation property resource for identityGovernance
Remove-MgEntitlementManagementResourceRequestResourceScope	Delete navigation property scopes for identityGovernance
Remove-MgEntitlementManagementResourceRequestResourceScopeResource	Delete navigation property resource for identityGovernance
Remove-MgEntitlementManagementResourceRequestResourceScopeResourceRole	Delete navigation property roles for

Cmdlet	Description
	identityGovernance
Remove-MgEntitlementManagementResourceRequestResourceScopeResourceRoleResource	Delete navigation property resource for identityGovernance
Remove-MgEntitlementManagementResourceRole	Delete navigation property roles for identityGovernance
Remove-MgEntitlementManagementResourceRoleResource	Delete navigation property resource for identityGovernance
Remove-MgEntitlementManagementResourceRoleResourceScope	Delete navigation property scopes for identityGovernance
Remove-MgEntitlementManagementResourceRoleResourceScopeResource	Delete navigation property resource for identityGovernance
Remove-MgEntitlementManagementResourceRoleScope	Delete navigation property resourceRoleScopes for identityGovernance
Remove-MgEntitlementManagementResourceRoleScopeResource	Delete navigation property resource for identityGovernance
Remove-MgEntitlementManagementResourceRoleScopeResourceRole	Delete navigation property roles for identityGovernance
Remove-MgEntitlementManagementResourceRoleScopeResourceRoleResource	Delete navigation property resource for identityGovernance
Remove-MgEntitlementManagementResourceRoleScopeResourceRoleResourceScope	Delete navigation property scopes for identityGovernance
Remove-MgEntitlementManagementResourceRoleScopeResourceScope	Delete navigation property scopes for identityGovernance
Remove-MgEntitlementManagementResourceRoleScopeRole	Delete navigation property role for identityGovernance
Remove-MgEntitlementManagementResourceRoleScopeRoleResource	Delete navigation property resource for identityGovernance
Remove-MgEntitlementManagementResourceRoleScopeRoleResourceRole	Delete navigation property roles for identityGovernance
Remove-MgEntitlementManagementResourceRoleScopeRoleResourceScope	Delete navigation property scopes for identityGovernance
Remove-MgEntitlementManagementResourceRoleScopeRoleResourceScopeResource	Delete navigation property resource for identityGovernance
Remove-MgEntitlementManagementResourceRoleScopeRoleResourceScopeResourceRole	Delete navigation property roles for identityGovernance
Remove-MgEntitlementManagementResourceScope	Delete navigation property scopes for identityGovernance
Remove-MgEntitlementManagementResourceScopeResource	Delete navigation property resource for identityGovernance
Remove-MgEntitlementManagementResourceScopeResourceRole	Delete navigation property roles for identityGovernance
Remove-MgEntitlementManagementResourceScopeResourceRoleResource	Delete navigation property resource for identityGovernance
Remove-MgIdentityGovernanceAccessReviewDefinition	Deletes an accessReviewScheduleDefinition object.

Note

To view the beta release of this cmdlet, view [Remove-MgBetaIdentityGovernanceAccessReviewDefinition](#)

Cmdlet	Description
Remove-MgIdentityGovernanceAccessReviewDefinitionInstance	Delete navigation property instances for identityGovernance Note To view the beta release of this cmdlet, view Remove-MgBetaIdentityGovernanceAccessReviewDefinitionInstance
Remove-MgIdentityGovernanceAccessReviewDefinitionInstanceContactedReviewer	Delete navigation property contactedReviewers for identityGovernance Note To view the beta release of this cmdlet, view Remove-MgBetaIdentityGovernanceAccessReviewDefinitionInstanceContactedReviewer
Remove-MgIdentityGovernanceAccessReviewDefinitionInstanceDecision	Delete navigation property decisions for identityGovernance Note To view the beta release of this cmdlet, view Remove-MgBetaIdentityGovernanceAccessReviewDefinitionInstanceDecision
Remove-MgIdentityGovernanceAccessReviewDefinitionInstanceDecisionInsight	Delete navigation property insights for identityGovernance Note To view the beta release of this cmdlet, view Remove-MgBetaIdentityGovernanceAccessReviewDefinitionInstanceDecisionInsight
Remove-MgIdentityGovernanceAccessReviewDefinitionInstanceStage	Delete navigation property stages for identityGovernance Note To view the beta release of this cmdlet, view Remove-MgBetaIdentityGovernanceAccessReviewDefinitionInstanceStage
Remove-MgIdentityGovernanceAccessReviewDefinitionInstanceStageDecision	Delete navigation property decisions for identityGovernance Note To view the beta release of this cmdlet, view Remove-MgBetaIdentityGovernanceAccessReviewDefinitionInstanceStageDecision
Remove-MgIdentityGovernanceAccessReviewDefinitionInstanceStageDecisionInsight	Delete navigation property insights for identityGovernance

Cmdlet	Description
	Note To view the beta release of this cmdlet, view Remove-MgBetaIdentityGovernanceAccessReviewDefinitionInstanceStageDecisionInsight
Remove-MgIdentityGovernanceAccessReviewHistoryDefinition	Delete navigation property historyDefinitions for identityGovernance Note To view the beta release of this cmdlet, view Remove-MgBetaIdentityGovernanceAccessReviewHistoryDefinition
Remove-MgIdentityGovernanceAccessReviewHistoryDefinitionInstance	Delete navigation property instances for identityGovernance Note To view the beta release of this cmdlet, view Remove-MgBetaIdentityGovernanceAccessReviewHistoryDefinitionInstance
Remove-MgIdentityGovernanceAppConsentRequest	Delete navigation property appConsentRequests for identityGovernance Note To view the beta release of this cmdlet, view Remove-MgBetaIdentityGovernanceAppConsentRequest
Remove-MgIdentityGovernanceAppConsentRequestUserConsentRequest	Delete navigation property userConsentRequests for identityGovernance Note To view the beta release of this cmdlet, view Remove-MgBetaIdentityGovernanceAppConsentRequestUserConsentRequest
Remove-MgIdentityGovernanceAppConsentRequestUserConsentRequestApproval	Delete navigation property approval for identityGovernance Note To view the beta release of this cmdlet, view Remove-MgBetaIdentityGovernanceAppConsentRequestUserConsentRequestApproval
Remove-MgIdentityGovernanceAppConsentRequestUserConsentRequestApprovalStage	Delete navigation property stages for identityGovernance

Cmdlet	Description
Remove-MgIdentityGovernanceLifecycleWorkflow	Delete a workflow object and its associated tasks, taskProcessingResults and versions. You can restore a deleted workflow and its associated objects within 30 days of deletion. Note To view the beta release of this cmdlet, view Remove-MgBetaIdentityGovernanceLifecycleWorkflow
Remove-MgIdentityGovernanceLifecycleWorkflowCustomTaskExtension	Delete a customTaskExtension object. A custom task extension can only be deleted if it is not referenced in any task objects in a lifecycle workflow. Note To view the beta release of this cmdlet, view Remove-MgBetaIdentityGovernanceLifecycleWorkflowCustomTaskExtension
Remove-MgIdentityGovernanceLifecycleWorkflowDeletedItem	Delete navigation property deletedItems for identityGovernance Note To view the beta release of this cmdlet, view Remove-MgBetaIdentityGovernanceLifecycleWorkflowDeletedItem
Remove-MgIdentityGovernanceLifecycleWorkflowDeletedItemWorkflow	Delete a workflow object. Note To view the beta release of this cmdlet, view Remove-MgBetaIdentityGovernanceLifecycleWorkflowDeletedItemWorkflow
Remove-MgIdentityGovernanceLifecycleWorkflowDeletedItemWorkflowTask	Delete navigation property tasks for identityGovernance Note To view the beta release of this cmdlet, view Remove-MgBetaIdentityGovernanceLifecycleWorkflowDeletedItemWorkflowTask
Remove-MgIdentityGovernanceLifecycleWorkflowInsight	Delete navigation property insights for identityGovernance Note To view the beta release of this cmdlet, view Remove-MgBetaIdentityGovernanceLifecycleWorkflowInsight

Cmdlet	Description
Remove-MgIdentityGovernanceLifecycleWorkflowTask	Delete navigation property tasks for identityGovernance Note To view the beta release of this cmdlet, view Remove-MgBetaIdentityGovernanceLifecycleWorkflowTask
Remove-MgIdentityGovernanceLifecycleWorkflowVersionTask	Delete navigation property tasks for identityGovernance Note To view the beta release of this cmdlet, view Remove-MgBetaIdentityGovernanceLifecycleWorkflowVersionTask
Remove-MgIdentityGovernancePrivilegedAccess	Delete navigation property privilegedAccess for identityGovernance Note To view the beta release of this cmdlet, view Remove-MgBetaIdentityGovernancePrivilegedAccess
Remove-MgIdentityGovernancePrivilegedAccessGroup	Delete navigation property group for identityGovernance Note To view the beta release of this cmdlet, view Remove-MgBetaIdentityGovernancePrivilegedAccessGroup
Remove-MgIdentityGovernancePrivilegedAccessGroupAssignmentApproval	Delete navigation property assignmentApprovals for identityGovernance Note To view the beta release of this cmdlet, view Remove-MgBetaIdentityGovernancePrivilegedAccessGroupAssignmentApproval
Remove-MgIdentityGovernancePrivilegedAccessGroupAssignmentApprovalStage	Delete navigation property stages for identityGovernance
Remove-MgIdentityGovernancePrivilegedAccessGroupAssignmentSchedule	Delete navigation property assignmentSchedules for identityGovernance Note To view the beta release of this cmdlet, view Remove-

Cmdlet	Description
	MgBetaIdentityGovernancePrivilegedAccessGroupAssignmentSchedule
Remove-MgIdentityGovernancePrivilegedAccessGroupAssignmentScheduleInstance	Delete navigation property assignmentScheduleInstances for identityGovernance Note To view the beta release of this cmdlet, view Remove-MgBetaIdentityGovernancePrivilegedAccessGroupAssignmentScheduleInstance
Remove-MgIdentityGovernancePrivilegedAccessGroupAssignmentScheduleRequest	Delete navigation property assignmentScheduleRequests for identityGovernance Note To view the beta release of this cmdlet, view Remove-MgBetaIdentityGovernancePrivilegedAccessGroupAssignmentScheduleRequest
Remove-MgIdentityGovernancePrivilegedAccessGroupEligibilitySchedule	Delete navigation property eligibilitySchedules for identityGovernance Note To view the beta release of this cmdlet, view Remove-MgBetaIdentityGovernancePrivilegedAccessGroupEligibilitySchedule
Remove-MgIdentityGovernancePrivilegedAccessGroupEligibilityScheduleInstance	Delete navigation property eligibilityScheduleInstances for identityGovernance Note To view the beta release of this cmdlet, view Remove-MgBetaIdentityGovernancePrivilegedAccessGroupEligibilityScheduleInstance
Remove-MgIdentityGovernancePrivilegedAccessGroupEligibilityScheduleRequest	Delete navigation property eligibilityScheduleRequests for identityGovernance Note To view the beta release of this cmdlet, view Remove-MgBetaIdentityGovernancePrivilegedAccessGroupEligibilityScheduleRequest
Remove-MgIdentityGovernanceTermsOfUseAgreement	Delete an agreement object. Note To view the beta release of this cmdlet, view Remove-MgBetaIdentityGovernanceTermsOfUseAgreement

Cmdlet	Description
Remove-MgIdentityGovernanceTermsOfUseAgreementAcceptance	Delete navigation property agreementAcceptances for identityGovernance Note To view the beta release of this cmdlet, view Remove-MgBetaIdentityGovernanceTermsOfUseAgreementAcceptance
Remove-MgIdentityGovernanceTermsOfUseAgreementFile	Delete navigation property file for identityGovernance Note To view the beta release of this cmdlet, view Remove-MgBetaIdentityGovernanceTermsOfUseAgreementFile
Remove-MgIdentityGovernanceTermsOfUseAgreementFileLocalization	Delete navigation property localizations for identityGovernance Note To view the beta release of this cmdlet, view Remove-MgBetaIdentityGovernanceTermsOfUseAgreementFileLocalization
Remove-MgIdentityGovernanceTermsOfUseAgreementFileLocalizationVersion	Delete navigation property versions for identityGovernance Note To view the beta release of this cmdlet, view Remove-MgBetaIdentityGovernanceTermsOfUseAgreementFileLocalizationVersion
Remove-MgIdentityGovernanceTermsOfUseAgreementFileVersion	Delete navigation property versions for identityGovernance Note To view the beta release of this cmdlet, view Remove-MgBetaIdentityGovernanceTermsOfUseAgreementFileVersion
Remove-MgRoleManagementDirectory	Delete navigation property directory for roleManagement Note To view the beta release of this cmdlet, view Remove-MgBetaRoleManagementDirectory
Remove-MgRoleManagementDirectoryResourceNamespace	Delete navigation property resourceNamespaces for roleManagement

Cmdlet	Description
	Note To view the beta release of this cmdlet, view Remove-MgBetaRoleManagementDirectoryResourceNamespace
Remove-MgRoleManagementDirectoryResourceNamespaceResourceAction	Delete navigation property resourceActions for roleManagement Note To view the beta release of this cmdlet, view Remove-MgBetaRoleManagementDirectoryResourceNamespaceResourceAction
Remove-MgRoleManagementDirectoryRoleAssignment	Delete a unifiedRoleAssignment object. Note To view the beta release of this cmdlet, view Remove-MgBetaRoleManagementDirectoryRoleAssignment
Remove-MgRoleManagementDirectoryRoleAssignmentAppScope	Delete navigation property appScope for roleManagement Note To view the beta release of this cmdlet, view Remove-MgBetaRoleManagementDirectoryRoleAssignmentAppScope
Remove-MgRoleManagementDirectoryRoleAssignmentSchedule	Delete navigation property roleAssignmentSchedules for roleManagement Note To view the beta release of this cmdlet, view Remove-MgBetaRoleManagementDirectoryRoleAssignmentSchedule
Remove-MgRoleManagementDirectoryRoleAssignmentScheduleInstance	Delete navigation property roleAssignmentScheduleInstances for roleManagement Note To view the beta release of this cmdlet, view Remove-MgBetaRoleManagementDirectoryRoleAssignmentScheduleInstance
Remove-MgRoleManagementDirectoryRoleAssignmentScheduleRequest	Delete navigation property roleAssignmentScheduleRequests for roleManagement

Cmdlet	Description
	Note To view the beta release of this cmdlet, view Remove-MgBetaRoleManagementDirectoryRoleAssignmentScheduleRequest
Remove-MgRoleManagementDirectoryRoleDefinition	Delete a unifiedRoleDefinition object. You can't delete built-in roles. This feature requires a Microsoft Entra ID P1 or P2 license. Note To view the beta release of this cmdlet, view Remove-MgBetaRoleManagementDirectoryRoleDefinition
Remove-MgRoleManagementDirectoryRoleDefinitionInheritPermissionFrom	Delete navigation property inheritsPermissionsFrom for roleManagement Note To view the beta release of this cmdlet, view Remove-MgBetaRoleManagementDirectoryRoleDefinitionInheritPermissionFrom
Remove-MgRoleManagementDirectoryRoleEligibilitySchedule	Delete navigation property roleEligibilitySchedules for roleManagement Note To view the beta release of this cmdlet, view Remove-MgBetaRoleManagementDirectoryRoleEligibilitySchedule
Remove-MgRoleManagementDirectoryRoleEligibilityScheduleInstance	Delete navigation property roleEligibilityScheduleInstances for roleManagement Note To view the beta release of this cmdlet, view Remove-MgBetaRoleManagementDirectoryRoleEligibilityScheduleInstance
Remove-MgRoleManagementDirectoryRoleEligibilityScheduleRequest	Delete navigation property roleEligibilityScheduleRequests for roleManagement Note To view the beta release of this cmdlet, view Remove-MgBetaRoleManagementDirectoryRoleEligibilityScheduleRequest
Remove-MgRoleManagementEntitlementManagement	Delete navigation property entitlementManagement for roleManagement

Cmdlet	Description
	Note To view the beta release of this cmdlet, view Remove-MgBetaRoleManagementEntitlementManagement
Remove-MgRoleManagementEntitlementManagementResourceNamespace	Delete navigation property resourceNamespaces for roleManagement Note To view the beta release of this cmdlet, view Remove-MgBetaRoleManagementEntitlementManagementResourceNamespace
Remove-MgRoleManagementEntitlementManagementResourceNamespaceResourceAction	Delete navigation property resourceActions for roleManagement Note To view the beta release of this cmdlet, view Remove-MgBetaRoleManagementEntitlementManagementResourceNamespaceResourceAction
Remove-MgRoleManagementEntitlementManagementRoleAssignment	Delete navigation property roleAssignments for roleManagement Note To view the beta release of this cmdlet, view Remove-MgBetaRoleManagementEntitlementManagementRoleAssignment
Remove-MgRoleManagementEntitlementManagementRoleAssignmentAppScope	Delete navigation property appScope for roleManagement Note To view the beta release of this cmdlet, view Remove-MgBetaRoleManagementEntitlementManagementRoleAssignmentAppScope
Remove-MgRoleManagementEntitlementManagementRoleAssignmentSchedule	Delete navigation property roleAssignmentSchedules for roleManagement Note To view the beta release of this cmdlet, view Remove-MgBetaRoleManagementEntitlementManagementRoleAssignmentSchedule
Remove-MgRoleManagementEntitlementManagementRoleAssignmentScheduleInstance	Delete navigation property roleAssignmentScheduleInstances for roleManagement

Cmdlet	Description
	 Note To view the beta release of this cmdlet, view Remove-MgBetaRoleManagementEntitlementManagementRoleAssignmentScheduleInstance
Remove-MgRoleManagementEntitlementManagementRoleAssignmentScheduleRequest	Delete navigation property roleAssignmentScheduleRequests for roleManagement  Note To view the beta release of this cmdlet, view Remove-MgBetaRoleManagementEntitlementManagementRoleAssignmentScheduleRequest
Remove-MgRoleManagementEntitlementManagementRoleDefinition	Delete navigation property roleDefinitions for roleManagement  Note To view the beta release of this cmdlet, view Remove-MgBetaRoleManagementEntitlementManagementRoleDefinition
Remove-MgRoleManagementEntitlementManagementRoleDefinitionInheritPermissionFrom	Delete navigation property inheritsPermissionsFrom for roleManagement  Note To view the beta release of this cmdlet, view Remove-MgBetaRoleManagementEntitlementManagementRoleDefinitionInheritPermissionFrom
Remove-MgRoleManagementEntitlementManagementRoleEligibilitySchedule	Delete navigation property roleEligibilitySchedules for roleManagement  Note To view the beta release of this cmdlet, view Remove-MgBetaRoleManagementEntitlementManagementRoleEligibilitySchedule
Remove-MgRoleManagementEntitlementManagementRoleEligibilityScheduleInstance	Delete navigation property roleEligibilityScheduleInstances for roleManagement  Note To view the beta release of this cmdlet, view Remove-MgBetaRoleManagementEntitlementManagementRoleEligibilityScheduleInstance

Cmdlet	Description
Remove-MgRoleManagementEntitlementManagementRoleEligibilityScheduleRequest	Delete navigation property roleEligibilityScheduleRequests for roleManagement Note To view the beta release of this cmdlet, view Remove-MgBetaRoleManagementEntitlementManagementRoleEligibilityScheduleRequest
Reset-MgIdentityGovernanceAccessReviewDefinitionInstanceDecision	Resets all accessReviewInstanceDecisionItem objects on an accessReviewInstance to notReviewed. Note To view the beta release of this cmdlet, view Reset-MgBetaIdentityGovernanceAccessReviewDefinitionInstanceDecision
Restore-MgIdentityGovernanceLifecycleWorkflow	Restore a workflow that has been deleted. You can only restore a workflow that was deleted within the last 30 days before Microsoft Entra ID automatically permanently deletes it. Note To view the beta release of this cmdlet, view Restore-MgBetaIdentityGovernanceLifecycleWorkflow
Restore-MgIdentityGovernanceLifecycleWorkflowDeletedItemWorkflow	Restore a workflow that has been deleted. You can only restore a workflow that was deleted within the last 30 days before Microsoft Entra ID automatically permanently deletes it. Note To view the beta release of this cmdlet, view Restore-MgBetaIdentityGovernanceLifecycleWorkflowDeletedItemWorkflow
Resume-MgEntitlementManagementAssignmentRequest	Resume a user's access package request after waiting for a callback from a custom extension. In Microsoft Entra entitlement management, when an access package policy has been enabled to call out a custom extension and the request processing is waiting for the callback from the customer, the customer can initiate a resume action. It's performed on an accessPackageAssignmentRequest object whose requestStatus is in a WaitingForCallback state. Note To view the beta release of this cmdlet, view Resume-MgBetaEntitlementManagementAssignmentRequest

Cmdlet	Description
Resume-MgIdentityGovernanceLifecycleWorkflowRunTaskProcessingResult	Resume a task processing result that's inProgress. In the default case an Azure Logic Apps system-assigned managed identity calls this API. For more information, see: Lifecycle Workflows extensibility approach. Note To view the beta release of this cmdlet, view Resume-MgBetaIdentityGovernanceLifecycleWorkflowRunTaskProcessingResult
Resume-MgIdentityGovernanceLifecycleWorkflowTaskProcessingResult	Resume a task processing result that's inProgress. In the default case an Azure Logic Apps system-assigned managed identity calls this API. For more information, see: Lifecycle Workflows extensibility approach. Note To view the beta release of this cmdlet, view Resume-MgBetaIdentityGovernanceLifecycleWorkflowTaskProcessingResult
Resume-MgIdentityGovernanceLifecycleWorkflowTaskReportTaskProcessingResult	Resume a task processing result that's inProgress. In the default case an Azure Logic Apps system-assigned managed identity calls this API. For more information, see: Lifecycle Workflows extensibility approach. Note To view the beta release of this cmdlet, view Resume-MgBetaIdentityGovernanceLifecycleWorkflowTaskReportTaskProcessingResult
Resume-MgIdentityGovernanceLifecycleWorkflowTemplateTaskProcessingResult	Resume a task processing result that's inProgress. In the default case an Azure Logic Apps system-assigned managed identity calls this API. For more information, see: Lifecycle Workflows extensibility approach. Note To view the beta release of this cmdlet, view Resume-MgBetaIdentityGovernanceLifecycleWorkflowTemplateTaskProcessingResult
Resume-MgIdentityGovernanceLifecycleWorkflowVersionTaskProcessingResult	Resume a task processing result that's inProgress. In the default case an Azure Logic Apps system-assigned managed identity calls this API. For more information, see: Lifecycle Workflows extensibility approach. Note To view the beta release of this cmdlet, view Resume-

Cmdlet	Description
	MgBetaIdentityGovernanceLifecycleWorkflowVersionTaskProcessingResult
Send-MgIdentityGovernanceAccessReviewDefinitionInstanceReminder	Send a reminder to the reviewers of an active accessReviewInstance. Note To view the beta release of this cmdlet, view Send-MgBetaIdentityGovernanceAccessReviewDefinitionInstanceReminder
Set-MgEntitlementManagementAssignmentPolicy	Update an existing accessPackageAssignmentPolicy object to change one or more of its properties, such as the display name or description.
Set-MgIdentityGovernanceAccessReviewDefinition	Update an existing accessReviewScheduleDefinition object to change one or more of its properties. Note To view the beta release of this cmdlet, view Set-MgBetaIdentityGovernanceAccessReviewDefinition
Stop-MgEntitlementManagementAssignmentRequest	In Microsoft Entra Entitlement Management, cancel accessPackageAssignmentRequest objects that are in a cancellable state: accepted, pendingApproval, pendingNotBefore, pendingApprovalEscalated. Note To view the beta release of this cmdlet, view Stop-MgBetaEntitlementManagementAssignmentRequest
Stop-MgIdentityGovernanceAccessReviewDefinition	Invoke action stop Note To view the beta release of this cmdlet, view Stop-MgBetaIdentityGovernanceAccessReviewDefinition
Stop-MgIdentityGovernanceAccessReviewDefinitionInstance	Stop a currently active accessReviewInstance. After the access review instance stops, the instance status is marked as Completed, the reviewers can no longer give input, and the access review decisions are applied. Stopping an instance will not stop future instances. To prevent a recurring access review from starting future instances, update the schedule definition to change its scheduled end date. Note To view the beta release of this cmdlet, view Stop-MgBetaIdentityGovernanceAccessReviewDefinitionInstance

Cmdlet	Description
Stop-MgIdentityGovernanceAccessReviewDefinitionInstanceStage	Stop an access review stage that is inProgress. After the access review stage stops, the stage status will be Completed and the reviewers can no longer give input. If there are subsequent stages that depend on the completed stage, the next stage will be created. The accessReviewInstanceDecisionItem objects will always reflect the last decisions recorded across all stages at that given time, regardless of the status of the stages. Note To view the beta release of this cmdlet, view Stop-MgBetaIdentityGovernanceAccessReviewDefinitionInstanceStage
Stop-MgIdentityGovernancePrivilegedAccessGroupAssignmentScheduleRequest	Cancel an access assignment request to a group whose membership and ownership are governed by PIM. Note To view the beta release of this cmdlet, view Stop-MgBetaIdentityGovernancePrivilegedAccessGroupAssignmentScheduleRequest
Stop-MgIdentityGovernancePrivilegedAccessGroupEligibilityScheduleRequest	Cancel an eligibility assignment request to a group whose membership and ownership are governed by PIM. Note To view the beta release of this cmdlet, view Stop-MgBetaIdentityGovernancePrivilegedAccessGroupEligibilityScheduleRequest
Stop-MgRoleManagementDirectoryRoleAssignmentScheduleRequest	Immediately cancel a unifiedRoleAssignmentScheduleRequest object that is in a Granted status, and have the system automatically delete the canceled request after 30 days. After calling this action, the status of the canceled unifiedRoleAssignmentScheduleRequest changes to Canceled. Note To view the beta release of this cmdlet, view Stop-MgBetaRoleManagementDirectoryRoleAssignmentScheduleRequest
Stop-MgRoleManagementDirectoryRoleEligibilityScheduleRequest	Immediately cancel a unifiedRoleEligibilityScheduleRequest object whose status is Granted and have the system automatically delete the cancelled request after 30 days. After calling this action, the status of the cancelled unifiedRoleEligibilityScheduleRequest changes to Revoked. Note

Cmdlet	Description
	To view the beta release of this cmdlet, view Stop-MgBetaRoleManagementDirectoryRoleEligibilityScheduleRequest
Stop-MgRoleManagementEntitlementManagementRoleAssignmentScheduleRequest	Immediately cancel a unifiedRoleAssignmentScheduleRequest object that is in a Granted status, and have the system automatically delete the canceled request after 30 days. After calling this action, the status of the canceled unifiedRoleAssignmentScheduleRequest changes to Canceled. Note To view the beta release of this cmdlet, view Stop-MgBetaRoleManagementEntitlementManagementRoleAssignmentScheduleRequest
Stop-MgRoleManagementEntitlementManagementRoleEligibilityScheduleRequest	Immediately cancel a unifiedRoleEligibilityScheduleRequest object whose status is Granted and have the system automatically delete the cancelled request after 30 days. After calling this action, the status of the cancelled unifiedRoleEligibilityScheduleRequest changes to Revoked. Note To view the beta release of this cmdlet, view Stop-MgBetaRoleManagementEntitlementManagementRoleEligibilityScheduleRequest
Update-MgAgreement	Update entity in agreements Note To view the beta release of this cmdlet, view Update-MgBetaAgreement
Update-MgAgreementAcceptance	Update the navigation property acceptances in agreements Note To view the beta release of this cmdlet, view Update-MgBetaAgreementAcceptance
Update-MgAgreementFile	Update the navigation property file in agreements Note To view the beta release of this cmdlet, view Update-MgBetaAgreementFile
Update-MgAgreementFileLocalization	Update the navigation property localizations in agreements

Cmdlet	Description
	 Note To view the beta release of this cmdlet, view Update-MgBetaAgreementFileLocalization
Update-MgAgreementFileLocalizationVersion	Update the navigation property versions in agreements  Note To view the beta release of this cmdlet, view Update-MgBetaAgreementFileLocalizationVersion
Update-MgAgreementFileVersion	Update the navigation property versions in agreements  Note To view the beta release of this cmdlet, view Update-MgBetaAgreementFileVersion
Update-MgEntitlementManagementAccessPackage	Update an existing accessPackage object to change one or more of its properties, such as the display name or description.  Note To view the beta release of this cmdlet, view Update-MgBetaEntitlementManagementAccessPackage
Update-MgEntitlementManagementAccessPackageAssignmentApproval	Update the navigation property accessPackageAssignmentApprovals in identityGovernance  Note To view the beta release of this cmdlet, view Update-MgBetaEntitlementManagementAccessPackageAssignmentApproval
Update-MgEntitlementManagementAccessPackageAssignmentApprovalStage	Approve or deny an approvalStage object in an approval.
Update-MgEntitlementManagementAccessPackageAssignmentPolicy	Update the navigation property assignmentPolicies in identityGovernance  Note To view the beta release of this cmdlet, view Update-MgBetaEntitlementManagementAccessPackageAssignmentPolicy
Update-MgEntitlementManagementAccessPackageResourceRoleScope	Update the navigation property resourceRoleScopes in identityGovernance

Cmdlet	Description
	Note To view the beta release of this cmdlet, view Update-MgBetaEntitlementManagementAccessPackageResourceRoleScope
Update-MgEntitlementManagementAssignment	In Microsoft Entra entitlement management, callers can automatically reevaluate and enforce an accessPackageAssignment object of a user's assignments for a specific access package. The state of the access package assignment must be Delivered for the administrator to reprocess the user's assignment. Only admins with the Access Package Assignment Manager role, or higher, in Microsoft Entra entitlement management can perform this action.
Update-MgEntitlementManagementAssignmentPolicyCustomExtensionStageSetting	Update the navigation property customExtensionStageSettings in identityGovernance
Update-MgEntitlementManagementAssignmentPolicyQuestion	Update the navigation property questions in identityGovernance
Update-MgEntitlementManagementAssignmentRequest	In Microsoft Entra entitlement management, callers can automatically retry a user's request for access to an access package. It's performed on an accessPackageAssignmentRequest object whose requestState is in a DeliveryFailed or PartiallyDelivered state. You can only reprocess a request within 14 days from the time the original request was completed. For requests completed more than 14 days, you will need to ask the users to cancel the request(s) and make a new request in the MyAccess portal. Note To view the beta release of this cmdlet, view Update-MgBetaEntitlementManagementAssignmentRequest
Update-MgEntitlementManagementCatalog	Update an existing accessPackageCatalog object to change one or more of its properties, such as the display name or description.
Update-MgEntitlementManagementCatalogCustomWorkflowExtension	Update the properties of an accessPackageAssignmentWorkflowExtension object.
Update-MgEntitlementManagementCatalogResource	Invoke action refresh
Update-MgEntitlementManagementCatalogResourceRole	Update the navigation property resourceRoles in identityGovernance
Update-MgEntitlementManagementCatalogResourceRoleResource	Invoke action refresh
Update-MgEntitlementManagementCatalogResourceRoleResourceScope	Update the navigation property scopes in identityGovernance
Update-MgEntitlementManagementCatalogResourceRoleResourceScopeResource	Invoke action refresh
Update-MgEntitlementManagementCatalogResourceRoleResourceScopeResourceRole	Update the navigation property roles in identityGovernance
Update-MgEntitlementManagementCatalogResourceScope	Update the navigation property resourceScopes in identityGovernance
Update-MgEntitlementManagementCatalogResourceScopeResource	Invoke action refresh

Cmdlet	Description
Update-MgEntitlementManagementCatalogResourceScopeResourceRole	Update the navigation property roles in identityGovernance
Update-MgEntitlementManagementCatalogResourceScopeResourceRoleResource	Invoke action refresh
Update-MgEntitlementManagementCatalogResourceScopeResourceRoleResourceScope	Update the navigation property scopes in identityGovernance
Update-MgEntitlementManagementConnectedOrganization	Update a connectedOrganization object to change one or more of its properties.  Note To view the beta release of this cmdlet, view Update-MgBetaEntitlementManagementConnectedOrganization
Update-MgEntitlementManagementResource	Invoke action refresh
Update-MgEntitlementManagementResourceEnvironment	Update the navigation property resourceEnvironments in identityGovernance
Update-MgEntitlementManagementResourceEnvironmentResource	Invoke action refresh
Update-MgEntitlementManagementResourceEnvironmentResourceRole	Update the navigation property roles in identityGovernance
Update-MgEntitlementManagementResourceEnvironmentResourceRoleResource	Invoke action refresh
Update-MgEntitlementManagementResourceEnvironmentResourceRoleResourceScope	Update the navigation property scopes in identityGovernance
Update-MgEntitlementManagementResourceEnvironmentResourceRoleResourceScopeResource	Invoke action refresh
Update-MgEntitlementManagementResourceEnvironmentResourceScope	Update the navigation property scopes in identityGovernance
Update-MgEntitlementManagementResourceEnvironmentResourceScopeResource	Invoke action refresh
Update-MgEntitlementManagementResourceEnvironmentResourceScopeResourceRole	Update the navigation property roles in identityGovernance
Update-MgEntitlementManagementResourceEnvironmentResourceScopeResourceRoleResource	Invoke action refresh
Update-MgEntitlementManagementResourceRequest	Update the navigation property resourceRequests in identityGovernance
Update-MgEntitlementManagementResourceRequestCatalog	Update the navigation property catalog in identityGovernance
Update-MgEntitlementManagementResourceRequestCatalogCustomWorkflowExtension	Update the navigation property customWorkflowExtensions in identityGovernance
Update-MgEntitlementManagementResourceRequestCatalogResource	Invoke action refresh
Update-MgEntitlementManagementResourceRequestCatalogResourceRole	Update the navigation property resourceRoles in identityGovernance
Update-MgEntitlementManagementResourceRequestCatalogResourceRoleResource	Invoke action refresh
Update-MgEntitlementManagementResourceRequestCatalogResourceRoleResourceScope	Update the navigation property scopes in identityGovernance
Update-MgEntitlementManagementResourceRequestCatalogResourceRoleResourceScopeResource	Invoke action refresh
Update-MgEntitlementManagementResourceRequestCatalogResourceRoleResourceScopeResourceRole	Update the navigation property roles in identityGovernance
Update-MgEntitlementManagementResourceRequestCatalogResourceScope	Update the navigation property resourceScopes in identityGovernance
Update-MgEntitlementManagementResourceRequestCatalogResourceScopeResource	Invoke action refresh

[illegible]

Cmdlet	Description
Update-MgEntitlementManagementResourceScopeResourceRole	Update the navigation property roles in identityGovernance
Update-MgEntitlementManagementResourceScopeResourceRoleResource	Invoke action refresh
Update-MgEntitlementManagementSetting	Update an existing entitlementManagementSettings object to change one or more of its properties. Note To view the beta release of this cmdlet, view Update-MgBetaEntitlementManagementSetting
Update-MgIdentityGovernanceAccessReviewDefinitionInstance	Update the properties of an accessReviewInstance object. Only the reviewers and fallbackReviewers properties can be updated but the scope property is also required in the request body. You can only add reviewers to the fallbackReviewers property but can't remove existing fallbackReviewers. To update an accessReviewInstance, it's status must be InProgress. Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernanceAccessReviewDefinitionInstance
Update-MgIdentityGovernanceAccessReviewDefinitionInstanceContactedReviewer	Update the navigation property contactedReviewers in identityGovernance Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernanceAccessReviewDefinitionInstanceContactedReviewer
Update-MgIdentityGovernanceAccessReviewDefinitionInstanceDecision	Update the navigation property decisions in identityGovernance Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernanceAccessReviewDefinitionInstanceDecision
Update-MgIdentityGovernanceAccessReviewDefinitionInstanceDecisionInsight	Update the navigation property insights in identityGovernance Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernanceAccessReviewDefinitionInstanceDecisionInsight
Update-MgIdentityGovernanceAccessReviewDefinitionInstanceStage	Update the properties of an accessReviewStage object. Only the reviewers and fallbackReviewers properties can be updated. You can only add reviewers to the fallbackReviewers property but can't remove existing fallbackReviewers. To update an

Cmdlet	Description
	accessReviewStage, its status must be NotStarted, Initializing, or InProgress. Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernanceAccessReviewDefinitionInstanceStage
Update-MgIdentityGovernanceAccessReviewDefinitionInstanceStageDecision	Update access decisions, known as accessReviewInstanceDecisionItems, for which the user is the reviewer. Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernanceAccessReviewDefinitionInstanceStageDecision
Update-MgIdentityGovernanceAccessReviewDefinitionInstanceStageDecisionInsight	Update the navigation property insights in identityGovernance Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernanceAccessReviewDefinitionInstanceStageDecisionInsight
Update-MgIdentityGovernanceAccessReviewHistoryDefinition	Update the navigation property historyDefinitions in identityGovernance Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernanceAccessReviewHistoryDefinition
Update-MgIdentityGovernanceAccessReviewHistoryDefinitionInstance	Update the navigation property instances in identityGovernance Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernanceAccessReviewHistoryDefinitionInstance
Update-MgIdentityGovernanceAppConsentRequest	Update the navigation property appConsentRequests in identityGovernance Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernanceAppConsentRequest

Cmdlet	Description
Update-MgIdentityGovernanceAppConsentRequestUserConsentRequest	Update the navigation property userConsentRequests in identityGovernance Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernanceAppConsentRequestUserConsentRequest
Update-MgIdentityGovernanceAppConsentRequestUserConsentRequestApproval	Update the navigation property approval in identityGovernance Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernanceAppConsentRequestUserConsentRequestApproval
Update-MgIdentityGovernanceAppConsentRequestUserConsentRequestApprovalStage	Update the navigation property stages in identityGovernance
Update-MgIdentityGovernanceLifecycleWorkflow	Update the properties of a workflow object. Only the properties listed in the request body table can be updated. To update any other workflow properties, see workflow: createNewVersion. Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernanceLifecycleWorkflow
Update-MgIdentityGovernanceLifecycleWorkflowCreatedByMailboxSetting	Update property mailboxSettings value. Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernanceLifecycleWorkflowCreatedByMailboxSetting
Update-MgIdentityGovernanceLifecycleWorkflowCustomTaskExtension	Update the properties of a customTaskExtension object. Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernanceLifecycleWorkflowCustomTaskExtension
Update-MgIdentityGovernanceLifecycleWorkflowCustomTaskExtensionCreatedByMailboxSetting	Update property mailboxSettings value. Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernanceLifecycleWorkflowCustomTaskExtensionCreatedByMailboxSetting

Cmdlet	Description
	kflowCustomTaskExtensionCreatedByMailboxSetting
Update-MgIdentityGovernanceLifecycleWorkflowCustomTaskExtensionLastModifiedByMailboxSetting	Update property mailboxSettings value. Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernanceLifecycleWorkflowCustomTaskExtensionLastModifiedByMailboxSetting
Update-MgIdentityGovernanceLifecycleWorkflowDeletedItemWorkflowTask	Update the navigation property tasks in identityGovernance Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernanceLifecycleWorkflowDeletedItemWorkflowTask
Update-MgIdentityGovernanceLifecycleWorkflowInsight	Update the navigation property insights in identityGovernance Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernanceLifecycleWorkflowInsight
Update-MgIdentityGovernanceLifecycleWorkflowLastModifiedByMailboxSetting	Update property mailboxSettings value. Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernanceLifecycleWorkflowLastModifiedByMailboxSetting
Update-MgIdentityGovernanceLifecycleWorkflowRunTaskProcessingResultSubjectMailboxSetting	Update property mailboxSettings value. Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernanceLifecycleWorkflowRunTaskProcessingResultSubjectMailboxSetting
Update-MgIdentityGovernanceLifecycleWorkflowRunUserProcessingResultSubjectMailboxSetting	Update property mailboxSettings value. Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernanceLifecycleWorkflowRunUserProcessingResultSubjectMailboxSetting

Cmdlet	Description
	kflowRunUserProcessingResultSubjectMailboxSetting
Update-MgIdentityGovernanceLifecycleWorkflowSetting	Update the properties of a lifecycleManagementSettings object. Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernanceLifecycleWorkflowSetting
Update-MgIdentityGovernanceLifecycleWorkflowTask	Update the navigation property tasks in identityGovernance Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernanceLifecycleWorkflowTask
Update-MgIdentityGovernanceLifecycleWorkflowTaskProcessingResultSubjectMailboxSetting	Update property mailboxSettings value. Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernanceLifecycleWorkflowTaskProcessingResultSubjectMailboxSetting
Update-MgIdentityGovernanceLifecycleWorkflowTaskReportTaskProcessingResultSubjectMailboxSetting	Update property mailboxSettings value. Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernanceLifecycleWorkflowTaskReportTaskProcessingResultSubjectMailboxSetting
Update-MgIdentityGovernanceLifecycleWorkflowTemplateTaskProcessingResultSubjectMailboxSetting	Update property mailboxSettings value. Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernanceLifecycleWorkflowTemplateTaskProcessingResultSubjectMailboxSetting
Update-MgIdentityGovernanceLifecycleWorkflowUserProcessingResultSubjectMailboxSetting	Update property mailboxSettings value. Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernanceLifecycleWorkflowUserProcessingResultSubjectMailboxSetting

Cmdlet	Description
	kflowUserProcessingResultSubjectMailboxSetting
Update-MgIdentityGovernanceLifecycleWorkflowVersionCreatedByMailboxSetting	Update property mailboxSettings value. Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernanceLifecycleWorkflowVersionCreatedByMailboxSetting
Update-MgIdentityGovernanceLifecycleWorkflowVersionLastModifiedByMailboxSetting	Update property mailboxSettings value. Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernanceLifecycleWorkflowVersionLastModifiedByMailboxSetting
Update-MgIdentityGovernanceLifecycleWorkflowVersionTask	Update the navigation property tasks in identityGovernance Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernanceLifecycleWorkflowVersionTask
Update-MgIdentityGovernanceLifecycleWorkflowVersionTaskProcessingResultSubjectMailboxSetting	Update property mailboxSettings value. Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernanceLifecycleWorkflowVersionTaskProcessingResultSubjectMailboxSetting
Update-MgIdentityGovernancePrivilegedAccess	Update the navigation property privilegedAccess in identityGovernance Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernancePrivilegedAccess
Update-MgIdentityGovernancePrivilegedAccessGroup	Update the navigation property group in identityGovernance Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernancePrivilegedAccessGroup

Cmdlet	Description
Update-MgIdentityGovernancePrivilegedAccessGroupAssignmentApproval	Update the navigation property assignmentApprovals in identityGovernance Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernancePrivilegedAccessGroupAssignmentApproval
Update-MgIdentityGovernancePrivilegedAccessGroupAssignmentApprovalStage	Update the navigation property stages in identityGovernance
Update-MgIdentityGovernancePrivilegedAccessGroupAssignmentSchedule	Update the navigation property assignmentSchedules in identityGovernance Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernancePrivilegedAccessGroupAssignmentSchedule
Update-MgIdentityGovernancePrivilegedAccessGroupAssignmentScheduleInstance	Update the navigation property assignmentScheduleInstances in identityGovernance Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernancePrivilegedAccessGroupAssignmentScheduleInstance
Update-MgIdentityGovernancePrivilegedAccessGroupAssignmentScheduleRequest	Update the navigation property assignmentScheduleRequests in identityGovernance Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernancePrivilegedAccessGroupAssignmentScheduleRequest
Update-MgIdentityGovernancePrivilegedAccessGroupEligibilitySchedule	Update the navigation property eligibilitySchedules in identityGovernance Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernancePrivilegedAccessGroupEligibilitySchedule
Update-MgIdentityGovernancePrivilegedAccessGroupEligibilityScheduleInstance	Update the navigation property eligibilityScheduleInstances in identityGovernance Note To view the beta release of this cmdlet, view Update-

Cmdlet	Description
	MgBetaIdentityGovernancePrivilegedAccessGroupEligibilityScheduleInstance
Update-MgIdentityGovernancePrivilegedAccessGroupEligibilityScheduleRequest	Update the navigation property eligibilityScheduleRequests in identityGovernance Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernancePrivilegedAccessGroupEligibilityScheduleRequest
Update-MgIdentityGovernanceTermsOfUseAgreement	Update the properties of an agreement object. Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernanceTermsOfUseAgreement
Update-MgIdentityGovernanceTermsOfUseAgreementAcceptance	Update the navigation property agreementAcceptances in identityGovernance Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernanceTermsOfUseAgreementAcceptance
Update-MgIdentityGovernanceTermsOfUseAgreementFile	Update the navigation property file in identityGovernance Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernanceTermsOfUseAgreementFile
Update-MgIdentityGovernanceTermsOfUseAgreementFileLocalization	Update the navigation property localizations in identityGovernance Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernanceTermsOfUseAgreementFileLocalization
Update-MgIdentityGovernanceTermsOfUseAgreementFileLocalizationVersion	Update the navigation property versions in identityGovernance Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernanceTermsOfUseAgreementFileLocalizationVersion

Cmdlet	Description
Update-MgIdentityGovernanceTermsOfUseAgreementFileVersion	Update the navigation property versions in identityGovernance Note To view the beta release of this cmdlet, view Update-MgBetaIdentityGovernanceTermsOfUseAgreementFileVersion
Update-MgRoleManagementDirectory	Update the navigation property directory in roleManagement Note To view the beta release of this cmdlet, view Update-MgBetaRoleManagementDirectory
Update-MgRoleManagementDirectoryResourceNamespace	Update the navigation property resourceNamespaces in roleManagement Note To view the beta release of this cmdlet, view Update-MgBetaRoleManagementDirectoryResourceNamespace
Update-MgRoleManagementDirectoryResourceNamespaceResourceAction	Update the navigation property resourceActions in roleManagement Note To view the beta release of this cmdlet, view Update-MgBetaRoleManagementDirectoryResourceNamespaceResourceAction
Update-MgRoleManagementDirectoryRoleAssignment	Update the navigation property roleAssignments in roleManagement Note To view the beta release of this cmdlet, view Update-MgBetaRoleManagementDirectoryRoleAssignment
Update-MgRoleManagementDirectoryRoleAssignmentAppScope	Update the navigation property appScope in roleManagement Note To view the beta release of this cmdlet, view Update-MgBetaRoleManagementDirectoryRoleAssignmentAppScope
Update-MgRoleManagementDirectoryRoleAssignmentSchedule	Update the navigation property roleAssignmentSchedules in roleManagement

Cmdlet	Description
	Note To view the beta release of this cmdlet, view Update-MgBetaRoleManagementDirectoryRoleAssignmentSchedule
Update-MgRoleManagementDirectoryRoleAssignmentScheduleInstance	Update the navigation property roleAssignmentScheduleInstances in roleManagement Note To view the beta release of this cmdlet, view Update-MgBetaRoleManagementDirectoryRoleAssignmentScheduleInstance
Update-MgRoleManagementDirectoryRoleAssignmentScheduleRequest	Update the navigation property roleAssignmentScheduleRequests in roleManagement Note To view the beta release of this cmdlet, view Update-MgBetaRoleManagementDirectoryRoleAssignmentScheduleRequest
Update-MgRoleManagementDirectoryRoleDefinition	Update the properties of a unifiedRoleDefinition object. You cannot update built-in roles. This feature requires a Microsoft Entra ID P1 or P2 license. Note To view the beta release of this cmdlet, view Update-MgBetaRoleManagementDirectoryRoleDefinition
Update-MgRoleManagementDirectoryRoleDefinitionInheritPermissionFrom	Update the navigation property inheritsPermissionsFrom in roleManagement Note To view the beta release of this cmdlet, view Update-MgBetaRoleManagementDirectoryRoleDefinitionInheritPermissionFrom
Update-MgRoleManagementDirectoryRoleEligibilitySchedule	Update the navigation property roleEligibilitySchedules in roleManagement Note To view the beta release of this cmdlet, view Update-MgBetaRoleManagementDirectoryRoleEligibilitySchedule
Update-MgRoleManagementDirectoryRoleEligibilityScheduleInstance	Update the navigation property roleEligibilityScheduleInstances in roleManagement

Cmdlet	Description
	Note To view the beta release of this cmdlet, view Update-MgBetaRoleManagementDirectoryRoleEligibilityScheduleInstance
Update-MgRoleManagementDirectoryRoleEligibilityScheduleRequest	Update the navigation property roleEligibilityScheduleRequests in roleManagement Note To view the beta release of this cmdlet, view Update-MgBetaRoleManagementDirectoryRoleEligibilityScheduleRequest
Update-MgRoleManagementEntitlementManagement	Update the navigation property entitlementManagement in roleManagement Note To view the beta release of this cmdlet, view Update-MgBetaRoleManagementEntitlementManagement
Update-MgRoleManagementEntitlementManagementResourceNamespace	Update the navigation property resourceNamespaces in roleManagement Note To view the beta release of this cmdlet, view Update-MgBetaRoleManagementEntitlementManagementResourceNamespace
Update-MgRoleManagementEntitlementManagementResourceNamespaceResourceAction	Update the navigation property resourceActions in roleManagement Note To view the beta release of this cmdlet, view Update-MgBetaRoleManagementEntitlementManagementResourceNamespaceResourceAction
Update-MgRoleManagementEntitlementManagementRoleAssignment	Update the navigation property roleAssignments in roleManagement Note To view the beta release of this cmdlet, view Update-MgBetaRoleManagementEntitlementManagementRoleAssignment
Update-MgRoleManagementEntitlementManagementRoleAssignmentAppScope	Update the navigation property appScope in roleManagement

Cmdlet	Description
	Note To view the beta release of this cmdlet, view Update-MgBetaRoleManagementEntitlementManagementRoleAssignmentAppScope
Update-MgRoleManagementEntitlementManagementRoleAssignmentSchedule	Update the navigation property roleAssignmentSchedules in roleManagement Note To view the beta release of this cmdlet, view Update-MgBetaRoleManagementEntitlementManagementRoleAssignmentSchedule
Update-MgRoleManagementEntitlementManagementRoleAssignmentScheduleInstance	Update the navigation property roleAssignmentScheduleInstances in roleManagement Note To view the beta release of this cmdlet, view Update-MgBetaRoleManagementEntitlementManagementRoleAssignmentScheduleInstance
Update-MgRoleManagementEntitlementManagementRoleAssignmentScheduleRequest	Update the navigation property roleAssignmentScheduleRequests in roleManagement Note To view the beta release of this cmdlet, view Update-MgBetaRoleManagementEntitlementManagementRoleAssignmentScheduleRequest
Update-MgRoleManagementEntitlementManagementRoleDefinition	Update the navigation property roleDefinitions in roleManagement Note To view the beta release of this cmdlet, view Update-MgBetaRoleManagementEntitlementManagementRoleDefinition
Update-MgRoleManagementEntitlementManagementRoleDefinitionInheritPermissionFrom	Update the navigation property inheritsPermissionsFrom in roleManagement Note To view the beta release of this cmdlet, view Update-MgBetaRoleManagementEntitlementManagementRoleDefinitionInheritPermissionFrom

Cmdlet	Description
Update-MgRoleManagementEntitlementManagementRoleEligibilitySchedule	Update the navigation property roleEligibilitySchedules in roleManagement  Note To view the beta release of this cmdlet, view Update-MgBetaRoleManagementEntitlementManagementRoleEligibilitySchedule
Update-MgRoleManagementEntitlementManagementRoleEligibilityScheduleInstance	Update the navigation property roleEligibilityScheduleInstances in roleManagement  Note To view the beta release of this cmdlet, view Update-MgBetaRoleManagementEntitlementManagementRoleEligibilityScheduleInstance
Update-MgRoleManagementEntitlementManagementRoleEligibilityScheduleRequest	Update the navigation property roleEligibilityScheduleRequests in roleManagement  Note To view the beta release of this cmdlet, view Update-MgBetaRoleManagementEntitlementManagementRoleEligibilityScheduleRequest

roleManagement resource type

07/23/2024

Namespace: microsoft.graph

Represents a Microsoft 365 role-based access control (RBAC) role management entity. This resource provides access to role definitions and role assignments surfaced from RBAC providers. **directory** (Microsoft Entra ID), **entitlementManagement**, and **deviceManagement** (Intune) providers are currently supported.

For more information, see:

- [Administrator role permissions in Microsoft Entra](#).
- [Delegation and roles in Microsoft Entra entitlement management](#).
- [Role-based access control \(RBAC\) with Microsoft Intune](#)

Methods

None.

Properties

None.

Relationships

 Expand table

Relationship	Type	Description
directory	rbacApplication	Read-only. Nullable.
entitlementManagement	rbacApplication	Container for roles and assignments for entitlement management resources.

JSON representation

The following JSON representation shows the resource type.

```
JSON
```

```
{  
  "@odata.type": "#microsoft.graph.roleManagement"  
}
```