

Woodfine Management Corp. ("Woodfine")

Company: << Insert Company >>
Contact: << Insert Name >>
Date: << Insert Date >>
Subject: Onboarding – Comments on the design slides

MEMORANDUM

Comment Number	Slide	COMMENTS	Woodfine Notes
	FLOOR PLATES	Key Plans and Tiles	Here is our definition, to date, of the Key Plans and Tiles: "Key Plans and Tiles" means a geometric self-similar aperiodic space planning system based on furniture/equipment arrangements and circulation versus modular area per person progressions. Various Key Plans are to be summed up together in order to make Tiles. Not all the Key Plans are supposed to fit in all the Tiles – in the case of the building corners or areas surrounding the Elevator Lobbies, there may be "unique" Special Tiles where either only certain Key Plans fit or the Key Plans found within these Special Tiles are exclusive to these areas, however, in all cases, the entirety of the Floor Plates is dividable by a certain combination of Key Plans, with no reminder of “free space” that is not represented by a Key Plan. Without getting into the building corners or the areas surrounding the Elevator Lobbies, the idea is not all that complicated in that there should be only three basic types of Tiles whose various combinations make up the Leasing Plan for any given Floor: • Private Office • Professional Office • Corporate Office • Tenant Lounge The other major Tiles that would make up the Main Floor Plate component of the office buildings would be as follows: • Lobby Atrium • Building Manager Office • Mail Room • Coffee/Bread • Recycling and Loading

			• Main Floor Retail By utilizing the Key Plans and Tiles, we should be able to interchange sets of Tiles as Private Offices, Professional Offices, Corporate Offices, or the Tenant Lounge across any Floor of the office building. We are using the Key Plans as a representation of our potential Tenants in order to generate a Leasing Plan which can be used as a guide for fixing the dimensions of the Floor Plates. We see the following categories of Tenants as the overarching use cases for whom we need to account for various combinations of Key Plans and Tiles. Working backward from these categories should allow us to choose the correct Fixed Floor Plate dimensions and allow for the proper demising required for smaller leaseholds throughout the Regional Markets: • Private Office • Professional Office — Business • Professional Office — Medical • Professional Office — Laboratory • Professional Office — Academic • Professional Office — Civic • Corporate Office — 1/8 Floor • Corporate Office — 1/4 Floor • Corporate Office — 1/2 Floor • Corporate Office — 3/4 Floor • Corporate Office — Full Floor We are creating the Key Plans and Tiles based on circulation generated by the furniture and equipment needs of the proposed Tenants and adhering to the European Lighting Standards and German Circulation Requirements. Each Tile is made up of "blocks" of Key Plans that set the possible locations of the demising walls and also represent the individual Climate Zones of the Floor Plate when it comes to the Building Services – should a Tenant want to control their thermostat directly, they need to lease a combination of full-size Tiles. Below is the Key Plan methodology we recommend for generating a sample Key Plan – in this case for the Private Office – Small (PO-1).
--	--	--	--

			We start by putting a dot in the middle of a blank page. We will then begin laying out the furniture around the dot in the middle of the blank page. Then we are going to move the furniture around the dot in order to achieve the German Circulation Law, along with the European Lighting Standard. We want to use real SKUs from the manufacturers of the furniture when laying out the Key Plans and Tiles, along with realistic layouts that reflect how Tenants would actually arrange the furniture for themselves. Then check for accessibility using the ability to flow through the leasehold with a wheelchair. https://www.steelcase.com/ Private Office – Small (PO-1) – 1 x desk and chair – 1 x 3-person round table – 1 x filing cabinet – 1 x credenza – 1 x bookshelf – 1 x coat rack Next, we are also going to make sure there is sufficient width, so that even on our smallest Key Plan, Private Office – Small (PO-1), the Tenant receives sufficient Facade Frontage to have a really comfortable space. Then we will allow the computer to put a “box” around the arrangement in order to calculate the area of the Key Plan – thus giving us the square footage for a leasehold that complies with the highest Local Codes and Building Certificates. Should any Tenant want to obtain WELL Certification (or any other certification) within their leasehold or should we want to use our Fixed Floor Plate across the Development Site throughout North America and Europe, we comply. If we were to complete the Key Plan methodology for the Private Office – Medium (PO-2,) we would apply the same procedure but add a second desk, chair and credenza. The rest of the furniture would remain the same. Once we have a collection of sample Key Plans, we can then summarize them using a table and begin using the Building Width Calculator to analyze the dimensions required to satisfy a cross-section of all the sample Key Plans by creating three zones across the Floor Plates:
--	--	--	--

			Zone 1 – Habitation: First, we draw a dotted line 6 metres from the perimeter as all the desks and/or workstations need to be in this Habitation Zone. Zone 2 – Magazine: Second, we create space for storage outside of the Habitation Zone. Currently, we don't know the depth of the Magazine Zone. We need the Key Plans to find this out. The advantage of this zone is the ability to reduce the length of the building while still accommodating the Tenants' overall square footage needs and the requirement that desks be 6 metres from the windows. Without the Magazine Zone, we might end up with an overly long, slender rectangle, in which we lose the proper circulation. This zone may be 1 metre deep or it may be 3 metres deep. Only the Key Plans will tell us. Zone 3 – Corridor: Working from the Habitation Zone and Magazine Zone, we will have the Corridor Zone. The Habitation Zone and Magazine Zone will be a mirror image on each side of the Corridor Zone. We would like to contemplate some research as to "what makes for great corridors" in order to be able to determine the width of this Corridor Zone. It may be 3 metres, but to find out we are suggesting creating a Corridor Key Plan. Please see the Building Width Calculator. Here is the important part and why the system is not modular. The Private Office – Medium (PO-2) is not going to be double the Private Office – Small (PO-1) so, therefore, the square footage per person becomes a moot point. What matters is that an individual renting a Private Office – Small (PO-1) is just as comfortable as two people with a Private Office – Medium (PO-2) with all the furniture and proper layout accounted for. Private Office – Small (PO-1) may have to be 300-400 square feet to allow for the proper width and Facade Frontage and Private Office – Medium (PO-2) may only need to be ~100
--	--	--	---

			square feet larger to accommodate the second person. The square footage is variable based on furniture arrangements, circulation and Facade Frontage – the key is in delivering quality space to the Tenants. The rent for Private Offices (maybe even the Professional Offices) is going to be fixed pricing – there are small, medium and large offices at three different prices. Tenants of the Private Offices will not have their Common Area Costs broken out. We are contemplating that they have a “licencing agreement” with the building rather than a Lease Agreement. Unlike the Private Offices, the Tenants of the Professional Offices could potentially need Lease Agreements for their financial arrangements. So, yes, the Private Office – Medium (PO-2) may be a slightly better deal when converted to rent per square foot as compared to the Private Office – Medium or Private Office – Large but that is no problem, let them all rent the Private Office – Small. In the end, Tenants ultimately lease space based on their needs and we foresee that Building IDs will be issued per desk with regards to the Private Offices. It is so much easier to lease "great" space rather than "cheap" space. People-centred Design; not working backwards from the land, the beams, the columns, or using previous projects as a template. It is so easy to say the building width should be 60 feet. It may work for the natural light, but it cannot be that Tenants need to put their bookshelves on top of their desks, leave their coats on because there is no rack or do not have the space required to open the credenza unless they are standing in the corridor. We see the “engineering” building efficiency as an outdated measurement in comparison to true “economic” building efficiency. We require that the space within the leaseholds be 100% efficient when matched to a variety of use cases even if this diminishes the overall net leasable divided by the gross buildable.
--	--	--	--