


COMPANY PROFILE



CONCORD IT SOLUTIONS PVT. LTD.
NEW BANESHWOR, MILANCHOWK, KATHMANDU
ESTD: 2021
PH: 01-5911922,9851204396

Dear Sir/ Madam,

We are pleased to introduce ourselves as one of the leading ICT business houses of Nepal dealing with varied nature of products and services.

CONCORD IT SOLUTIONS has entered into strategic alliances with technology leaders across the Nation to bring in state-of-the-art as well as futuristic technologies to its customers. Some of the strategic alliances of **CONCORD IT SOLUTIONS Pvt. Ltd.** are summarized below. Which we hope would be of interest to you.

Security and Surveillance: **IP Storage, NVR, DVR, CCTV Camera, Video Door Phone, Door Lock, Access Control, Fire Alarm System/Intruder Alarm, Time Attendance Machine, Door Sensor, Fire Extinguisher and Many more.**

EPABX System
IP Telephony:

NEC/Alcatel/Yeaster EPABX System Business Communication Equipment's/Smart IP PBX & Hybrid Telephone Systems.

Computers:

Desktops, Laptops & Servers.

ICT Accessories:

Photocopy, Printers, Storage, Switch, and Router, Network equipment's, Rack, And UPS, Batteries etc.

As a leading vendor dealing with world's renowned brands, we have the flexibility and responsiveness to meet all requirements. Additionally, we have the resources, specialized knowledge and experience to handle complex needs quickly. We pride ourselves in providing quality service to every client. **CONCORD IT SOLUTIONS** has achieved a solid record of growth by working closely with our clients to develop efficient and reliable communication solutions, not merely providing on off-the-shelf basis. We take a personal approach to each client and every task by providing direct, immediate products and services carefully tailored to our client's needs.

Attached herewith is brief profile of **CONCORD IT SOLUTIONS Nepal Pvt. Ltd.** for your reference which includes the list of products best suited to your needs.

We will feel glad to address any of your queries. Please feel free to call on us at the following address & phone numbers.

CONCORD IT SOLUTIONS Pvt. Ltd.

New Baneshwor , Kathmandu Nepal

Ph: 977-1-5911922/9851204396

Email: concordit20@gmail.com, <https://concordit.com.np>

Thanking you,

With Best Regards

For **CONCORD IT SOLUTIONS Pvt. Ltd.**



Concord I.T Solutions Pvt. Ltd.

Dasharath Adhikari
Executive Director
Cell: 9851204396

PROFILE OF CONCORD IT SOLUTIONS

INTRODUCTION

CONCORD IT has special system with a team of experienced professionals who take care of the business development, design, installation and maintenance of systems ranging from simple to the most sophisticated equipments relating to Telecommunication, Security and Computer systems. The activation of team work is monitored continuously to provide prompt after sales services. In such a way, each and every activity is checked to give optimum benefit to our customers.

TECHNICAL SUPPORT

CONCORD IT has got a strong team of technical personnel along with supporting staff members. Based on such policy, the company ensures the technical team is well equipped with all necessary infrastructures. Ready to move stock of such system enables our customers to support their customers all the time.

The maintenance teams play a vital role in retaining the customers and generate good references for new projects. The maintenance team is always on the move throughout the day to keep the system update with close communication with each other.

Extensive training is important to the engineers on each and every system in which the company deals in. Technical team is professional and trained on design, installation, troubleshooting & repair of the various systems.

CONCORD IT team is always developing fresh ideas and also expecting valuable suggestions from our customers to workout best solutions. Bringing together the best talent & constant up-gradation through training and learning is our motto.

OUR VISION

Considering the trend of current development of business in Nepal, we feel there is a lack of total solution with complete after sales service to big houses and the professionally managed companies. If the Business Companies go through one window, problems like; standardization, unexpected expenses in budget and after sales service do not exit.

Business groups are seeking to perform each and every action of job promptly without any fault. To fulfill such requirements, it is necessary to bring the concept of specialization of job. Although the organizations introduce new technology and system, there is lacking of effective after sales services.

Additionally, ISO is the key factor in quality determination and standardization of goods and services in everyday life. It is necessary to consider new system and technologies for the betterment of origination. The concept of new system and introduction of new technology will meet international standards.

CONCORD IT a wide vision to fulfill such gap and bringing new technology in use with total after sales service. The commitment is betterment of Organization with international standards:

- ❖ **Introduce new technology products and services.**
- ❖ **Fulfill the total requirement of the customer.**
- ❖ **Provide total after sale service promptly at door step.**

BRIEF PRODUCT PROFILE

EPABX SYSTEM:

NEC Hybrid PABX 	NEC SMART COMMUNICATIONS FOR 5 – 100+ USERS Web RTC is included 'out-of-the box' for SL2100 users, providing video conferencing, collaboration and screen-share for your team. With VoIP capabilities, it puts Unified Communications within reach of small businesses or it can be used as resilient TDM solution with future-proof upgrade potential. It also presents considerable savings and functionality over and above alternative hosted solutions. The SL2100 galvanizes your team. In turn, it creates a positive customer experience that generates repeat business. Your business can't afford downtime and nor can your communications. The SL2100 provides a reliable, 'always-on' solution. There's less hardware, less licenses, less maintenance to worry about.
	 Yeastar Yeastar provides cloud-based and on-premises VoIP PBXs and VoIP gateways for SMBs and delivers Unified Communications solutions that connect co-workers and clients more efficiently. Founded in 2006, Yeastar has established itself as a global leader in the telecommunications industry with a global partner network and over 100,000 customers worldwide. Yeastar customers enjoy flexible and cost-effective communications solutions that have been consistently recognized in the industry for high performance and innovation. Fanvil X210 Enterprise VoIP Phone, 4.3-Inch Color Display, Two 3.5-Inch Side Color Displays for DSS Keys. 20 SIP Lines, Dual-port Gigabit Ethernet, Power Adapter Not Included
	Alcatel-Lucent OXO Connect Large - 150W • Connected To deliver advanced cloud services: Rainbow, UC cloud based services and new remote management operation. • All-in-one solution Modularity, flexibility and scalability to meet the needs of SMBs from 4 to 300 people in size. • Conversation services on application-enabled desk phones, PCs and smartphones Offer next-generation enterprise communication experience. • User-centric communications experience across devices and

	locations Provides full-featured access to enterprise communications services across devices while on site or off. • Business communications services, including attendant, routing and messaging services Increased communication efficiency for employees with new opportunities to reach contacts. • Embedded voice-centric customer service Increase customer satisfaction by improving call resolution. • IP telephony infrastructure flexibility and software scalability Reduces communication costs and enables the choice of network configurations and IP, IP/TDM or TDM endpoints, minimizing additional investment and enabling a smooth migration. • Simplified and unified management Reduces total costs of ownership for business communication and conversation services. • Plug and play and zero touch deployment Easy installation in full voice environment and/or converged voice/data environment at reduced cost. • SIP at the core Optimized installation ready for next generation of communications.
--	--

Dahua CCTV System:

 XVR	 4 Channel – 32 Channel
 NVR	 4 Channel – 128 channel
	 > 1/2.8" 2Megapixel progressive Tsarist CMOS > H.265 & H.264 dual-stream encoding > 25/30fps@1080P(1920×1080) > WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC > Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS > Optional Micro SD card slot, up to 128GB > Fixed 2.8, 3.6, 6 mm Fixed and 2.7~13.5mm varifocal lens > Max IR LEDs Length 30m > IP67, IK10, POE

	 > 1/2.7" 2Megapixel progressive CMOS > H.265& H.264 dual-stream encoding > 25/30fps@1080P(1920×1080) > DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC > Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS > 2.8,3.6 mm fixed lens (Vari-focal Lens optional) > Max IR LEDs Length 30m > IP67, POE
	 PTZ Camera > 1/1.9" 6Megapixel STARVIS™ CMOS > Powerful 30x optical zoom (20x,22x,24x,30x optional) > H.265 Encoding > Max. 20fps@6M, 25/30fps@5M/3M(Real time) > Auto-tracking and IVS > Support Hi-POE > IR distance up to 200m > IP67, IK10

HIKVISION CCTV SYSTEM

 DVR	HIKVISION 4 Channel – 32 Channel
 NVR	HIKVISION 4 Channel – 128 channel

	HIKVISION 2MP CMOS Sensor, 1080P@25fps(P)(Default)/30fps(N), EXIR, 25m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, Built-in Mic, Audio up Coaxial(Only TVI), OSD Menu (Up the Coax), IP67, 3.6mm Lens, Support TVI/AHD/CVI/CVBS video signal output
	HIKVISION 1/3" Progressive CMOS, ICR, 2560x1440:20fps(P)/(N), 2.8~12mm motorized(Z) VF lens, H.264+&H.264, IP67, 120db WDR, 3D DNR, BLC, DWDR, IR range: up to 30m, DC12V & PoE, TF card slot, Full Metal, Support mobile monitoring via Hik-Connect *power supply no included -Z: motorized vari-focal lens
	HIKVISION 1/2.8" Progressive CMOS, ICR, 1920x1080:25fps(P)/30fps(N), 2.8mm, H.265+/H.264+&H.264, 3D DNR, BLC, IR range: up to 30m, DC12V & PoE, Support mobile monitoring via Hik-Connect *power supply no included
	HIKVISION 4MP, 1/2.5" CMOS, H.265+/H.265/H.264+/H.264 codec, 3D DNR, 120dB True WDR, HLC, BLC, Defog, EIS, Regional Exposure, Regional Focus, 150m IR Distance Ultra-low light Powered By DarkFighter Color: 0.005lux/F1.6, B/W:0.001lux/F1.6, Optical Zoom: 25x, Focus: 4.8-120mm, Digital Zoom: 16X, 150m IR 2560*1440:30fps, Pan Speed: 0.1° -120°/s, Tilt Speed: 0.1° - 80°/s, Hi-PoE&24VAC Smart Detection Intrusion Detection, Line Crossing Detection, Region Entrance Detection, Region Exiting Detection, Object Removal Detection, Unattended Baggage Detection

UNV CCTV SYSTEM

	Uniview CCTV in Nepal offers diversity products for IP video surveillance applications. UNV CCTV Products in Kathmandu are cost-effective but excellent quality and also dependable IP surveillance tools by utilizing the most up to date processors and high-performance CMOS sensors from the industrial leading brand names. UNV HD IP cams are able to capture top quality video not only has a megapixel resolution, however additionally has exact color recreation. In regards to surveillance video recording, UNV CCTV provides a variety of HD network video clip recorders that includes H. 264 NVR, H.265 NVR and also PoE NVRs feature Power over Ethernet innovation to use plug-and-play installation. The 4K NVRs that not just uses video recording instead it offer to preview, playback with a maximum 12-megapixel resolution. These NVRs additionally provide clever video clip analytics including cross line detection/perimeter detection, region discovery, U-Code Intelligent compression, people counting, and face detection. Most importantly, this intelligent video clip evaluation could be attained by UNV Smart NVR itself.
	UNV NVR316-64R-B 64 Channel NVR • 64-channel input • Third-party IP cameras supported with ONVIF conformance • Support 2-ch HDMI, 1-ch VGA, 1-ch CVBS, HDMI2 at up to 4K(3840x2160) resolution • Up to 12 Megapixels resolution recording • Support H.265/H.264 video formats • Accurate retrieval, instant playback • Support HDD hot swap with RAID1, 5 storage scheme configurable • 8 SATA HDDs, Up to 8TB for each HDD • Support various VCA detection alarm and VCA search • Support N+1 Hot space

	• Support for 12V Power output • Support for P2P, UPnP, NTP, DHCP, PPPoE • Support for mobile client access
--	---

DO NOT COPY


	cisco 08/16/24/48 – Gigabit Managed, and POE Switch
	Dell/ HP/ Lenovo (Desktop, Laptop and Server)
	WD/SEAGATE/Surveillance Disk 1TB/2TB/3TB/4TB/6TB/8TB Portable Drive 1TB to 10TB
	LINKBASIC Rack 6 U/9U/12U/16U/20U/27U/42U BLACK/Silver
	LINKBASIC Cat 6 Cable Face plate Patch panel Cable Manager

	ZKTeco K40 Attendance and Access Control 2.8 inch TFT screen Time Attendance & Simple Access Control Terminal. It has an interface for third-party electric lock and exit button. TCP/IP and USB Host make data management extremely easy. Most importantly, the built-in backup battery can eliminate the trouble of power-failure. with elegant appearance and reliable quality, you can get the best form it.
	ZKTeco X7, one of innovative biometric fingerprint reader for access control applications. Offering unparalleled performance using an advanced algorithm for reliability, precision and excellent matching speed. It can operate on standalone mode with the interface for third party electric lock, alarm, door sensor, exit button and doorbell.
	Power to lock;180 kg/280 kg . Single/Double-door application . Magnetic lock, no mechanical damage . power supply:12 DC . With LED, Signal output(NO, NC, com) or time delay (0, 5, 10S) . Application all type of door fire exit path, no frame door can choose bracket
	Fire Extinguishers from 1 kg – 50 kg

Fire Alarm System:

	Honeywell MORLEY LITE Reliable Fire Detection Performance, Elegant Design Morley Lite is equipped with configurable remote monitoring inputs, programmable relays, delay setting for alarm verification, software isolation of class B circuit and NAC outputs, mapping of NAC to specific class B circuits, password protection and many more must-have features for reliable fire detection. End users get clear visible indications, easy to operate functions to activate the control buttons, and customizable class B circuit text via text inserts to meet building naming conventions. This reliable and trouble-free system is built as per latest safety standards of the industry which ensures the system is safe and protected. An internal memory lock feature restricts changes to the fire panel configuration by any intruder without key
	Single Loop Control Panel, 230Vac, 2 sounder circuits. Dims 260 x 390 x 147mm (H x W x D) The DX Connexion is an enhancement of the Morley-IAS Dimension panel range, connecting the traditional Morley-IAS qualities of reliability, flexibility and value with advanced features and intuitive functionality. The multi-protocol DX Connexion range of fire alarm control panels has been developed to be the most time efficient fire panel on the market to install. DXc Control panels are supplied without zone LEDs. In order to connect panels together to create a network a DXc Network card and DXc Control panels are supplied without zone LEDs.

BOSCH Security Panel

	B3512 Security Control Panel The B3512 Control Panel integrates intrusion and residential fire, providing one simple user interface for both systems. The B3512 provides up to 16 individually identified points in a single area. The control panel communicates via the built-in Ethernet port or via compatible plug-in modules that can send events over the public switched telephone network (PSTN) or over cellular network communications. With the B3512, you can monitor doors, windows, and motion within areas like showrooms or those that hold inventory. Each user can have a personalized passcode, a wireless key fob, and an access credential to control the system. Use programmable authority levels with restricted privileges to provide service, security, and cleaning personnel with full or limited access. Use the three programmable outputs to turn on lights or lock and unlock doors. Users can: • Turn on the system to secure the stock room while you conduct daily business. • Perform tests to ensure your system is working properly. • Set your system to alarm immediately if a door opens. • Activate the Watch feature so a tone sounds whenever a customer enters. • Set a schedule for your system to automatically turn on at closing time. • Use wireless security options to customize your system. Central monitoring stations provide 24-hour system monitoring with access to vital services. Professional security personnel can test the system, monitor system activity, and alert the police, fire department, or other emergency response teams if necessary. Functions Programmable outputs • Three programmable on-board outputs; one high current using a relay, and two trigger outputs • Output A, with a contact rating of 3 Amps, can supply up to 1.0 A total current from AUX PWR • Outputs B and C sink up to 50 mA at 12 VDC • Four alarm-output patterns Programmable bell test Output Profiles Output Profiles support custom programming and provide a way for outputs to operate based on unique application requirements. Once an Output Profile is created, it can be reused and assigned to multiple outputs enabling quick output programming.
--	--

UPS

	<u>HITACHI UPS</u> <u>1 KVA to 100 KVA</u>
---	--

Our Valued Customers:

1. **Sunkeshari Nirman Sewa - Kumari Bank Ltd. (50 branches more)**
2. **Himalayan Builders and Engineers Pvt. Ltd. (Head office and Site Offices)**
3. **JK Associates**
4. **Gorkhapatra Sansthan (Ktm/ BRT)**
5. **ICFC Finance Head office**
6. **Muktinath Bikas Bank (Baneshowr/ Lokanthali Branch)**
7. **National Cooperative Bank (15 more branches)**
8. **Jyoti Bikas Bank (15 branches more)**
9. **LRI School**
10. **Ullens School**
11. **Shree Laligurans Dairy Farm Chitwan**
12. **Shree Laligurans Milk Processing Industry (Godawari)**
13. **Shree Laligurans Multipurpose Co-operative Ltd**
14. **Islington College**
15. **Wonders Nepal Skywalk Tower (kamaladi and Vedetar)**
16. **Kathmandu Metropolitan city ward No. 19 (road project)**
17. **CapitolHill College**
18. **Religare construction Pvt. Ltd.**
19. **Ambe Maa Constructtion Pvt. Ltd.**
20. **Power Electric Concern**
21. **Department of Hydrology and Metrology(Babarmahal)**