

DEVOPS AND FULLSTACK

SUMANTH POLAM

2303A51121

BATCH – 03

09 – 02 – 2026

This screenshot shows the VS Code editor with the 'index.js' file open in the 'Backend' directory. The code is a Node.js Express application that uses 'cors' and 'express' to create a simple API endpoint. The endpoint '/api/dashboard' returns a JSON object with 'totalIncome' (50000) and 'totalExpenses' (32000). The server is configured to listen on port 5000. The Explorer sidebar shows the project structure, including 'node_modules', 'package-lock.json', 'package.json', 'frontend', 'public', 'src', and 'components'. The Terminal panel at the bottom shows the command 'node index.js' being executed, with output indicating that 23 packages are being looked for and the server is running on port 5000.

```
Backend > JS indexjs > ...
1 const express = require("express");
2 const cors = require("cors");
3
4 const app = express();
5
6 app.use(cors());
7
8 app.get("/api/dashboard", (req, res) => {
9   res.json({
10     totalIncome: 50000,
11     totalExpenses: 32000
12   });
13 });
14
15 app.listen(5000, () => {
16   console.log("Server running on port 5000");
17 });
18
```

node - Backend + - - - - - Go Live

PS C:\Users\saith\OneDrive\Desktop\Devops_1127\LAB_ASSIGNMENT\Backend> node index.js

23 packages are looking for funding
run 'npm fund' for details

found 0 vulnerabilities

PS C:\Users\saith\OneDrive\Desktop\Devops_1127\LAB_ASSIGNMENT\Backend> node index.js

Server running on port 5000

This screenshot shows the VS Code editor with the 'Dashboard.jsx' file open in the 'components' directory. The code is a React component that uses 'useEffect' and 'useState' to manage the state of the dashboard. It fetches data from the backend API endpoint '/api/dashboard' and updates the state accordingly. The component also handles loading and error states. The Explorer sidebar shows the project structure, including 'node_modules', 'package-lock.json', 'package.json', 'frontend', 'public', 'src', and 'components'. The Terminal panel at the bottom shows the command 'node index.js' being executed, with output indicating that 23 packages are being looked for and the server is running on port 5000.

```
frontend > src > components > Dashboard.jsx > ...
1 import { useEffect, useState } from "react";
2
3 function Dashboard() {
4   const [data, setData] = useState(null);
5   const [loading, setLoading] = useState(true);
6   const [error, setError] = useState("");
7
8   const fetchDashboardData = () => {
9     setLoading(true);
10    fetch("http://localhost:5000/api/dashboard")
11      .then((res) => {
12        if (!res.ok) throw new Error("Failed to fetch dashboard data");
13        return res.json();
14      })
15      .then((result) => {
16        setData(result);
17        setLoading(false);
18      })
19      .catch(() => {
20        setError("Failed to fetch dashboard data");
21      });
22   };
23 }
24
```

node - Backend + - - - - - Go Live

PS C:\Users\saith\OneDrive\Desktop\Devops_1127\LAB_ASSIGNMENT\Backend> node index.js

23 packages are looking for funding
run 'npm fund' for details

found 0 vulnerabilities

PS C:\Users\saith\OneDrive\Desktop\Devops_1127\LAB_ASSIGNMENT\Backend> node index.js

Server running on port 5000

```
PROBLEMS    OUTPUT    DEBUG CONSOLE    TERMINAL    PORTS    QUERY RESULTS    GITLENS    POSTMAN CONSOLE
```


```
node - Backend + [icon] [icon] ... | [icon] X
```

```
PS C:\Users\saith\OneDrive\Desktop\Devops_1127\LAB_ASSINMENT\Backend> node index.js
Server running on port 5000
Server running on port 5000
PS C:\Users\saith\OneDrive\Desktop\Devops_1127\LAB_ASSINMENT\Backend> npm install cors
PS C:\Users\saith\OneDrive\Desktop\Devops_1127\LAB_ASSINMENT\Backend> npm install cors

added 2 packages, and audited 68 packages in 4s
added 2 packages, and audited 68 packages in 4s

23 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities
PS C:\Users\saith\OneDrive\Desktop\Devops_1127\LAB_ASSINMENT\Backend> node index.js
Server running on port 5000
```



Monday_09-02-2026-FN x React Node API Integration x localhost:5000/api/dashboard x React App x +

localhost:5000/api/dashboard

Gmail YouTube Minimum Bit Flips t... LETS UPGRADE - IMP Problem of the Day... TCS ION: Transform... Alison-FC Accenture | MyZone


Pretty print

```
{
  "totalIncome": 50000,
  "totalExpenses": 32000
}
```



The screenshot shows a Windows PowerShell terminal window with a dark background. The title bar at the top reads "Windows PowerShell" and includes standard window controls (minimize, maximize, close). The terminal output is as follows:

```
Compiled successfully!  
  
You can now view frontend in the browser.  
  
Local:      http://localhost:3000  
On Your Network: http://10.164.39.190:3000  
  
Note that the development build is not optimized.  
To create a production build, use npm run build.  
  
webpack compiled successfully
```



Dashboard

Total Income: ₹50,000

Total Expenses: ₹32,000

Balance: ₹18,000

Refresh

THANK YOU!!