In [3]: import pandas as pd
 import numpy as np
 import seaborn as sns
 import matplotlib.pyplot as plt

In [4]: df=pd.read_csv(r"C:\Users\USER\Downloads\USA_Housing.csv")
 df

Out[4]:

	Avg. Area Income	Avg. Area House Age	Avg. Area Number of Rooms	Avg. Area Number of Bedrooms	Area Population	Price	Address
0	79545.458574	5.682861	7.009188	4.09	23086.800503	1.059034e+06	208 Michael Ferry Apt. 674\nLaurabury, NE 3701
1	79248.642455	6.002900	6.730821	3.09	40173.072174	1.505891e+06	188 Johnson Views Suite 079\nLake Kathleen, CA
2	61287.067179	5.865890	8.512727	5.13	36882.159400	1.058988e+06	9127 Elizabeth Stravenue\nDanieltown, WI 06482
3	63345.240046	7.188236	5.586729	3.26	34310.242831	1.260617e+06	USS Barnett\nFPO AP 44820
4	59982.197226	5.040555	7.839388	4.23	26354.109472	6.309435e+05	USNS Raymond\nFPO AE 09386
4995	60567.944140	7.830362	6.137356	3.46	22837.361035	1.060194e+06	USNS Williams\nFPO AP 30153-7653
4996	78491.275435	6.999135	6.576763	4.02	25616.115489	1.482618e+06	PSC 9258, Box 8489\nAPO AA 42991- 3352
4997	63390.686886	7.250591	4.805081	2.13	33266.145490	1.030730e+06	4215 Tracy Garden Suite 076\nJoshualand, VA 01
4998	68001.331235	5.534388	7.130144	5.44	42625.620156	1.198657e+06	USS Wallace\nFPO AE 73316
4999	65510.581804	5.992305	6.792336	4.07	46501.283803	1.298950e+06	37778 George Ridges Apt. 509\nEast Holly, NV 2

5000 rows × 7 columns

In [5]: df.head(10)

Out[5]:

	Avg. Area Income	Avg. Area House Age	Avg. Area Number of Rooms	Avg. Area Number of Bedrooms	Area Population	Price	Address
0	79545.458574	5.682861	7.009188	4.09	23086.800503	1.059034e+06	208 Michael Ferry Apt. 674\nLaurabury, NE 3701
1	79248.642455	6.002900	6.730821	3.09	40173.072174	1.505891e+06	188 Johnson Views Suite 079\nLake Kathleen, CA
2	61287.067179	5.865890	8.512727	5.13	36882.159400	1.058988e+06	9127 Elizabeth Stravenue\nDanieltown, WI 06482
3	63345.240046	7.188236	5.586729	3.26	34310.242831	1.260617e+06	USS Barnett\nFPO AP 44820
4	59982.197226	5.040555	7.839388	4.23	26354.109472	6.309435e+05	USNS Raymond\nFPO AE 09386
5	80175.754159	4.988408	6.104512	4.04	26748.428425	1.068138e+06	06039 Jennifer Islands Apt. 443\nTracyport, KS
6	64698.463428	6.025336	8.147760	3.41	60828.249085	1.502056e+06	4759 Daniel Shoals Suite 442\nNguyenburgh, CO
7	78394.339278	6.989780	6.620478	2.42	36516.358972	1.573937e+06	972 Joyce Viaduct\nLake William, TN 17778-6483
8	59927.660813	5.362126	6.393121	2.30	29387.396003	7.988695e+05	USS Gilbert\nFPO AA 20957
9	81885.927184	4.423672	8.167688	6.10	40149.965749	1.545155e+06	Unit 9446 Box 0958\nDPO AE 97025

In [6]: df.info()

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 5000 entries, 0 to 4999

Data columns (total 7 columns):

#	Column	Non-Null Count	Dtype
0	Avg. Area Income	5000 non-null	float64
1	Avg. Area House Age	5000 non-null	float64
2	Avg. Area Number of Rooms	5000 non-null	float64
3	Avg. Area Number of Bedrooms	5000 non-null	float64
4	Area Population	5000 non-null	float64
5	Price	5000 non-null	float64
6	Address	5000 non-null	object

dtypes: float64(6), object(1)
memory usage: 273.6+ KB

In [7]: df.describe()

Out[7]:

	Avg. Area Income	Avg. Area House Age	Avg. Area Number of Rooms	Avg. Area Number of Bedrooms	Area Population	Price
count	5000.000000	5000.000000	5000.000000	5000.000000	5000.000000	5.000000e+03
mean	68583.108984	5.977222	6.987792	3.981330	36163.516039	1.232073e+06
std	10657.991214	0.991456	1.005833	1.234137	9925.650114	3.531176e+05
min	17796.631190	2.644304	3.236194	2.000000	172.610686	1.593866e+04
25%	61480.562388	5.322283	6.299250	3.140000	29403.928702	9.975771e+05
50%	68804.286404	5.970429	7.002902	4.050000	36199.406689	1.232669e+06
75%	75783.338666	6.650808	7.665871	4.490000	42861.290769	1.471210e+06
max	107701.748378	9.519088	10.759588	6.500000	69621.713378	2.469066e+06


```
In [8]: df.columns
```

```
Out[8]: Index(['Avg. Area Income', 'Avg. Area House Age', 'Avg. Area Number of Rooms', 'Avg. Area Number of Bedrooms', 'Area Population', 'Price', 'Address'], dtype='object')
```

```
In [ ]:
```

```
In [18]: sns.pairplot(df)
```

Out[18]: <seaborn.axisgrid.PairGrid at 0x13feecb23d0>




Avg. Area Number of Bedrooms

20000 40000 60000

Price


1e6

Area Population



```
In [20]: sns.displot(df['Area Population'])
```


Out[20]: <seaborn.axisgrid.FacetGrid at 0x13ff25f4d90>



In [23]: ['Avg. Area Income','Avg. Area House Age','Avg. Area Number of Rooms','Avg. Area Number of Bedrooms','Area Population','Price'

In [24]: sns.heatmap(Housedf.corr())

Out[24]: <Axes: >



```
In [33]: x=Housedf[['Avg. Area Income', 'Avg. Area House Age', 'Avg. Area Number of Rooms', 'Avg. Area Number of Bedrooms', 'Area Population'
y=df['Price']

In [34]: from sklearn.model_selection import train_test_split
    x_train, x_test, y_train, y_test=train_test_split(x, y, test_size=0.3, random_state=101)

In [35]: from sklearn.linear_model import LinearRegression
    lm=LinearRegression()
    lm.fit(x_train,y_train)
    print(lm.intercept_)
    -9.313225746154785e-10


In [38]: coeff_df=pd.DataFrame(lm.coef_,x.columns,columns=['coefficient'])
    coeff_df
```

Out[38]:


	coefficient
Avg. Area Income	7.082953e-15
Avg. Area House Age	3.168710e-11
Avg. Area Number of Rooms	4.083800e-11
Avg. Area Number of Bedrooms	-2.862339e-12
Area Population	5.245804e-15
Price	1.000000e+00

In [39]: predictions=lm.predict(x_test)
plt.scatter(y_test,predictions)

Out[39]: <matplotlib.collections.PathCollection at 0x13ff4ae30d0>



```
In [44]: sns.displot((y_test-predictions),bins=50);
```



```
In [46]: from sklearn import metrics
    print('MAE:',metrics.mean_absolute_error(y_test,predictions))
    print('MSE:',metrics.mean_squared_error(y_test,predictions))
    print('RMSE:',np.sqrt(metrics.mean_squared_error(y_test,predictions)))
```

MAE: 5.7315143446127575e-11 MSE: 1.103825102430229e-20 RMSE: 1.0506308116699362e-10

In []: