Fakulteta za informacijske študije
Faculty of information studies

ctf01

Student : Filip Polić
Student ID : 35250232
Student email : policfilip2003@gmail.com

Vulnerability Discovery from Known URLs



404 page! You solved recon_01

The key for this challenge is: aeaee57f-2a82-41da-bc4c-d081c8cddfc8



Vulnerability detection from public files


Applications
HackyCorp - Google Chr...
Terminal - filip@vmi313...
Application Finder
HackyCorp
hackycorp.com
Elements
Console
Sources
Network
Performance
Memory
Application
Security
Lighthouse
Recorder
Page
Workspace
cubeportfolio.init.js
script.js
shape-9.svg
shape-10.svg
shape-8.svg
top
hackycorp.com
images
(index)
assets.hackycorp.com
css
skin
custom.css
header.css
style.css
utilities.css
img
home
shape
js
cubeportfolio.init.js
custom.js
other.js
page.js
script.js
vendor
aos
bootstrap
cubeportfolio
font-awesome/css
jquery
jquery.easing
js/src
scss
slick-slider
HackyCorp
New
Version 1.3.3.7 released.
Smart & effectiv
*/
googleAnalyticsId: '',
/*
|---
| Google reCAPTCHA
|---
|
| reCAPTCHA protects you against spam and other types of automated abuse.
| Please signup for an API key pair and insert your `Site key` value to the
| following variable.
|
| http://www.google.com/recaptcha/admin
|
*/
ptlab_key_recon_26: 'd6b75269-97a3-44de-be32-fff0dd55e7ef',
reCaptchaSiteKey: '...',
// See available languages: https://developers.google.com/recaptcha/docs/language
reCaptchaLanguage: '',
/*
|---
| Disable AOS on mobile
|---
|
| If true, the Animate On Scroll animations don't run on mobile devices.
|
*/
disableAOSonMobile: true,
/*
|---
| Smooth Scroll
|---
|
| If true, the browser's scrollbar moves smoothly on scroll and gives your
| visitor a better experience for scrolling.
|
*/

Web Server Vulnerability Detection







```
filip@vmi3135542:~$ curl https://hackycorp.com/robots.txt
User-agent: *
Disallow: /

# You solved recon_00
# The key for this challenge is
# af9c328a-02b4-439d-91c6-f46ab4a0835b
filip@vmi3135542:~$
```

```
filip@vmi3135542:~$ curl https://hackycorp.com/.well-known/security.txt
# Please don't report any security issue for this site
# This is a recon challenge and the key for this exercise is
# 99685e30-7061-4ac0-83bf-4ccc0409faac
filip@vmi3135542:~$
```

Vulnerability detection via IP address



Vulnerability detection in Github repositories

repo3

```
filip@vmi3135542:~/hackycorp_scan/results$ cat repo3__08be82ba-e5fd-4fae-b2c2-272a18d31f80.txt
===== REPO: repo3 =====
===== BRANCH: 08be82ba-e5fd-4fae-b2c2-272a18d31f80 =====

--- grep po kljucnim recima ---
./.git/hooks/fsmonitor-watchman.sample:11:# The hook is passed a version (currently 2) and last update token
./.git/hooks/fsmonitor-watchman.sample:12:# formatted as a string and outputs to stdout a new update token and
./.git/hooks/fsmonitor-watchman.sample:13:# all files that have been modified since the update token. Paths must
./.git/hooks/fsmonitor-watchman.sample:19:my ($version, $last_update_token) = @ARGV;
./.git/hooks/fsmonitor-watchman.sample:22:# print STDERR "$0 $version $last_update_token\n";
./.git/hooks/fsmonitor-watchman.sample:83:      # changed since $last_update_token but not from the .git folder.
./.git/hooks/fsmonitor-watchman.sample:90:      if (substr($last_update_token, 0, 1) eq "c") {
./.git/hooks/fsmonitor-watchman.sample:91:              $last_update_token = "\"$last_update_token\"";
./.git/hooks/fsmonitor-watchman.sample:92:              $last_update_line = qq[\n"since": $last_update_token,];
./.git/hooks/fsmonitor-watchman.sample:141:             # return the fast "everything is dirty" flag to git and do th
./.git/hooks/fsmonitor-watchman.sample:151:             $last_update_token = $o->{clock};

--- zanimljivi fajlovi ---

--- git log kratko ---
dd2d2f2 more
657d9ec This is a test

--- git log patch grep ---
```

repo4

```
filip@vmi3135542:~/hackycorp_scan/repos/repo0a$ cd ~/hackycorp_scan/repos/repo4
filip@vmi3135542:~/hackycorp_scan/repos/repo4$ ls
KEY  README.md
filip@vmi3135542:~/hackycorp_scan/repos/repo4$ cat KEY
This is the key for recon 21: a60b4aee-642a-483b-9262-ccfc2ed46f0d
filip@vmi3135542:~/hackycorp_scan/repos/repo4$
```

repo9

```
filip@vmi3135542:~/hackycorp_scan/repos/repo9$ ls
README.md   TEST16.txt  TEST24.txt  TEST32.txt  TEST40.txt  TEST49.txt  TEST57.txt  TEST65.txt
TEST0.txt   TEST17.txt  TEST25.txt  TEST33.txt  TEST41.txt  TEST5.txt   TEST58.txt  TEST66.txt
TEST1.txt   TEST18.txt  TEST26.txt  TEST34.txt  TEST42.txt  TEST50.txt  TEST59.txt  TEST67.txt
TEST10.txt  TEST19.txt  TEST27.txt  TEST35.txt  TEST43.txt  TEST51.txt  TEST6.txt   TEST68.txt
TEST11.txt  TEST2.txt   TEST28.txt  TEST36.txt  TEST44.txt  TEST52.txt  TEST60.txt  TEST69.txt
TEST12.txt  TEST20.txt  TEST29.txt  TEST37.txt  TEST45.txt  TEST53.txt  TEST61.txt  TEST7.txt
TEST13.txt  TEST21.txt  TEST3.txt   TEST38.txt  TEST46.txt  TEST54.txt  TEST62.txt  TEST70.txt
TEST14.txt  TEST22.txt  TEST30.txt  TEST39.txt  TEST47.txt  TEST55.txt  TEST63.txt  TEST8.txt
TEST15.txt  TEST23.txt  TEST31.txt  TEST4.txt   TEST48.txt  TEST56.txt  TEST64.txt  TEST9.txt
filip@vmi3135542:~/hackycorp_scan/repos/repo9$ cat KEY.txt
cat: KEY.txt: No such file or directory
filip@vmi3135542:~/hackycorp_scan/repos/repo9$ git checkout master
Previous HEAD position was e8fec2d Another test
Switched to branch 'master'
Your branch is up to date with 'origin/master'.
filip@vmi3135542:~/hackycorp_scan/repos/repo9$ git show e8fec2d079cf9bfdf782a9ce4aab8ae8ce947548^:KEY.
txt
This is the key for RECON_22: 3ee505c2-8aa9-4d5e-810e-921778dce1e6
filip@vmi3135542:~/hackycorp_scan/repos/repo9$
```

repo0a

```
filip@vmi3135542:~/hackycorp_scan/repos/repo0a$ ls
README.md   TEST14.txt  TEST20.txt  TEST27.txt  TEST33.txt  TEST4.txt   TEST46.txt  TEST52.txt  TEST59.txt  TEST65.
TEST0.txt   TEST15.txt  TEST21.txt  TEST28.txt  TEST34.txt  TEST40.txt  TEST47.txt  TEST53.txt  TEST6.txt   TEST66.
TEST1.txt   TEST16.txt  TEST22.txt  TEST29.txt  TEST35.txt  TEST41.txt  TEST48.txt  TEST54.txt  TEST60.txt  TEST67.
TEST10.txt  TEST17.txt  TEST23.txt  TEST3.txt   TEST36.txt  TEST42.txt  TEST49.txt  TEST55.txt  TEST61.txt  TEST68.
TEST11.txt  TEST18.txt  TEST24.txt  TEST30.txt  TEST37.txt  TEST43.txt  TEST5.txt   TEST56.txt  TEST62.txt  TEST69.
TEST12.txt  TEST19.txt  TEST25.txt  TEST31.txt  TEST38.txt  TEST44.txt  TEST50.txt  TEST57.txt  TEST63.txt  TEST7.t
TEST13.txt  TEST2.txt   TEST26.txt  TEST32.txt  TEST39.txt  TEST45.txt  TEST51.txt  TEST58.txt  TEST64.txt  TEST70.
filip@vmi3135542:~/hackycorp_scan/repos/repo0a$ git log -p | grep -iE "flag|secret|token"
filip@vmi3135542:~/hackycorp_scan/repos/repo0a$ git log -p | grep -E "[a-f0-9]{8}-[a-f0-9]{4}-"
    This is the key for RECON_23: 5c75cfe9-52dd-475b-8cfa-7ffc492abeca
filip@vmi3135542:~/hackycorp_scan/repos/repo0a$
```

Detecting vulnerabilities in DNS records

```
filip@vmi3135542:~/hackycorp_scan/repos/repo9$ dig key.z.hackycorp.com TXT

; <<>> DiG 9.18.39-0ubuntu0.24.04.2-Ubuntu <<>> key.z.hackycorp.com TXT
;; global options: +cmd
;; Got answer:
;; ->>HEADER<<- opcode: QUERY, status: NOERROR, id: 26101
;; flags: qr rd ra; QUERY: 1, ANSWER: 1, AUTHORITY: 0, ADDITIONAL: 1

;; OPT PSEUDOSECTION:
; EDNS: version: 0, flags:; udp: 65494
;; QUESTION SECTION:
;key.z.hackycorp.com.           IN      TXT

;; ANSWER SECTION:
key.z.hackycorp.com.    86400   IN      TXT     "9f883f22-6ea5-4631-bbe8-95841ad63f56"

;; Query time: 55 msec
;; SERVER: 127.0.0.53#53(127.0.0.53) (UDP)
;; WHEN: Tue Mar 24 20:01:01 CET 2026
;; MSG SIZE  rcvd: 97

filip@vmi3135542:~/hackycorp_scan/repos/repo9$ for sub in key test dev txt api admin; do
  dig $sub.z.hackycorp.com TXT +short
done
"9f883f22-6ea5-4631-bbe8-95841ad63f56"
filip@vmi3135542:~/hackycorp_scan/repos/repo9$
```

Using the DNS record synchronization mechanism

```
filip@vmi3135542:~/hackycorp_scan/repos/repo9$ dig AXFR z.hackycorp.com @ns1.hackycorp.com

; <<>> DiG 9.18.39-0ubuntu0.24.04.2-Ubuntu <<>> AXFR z.hackycorp.com @ns1.hackycorp.com
;; global options: +cmd
z.hackycorp.com.        604800  IN      SOA     ns1.hackycorp.com. ns1.hackycorp.com. 2 604800 86400 2
419200 604800
z.hackycorp.com.        604800  IN      NS      z.hackycorp.com.
z.hackycorp.com.        604800  IN      A       51.158.147.132
key.z.hackycorp.com.    604800  IN      TXT     "9f883f22-6ea5-4631-bbe8-95841ad63f56"
recon_14.z.hackycorp.com. 604800 IN     TXT     "e5fce970-6d94-43c1-bdd5-a06c2b235f9c"
z.hackycorp.com.        604800  IN      SOA     ns1.hackycorp.com. ns1.hackycorp.com. 2 604800 86400 2
419200 604800
;; Query time: 14 msec
;; SERVER: 51.158.147.132#53(ns1.hackycorp.com) (TCP)
;; WHEN: Tue Mar 24 20:03:52 CET 2026
;; XFR size: 6 records (messages 1, bytes 289)
```

Disclosing information using software queries

```
ilip@vmi3135542:~/hackycorp_scan/repos/repo9$ dig -c chaos -t txt VERSION.BIND @z.hackycorp.com

 <<>> DiG 9.18.39-0ubuntu0.24.04.2-Ubuntu <<>> -c chaos -t txt VERSION.BIND @z.hackycorp.com
; global options: +cmd
; Got answer:
; ->>HEADER<<- opcode: QUERY, status: NOERROR, id: 48725
; flags: qr aa rd; QUERY: 1, ANSWER: 1, AUTHORITY: 1, ADDITIONAL: 1
; WARNING: recursion requested but not available

; OPT PSEUDOSECTION:
 EDNS: version: 0, flags:; udp: 4096
 COOKIE: 7887e51d7549d76695983da369c2e058ded6e3dc204985ce (good)
; QUESTION SECTION:
VERSION.BIND.                   CH      TXT

; ANSWER SECTION:
ERSION.BIND.            0       CH      TXT     "4e5e76e1-728a-49be-aea8-4591ba11e588"

; AUTHORITY SECTION:
ersion.bind.            0       CH      NS      version.bind.

; Query time: 11 msec
; SERVER: 51.158.147.132#53(z.hackycorp.com) (UDP)
; WHEN: Tue Mar 24 20:04:56 CET 2026
; MSG SIZE  rcvd: 144

ilip@vmi3135542:~/hackycorp_scan/repos/repo9$
```