Fakulteta za informacijske študije
Faculty of information studies

ctf02

Student : Filip Polić
Student ID : 35250232
Student email : policfilip2003@gmail.com

Level 0

```
bandit0@bandit:~$ cat readme
Congratulations on your first steps into the bandit game!!
Please make sure you have read the rules at https://overthewire.org/rules/
If you are following a course, workshop, walkthrough or other educational activi
ty,
please inform the instructor about the rules as well and encourage them to
contribute to the OverTheWire community so we can keep these games free!

The password you are looking for is: ZjLjTmM6FvvyRnrb2rfNWOZOTa6ip5If

bandit0@bandit:~$
```

Level 1

```
bandit1@bandit:~$ cat ./-
263JGJPfgU6LtdEvgfWU1XP5yac29mFx
bandit1@bandit:~$
```

Level 2

```
bandit2@bandit:~$ cat ./--spaces\ in\ this\ filename--
MNk8KNH3Usiio41PRUEoDFPqfxLPlSmx
bandit2@bandit:~$
```

Level 3

```
bandit3@bandit:~$ cd inhere
bandit3@bandit:~/inhere$ ls -la
total 12
drwxr-xr-x 2 root    root    4096 Oct 14 09:26 .
drwxr-xr-x 3 root    root    4096 Oct 14 09:26 ..
-rw-r----- 1 bandit4 bandit3   33 Oct 14 09:26 ...Hiding-From-You
bandit3@bandit:~/inhere$ cat ...Hiding-From-You
2WmrDFRmJIq3IPxneAaMGhap0pFhF3NJ
bandit3@bandit:~/inhere$
```

Level 4

```
bandit4@bandit:~$ cat ./-file07
cat: ./-file07: No such file or directory
bandit4@bandit:~$ ls
inhere
bandit4@bandit:~$ cd inhere
bandit4@bandit:~/inhere$ ls
-file00  -file02  -file04  -file06  -file08
-file01  -file03  -file05  -file07  -file09
bandit4@bandit:~/inhere$ cat ./-file07
4oQYVPkxZOOEOO5pTW81FB8j8lxXGUQw
bandit4@bandit:~/inhere$
```

Level 5

Terminal - bandit5@bandit: ~

File Edit View Terminal Tabs Help

```
bandit5@bandit:~$ man find | grep size
       -gid, -inum, -links, -size, -uid and -used) as
       -size n[cwbkMG]
              The  size  is simply the st_size member of the struct stat popu-
              usual; i.e., an exact size of n units does not match.   Bear  in
              mind  that  the  size is rounded up to the next unit.  Therefore
              -size -1M is not equivalent to -size -1048576c.  The former only
                     the filesystem block size this is  usually  greater  than
                     the  filesystem  block  size this is usually greater than
              %s     File's size in bytes.
                     SIZE*st_blocks / st_size).  The exact value you will  get
                     usually  512  bytes.  If the file size is zero, the value
       der the control of other users.  This includes file names, sizes, modi-
              -mtime,  -nogroup,  -nouser,  -ok, -path, -print, -prune, -size,
              Determines the block size used by -ls and -fls.  If POSIXLY_COR-
                      \( -size +100M -fprintf /root/big.txt '%-10s %p\n' \)
bandit5@bandit:~$ find . -size 1033c
./inhere/maybehere07/.file2
bandit5@bandit:~$ cat ./maybehere07/.file2
cat: ./maybehere07/.file2: No such file or directory
bandit5@bandit:~$ cat ./inhere/maybehere07/.file2
HWasnPhtq9AVKe0dmk45nxy20cvUa6EG
```

Level 6

```
find: '/run/lock/lvm': Permission denied
find: '/etc/multipath': Permission denied
find: '/etc/stunnel': Permission denied
find: '/etc/credstore.encrypted': Permission denied
find: '/etc/sudoers.d': Permission denied
find: '/etc/xinetd.d': Permission denied
find: '/etc/polkit-1/rules.d': Permission denied
find: '/etc/credstore': Permission denied
find: '/etc/ssl/private': Permission denied
find: '/root': Permission denied
find: '/manpage/manpage3-pw': Permission denied
find: '/dev/mqueue': Permission denied
find: '/dev/shm': Permission denied
bandit6@bandit:~$ cat /var/lib/dpkg/info/bandit7.password
morbNTDkSW6jIlUc0ymOdMaLnOlFVAaj
bandit6@bandit:~$
```

Level 7

```
bandit7@bandit:~$ cat data.txt | grep millionth
millionth       dfwvzFQi4mU0wfNbFOe9RoWskMLg7eEc
bandit7@bandit:~$
```

Level 8

```
bandit8@bandit:~$ sort data.txt | uniq -u
4CKMh1JI91bUIZZPXDqGanal4xvAg0JM
bandit8@bandit:~$
```

Level 9

```
O&A=n
5========== FGUW5ilLVJrxX9kMYMmlN4MgbpfMiqey
=*^Y
=L3jT
q<=,
'QHE=
+=NBf
bandit9@bandit:~$
```

Level 10

```
bandit10@bandit:~$ base64 -d data.txt
The password is dtR173fZKb0RRsDFSGsg2RWnpNVj3qRr
bandit10@bandit:~$
```

Level 11

```
bandit11@bandit:~$ tr 'A-Za-z' 'N-ZA-Mn-za-m' < data.txt
The password is 7x16WNeHIi5YkIhWsfFIqoognUTyj9Q4
bandit11@bandit:~$
```

Level 12