

Решение заданий из раздела [Top Interview 150](#).

Top Interview 150

Run Submit

Description

Editorial

Solutions

Submissions

26. Remove Duplicates from Sorted Array

Solved

Easy Topics Companies Hint

Given an integer array `nums` sorted in **non-decreasing order**, remove the duplicates **in-place** such that each unique element appears only **once**. The **relative order** of the elements should be kept the **same**. Then return *the number of unique elements in `nums`*.

Consider the number of unique elements of `nums` to be `k`, to get accepted, you need to do the following things:

- Change the array `nums` such that the first `k` elements of `nums` contain the unique elements in the order they were present in `nums` initially. The remaining elements of `nums` are not important as well as the size of `nums`.
- Return `k`.

Custom Judge:

The judge will test your solution with the following code:

Code

Python Auto

```
1 class Solution:
2     def removeDuplicates(self, nums):
3         if not nums:
4             return 0
5         k = 1
6         for i in range(1, len(nums)):
7             if nums[i] != nums[i - 1]:
8                 nums[k] = nums[i]
9                 k += 1
10        return k
```

Saved

Testcase

Test Result

Accepted Runtime: 0 ms

Case 1 Case 2

Top Interview 150

RunSubmit

DescriptionEditorialSolutionsSubmissions

14. Longest Common Prefix

Solved

EasyTopicsCompanies

Write a function to find the longest common prefix string amongst an array of strings.
If there is no common prefix, return an empty string `""`.

Example 1:
Input: strs = ["flower","flow","flight"]
Output: "fl"

Example 2:
Input: strs = ["dog","racecar","car"]
Output: ""
Explanation: There is no common prefix among the input strings.

Constraints:

- $1 \leq \text{strs.length} \leq 200$
- $0 \leq \text{strs}[i].\text{length} \leq 200$
- `strs[i]` consists of only lowercase English letters if it is non-empty.

Code

PythonAuto

```
1 class Solution(object):
2     def longestCommonPrefix(self, strs):
3         if len(strs) == 0:
4             return ''
5         ans = strs[0]
6         for i in range(1, len(strs)):
7             while ans != strs[i][:len(ans)]:
8                 ans = ans[:-1]
9                 if ans == '':
10                     return ''
11         return ans
```

Saved

TestcaseTest Result

AcceptedRuntime: 0 ms

Case 1Case 2

Input
strs =
["flower","flow","flight"]

Output
"fl"

Top Interview 150

RunSubmit

DescriptionEditorialSolutionsSubmissions

169. Majority Element

Solved

EasyTopicsCompanies

Given an array `nums` of size `n`, return *the majority element*.
The majority element is the element that appears more than $\lfloor n / 2 \rfloor$ times. You may assume that the majority element always exists in the array.

Example 1:
Input: nums = [3,2,3]
Output: 3

Example 2:
Input: nums = [2,2,1,1,1,2,2]
Output: 2

Code

PythonAuto

```
1 class Solution(object):
2     def majorityElement(self, nums):
3         count=0
4         number=None
5         for num in nums:
6             if count==0:
7                 number=num
8             if num==number:
9                 count+=1
10            else:
11                count-=1
12        return number
```

Saved

TestcaseTest Result

AcceptedRuntime: 0 ms

Case 1Case 2

Top Interview 150

RunSubmit

0

DescriptionEditorialSolutionsSubmissions

28. Find the Index of the First Occurrence in a StringSolved

EasyTopicsCompanies

Given two strings `needle` and `haystack`, return the index of the first occurrence of `needle` in `haystack`, or `-1` if `needle` is not part of `haystack`.

Example 1:
Input: haystack = "sadbutsad", needle = "sad"
Output: 0
Explanation: "sad" occurs at index 0 and 6.
The first occurrence is at index 0, so we return 0.

Example 2:
Input: haystack = "leetcode", needle = "leeto"
Output: -1
Explanation: "leeto" did not occur in "leetcode", so we return -1.

Constraints:

- $1 \leq \text{haystack.length}, \text{needle.length} \leq 10^4$
- `haystack` and `needle` consist of only lowercase English characters.

Code

PythonAuto

1 class Solution:
2 def strStr(self, haystack, needle):
3 return haystack.find(needle)

Saved

TestcaseTest Result

AcceptedRuntime: 0 ms

Case 1Case 2

Input

haystack =
"sadbutsad"

needle =
"sad"

Output
0

Expected
0

Top Interview 150

RunSubmit

0

DescriptionEditorialSolutionsSubmissions

58. Length of Last WordSolved

EasyTopicsCompanies

Given a string `s` consisting of words and spaces, return *the length of the last word in the string*.

A word is a maximal **substring** consisting of non-space characters only.

Example 1:
Input: s = "Hello World"
Output: 5
Explanation: The last word is "World" with length 5.

Example 2:
Input: s = " fly me to the moon "
Output: 4
Explanation: The last word is "moon" with length 4.

Example 3:
Input: s = "luffy is still joyboy"
Output: 6
Explanation: The last word is "joyboy" with length 6.

Constraints:

- $1 \leq \text{s.length} \leq 10^4$
- `s` consists of only English letters and spaces ' '.

5.5K35280 Online

Code

PythonAuto

1 class Solution:
2 def lengthOfLastWord(self, s):
3 words = s.split()
4 if not words:
5 return 0
6 return len(words[-1])
7
8 sol = Solution()
9 s1 = "Hello World"
10 print(sol.lengthOfLastWord(s1))

Saved

TestcaseTest Result

AcceptedRuntime: 0 ms

Case 1Case 2Case 3

Input

s =
" fly me to the moon "

Output
4