Register with valid credentials

A user should be able to successfully register using valid credentials into teodor.bg

SeverityPriorityBehaviorType− Not set↑ HighNot setSmokeLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Step

5

Step	1		
Action	Open teodor.bg		
Input data	Input data		
Expected result	The site should open successfull		
Step	2		
Action	Click on the user icon		
Input data			
Expected result	The user should be redirected to the register/login page		
Step	3		
Action	Click on "РЕГИСТРАЦИЯ"		
Input data			
Expected result	The user is redirected to the registration form		
Step	4		
Action	Enter First name in the "Име" field		
Input data	Polina		
Expected result	The first name should be entered successfull		

Action	Enter Last name in the "Фамилия" field		
Input data Petkova			
Expected result	The last name should be entered successfull		
Step	6		
Action	Enter email in the "Email" field		
Input data	rds67132@omeie.com		
Expected result	The email should be entered successfull		
Step	7		
Action	Enter password in the "Password" field		
Input data	123Poli//		
Expected result	The password should be entered successfull		
Step	8		
Action	Repeat the password in the "Потвърди паролата" field		
Input data	123Poli//		
Expected result			
Step	9		
Action	Put a ticks in the required fields		
Input data			
Expected result	The ticks should be put successfull		
Step	10		
Action	Click on "Регистрация"		
Input data	Input data		
Expected result	The user is redirected to the register/login page A message "Трябва да потвърдите вашия профил. Моля проверете имейла си за линк за потвърждение ил и кликнете тук за да получите нов линк." is shown		

Step	11	
Action	Go to mail	
Input data		
Expected result	The user should receive a confirmation mail from teodor.bg	
Step	12	
Action	Open the mail from Teodor	
Input data	Input data	
Expected result	The mail from Teodor should be opened successfully	
Step	13	
Action	Click on "Потвърдете вашия профил"	
Input data	Input data	
Expected result	The user is redirected to the profile page of the site A message "Благодаря ви, че се регистрирахте в Teodor." is shown	

Actual

Register with already registered email

A user should not be able to registered with already registered email

Expected The First name should be entered successfully

result

Severity **Priority Behavior** Type O Normal ↑ High Negative Smoke Is Flaky Milestone **Automation** Layer Not set No Not automated **Status**

Step	1	
Action	Open teodor.bg	
Input data		
Expecte result	d The site should be opened successfully	
Step	2	
Action	Click on the user icon	
Input data		
Expecte result	d The user should be redirected to the registration/login form	
Step	3	
Action	Click on "РЕГИСТРАЦИЯ"	
Input data		
Expected The user should be redirected to the registration form result		
Step	4	
Action	Enter First name in the "Име" field	
Input data	Polina	

Step	5		
Action	Enter Last name in "Фамилия" field		
Input data	Petkova		
Expected The Last name should be entered successfully result			
Step	6		
Action	Enter already used email in the "Email" field		
Input data	testing.cases@yahoo.com		
Expecte result	d The used email name should be entered successfully		
Step	7		
Action	Enter password in the "Парола" field		
Input data	Testing1234/		
Expected The password should be entered successfully result			
Expecte result	d The password should be entered successfully		
Expecte result Step	d The password should be entered successfully		
Step	8		
Step Action Input data	8 Repeat the password in the "Потвърди паролата" field		
Step Action Input data	8 Repeat the password in the "Потвърди паролата" field Testing1234/		
Step Action Input data Expecte result	8 Repeat the password in the "Потвърди паролата" field Testing1234/ d The repeated password should be entered successfully		
Step Action Input data Expecte result Step	8 Repeat the password in the "Потвърди паролата" field Testing1234/ d The repeated password should be entered successfully		
Step Action Input data Expecte result Step Action Input data	8 Repeat the password in the "Потвърди паролата" field Testing1234/ d The repeated password should be entered successfully		
Step Action Input data Expecte result Step Action Input data	8 Repeat the password in the "Потвърди паролата" field Testing1234/ d The repeated password should be entered successfully 9 Put a ticks in the required fields		

Input data

ExpectedA message "Вече съществува профил с този имейл. Ако сте сигурни, че това е Вашият имейл адрес, кликне result — те тук за да получите нова парола за достъп до профила си." is shown

Register with a password containing less than 4 characters The user should not be able to register with a password containing less than 4 characters

 $\label{eq:continuity} \textbf{Expected}_{\textbf{The First name should be entered successfully result}}$

The user	should not be able	to register with a pass	word containing less than 4 chara	cters
Severity	y	Priority	Behavior	Туре
O Norma	al	O Medium	Negative	Smoke
Layer		ls Flaky	Milestone	Automation
Not set		No	-	Not automated
Status				
Actual				
Steps t	to reproduce			
Step	1			
Action	Open teodor.bg			
Input data				
Expecte result	ed The site should be	e opened successfully		
Step	2			
Action	Click on the user icon			
Input data				
Expected The user should be redirected to the registration/login page result				
Step	3			
Action	Click on "РЕГИСТРАЦИЯ"			
Input data				
Expecte result	ed The user should b	oe redirected to the reg	istration form	
Step	4			
Action	Enter First name	in the "Име" field		
Input data	Polina			

Step	5		
Action	Enter Last name in the "Фамилия" field		
Input data	Petkova		
Expected The Last name should be entered sucessfully result			
Step	6		
Action	Enter email in the "Email" field		
Input data	xcn57036@zslsz.com		
Expecte result	d The email should be entered successfully		
Step	7		
Action	Enter password in the "Парола" field		
Input data	Ted		
Expected The password should be entered successfully result			
Expecte result	d The password should be entered successfully		
Expecte result Step	d _{The password should be entered successfully}		
Step	8		
Step Action Input data	8 Repeat the password in the "Потвърди паролата" field		
Step Action Input data	8 Repeat the password in the "Потвърди паролата" field Ted		
Step Action Input data Expecteresult	8 Repeat the password in the "Потвърди паролата" field Ted d The repeated password should be entered successfully		
Step Action Input data Expecte result	8 Repeat the password in the "Потвърди паролата" field Ted d The repeated password should be entered successfully		
Step Action Input data Expecteresult Step Action Input data	8 Repeat the password in the "Потвърди паролата" field Ted d The repeated password should be entered successfully		
Step Action Input data Expecteresult Step Action Input data Expecteresult	8 Repeat the password in the "Потвърди паролата" field Ted d The repeated password should be entered successfully 9 Put a ticks in the requiered field		

Input data

ExpectedA message Минимална дължина на това поле трябва да бъде равен или по-голяма от 4 символи. Водещите result и крайните интервали ще бъдат игнорирани. is shown under the "Парола" field

Register when "password" field and "confirm password" field are not equal

The user should not be able to register when the "password" and "confirm password" fields are not equal

Severity	Priority	Behavior	Туре
O Normal	O Medium	Negative	Smoke
Layer	ls Flaky	Milestone	Automation
Not set	No	-	Not automated
Status			
Actual			

Step	1
Action	Open teodor.bg
Input data	
Expected result	The site should be opened successfully
Step	2
Action	Click on the user icon
Input data	
Expected result	The user should be redirected to the registration/login page
Step	3
Action	Click on "РЕГИСТРАЦИЯ"
Input data	
Expected result	The user should be redirected to the registration form
Step	4
Action	Enter First name in the "Име" field
Input data	Polina
Expected result	The First name should be entered successfully
Step	5
Action	Enter Last name in the "Фамилия" field

Input data	Petkova
Expected result	The Last name should be entered successfully
Ston	6
Step	
Action	Enter email in the "Email" field
Input data	qis26985@nezid.com
Expected result	The email should be entered successfully
Step	7
Action	Enter password in the "Парола" field
Input data	Parola/1234
Expected result	The password should be entered successfully
Step	8
Action	
Action	Enter different password in the "Потвърди паролата" field
Input data	/1234Parola
Expected result	The password should be entered successfully
Step	9
Action	Put a ticks in the required field
Input data	
Expected result	Ticks should be put successfully
Ston	10
Step	10
Action	Click on "Регистрация"
Input data	
Expected result	A message "Please enter the same value again." is shown

Register with invalid data in "Name" field

The user should not be able to register using invalid data in "Name" field

Severity **Priority Behavior** Type Other O Normal O Medium Negative Layer Is Flaky Milestone **Automation** Not set No Not automated **Status** Actual

Step	1
Action	Open teodo.bg
Input data	
Expected result	The site should opened successfully
Step	2
Action	Click on the user icon
Input data	
Expected result	The user should be redirected to the registration/login page
Step	3
Action	Click on "РЕГИСТРАЦИЯ"
Input data	
Expected result	The registration form should be opened successfully
Step	4
Action	Enter invalid First name in "Име" field
Input data	pOI!na
Expected result	The invalid name should be entered successfully
Step	5
Action	Enter Last name in the "Фамилия" field
Input data	Petkova

Expected result	The Last name should be entered successfully
Step	6
Action	Enter email in the "Email" field
Input data	yei26123@zslsz.com
Expected result	The email should be entered successfully
Step	7
Action	Enter password in the "Парола" field
Input data	Teodor123!
Expected result	The password should be entered successfully
Step	8
Action	Repeat the password in the "Потвърди паролата" field
Input data	Teodor123!
Expected result	The repeated password should be entered successfully
Step	9
Action	Put a ticks in the required fields
Input data	
Expected result	The ticks should be put successfully
Step	10
Action	Click on "Регистрация"
Input data	
Expected result	A message "First Name is not valid!" should appear

Register without putting a tick in required field

The user should not be able to register without putting a tick in required field

SeverityPriorityBehaviorTypeO NormalO MediumNegativeFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Step	1
Action	Open teodo.bg
Input data	
Expected result	The site should opened successfully
Step	2
Action	Click on the user icon
Input data	
Expected result	The user should be redirected to the registration/login page
Step	3
Action	Click on "РЕГИСТРАЦИЯ"
Input data	
Expected result	The registration form should be opened successfully
Step	4
Action	Enter invalid First name in "Име" field
Input data	Polina
Expected result	The First name should be entered successfully
Step	5

Action	Enter Last name in the "Фамилия" field
Input data	Petkova
Expected result	The Last name should be entered successfully
Step	6
Action	Enter email in the "Email" field
Input data	yei26123@zslsz.com
Expected result	The email should be entered successfully
Step	7
Action	Enter password in the "Парола" field
Input data	Teodor123!
Expected result	The password should be entered successfully
Step	8
Action	Repeat the password in the "Потвърди паролата" field
Input data	Teodor123!
Expected result	The repeated password should be entered successfully
Step	9
Action	Put a tick on the required field "Запознах се с общите условия и ги приемам "
Input data	
Expected result	The tick should be put successfully
Step	10
Action	Put a tick on the required field "Имам навършени 16 години "
Input data	
Expected result	The tick should be put successfully
Step	11

Action	Do not put a tick on the required field "Съгласен съм с политиката за поверителност на данните "	
Input data		
Expected result	A tick should not appear in the checkbox	
Step	12	
Action	Click on "Регистрация"	
Input data		
Expected result	A message "Трябва да се съгласите с политиката за поверителност на данните, за да продължите" sh ould shown	

Register leaving one required field empty

Do not fill Family name field

SeverityPriorityBehaviorType- Not setO MediumNegativeFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Step

5

Step	1
Action	Open teodor.bg
Input data	
Expected result	The site should open successfully
Step	2
Action	Click on the user icon
Input data	
Expected result	The user should be redirected to the registration/login page
Step	3
Step Action	3 Click on "РЕГИСТРАЦИЯ"
Action	
Action Input data Expected	Click on "РЕГИСТРАЦИЯ"
Action Input data Expected result	Click on "РЕГИСТРАЦИЯ" The registration page should be open
Action Input data Expected result Step	Click on "РЕГИСТРАЦИЯ" The registration page should be open 4
Action Input data Expected result Step Action	Click on "РЕГИСТРАЦИЯ" The registration page should be open 4 Enter a valid name in the "Име" field

Action	Leave field "Family name" empty
Input data	
Expected result	Family name field should have no value
Step	6
Action	Enter a valid email address in the "Email" field
Input data	testing.cases@yahoo.com
	- Costing Cases & Farious Com
Expected result	Email should be entered successfully
Step	7
Action	Enter a valid password in the "Парола" field
Input data	KTq8iVYNLh7MzYY
Expected result	The password should be entered successfully
Chair	
Step	8
Step	8 Reenter the valid password in the "Потвърди паролата" field
Action	
Action Input data Expected result	Reenter the valid password in the "Потвърди паролата" field The password should be reentered successfully
Action Input data Expected	Reenter the valid password in the "Потвърди паролата" field
Action Input data Expected result	Reenter the valid password in the "Потвърди паролата" field The password should be reentered successfully
Action Input data Expected result Step	Reenter the valid password in the "Потвърди паролата" field The password should be reentered successfully 9
Action Input data Expected result Step Action	Reenter the valid password in the "Потвърди паролата" field The password should be reentered successfully 9
Action Input data Expected result Step Action Input data Expected	Reenter the valid password in the "Потвърди паролата" field The password should be reentered successfully 9 Put a ticks in the required fields
Action Input data Expected result Step Action Input data Expected result	Reenter the valid password in the "Потвърди паролата" field The password should be reentered successfully 9 Put a ticks in the required fields The ticks should be put successfully
Action Input data Expected result Step Action Input data Expected result Step Step	Reenter the valid password in the "Потвърди паролата" field The password should be reentered successfully 9 Put a ticks in the required fields The ticks should be put successfully 10

Register using wrong email format

The user should not be able to register using wrong email format

SeverityPriorityBehaviorType— Not setO MediumNegativeFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Step

5

Step	1
Action	Open teodor.bg
Input data	
Expected result	The site should open successfully
Step	2
Action	Click on the user icon
Input data	
Expected result	The user should be redirected to the registration/login page
Step	3
Action	Click on "РЕГИСТРАЦИЯ"
Input data	
Expected result	The registration page should be open
Step	4
Action	Enter a First name in the "Име" field
Input data	Test
Expected result	The First name should be entered successfully

Action	Enter Last name in "Family name" field
Input data	Cases
Expected result	The Family name should be entered successfully
Step	6
Action	Enter a valid email address in the "Email" field
Input data	testing.casesyahoo.com
Expected result	Email should be entered successfully
Step	7
Action	Enter a valid password in the "Парола" field
Input data	KTq8iVYNLh7MzYY
Expected result	The password should be entered successfully
Step	8
Action	Reenter the valid password in the "Потвърди паролата" field
Input data	KTq8iVYNLh7MzYY
Expected result	The password should be reentered successfully
Step	9
Action	Put a ticks in the required fields
Input data	
Expected result	The ticks should be put successfully
Step	10
Action	Click on "РЕГИСТРАЦИЯ"
Input data	
Expected result	A message ""Моля, въведете валиден имейл адрес (Ex: johndoe@domain.com)." should appear under "Email" input field and registration should not be successful

Login with valid credentials

The user should be able to login with valid credentials

Priority Behavior Severity Type ↑ High Positive Not set **Functional** Layer Is Flaky Milestone **Automation** Not set No Not automated **Status** Actual

Step	1
Action	Open teodor.bg
Input data	
Expected result	The site should be opened successfully
Step	2
Action	Click on the user icon
Input data	
Expected result	The user should be redirected to the registration/login page
Step	3
Action	Enter email
Input data	testing.cases@yahoo.com
Expected result	The email should be entered successfully
Step	4
Action	Enter password
Input data	KTq8iVYNLh7MzYY
Expected result	The password should be entered successfully
Step	5
Action	Click on "Вход"
Input data	

Login with wrong password

The user should not login using registrated email and wrong password

SeverityPriorityBehaviorType- Not setO MediumNegativeFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Step

5

Step	1
Action	Open teodor.bg
Input data	
Expected result	The site should be opened successfully
Step	2
Action	Click on the user icon
Input data	
Expected result	The user should be redirected to the registration/login page
Step	3
Action	Enter email
Input data	testing.cases@yahoo.com
Expected result	The email should be entered successfully
Step	4
Action	Enter invalid password
Input data	Invalidpass123
Expected result	The password should be entered successfully

Action Click on "Вход"

Input data

Expected A message "Влизането в профила е неправилно или профилът Ви е деактивиран временно. Моля, изчака result йте и опитайте отново по-късно." should appear

Login with invalid email

The user should not be able to login with invalid email and registrated password

SeverityPriorityBehaviorType- Not setO MediumNegativeFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Steps to reproduce

5

Step

Step	1	
Action	Open teodor.bg	
Input data		
Expected result	The site should be opened successfully	
Step	2	
Action	Click on the user icon	
Input data		
Expected result	The user should be redirected to the registration/login page	
Step	3	
Action	Enter invalid email	
Input data	testingQWE.cases@yahoo.com	
Expected result	The email should be entered successfully	
Step	4	
Action	Enter password	
Input data	KTq8iVYNLh7MzYY	
Expected		

Action Click on "Вход"

Input data

Expected A message "Влизането в профила е неправилно или профилът Ви е деактивиран временно. Моля, изчака result йте и опитайте отново по-късно." should appear

Login leaving "Password" field empty

The user should not be able to login leaving "Password" field empty

Behavior Severity **Priority** Type Not set O Medium Negative **Functional** Is Flaky Milestone **Automation** Layer Not set No Not automated **Status** Actual

Step	1
Action	Open teodor.bg
Input data	
Expected result	The site should open successfully
Step	2
Action	Enter email
Input data	
Expected result	The email should entered successfully
Step	3
Action	Do not enter password
Input data	
Expected result	The password field should be left empty
Step	4
Action	Click on "Вход"
Input data	
Expected result	A message "Това е задължително поле." should appear

Login with an existing Facebook account

A user should be successfully logged in with Facebook account into teodor.bg

Severity **Priority Behavior** Type Not set ↑ High Positive **Functional** Is Flaky **Automation** Layer Milestone Not set No Not automated

Status Actual

Steps to reproduce

Step	1	
Action	Open teodor.bg	
Input data		
Expected result	The site should be opened successfully	
Step	2	
Action	2. Click on the user icon	
Input data		
Expected result	The user should be redirected to the registration/login page	
Step	3	
Action	3. Click on "Вход c Facebook"	
Input data		
Expected result	The user should be redirected to new window page where it says "Teodor BG заявява достъп до: Вашите име и снимка на профила и имейл адрес."	
Step	4	
Action	4. Click on "Продължете като "Име""	
Input data		
	The login with Facebook account should be successful	

The user should be redirected to the profile page of the teodor.bg where he/she should put a ticks to agree with the general conditions and privacy policy

Expected result

Login with an existing Google accountA user should be successfully logged in with Google account into teodor.bg

Severity	Priority	Behavior	Туре
Not set	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated
Status			
Actual			

Step	1
Action	Open teodor.bg
Input data	
Expected result	The site should be opened successfully
Step	2
Action	2. Click on the user icon
Input data	
Expected result	The user should be redirected to the registration/login page
Step	3
Action	2. Click on "Вход c Google"
Input data	
Expected result	The user should be redirected to new window page "Вход напред към teodor.bg : Имейл адрес или телеф онен номер"
Step	4
Action	3. Enter a valid Google email or phone number
Input data	
Expected result	The Google email or phone number should be entered successfully
Step	5

Action	4. Click on "Напред"
Input data	
Expected result	The user should be redirected to new window раде "Въведи парола"
Step	6
Action	5. Enter a password
Input data	
Expected result	The password should be entered successfully
Step	7
Action	6. Click on "Напред"
Input data	
Expected result	The login should be successfull

Functionality of "password forgotten" button

A user should be able to reset forgotten password

SeverityPriorityBehaviorType− Not set↑ HighPositiveOther

LayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Steps to reproduce

5

Step

Step	1
Action	Open teodor.bg
Input data	
Expected result	The site should open successfully
Step	2
Action	Click on the user icon
Input data	
Expected result	The user should be redirected to the registration/login page
Step	3
Action	3. Click on "Забравена парола"
Input data	
Expected result	The user should be redirected to the forgotten password page
Step	4
Action	4. Type your registered email in "Email"
Input data	testing.cases@yahoo.com
Expected result	The email should be typed successfully

Action	5. Click on "Нова парола"
Input data	
Expected result	Message should appear "Ако има профил асоцииран с testing.cases@yahoo.com ще получите линк за възс тановяване на паролата."
Step	6
Action	6. Go to the mail
Input data	
Expected result	A recovery password mail should be sent to the user
Step	7
Action	7. Click on "Задайте нова парола"
Input data	
Expected result	The user should be redirected to a page where he can type his new password
Step	8
Step Action	8 8. Type new password in "Нова парола"
Action	8. Type new password in "Нова парола"
Action Input data Expected	8. Type new password in "Нова парола" KTq8iVYNLh7MzYY
Action Input data Expected result	8. Type new password in "Нова парола" KTq8iVYNLh7MzYY Fifteen dots should appear in the field "Нова парола"
Action Input data Expected result Step	8. Type new password in "Нова парола" KTq8iVYNLh7MzYY Fifteen dots should appear in the field "Нова парола" 9
Action Input data Expected result Step Action	8. Type new password in "Нова парола" КТq8iVYNLh7MzYY Fifteen dots should appear in the field "Нова парола" 9 9. Type the same password in "Потвърдете новата парола"
Action Input data Expected result Step Action Input data Expected	8. Type new password in "Hoва парола" KTq8iVYNLh7MzYY Fifteen dots should appear in the field "Нова парола" 9 9. Type the same password in "Потвърдете новата парола" KTq8iVYNLh7MzYY
Action Input data Expected result Step Action Input data Expected result	8. Type new password in "Нова парола" KTq8iVYNLh7MzYY Fifteen dots should appear in the field "Нова парола" 9 9. Type the same password in "Потвърдете новата парола" KTq8iVYNLh7MzYY Fifteen dots should appear in the field "Потвърдете новата парола"
Action Input data Expected result Step Action Input data Expected result Step	8. Type new password in "Нова парола" KTq8iVYNLh7MzYY Fifteen dots should appear in the field "Нова парола" 9 9. Type the same password in "Потвърдете новата парола" KTq8iVYNLh7MzYY Fifteen dots should appear in the field "Потвърдете новата парола" 10

Logout functionality after a session has expired

Severity Priority **Behavior** Type **O** Medium Not set Not set Functional Milestone **Automation** Layer Is Flaky Not set No Not automated Status Actual

Step	1
Action	Open teodor.bg
Input data	
Expected result	The site should open successfully
Step	2
Action	Leave the open tab inactive for 20 minutes while user is logged in
Input data	
Expected result	
Step	3
Action	Return to the tab and click on my profile icon
Input data	
Expected result	Session should be expired and user should be logged out automatically

Logout functionality

Severity Priority **Behavior** Type Not set ↑ High Not set Functional Is Flaky Milestone **Automation** Layer Not set No Not automated Status

Steps to reproduce

Actual

Step	1
Action	Open teodor.bg
Input data	
Expected result	The site should open successfully
Chan	2
Step	2
Action	Click on user icon
Input data	
Expected result	The user should be redirected to the registration/login page
Step	3
Action	Enter a valid email
Input data	testing.cases@yahoo.com
Expected result	The email should be entered successfully
Step	4
Action	Enter valid "Парола"
Input data	KTq8iVYNLh7MzYY
Expected result	The password should be entered successfully
Step	5
Action	Click on button "ВХОД"
Input data	
Expected result	The login should be successful

Step	6
Action	Click on button "Изход"
Input data	
Expected result	The logout should be successful

Logout functionality followed by "back" button

Severity Priority **Behavior** Type Not set ↑ High Not set Functional Is Flaky Milestone **Automation** Layer Not set No Not automated Status Actual

Step	1
Action	Open teodor.bg
Input data	
Expected result	The site should open successfully
Step	2
Action	Click on user icon
Input data	
Expected result	The user should be redirected to the registration/login page
Step	3
Action	Enter a valid email
Input data	testing.cases@yahoo.com
Expected result	The email should be entered successfully
Step	4
Action	Enter valid "Парола"
Input data	KTq8iVYNLh7MzYY
Expected result	The password should be entered successfully
Step	5
Action	Click on button "ВХОД"
Input data	

Expected result	The login should be successful The user is redirected to the profile page	
Step	6	
Action	Click on button "Изход"	
Input data		
Expected result	The user should be logged out A message ""Излязохте от акаунта си" should appear	
Step	7	
Action	Click to button in browse "Back"	
Input data		
Expected result	The system should redirect the user to the login page	

"Search" button is functionable

The Search button should be functioning

SeverityPriorityBehaviorType- Not setO MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Step	1
Action	Open teodor.bg
Input data	
Expected result	The site should be open successfully
Step	2
Action	Click on the "Search" icon
Input data	
Expected result	The "Search" button should be opened successfully

"Най-търсени" is visible and clickable

"Най-търсени" from the "Search" should be visible and clickable

SeverityPriorityBehaviorType− Not set↓ LowPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

open teodor.bg

Step	1
Action	Click on the search icon
Input data	
Expected result	The search button should be shown and "Най-търсени" shold appear
Step	2
Action	Click on the subcategory below the "Най-търсени"
Input data	Ризи
Expected result	A catalog of "Ризи" should appear

Result of a search refers to the searched word

A products of the searched word should appear

Severity	Priority	Behavior	Туре
Not set	O Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation
Not set	No	_	Not automated

Status Actual

Pre-conditions

open teodor.bg

Step	1
Action	Click on the search icon
Input data	
Expected result	The search bar should appear
Step	2
Action	Туре "Дънки"
Input data	Дънки
Expected result	A jeans should appear

Search in English language

The user should not be able to search in English language

SeverityPriorityBehaviorType− Not set↓ LowNegativeFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

open teodor.bg open search icon

Step	1
Action	Type "Jeans"
Input data	Jeans
Expected result	A message "Sorry, nothing has been found for "jeans" should appear

Search with multiple words

Products should appear after searching with multiple words

SeverityPriorityBehaviorType− Not set↓ LowPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

open teodor.bg open search icon

Step	1
Action	Туре "бяла риза
Input data	бяла риза
Expected result	A products containing the words "бяла риза" should appear

Search with a misspelled word

A result with a misspelled word should appear

Severity	Priority	Behavior	Туре
— Not set	↓ Low	Positive	Functional
Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

open teodor.bg open search icon

Step	1
Action	Туре "данки"
Input data	
Expected result	A products of jeans should appear

Search with uppercase letters

Searching with uppercase should be accepted

SeverityPriorityBehaviorType− Not set↓ LowPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status

Actual

Pre-conditions

open teodor.bg open search icon

Step	1
Action	Туре "РИЗА"
Input data	
Expected result	A products of shirts should appear

Search with pasted word

Paste a word in the search box should be accepted

Severity	Priority	Behavior	Туре
Not set	↓ Low	Positive	Functional
Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

open teodor.bg copy word "риза" open search icon

Step	1
Action	Paste "риза"
Input data	
Expected result	A products of shirts should appear

Search with invalid word

Searching with invalid word should not be accepted

SeverityPriorityBehaviorType− Not set↓ LowNegativeFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

open teodor.bg open search icon

Expected result

Steps to reproduce

Step 1
Action Туре "клавиатура"
Input data

A message "Sorry, nothing has been found for "клавиатура"." should appear

Search with only first letters of a cloth

Searching with only few letters of a cloth should be successfull

Severity	Priority	Behavior	Туре
Not set	↓ Low	Positive	Functional
Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

open teodor.bg click on the search icon

Step	1
Action	Туре "дън"
Input data	дънков плат
Expected result	Products from denim cloth should appear

Buy 3, get 20% off

The user should get 20% off when buy 3 products

SeverityPriorityBehaviorType- Not setO MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

open teodor.bg

Step	1
·	
Action	Click on "Outlet"
Input data	
Expected result	The outlet page should be open successfully
_	
Step	2
Action	Click on "Пазарувай" next to the "Купи 3 Вземи 20%"
Input data	
Expected result	A page with products from the promotion should appear
Step	3
Action	Add 3 products to the cart
Input data	
Expected result	3 products should be added to the cart
Step	4
Action	Click on the cart
Input data	

Search with minimum characters

Search a product with one letter should not be able to show results

SeverityPriorityBehaviorType- Not setO MediumNegativeFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

open teodor.bg open search icon

Step	1
Action	Type "П"
Input data	П
Expected result	The letter "П" should appear
Step	2
Action	Click the enter button
Input data	
Expected result	A message "Минималаната дължина на заявката за търсене 3" should appear

Search with numbers

Searching with numbers should show products with product code like the typed number

Severity	Priority	Behavior	Туре
Not set	O Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated
Status			

Pre-conditions

Actual

open teodor.bg click the search icon

Step	1
Action	Type number
Input data	139
Expected result	A products with product code like the typed one should appear

Adding item to the cart

The item should be added successfully to the cart

SeverityPriorityBehaviorType− Not set↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

open teodor.bg

Steps to reproduce

Step	1
Action	Click on OUTLET
Input data	
Expected resu	It The user should be redirected to the outlet page
Step	2
Action	Choose a product
Input data	БЯЛА РИЗА С БЕЖОВ ФЛОРАЛЕН ПРИНТ
Expected resu	It The user should be redirected to the product page
Step	3
Action	Select a size
Input data	2XL
Expected result	
Step	4
Action	Click on "Добави"
Input data	

Expected result The product should be added successfully A message "Добавихте БЯЛА РИЗА С БЕЖОВ ФЛОРАЛЕН ПРИНТ във Вашата количка." should appear

Adding item to the cart without selecting size

The item should be added successfully to the cart

Severity **Priority Behavior** Type Not set ↑ High Positive **Functional** Is Flaky Milestone **Automation** Layer Not set No Not automated **Status** Actual

Pre-conditions

open teodor.bg

Step	1
Action	Click on OUTLET
Input data	
Expected result	The user should be redirected to the outlet page
Step	2
Action	Click on a product
Input data	БЯЛА РИЗА С БЕЖОВ ФЛОРАЛЕН ПРИНТ
Expected result	The user should be redirected to the product page
Step	3
Action	Do not select a size
Input data	2XL
Expected result	
Step	4
Action	Click on "Добави"
Input data	
Expected result	A message "Това е задължително поле." should appear

Removing product from the cart

A product should be removed successfully from the cart

SeverityPriorityBehaviorType- Not setO MediumNot setFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

open teodor.bg add product to the cart

Step	1
Action	Open the cart
Input data	
Expected result	The cart should be opened successfully
Step	2
Action	Remove a product
Input data	
Expected result	A product should be removed successfully

Removing product from the cart without opening the cart

A product should be removed successfully without opening the cart

SeverityPriorityBehaviorType— Not setO MediumNot setFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

open teodor.bg add product to the cart

Step	1
Action	Hover the mouse to the cart
Input data	
Expected result	The added product should appear
Step	2
Action	Remove a product
Input data	
Expected result	A message "Сигурни ли сте, че бихте искали да премахнете този елемент от количката?" should appe ar
Step	3
Action	Click "OK"
Input data	
Expected result	The product should be removed successfully

Increase the number of item

SeverityPriorityBehaviorType− Not set↓ LowNot setFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

open teodor.bg add a product to the cart

Step	1
Action	Increase the number of the item until shows a message
Input data	
Expected result	A message "Исканото количество не е налично" should appear

Edit product parameters

The edited parameters of a product should be successfully

SeverityPriorityBehaviorType- Not setO MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

open teodor.bg Go to "OUTLET" Add a "ПРИНТИРАНА РИЗА В ЗЕЛЕНО И ОРАНЖЕВО" product to the cart Select size XL

Step	1
Action	Open the cart
Input data	
Expected result	The cart should be opened successfully
Step	2
Action	Click on the pencil to edit the parameters of the product
Input data	
Expected result	The user should be redirected to the product page
Step	3
Action	Choose size M
Input data	
Expected result	The size should be choosen
Step	4
Action	Click on "Актуализирай количката"
Input data	
Expected result	The parameters of the product should be edited successfully The user is redirected to the cart page

Finish order

The order should be finished successfully

SeverityPriorityBehaviorType− Not set↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

open teodor.bg the user is logged in add item to the cart

Step	1
Action	Open the cart
Input data	
Expected resu	Ilt The cart should be opened successfully
Step	2
Action	Click on "Към завършване"
Input data	
Expected resu	ılt
Step	3
Action	Fill the required field
Input data	
Expected resu	ılt
Step	4
Action	Click "Напред"
Input data	
Expected resu	Ilt The user should be redirected to the payment page

Step5ActionChoose payment "Наложен платеж"Input dataExpected result The payment should be choosenStep6ActionClick on "Завърши поръчката"Input dataExpected result A message "Вашата поръчка е с номер: 000095815.
Ще Ви изпратим email с потвърждение и детайли за проследяване на поръчката." should appear

Payment method "Наложен платеж" is clickable

The payment method "Наложен платеж" should be clicked successfully

Severity	Priority	Behavior	Туре
Not set	↑ High	Positive	Other
Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

open teodor.bg add a product to the cart Finish the order until reach to the payment methods

Step	1
Action	Click он payment method "Наложен платеж"
Input data	
Expected result	The payment method should be clicked successfully

Payment method "myPOS" is clickable

The payment method "MyPOS" should be clicked successfully

No

SeverityPriorityBehaviorType− Not set↑ HighPositiveOtherLayerIs FlakyMilestoneAutomation

Not automated

Not set **Status**

Actual

Pre-conditions

open teodor.bg add a product to the cart Finish the order until reach to the payment methods

Step	1
Action	Click on payment method "myPOS"
Input data	
Expected result	The payment method should be Clicked successfully

Payment method "Ерау Микросметка" is clickable

The payment method "Ерау Микросметка" should be clicked successfully

Severity	Priority	Behavior	Туре
Not set	↑ High	Positive	Other
Layer	Is Flaky	Milestone	Automation

Status Actual

Pre-conditions

open teodor.bg click on a product

Step	1
Action	Click on payment method "Ерау Микросметка"
Input data	
Expected result	The payment method should be Clicked successfully

Payment method "Epay Bpay" is clickable

The payment method "Epay Bpay" should be clicked successfully

SeverityPriorityBehaviorType− Not set↑ HighPositiveOtherLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status

Actual

Pre-conditions

open teodor.bg add a product to the cart Finish the order until reach to the payment methods

Step	1
Action	Click on payment method "Epay Bpay"
Input data	
Expected result	The payment method should be Clicked successfully

Payment method "Банково плащане" is clickable

The payment method "Банково плащане" should be clicked successfully

Severity	Priority	Behavior	Туре
Not set	↑ High	Positive	Other
Layer	Is Flaky	Milestone	Automation
Not set	No	_	Not automated

Status

Actual

Pre-conditions

open teodor.bg add a product to the cart Finish the order until reach to the payment methods

Step	1
Action	Click on payment method "Банково плащане"
Input data	
Expected result	The payment method should be Clicked successfully

Free shipping over 99,99 BGN

A free shipping over 99,99 BGN should be imposed

SeverityPriorityBehaviorType- Not setO MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

open teodor.bg add product over 99,99 BGN

Steps to reproduce

Step 1

Action Click on the cart

Input data

Expected result — A message "Вие получавате безплатна доставка!" next to the product should appear

Free shipping for 99,99 BGN

A free shipping for 99,99 BGN should be imposed

SeverityPriorityBehaviorType- Not setO MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

open teodor.bg add product for 99,99 BGN

Steps to reproduce

Step 1

Action Click on the cart

Input data

Expected result — A message "Вие получавате безплатна доставка!" next to the product should appear

Free shipping under 99,99 BGN

A free shipping under 99,99 BGN should not be imposed

SeverityPriorityBehaviorType- Not setO MediumNegativeFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

open teodor.bg add product under 99,99 BGN

Step	1
Action	Click on the cart
Input data	
Expected result	A message "Добавете продукти за още 30,00 лв. и ще получите безплатна доставка! " next to the product should appear

Change currency to EUR

The currency should be changed successfully

Severity	Priority	Behavior	Туре
— Not set	O Medium	Positive	Functional
Layer	ls Flaky	Milestone	Automation
Not set	No	-	Not automated

Status Actual

Pre-conditions

open teodor.bg

Step	1
Action	Change the currency to EUR
Input data	
Expected result	The currency should be changed succeffully

Changing the colour

The colour should be changed

SeverityPriorityBehaviorType- Not setO MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

open teodor.bg click on "Облекло"

Step	1
Action	Click on red colour in "Цвят"
Input data	
Expected result	The colour should be clicked
Step	2
Action	Change the red colour to blue in "Цвят"
Input data	
Expected result	The colour should be changed

Button "ДОБАВИ" is clickable

Button "ДОБАВИ" should be clickable

SeverityPriorityBehaviorType- Not setO MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

open teodor.bg click on "Обувки"

Step	1
Action	Hover the mouse to a product
Input data	
Expected result	A button "ДОБАВИ" should appear
Step	2
Action	Click on "ДОБАВИ"
Input data	
Expected result	The button should be clicked and the user should be redirected to the product's page

Adding a product to favorites

A product should be added to favorites successfully

SeverityPriorityBehaviorType- Not setO MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

open teodor.bg log in click on a product

Step	1
Action	Click on "Добави в любими"
Input data	
Expected result	The product should be successfully added to favorites

Choosing a size of a shoes

Choosing a size of a shoes should be successfull

SeverityPriorityBehaviorType- Not setO MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status

Actual

Pre-conditions

open teodor.bg click on "Обувки"

Step	1
Action	Choose a size
Input data	39
Expected result	A list of shoes size 39 should appear

Pictures of the products are visible

Pictures of the products should be visible

SeverityPriorityBehaviorType- Not setO MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status

Actual

Pre-conditions

open teodor.bg

Steps to reproduce

Step 1

Action Click on "Обувки"

Input data

Expected result
The "Обувки" page should open and the pictures of the products should be visible

Price of the products are visible

Price of the products should be visible

SeverityPriorityBehaviorType- Not setO MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

open teodor.bg

Steps to reproduce

Step 1

Action Click on "Обувки"

Input data

Expected result
The "Обувки" page should open and the price of the products should be visible

Name of the products are visible

Name of the products should be visible

SeverityPriorityBehaviorType- Not setO MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

open teodor.bg

Steps to reproduce

Step 1

Action Click on "Обувки"

Input data

Expected result
The "Обувки" page should open and the name of the products should be visible

"Условия за връщане" is clicable and the content is visible "Условия за връщане" should open successfully and the content should be visible

Severity	Priority	Behavior	Туре
— Not set	O Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

open teodor.bg click on a product

Step	1
Action	Click on "Условия за връщане"
Input data	
Expected result	The button should be clickable and the content should be open successfully

"Сподели" is clicable and the content is visible

"Сподели" should open successfully and the content should be visible

Severity	Priority	Behavior	Туре
Not set	O Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation
Not set	No	_	Not automated

Status

Actual

Pre-conditions

open teodor.bg click on a product

Step	1
Action	Click on "Сподели"
Input data	
Expected result	The button should be clickable and the content should be open successfully

"Тъкан/поддръжка" is clicable and the content is visible

"Тъкан/поддръжка" should open successfully and the content should be visible

Severity	Priority	Behavior	Туре
— Not set	O Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

open teodor.bg click on a product

Step	1
Action	Click on "Тъкан/поддръжка"
Input data	
Expected result	The button should be clickable and the content should be open successfully

"Описание" is clicable and the content is visible

"Описание" should open successfully and the content should be visible

Severity	Priority	Behavior	Туре
Not set	O Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

open teodor.bg click on a product

Step	1
Action	Click on "Описание"
Input data	
Expected result	The button should be clickable and the content should be open successfully

Zooming of a picture

Pictures should be able to zoom

SeverityPriorityBehaviorType- Not setO MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

open teodor.bg click on a product

Step	1
Action	Click on the image of the product
Input data	
Expected result	Larger image of the product should open successfully
Step	2
Action	Click on the "+"
Input data	
Expected result	The image should be zoomed successfully

Similar products appear under the choosen product

Similar products should appear under the choosen product

SeverityPriorityBehaviorType- Not setO MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

open teodor.bg

Step	1
Action	Click on a product
Input data	
Expected result	The product should be open successfully
Step	2
Action	Scroll down below the product
Input data	
Expected result	The similar products should appear

Last viewed appear under the choosen product

Last viewed should appear under the choosen product

SeverityPriorityBehaviorType- Not setO MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

open teodor.bg

Step	1
Action	Click on a product
Input data	
Expected result	The product should be open successfully
Step	2
Action	Scroll down below the product
Input data	
Expected result	The last viewed products should appear

"Бърза поръчка" works as expected

"Бърза поръчка" should work as expected

Severity	Priority	Behavior	Туре
Not set	O Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation
Not set	No	_	Not automated

Status

Actual

Pre-conditions

open teodor.bg click on a product

Step	1
Action	Click on "Бърза поръчка"
Input data	
Expected result	A fast order form should open successfully

Filter "Категории" works as expected

Filter "Категории" should work as expected

SeverityPriorityBehaviorType- Not setO MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status

Actual

Pre-conditions

open teodor.bg click on a category

Step	1
Action	Click on "Категории" filter
Input data	
Expected result	The filter should open successfully

Filter "Цвят" works as expected

Filter "Цвят" should work as expected

SeverityPriorityBehaviorType- Not setO MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status

Actual

Pre-conditions

open teodor.bg click on a category

Step	1
Action	Click on "Цвят" filter
Input data	
Expected result	The filter should open successfully

Filter "Размер" of a shoes works as expected

Filter "Pasmep" of a shoes should work as expected

SeverityPriorityBehaviorType- Not setO MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

open teodor.bg Click on a "Обувки"

Step	1
Action	Click on "Размер" filter
Input data	
Expected result	The filter should open successfully and should add a size successfully

Filter "Тъкан" works as expected

Filter "Тъкан" should work as expected

SeverityPriorityBehaviorType- Not setO MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status

Actual

Pre-conditions

open teodor.bg click on a category

Step	1
Action	Click on "Тъкан" filter
Input data	
Expected result	The filter should open successfully

Filter "Цена" works as expected

Filter "Цена" should work as expected

SeverityPriorityBehaviorType- Not setO MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status

Actual

Pre-conditions

open teodor.bg choose a category

Step	1
Action	Click on "Цена" filter
Input data	
Expected result	The filter should open successfully

Filter "Pasmep" of a shirts, t-shirts, sports sets, sweaters work as expected

Filter "Размер" of a shirts, t-shirts, sports sets, sweaters should work as expected

Severity	Priority	Behavior	Туре
Not set	O Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation

Status

Actual

Pre-conditions

open teodot.bg click on "Outlet"

Step	1
Action	Click on "Размер" filter of of a shirts, t-shirts, sports sets, sweaters
Input data	
Expected result	The "Размер" filter should be open successfully

Filter "Pasmep" of jeans work as expected

Filter "Pasmep" of jeans should work as expected

SeverityPriorityBehaviorType- Not setO MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status

Actual

Pre-conditions

open teodot.bg click on "Outlet"

Step	1
Action	Click on "Размер" filter jeans
Input data	
Expected result	The "Размер" filter should be open successfully

Sort by position works as expected

A sorting by position should work as expected

SeverityPriorityBehaviorType- Not setO MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status

Actual

Pre-conditions

open teodor.bg click on "Outlet"

Step	1
Action	Click on "Сортирай по позиция"
Input data	
Expected result	A sorted products by a position should be shown

Sort by name works as expected

A sorting by name should work as expected

SeverityPriorityBehaviorType- Not setO MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status

Actual

Pre-conditions

open teodor.bg click on "Outlet"

Step	1
Action	Click on "Сортирай по име"
Input data	
Expected result	A sorted products by a name should be shown

Sort by price works as expected

A sorting by price should work as expected

SeverityPriorityBehaviorType- Not setO MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status

Actual

Pre-conditions

open teodor.bg click on "Outlet"

Step	1
Action	Click on "Сортирай по цена"
Input data	
Expected result	A sorted products by a price should be shown

Sort by best sellers works as expected

A sorting by best sellers should work as expected

SeverityPriorityBehaviorType- Not setO MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

open teodor.bg click on "Outlet"

Step	1
Action	Click on "Сортирай по най-продавани"
Input data	
Expected result	A sorted products by a best sellers should be shown

Sort by number of grades works as expected

A sorting by number of grades should work as expected

SeverityPriorityBehaviorType- Not setO MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status

Actual

Pre-conditions

open teodor.bg click on "Outlet"

Step	1
Action	Click on "Сортирай по брой оценки"
Input data	
Expected result	A sorted products by a number of grades should be shown

Sort by newest works as expected

A sorting by newest should work as expected

SeverityPriorityBehaviorType- Not setO MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status

Actual

Pre-conditions

open teodor.bg click on "Outlet"

Step	1
Action	Click on "Сортирай по най-нови"
Input data	
Expected result	A sorted products by a newest should be shown

Sort by discount works as expected

A sorting by discount should work as expected

SeverityPriorityBehaviorType- Not setO MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status

Actual

Pre-conditions

open teodor.bg click on "Outlet"

Step	1
Action	Click on "Сортирай по отстъпка"
Input data	
Expected result	A sorted products by a discount should be shown

Contact form with valid data

A contact message with valid data should be sent successfully

SeverityPriorityBehaviorType- Not setO MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

open teodor.bg click on "Контакти"

Step	1
Action	Fill the form with valid data
Input data	Polina testing.cases.yahoo.com +35988888888
Expected result	The credentials should be entered successfully
Step	2
Action	Click on "Изпрати"
Input data	
Expected result	A message "Благодарим Ви, че се свързахте с нас с вашите коментари и въпроси. Ще Ви отговорим мно го скоро." should appear

Contact form with invalid email format

A contact message with invalid email format should not be sent successfully

SeverityPriorityBehaviorType- Not setO MediumNegativeFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

open teodor.bg click on "Контакти"

Step	1
Action	Fill the form with valid credentials except email
Input data	Polina +35988888888
Expected result	The credentials should be entered successfully
Step	2
Step	2
Action	Enter an invalid email format
Input data	polinayahoo@.com
Expected result	The email should be entered
Step	3
Action	Click on "Изпрати"
Input data	
Expected result	A message "Моля, въведете валиден имейл адрес (Ex: johndoe@domain.com)." should appear under the email field

Contact form with invalid phone number

A contact message with invalid phone number should not be sent successfully

SeverityPriorityBehaviorType- Not setO MediumNegativeFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

open teodor.bg click on "Контакти"

Step	1
Action	Fill the form with valid credentials except phone number
Input data	Polina testingcases@yahoo.com
Expected result	The credentials should be entered successfully
Step	2
Action	Enter an invalid phone number
Input data	080000000
Expected result	The invalid phone numberl should be entered
Step	3
Action	Click on "Изпрати"
Input data	
Expected result	A message "Благодарим Ви, че се свързахте с нас с вашите коментари и въпроси. Ще Ви отговорим мно го скоро." should appear

Contact form with empty fields

A contact message with empty fields should not be sent successfully

SeverityPriorityBehaviorType- Not setO MediumNegativeFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

open teodor.bg click on "Контакти"

Step	1
Action	Do not fill the fields
Input data	
Expected result	
Step	2
Action	Click on "Изпрати"
Input data	
Expected result	A message "Това е задължително поле." should appear under every required field

Change language of the website The language should be changed successfully

Severity	Priority	Behavior	Туре
— Not set	O Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status Actual

Pre-conditions

open teodor.bg

Step	1
Action	Change the language to GR
Input data	
Expected result	The language should be changed successfully

H&S category tab works as expected

H&S category tab should work as expected

Severity	Priority	Behavior	Туре
Not set	O Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation
Not set			

Status

Actual

Pre-conditions

open teodor,bg

Step	1
Action	Click on "H&S" category tab
Input data	
Expected result	The category tab should open successfully

"Outlet" category tab works as expected

"Outlet" category tab should work as expected

SeverityPriorityBehaviorType- Not setO MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status

Actual

Pre-conditions

open teodor,bg

Step	1
Action	Click on "Outlet" category tab
Input data	
Expected result	The category tab should open successfully

"Промоции" category tab works as expected "Промоции" category tab should work as expected

Severity	Priority	Behavior	Туре
Not set	O Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation

Status

Actual

Pre-conditions

open teodor,bg

Step	1
Action	Click on "Промоции" category tab
Input data	
Expected result	The category tab should open successfully

"Нови" category tab works as expected "Нови" category tab should work as expected

Severity	Priority	Behavior	Туре
Not set	O Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation
Not set	No	_	Not automated

Status

Actual

Pre-conditions

open teodor,bg

Step	1
Action	Click on "Нови" category tab
Input data	
Expected result	The category tab should open successfully

"Облекло" category tab works as expected "Облекло" category tab should work as expected

Severity	Priority	Behavior	Туре
Not set	O Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation
Not set	No	_	Not automated

Status

Actual

Pre-conditions

open teodor,bg

Step	1
Action	Click on "Облекло" category tab
Input data	
Expected result	The category tab should open successfully

"Обувки" category tab works as expected "Обувки" category tab should work as expected

Severity	Priority	Behavior	Туре
Not set	O Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation
Not set	No	_	Not automated

Status

Actual

Pre-conditions

open teodor,bg

Step	1
Action	Click on "Обувки" category tab
Input data	
Expected result	The category tab should open successfully

"Аксесоари" category tab works as expected "Аксесоари" category tab should work as expected

Severity	Priority	Behavior	Туре
— Not set	O Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation

Status Actual

Pre-conditions

open teodor,bg

Step	1
Action	Click on "Аксесоари" category tab
Input data	
Expected result	The category tab should open successfully

"Ваучери" category tab works as expected "Ваучери" category tab should work as expected

Severity	Priority	Behavior	Туре
Not set	O Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

open teodor,bg

Step	1
Action	Click on "Ваучери" category tab
Input data	
Expected result	The category tab should open successfully

"Магазини" category tab works as expected "Магазини" category tab should work as expected

Severity	Priority	Behavior	Туре
Not set	O Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation
Not set	No	_	Not automated

Status

Actual

Pre-conditions

open teodor,bg

Step	1
Action	Click on "Магазини" category tab
Input data	
Expected result	The category tab should open successfully

"Каталог" category tab works as expected

"Каталог" category tab should work as expected

SeverityPriorityBehaviorType- Not setO MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status

Actual

Pre-conditions

open teodor,bg

Step	1
Action	Click on "Каталог" category tab
Input data	
Expected result	The category tab should open successfully

"За клиенти" category tab works as expected

Severity	Priority	Behavior	Туре
Not set	O Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

open teodor,bg

Step	1
Action	Click on "За клиенти" category tab
Input data	
Expected result	The category tab should open successfully

"Блог" category tab works as expected "Блог" category tab should work as expected

Severity	Priority	Behavior	Туре
Not set	O Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

open teodor,bg

Step	1
Action	Click on "Блог" category tab
Input data	
Expected result	The category tab should open successfully

"Контакти" category tab works as expected "Контакти" category tab should work as expected

Severity	Priority	Behavior	Туре
— Not set	O Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status Actual

Pre-conditions

open teodor,bg

Step	1
Action	Click on "Контакти" category tab
Input data	
Expected result	The category tab should open successfully

Dropdown menu "Изберете град" works as expected

A dropdown menu "Изберете град" should work as expected

SeverityPriorityBehaviorType- Not setO MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status

Actual

Pre-conditions

open teodor.bg click on "Магазини"

Step	1
Action	Click on "Изберете град"
Input data	
Expected result	A dropdown menu with list of all shops of teodor of the cities should open successfully
Ston	2
Step	Z
Action	Click on "София"
Input data	
Expected result	A list of all shops of teodor in Sofia should appear

Button "Вижте детайли" works as expected

Button "Вижте детайли" should work as expected

SeverityPriorityBehaviorType- Not setO MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status

Actual

Pre-conditions

open teodor.bg click on "Магазини"

Step	1
Action	Click on "Вижте детайли" of one of the stores
Input data	
Expected result	All information about the selected store should appear

Button "Вижте на картата" works as expected Button "Вижте на картата" should work as expected

Severity	Priority	Behavior	Туре
Not set	O Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

open teodor.bg click on "Магазини"

Step	1
Action	Click on "Вижте на картата" of one of the stores
Input data	
Expected result	The location of the store should appear in the map

"Магазини" is working correctly and has all information about the stores

"Магазини" should work correctly

Severity	Priority	Behavior	Туре
Not set	O Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation

Status

Actual

Pre-conditions

open teodor.bg

Step	1
Action	Click on "Магазини"
Input data	
Expected result	The page should open successfully and the information about the stores should appear

Chat as a guest

A chat as a guest should be started successfully

SeverityPriorityBehaviorType- Not setO MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

open teodor.bg

Step	1
Action	Click the messenger icon in the right corner
Input data	
Expected result	A chat should be open
Class	
Step	2
Action	Choose "Continue as guest"
Input data	
Expected result	A chat should be started successfully

Chat using messenger

A chat using messenger should be started successfully

Severity **Priority Behavior** Type O Medium Not set Positive **Functional** Layer Is Flaky Milestone **Automation** Not set No Not automated **Status**

Pre-conditions

Actual

open teodor.bg

Step	1
Action	Click the messenger icon in the right corner
Input data	
Expected result	A chat should be open
Step	2
Action	Click on "Start chat"
Input data	
Expected result	
Step	3
Step Action	3 Choose "Continue as "Name""
Action	
Action Input data	Choose "Continue as "Name""
Action Input data	Choose "Continue as "Name""
Action Input data Expected result	Choose "Continue as "Name"" A pop up message from Facebook should appear
Action Input data Expected result Step	Choose "Continue as "Name"" A pop up message from Facebook should appear
Action Input data Expected result Step Action	Choose "Continue as "Name"" A pop up message from Facebook should appear