Supplemental Arrows-C

Range: 1F800-1F8FF

This file contains an excerpt from the character code tables and list of character names for *The Unicode Standard, Version 7.0*

This file may be changed at any time without notice to reflect errata or other updates to the Unicode Standard. See http://www.unicode.org/errata/ for an up-to-date list of errata.

See http://www.unicode.org/charts/ for access to a complete list of the latest character code charts.

See http://www.unicode.org/charts/PDF/Unicode-7.0/ for charts showing only the characters added in Unicode 7.0.

See http://www.unicode.org/Public/7.0.0/charts/ for a complete archived file of character code charts for Unicode 7.0.

Disclaimer

These charts are provided as the online reference to the character contents of the Unicode Standard, Version 7.0 but do not provide all the information needed to fully support individual scripts using the Unicode Standard. For a complete understanding of the use of the characters contained in this file, please consult the appropriate sections of The Unicode Standard, Version 7.0, online at http://www.unicode.org/versions/Unicode7.0.0/, as well as Unicode Standard Annexes #9, #11, #14, #15, #24, #29, #31, #34, #38, #41, #42, #44, and #45, the other Unicode Technical Reports and Standards, and the Unicode Character Database, which are available online.

See http://www.unicode.org/ucd/ and http://www.unicode.org/reports/

A thorough understanding of the information contained in these additional sources is required for a successful implementation.

Fonts

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts. The particular fonts used in these charts were provided to the Unicode Consortium by a number of different font designers, who own the rights to the fonts.

See http://www.unicode.org/charts/fonts.html for a list.

Terms of Use


You may freely use these code charts for personal or internal business uses only. You may not incorporate them either wholly or in part into any product or publication, or otherwise distribute them without express written permission from the Unicode Consortium. However, you may provide links to these charts.

The fonts and font data used in production of these code charts may NOT be extracted, or used in any other way in any product or publication, without permission or license granted by the typeface owner(s).

The Unicode Consortium is not liable for errors or omissions in this file or the standard itself. Information on characters added to the Unicode Standard since the publication of the most recent version of the Unicode Standard, as well as on characters currently being considered for addition to the Unicode Standard can be found on the Unicode web site.

See http://www.unicode.org/pending/pending.html and http://www.unicode.org/alloc/Pipeline.html.

Copyright © 1991-2014 Unicode, Inc. All rights reserved.



Arrows with triangle arrowheads

- 1F800 ← LEFTWARDS ARROW WITH SMALL TRIANGLE ARROWHEAD
- 1F801 1 UPWARDS ARROW WITH SMALL TRIANGLE ARROWHEAD
- 1F802 → RIGHTWARDS ARROW WITH SMALL TRIANGLE ARROWHEAD
- 1F804 ← LEFTWARDS ARROW WITH MEDIUM TRIANGLE ARROWHEAD
- 1F806 → RIGHTWARDS ARROW WITH MEDIUM TRIANGLE ARROWHEAD
- 1F807 ↓ DOWNWARDS ARROW WITH MEDIUM TRIANGLE ARROWHEAD
- 1F809 **†** UPWARDS ARROW WITH LARGE TRIANGLE ARROWHEAD
- 1F80A → RIGHTWARDS ARROW WITH LARGE TRIANGLE ARROWHEAD
- 1F80B ◆ DOWNWARDS ARROW WITH LARGE TRIANGLE ARROWHEAD

Arrows with equilateral triangle arrowheads

- 1F810 ← LEFTWARDS ARROW WITH SMALL EQUILATERAL ARROWHEAD
- 1F811 † UPWARDS ARROW WITH SMALL EQUILATERAL ARROWHEAD
- 1F812 → RIGHTWARDS ARROW WITH SMALL EQUILATERAL ARROWHEAD
- 1F813 ↓ DOWNWARDS ARROW WITH SMALL EQUILATERAL ARROWHEAD
- 1F814 ← LEFTWARDS ARROW WITH EQUILATERAL ARROWHEAD
- 1F815 1 UPWARDS ARROW WITH EQUILATERAL ARROWHEAD
- 1F816 → RIGHTWARDS ARROW WITH EQUILATERAL ARROWHEAD
- 1F817 ↓ DOWNWARDS ARROW WITH EQUILATERAL ARROWHEAD
- 1F818 ← HEAVY LEFTWARDS ARROW WITH EQUILATERAL ARROWHEAD
- 1F819 † HEAVY UPWARDS ARROW WITH EQUILATERAL ARROWHEAD
- 1F81A → HEAVY RIGHTWARDS ARROW WITH EQUILATERAL ARROWHEAD
- 1F81B ↓ HEAVY DOWNWARDS ARROW WITH EQUILATERAL ARROWHEAD
- 1F81C ← HEAVY LEFTWARDS ARROW WITH LARGE EQUILATERAL ARROWHEAD
- 1F81D HEAVY UPWARDS ARROW WITH LARGE EQUILATERAL ARROWHEAD
- 1F81E → HEAVY RIGHTWARDS ARROW WITH LARGE EQUILATERAL ARROWHEAD
- 1F81F ★ HEAVY DOWNWARDS ARROW WITH LARGE EQUILATERAL ARROWHEAD

Triangle headed arrows with different shaft weights

- 1F820 ← LEFTWARDS TRIANGLE-HEADED ARROW WITH NARROW SHAFT
- 1F821

 UPWARDS TRIANGLE-HEADED ARROW WITH NARROW SHAFT
- 1F822 → RIGHTWARDS TRIANGLE-HEADED ARROW WITH NARROW SHAFT

- 1F823 ↓ DOWNWARDS TRIANGLE-HEADED ARROW WITH NARROW SHAFT
- 1F824 ← LEFTWARDS TRIANGLE-HEADED ARROW WITH MEDIUM SHAFT
- 1F825 T UPWARDS TRIANGLE-HEADED ARROW WITH MEDIUM SHAFT
- 1F826 → RIGHTWARDS TRIANGLE-HEADED ARROW WITH MEDIUM SHAFT
- 1F827 ↓ DOWNWARDS TRIANGLE-HEADED ARROW WITH MEDIUM SHAFT
- 1F828 ← LEFTWARDS TRIANGLE-HEADED ARROW WITH BOLD SHAFT
- 1F829 1 UPWARDS TRIANGLE-HEADED ARROW WITH BOLD SHAFT
- 1F82A → RIGHTWARDS TRIANGLE-HEADED ARROW WITH BOLD SHAFT
- 1F82B

 DOWNWARDS TRIANGLE-HEADED ARROW WITH BOLD SHAFT
- 1F82C LEFTWARDS TRIANGLE-HEADED ARROW WITH HEAVY SHAFT
- 1F82D 1 UPWARDS TRIANGLE-HEADED ARROW WITH HEAVY SHAFT
- 1F82E → RIGHTWARDS TRIANGLE-HEADED ARROW WITH HEAVY SHAFT
- 1F82F

 DOWNWARDS TRIANGLE-HEADED ARROW WITH HEAVY SHAFT
- 1F830 LEFTWARDS TRIANGLE-HEADED ARROW WITH VERY HEAVY SHAFT
- 1F831 **1** UPWARDS TRIANGLE-HEADED ARROW WITH VERY HEAVY SHAFT
- 1F832 → RIGHTWARDS TRIANGLE-HEADED ARROW WITH VERY HEAVY SHAFT
- 1F833 I DOWNWARDS TRIANGLE-HEADED ARROW WITH VERY HEAVY SHAFT

Finger-post arrows

- 1F834 **LEFTWARDS FINGER-POST ARROW**
- 1F836 RIGHTWARDS FINGER-POST ARROW
- 1F837 DOWNWARDS FINGER-POST ARROW

Squared arrows

- 1F838 LEFTWARDS SQUARED ARROW
- 1F839 UPWARDS SQUARED ARROW
- 1F83A → RIGHTWARDS SQUARED ARROW
- 1F83B ▼ DOWNWARDS SQUARED ARROW

Compressed arrows

- 1F83C LEFTWARDS COMPRESSED ARROW
- 1F83D UPWARDS COMPRESSED ARROW
- 1F83E | RIGHTWARDS COMPRESSED ARROW
- 1F83F ➡ DOWNWARDS COMPRESSED ARROW
- 1F841 UPWARDS HEAVY COMPRESSED ARROW
- 1F843 **▼** DOWNWARDS HEAVY COMPRESSED ARROW

Heavy arrows

- 1F844 ← LEFTWARDS HEAVY ARROW
- 1F845 **1** UPWARDS HEAVY ARROW
- 1F846 → RIGHTWARDS HEAVY ARROW
- 1F847 **■** DOWNWARDS HEAVY ARROW

Sans-serif arrows

1F850 ← LEFTWARDS SANS-SERIF ARROW → 2190 ← leftwards arrow

1F851	1	UPWARDS SANS-SERIF ARROW	1F87A	→	WIDE-HEADED RIGHTWARDS HEAVY BARB ARROW
1F852	\rightarrow	→ 2191 ↑ upwards arrow RIGHTWARDS SANS-SERIF ARROW	1F87B	Ψ	WIDE-HEADED DOWNWARDS HEAVY BARB ARROW
1F853	\downarrow		1F87C	K	WIDE-HEADED NORTH WEST HEAVY BARB ARROW
1F854	Κ,	→ 2193 ↓ downwards arrow NORTH WEST SANS-SERIF ARROW	1F87D	7	WIDE-HEADED NORTH EAST HEAVY BARB ARROW
1F855	7	→ 2196 \ north west arrow NORTH EAST SANS-SERIF ARROW	1F87E	7	WIDE-HEADED SOUTH EAST HEAVY BARB ARROW
1F856	<i>\\</i>	→ 2197 / north east arrow SOUTH EAST SANS-SERIF ARROW	1F87F	K	WIDE-HEADED SOUTH WEST HEAVY BARB ARROW
1F857	L/	→ 2198 \ south east arrow SOUTH WEST SANS-SERIF ARROW	1F880	←	WIDE-HEADED LEFTWARDS VERY HEAVY BARB ARROW
1F858	\leftrightarrow	→ 2199 / south west arrow LEFT RIGHT SANS-SERIF ARROW	1F881	↑	WIDE-HEADED UPWARDS VERY HEAVY BARB ARROW
1F859		→ 2194 ↔ left right arrow UP DOWN SANS-SERIF ARROW	1F882	→	WIDE-HEADED RIGHTWARDS VERY HEAVY BARB ARROW
		→ 2195 \$ up down arrow	1F883	•	WIDE-HEADED DOWNWARDS VERY HEAVY BARB ARROW
Wide-	hea	ded barb arrows	1F884		WIDE-HEADED NORTH WEST VERY HEAVY
1F860	\leftarrow	WIDE-HEADED LEFTWARDS LIGHT BARB ARROW		_	BARB ARROW WIDE-HEADED NORTH EAST VERY HEAVY BARB
1F861 1F862	-	WIDE-HEADED UPWARDS LIGHT BARB ARROW WIDE-HEADED RIGHTWARDS LIGHT BARB			ARROW WIDE-HEADED SOUTH EAST VERY HEAVY BARB
1F863		ARROW WIDE-HEADED DOWNWARDS LIGHT BARB	1F887		ARROW WIDE-HEADED SOUTH WEST VERY HEAVY
		ARROW WIDE-HEADED NORTH WEST LIGHT BARB			BARB ARROW
		ARROW	Arrow	hea	ds
1F865	7	WIDE-HEADED NORTH EAST LIGHT BARB ARROW	1F890 1F891	1	LEFTWARDS TRIANGLE ARROWHEAD UPWARDS TRIANGLE ARROWHEAD
1F866	7	WIDE-HEADED SOUTH EAST LIGHT BARB ARROW	1F892 1F893	•	RIGHTWARDS TRIANGLE ARROWHEAD DOWNWARDS TRIANGLE ARROWHEAD
1F867	Ľ	WIDE-HEADED SOUTH WEST LIGHT BARB ARROW	1F894	4	LEFTWARDS WHITE ARROW WITHIN TRIANGLE ARROWHEAD
1F868	\leftarrow	WIDE-HEADED LEFTWARDS BARB ARROW	1F895		
		WIDE-HEADED UPWARDS BARB ARROW	11 000	Λ	ARROWHEAD
		WIDE-HEADED RIGHTWARDS BARB ARROW	1F896	>	RIGHTWARDS WHITE ARROW WITHIN
		WIDE-HEADED DOWNWARDS BARB ARROW		•	TRIANGLE ARROWHEAD
		WIDE-HEADED NORTH WEST BARB ARROW	1F897	v	DOWNWARDS WHITE ARROW WITHIN
		WIDE-HEADED NORTH EAST BARB ARROW			TRIANGLE ARROWHEAD
		WIDE-HEADED SOUTH EAST BARB ARROW	Notche		
		WIDE-HEADED SOUTH WEST BARB ARROW			
	-				LEFTWARDS ARROW WITH NOTCHED TAIL
150/0	~	WIDE-HEADED LEFTWARDS MEDIUM BARB	1F899		
1F871	1	ARROW WIDE-HEADED UPWARDS MEDIUM BARB ARROW	1F89A	=	RIGHTWARDS ARROW WITH NOTCHED TAIL → 27AF ⇒ notched lower right-shadowed
1F872	→	WIDE-HEADED RIGHTWARDS MEDIUM BARB ARROW	1F89B	¥	white rightwards arrow DOWNWARDS ARROW WITH NOTCHED TAIL
		→ 2794 → heavy wide-headed rightwards	•		ow shafts
1F873	¥	arrow WIDE-HEADED DOWNWARDS MEDIUM BARB	compa	tible	l alignment and thickness of this set are with heavy shaft arrows.
1F874	K	ARROW WIDE-HEADED NORTH WEST MEDIUM BARB	1F89C 1F89D		HEAVY ARROW SHAFT WIDTH ONE HEAVY ARROW SHAFT WIDTH TWO THIRDS
1F875	7	ARROW WIDE-HEADED NORTH EAST MEDIUM BARB	1F89E 1F89F	:	HEAVY ARROW SHAFT WIDTH ONE HALF HEAVY ARROW SHAFT WIDTH ONE THIRD
1000	*1	ARROW	Chada	4 ···	hito arrows
		WIDE-HEADED SOUTH EAST MEDIUM BARB ARROW	Shaded white arrows 1F8A0 ← LEFTWARDS BOTTOM-SHADED WHITE ARROW		
4E077	4.0	MUDE LIEADED COLITILIANECT MEDILIMA DADD			

1F8A1

→ RIGHTWARDS BOTTOM SHADED WHITE

1F8A2 ← LEFTWARDS TOP SHADED WHITE ARROW

1F8A3 ⇒ RIGHTWARDS TOP SHADED WHITE ARROW

1F8A4 ← LEFTWARDS LEFT-SHADED WHITE ARROW

ARROW

1F877 🕊 WIDE-HEADED SOUTH WEST MEDIUM BARB

WIDE-HEADED UPWARDS HEAVY BARB

1F878 WIDE-HEADED LEFTWARDS HEAVY BARB

ARROW

ARROW

ARROW

1F879 **↑**

- 1F8A5 ⇒ RIGHTWARDS RIGHT-SHADED WHITE ARROW
 - → 27A9 → right-shaded white rightwards arrow
- 1F8A6 ← LEFTWARDS RIGHT-SHADED WHITE ARROW
- 1F8A7

 ⇒ RIGHTWARDS LEFT-SHADED WHITE ARROW
 - → 27AA 🖒 left-shaded white rightwards arrow
- 1F8A8 ← LEFTWARDS BACK-TILTED SHADOWED WHITE ARROW
- 1F8A9

 RIGHTWARDS BACK-TILTED SHADOWED WHITE ARROW
 - → 27AB → back-tilted shadowed white rightwards arrow
- 1F8AA ← LEFTWARDS FRONT-TILTED SHADOWED WHITE ARROW
- 1F8AB ⇔ RIGHTWARDS FRONT-TILTED SHADOWED WHITE ARROW
 - → 27AC → front-tilted shadowed white rightwards arrow

White arrow shafts

The vertical alignment and thickness of this set are compatible with white arrows.

- 1F8AC D WHITE ARROW SHAFT WIDTH ONE
- 1F8AD WHITE ARROW SHAFT WIDTH TWO THIRDS