Mathematical Operators

Range: 2200–22FF

This file contains an excerpt from the character code tables and list of character names for
The Unicode Standard, Version 7.0

This file may be changed at any time without notice to reflect errata or other updates to the Unicode Standard.
See http://www.unicode.org/errata/ for an up-to-date list of errata.

See http://www.unicode.org/charts/ for access to a complete list of the latest character code charts.
See http://www.unicode.org/charts/PDF/Unicode-7.0/ for charts showing only the characters added in Unicode 7.0.
See http://www.unicode.org/Public/7.0.0/charts/ for a complete archived file of character code charts for Unicode 7.0.

Disclaimer

These charts are provided as the online reference to the character contents of the Unicode Standard, Version 7.0 but do not provide all the information needed to fully support individual scripts using the Unicode Standard. For a complete understanding of the use of the characters contained in this file, please consult the appropriate sections of The Unicode Standard, Version 7.0, online at http://www.unicode.org/versions/Unicode7.0.0/, as well as Unicode Standard Annexes #9, #11, #14, #15, #24, #29, #31, #34, #38, #41, #42, #44, and #45, the other Unicode Technical Reports and Standards, and the Unicode Character Database, which are available online.

See http://www.unicode.org/ucd/ and http://www.unicode.org/reports/

A thorough understanding of the information contained in these additional sources is required for a successful implementation.

Fonts

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts. The particular fonts used in these charts were provided to the Unicode Consortium by a number of different font designers, who own the rights to the fonts.

See http://www.unicode.org/charts/fonts.html for a list.

Terms of Use

You may freely use these code charts for personal or internal business uses only. You may not incorporate them either wholly or in part into any product or publication, or otherwise distribute them without express written permission from the Unicode Consortium. However, you may provide links to these charts.

The fonts and font data used in production of these code charts may NOT be extracted, or used in any other way in any product or publication, without permission or license granted by the typeface owner(s).

The Unicode Consortium is not liable for errors or omissions in this file or the standard itself. Information on characters added to the Unicode Standard since the publication of the most recent version of the Unicode Standard, as well as on characters currently being considered for addition to the Unicode Standard can be found on the Unicode web site.

See http://www.unicode.org/pending/pending.html and http://www.unicode.org/alloc/Pipeline.html.

	220	221	222	223	224	225	226	227	228	229	22A	22B	22C	22D	22E	22F
0	∀ 2200	∐ 2210	∠ 2220	∰ 2230	≀ 2240	≐ 2250	≠ 2260	≰ 2270	⊀ 2280	⊐ 2290	⊠ 22A0	⊰ 22B0	⋀ 22C0	⋐ 22D0	⋠ 22E0	⋰ 22F0
1	∁ 2201	∑ 2211	∡ 2221	∱ 2231	≁ 2241	≑ 2251	≡ 2261	≱ 2271	⊁ 2281	⊑ 2291	⊡ 22A1	⊱ 22B1	⋁ 22C1	⋑ 22D1	⋡ 22E1	⋱ 22F1
2	∂ 2202	− 2212	⊴ 2222	∲ 2232	≂ 2242	≒ 2252	≢ 2262	≲ 2272	⊂ 2282	⊒ 2292	⊢ 22A2	◁ 22B2	⋂ 22C2	⋒ 22D2	⋢ 22E2	∊ 22F2
3	∃ 2203	∓ 2213	∣ 2223	∳ 2233	≃ 2243	≓ 2253	≣ 2263	≳ 2273	⊃ 2283	⊓ 2293	⊣ 22A3	▷ 22B3	⋃ 22C3	⋓ 22D3	⋣ 22E3	∋ 22F3
4	∄ 2204	∔ 2214	∤ 2224	∴ 2234	≄ 2244	≔ 2254	≤ 2264	≴ 2274	⊄ 2284	⊔ 2294	⊤ 22A4	⊲ 22B4	⋄ 22C4	⋔ 22D4	⋤ 22E4	⋴ 22F4
5	∅ 2205	∕ 2215	∥ 2225	∵ 2235	≅ 2245	≕ 2255	≥ 2265	≵ 2275	⊅ 2285	⊕ 2295	⊥ 22A5	▹ 22B5	⋅ 22C5	⋕ 22D5	⋥ 22E5	∍ 22F5
6	∆ 2206	∖ 2216	∦ 2226	∶ 2236	≆ 2246	⊠ 2256	≦ 2266	≶ 2276	⊆ 2286	⊖ 2296	⊦ 22A6	⊶ 22B6	⋆ 22C6	⋖ 22D6	⋦ 22E6	⋶ 22F6
7	∇ 2207	∗ 2217	∧ 2227	∷ 2237	≇ 2247	≗ 2257	≧ 2267	≷ 2277	⊇ 2287	⊗ 2297	⊧ 22A7	⊷ 22B7	⋇ 22C7	⋗ 22D7	⋧ 22E7	⋷ 22F7
8	∈ 2208	∘ 2218	∨ 2228	∸ 2238	≈ 2248	≘ 2258	≨ 2268	≸ 2278	⊈ 2288	⊘ 2298	⊨ 22A8	⊸ 22B8	⋈ 22C8	⋘ 22D8	⋨ 22E8	⋸ 22F8
9	∉ 2209	∙ 2219	∩ 2229	∹ 2239	≉ 2249	≙ 2259	≩ 2269	≹ 2279	⊉ 2289	⊙ 2299	⊩ 22A9	⊹ 22B9	⋉ 22C9	⋙ 22D9	⋩ 22E9	⋹ 22F9
A	∊ 220A	√ 221A	∪ 222A	∺ 223A	≊ 224A	≚ 225A	≪ 226A	≺ 227A	⊊ 228A	⊚ 229A	⊪ 22AA	⊺ 22BA	⋊ 22CA	⋚ 22DA	⋪ 22EA	∺ 22FA
B	∋ 220B	∛ 221B	∫ 222B	∻ 223B	≋ 224B	≛ 225B	≫ 226B	≻ 227B	⊋ 228B	⊛ 229B	⊫ 22AB	⊻ 22BB	⋋ 22CB	⋛ 22DB	⋫ 22EB	∻ 22FB
C	∌ 220C	∜ 221C	∬ 222C	∼ 223C	≌ 224C	≜ 225C	≬ 226C	≼ 227C	⊌ 228C	⊜ 229C	⊬ 22AC	⊼ 22BC	⋌ 22CC	⋜ 22DC	⋬ 22EC	∼ 22FC
D	∍ 220D	∝ 221D	∭ 222D	∽ 223D	≍ 224D	≝ 225D	≭ 226D	≽ 227D	⊍ 228D	⊝ 229D	⊭ 22AD	⊽ 22BD	⋍ 22CD	⋝ 22DD	⋭ 22ED	∽ 22FD
E	∎ 220E	∞ 221E	∮ 222E	∾ 223E	≎ 224E	≞ 225E	≮ 226E	≾ 227E	⊎ 228E	⊞ 229E	⊮ 22AE	⊾ 22BE	⋎ 22CE	⋞ 22DE	⋮ 22EE	∾ 22FE
F	∏ 220F	∟ 221F	∯ 222F	∿ 223F	≏ 224F	≟ 225F	≯ 226F	≿ 227F	⊏ 228F	⊟ 229F	⊯ 22AF	⊿ 22BF	⋏ 22CF	⋟ 22DF	⋯ 22EF	⊑ 22FF

Miscellaneous mathematical symbols

2200 ∀ FOR ALL
= universal quantifier
2201 ∁ COMPLEMENT
→ 0297 ɔ latin letter stretched c
2202 ∂ PARTIAL DIFFERENTIAL
2203 ∃ THERE EXISTS
= existential quantifier
2204 ∄ THERE DOES NOT EXIST
≡ 2203 ∃ 0338 ◌̸
2205 ∅ EMPTY SET
= null set
• used in linguistics to indicate a null morpheme or phonological "zero"
→ 00D8 Ø latin capital letter o with stroke
→ 2300 ⌀ diameter sign
2206 ∆ INCREMENT
= Laplace operator
= forward difference
= symmetric difference (in set theory)
• other symbols may also be used for symmetric difference
→ 0394 Δ greek capital letter delta
→ 25B3 △ white up-pointing triangle
2207 ∇ NABLA
= backward difference
= gradient, del
• used for Laplacian operator (written with superscript 2)
→ 25BD ▽ white down-pointing triangle

Set membership

2208 ∈ ELEMENT OF
2209 ∉ NOT AN ELEMENT OF
≡ 2208 ∈ 0338 ◌̸
220A ∊ SMALL ELEMENT OF
• originates in math pi fonts; not the straight epsilon
→ 03F5 ϵ greek lunate epsilon symbol
220B ∋ CONTAINS AS MEMBER
= such that
220C ∌ DOES NOT CONTAIN AS MEMBER
≡ 220B ∋ 0338 ◌̸
220D ∍ SMALL CONTAINS AS MEMBER
→ 03F6 ϶ greek reversed lunate epsilon symbol

Miscellaneous mathematical symbol

220E ∎ END OF PROOF
= q.e.d.
→ 2023 ‣ triangular bullet
→ 25AE ▮ black vertical rectangle

N-ary operators

220F ∏ N-ARY PRODUCT
= product sign
→ 03A0 Π greek capital letter pi
2210 ∐ N-ARY COPRODUCT
= coproduct sign
2211 ∑ N-ARY SUMMATION
= summation sign
→ 03A3 Σ greek capital letter sigma
→ 2140 ⅀ double-struck n-ary summation

Operators

2212 − MINUS SIGN
→ 002D - hyphen-minus
→ 2796 ➖ heavy minus sign
2213 ∓ MINUS-OR-PLUS SIGN
→ 00B1 ± plus-minus sign
2214 ∔ DOT PLUS
2215 ∕ DIVISION SLASH
• generic division operator
→ 002F / solidus
→ 2044 ⁄ fraction slash
→ 27CB ╱ mathematical rising diagonal
2216 ∖ SET MINUS
→ 005C \ reverse solidus
→ 27CD ╲ mathematical falling diagonal
→ 29F5 ⧵ reverse solidus operator
2217 ∗ ASTERISK OPERATOR
→ 002A * asterisk
2218 ∘ RING OPERATOR
= composite function
= APL jot
→ 00B0 ° degree sign
→ 0970 ॰ devanagari abbreviation sign
→ 25E6 ◦ white bullet
→ 10B39 ⭹ avestan abbreviation mark
2219 ∙ BULLET OPERATOR
→ 00B7 · middle dot
→ 2022 • bullet
→ 2024 ․ one dot leader
221A √ SQUARE ROOT
= radical sign
→ 2713 ✓ check mark
221B ∛ CUBE ROOT
→ 0606 ؆ arabic-indic cube root
221C ∜ FOURTH ROOT
→ 0607 ؇ arabic-indic fourth root
221D ∝ PROPORTIONAL TO
→ 03B1 α greek small letter alpha

Miscellaneous mathematical symbols

221E ∞ INFINITY
221F ∟ RIGHT ANGLE
2220 ∠ ANGLE
2221 ∡ MEASURED ANGLE
2222 ∢ SPHERICAL ANGLE
= angle arc

Relations

2223 ∣ DIVIDES
= such that
= APL stile
→ 007C | vertical line
→ 01C0 ǀ latin letter dental click
2224 ∤ DOES NOT DIVIDE
≡ 2223 ∣ 0338 ◌̸
2225 ∥ PARALLEL TO
→ 01C1 ǁ latin letter lateral click
→ 2016 ‖ double vertical line
2226 ∦ NOT PARALLEL TO
≡ 2225 ∥ 0338 ◌̸

Logical and set operators

2227 ∧ LOGICAL AND
= wedge, conjunction
→ 22C0 ⋀ n-ary logical and
→ 2303 ⌃ up arrowhead

2228 ∨ LOGICAL OR
= vee, disjunction
→ 22C1 ⋁ n-ary logical or
→ 2304 ⌄ down arrowhead

2229 ∩ INTERSECTION
= cap, hat
→ 22C2 ⋂ n-ary intersection
~ 2229 FE00 ∩ with serifs

222A ∪ UNION
= cup
→ 22C3 ⋃ n-ary union
~ 222A FE00 ∪ with serifs

Integrals

222B ∫ INTEGRAL
→ 0283 ʃ latin small letter esh

222C ∬ DOUBLE INTEGRAL
≈ 222B ∫ 222B ∫

222D ∭ TRIPLE INTEGRAL
→ 2A0C ⨌ quadruple integral operator
≈ 222B ∫ 222B ∫ 222B ∫

222E ∮ CONTOUR INTEGRAL
→ 2A15 ∯ integral around a point operator

222F ∯ SURFACE INTEGRAL
≈ 222E ∮ 222E ∮

2230 ∰ VOLUME INTEGRAL
≈ 222E ∮ 222E ∮ 222E ∮

2231 ∱ CLOCKWISE INTEGRAL

2232 ∲ CLOCKWISE CONTOUR INTEGRAL

2233 ∳ ANTICLOCKWISE CONTOUR INTEGRAL
• clockwise or anticlockwise arrows do not reverse during layout mirroring

Miscellaneous mathematical symbols

2234 ∴ THEREFORE
→ 26EC ⸬ historic site

2235 ∵ BECAUSE

Relations

2236 ∶ RATIO
• preferred to 003A : for denotation of division or scale in mathematical use
→ 003A : colon

2237 ∷ PROPORTION

Operator

2238 ∸ DOT MINUS
= saturating subtraction
• sometimes claimed as notation for symmetric set difference, but 2206 Δ is preferred

Relation

2239 ∹ EXCESS

Operator

223A ∺ GEOMETRIC PROPORTION

Relations

223B ∻ HOMOTHETIC
→ 2A6B ⩫ tilde operator with rising dots

223C ∼ TILDE OPERATOR
= varies with (proportional to)
= difference between
= similar to
= not
= cycle
= APL tilde
→ 007E ~ tilde
→ 00AC ¬ not sign
→ 02DC ˜ small tilde

223D ∽ REVERSED TILDE
= lazy S
• reversed tilde and lazy S are glyph variants

223E ∾ INVERTED LAZY S
= most positive

Miscellaneous mathematical symbol

223F ∿ SINE WAVE
= alternating current

Operator

2240 ≀ WREATH PRODUCT

Relations

2241 ≁ NOT TILDE
≡ 223C ∼ 0338 ◌̸

2242 ≂ MINUS TILDE

2243 ≃ ASYMPTOTICALLY EQUAL TO

2244 ≄ NOT ASYMPTOTICALLY EQUAL TO
≡ 2243 ≃ 0338 ◌̸

2245 ≅ APPROXIMATELY EQUAL TO

2246 ≆ APPROXIMATELY BUT NOT ACTUALLY EQUAL TO

2247 ≇ NEITHER APPROXIMATELY NOR ACTUALLY EQUAL TO
≡ 2245 ≅ 0338 ◌̸

2248 ≈ ALMOST EQUAL TO
= asymptotic to

2249 ≉ NOT ALMOST EQUAL TO
≡ 2248 ≈ 0338 ◌̸

224A ≊ ALMOST EQUAL OR EQUAL TO

224B ≋ TRIPLE TILDE

224C ≌ ALL EQUAL TO
• reversed tilde and lazy S are glyph variants

224D ≍ EQUIVALENT TO

224E ≎ GEOMETRICALLY EQUIVALENT TO

224F ≏ DIFFERENCE BETWEEN

2250 ≐ APPROACHES THE LIMIT

2251 ≑ GEOMETRICALLY EQUAL TO

2252 ≒ APPROXIMATELY EQUAL TO OR THE IMAGE OF
= nearly equals

2253 ≓ IMAGE OF OR APPROXIMATELY EQUAL TO

2254 ≔ COLON EQUALS

2255 ≕ EQUALS COLON

2256 ≖ RING IN EQUAL TO

2257 ≗ RING EQUAL TO
= approximately equal to

2258 ≘ CORRESPONDS TO

2259 ≙ ESTIMATES
= corresponds to

225A ≚ EQUIANGULAR TO

225B ≛ STAR EQUALS

225C ≜ DELTA EQUAL TO
= equiangular
= equal to by definition

225D	≝	EQUAL TO BY DEFINITION
225E	≞	MEASURED BY
225F	≟	QUESTIONED EQUAL TO
2260	≠	NOT EQUAL TO
		→ 003D = equals sign
		→ 01C2 ǂ latin letter alveolar click
		≡ 003D = 0338 ◌̸
2261	≡	IDENTICAL TO
2262	≢	NOT IDENTICAL TO
		≡ 2261 ≡ 0338 ◌̸
2263	≣	STRICTLY EQUIVALENT TO
2264	≤	LESS-THAN OR EQUAL TO
2265	≥	GREATER-THAN OR EQUAL TO
2266	≦	LESS-THAN OVER EQUAL TO
2267	≧	GREATER-THAN OVER EQUAL TO
2268	≨	LESS-THAN BUT NOT EQUAL TO
		~ 2268 FE00 ≨ with vertical stroke
2269	≩	GREATER-THAN BUT NOT EQUAL TO
		~ 2269 FE00 ≩ with vertical stroke
226A	≪	MUCH LESS-THAN
		→ 00AB « left-pointing double angle quotation mark
226B	≫	MUCH GREATER-THAN
		→ 00BB » right-pointing double angle quotation mark
226C	≬	BETWEEN
		= plaintiff, quantic
226D	≭	NOT EQUIVALENT TO
		≡ 224D ≍ 0338 ◌̸
226E	≮	NOT LESS-THAN
		≡ 003C < 0338 ◌̸
226F	≯	NOT GREATER-THAN
		≡ 003E > 0338 ◌̸
2270	≰	NEITHER LESS-THAN NOR EQUAL TO
		≡ 2264 ≤ 0338 ◌̸
2271	≱	NEITHER GREATER-THAN NOR EQUAL TO
		≡ 2265 ≥ 0338 ◌̸
2272	≲	LESS-THAN OR EQUIVALENT TO
		~ 2272 FE00 ≲ following the slant of the lower leg
2273	≳	GREATER-THAN OR EQUIVALENT TO
		~ 2273 FE00 ≳ following the slant of the lower leg
2274	≴	NEITHER LESS-THAN NOR EQUIVALENT TO
		≡ 2272 ≲ 0338 ◌̸
2275	≵	NEITHER GREATER-THAN NOR EQUIVALENT TO
		≡ 2273 ≳ 0338 ◌̸
2276	≶	LESS-THAN OR GREATER-THAN
2277	≷	GREATER-THAN OR LESS-THAN
2278	≸	NEITHER LESS-THAN NOR GREATER-THAN
		≡ 2276 ≶ 0338 ◌̸
2279	≹	NEITHER GREATER-THAN NOR LESS-THAN
		≡ 2277 ≷ 0338 ◌̸
227A	≺	PRECEDES
		= lower rank than
		→ 22B0 ⊰ precedes under relation
227B	≻	SUCCEEDS
		= higher rank than
		→ 22B1 ⊱ succeeds under relation
227C	≼	PRECEDES OR EQUAL TO
227D	≽	SUCCEEDS OR EQUAL TO
227E	≾	PRECEDES OR EQUIVALENT TO
227F	≿	SUCCEEDS OR EQUIVALENT TO

2280	⊀	DOES NOT PRECEDE
		≡ 227A ≺ 0338 ◌̸
2281	⊁	DOES NOT SUCCEED
		≡ 227B ≻ 0338 ◌̸
2282	⊂	SUBSET OF
		= included in set
		→ 2E26 ⊂ left sideways u bracket
2283	⊃	SUPERSET OF
		= includes in set
		→ 2E27 ⊃ right sideways u bracket
2284	⊄	NOT A SUBSET OF
		≡ 2282 ⊂ 0338 ◌̸
2285	⊅	NOT A SUPERSET OF
		≡ 2283 ⊃ 0338 ◌̸
2286	⊆	SUBSET OF OR EQUAL TO
2287	⊇	SUPERSET OF OR EQUAL TO
2288	⊈	NEITHER A SUBSET OF NOR EQUAL TO
		≡ 2286 ⊆ 0338 ◌̸
2289	⊉	NEITHER A SUPERSET OF NOR EQUAL TO
		≡ 2287 ⊇ 0338 ◌̸
228A	⊊	SUBSET OF WITH NOT EQUAL TO
		~ 228A FE00 ⊊ with stroke through bottom members
228B	⊋	SUPERSET OF WITH NOT EQUAL TO
		~ 228B FE00 ⊋ with stroke through bottom members

Operators

228C	⊌	MULTISET
228D	⊍	MULTISET MULTIPLICATION
		→ 2A03 ⨃ n-ary union operator with dot
		→ 2A40 ⩀ intersection with dot
228E	⊎	MULTISET UNION
		= z notation bag addition
		→ 2A04 ⨄ n-ary union operator with plus

Relations

228F	⊏	SQUARE IMAGE OF
2290	⊐	SQUARE ORIGINAL OF
2291	⊑	SQUARE IMAGE OF OR EQUAL TO
2292	⊒	SQUARE ORIGINAL OF OR EQUAL TO

Operators

2293	⊓	SQUARE CAP
		→ 2A05 ⨅ n-ary square intersection operator
		~ 2293 FE00 ⊓ with serifs
2294	⊔	SQUARE CUP
		→ 2A06 ⨆ n-ary square union operator
		~ 2294 FE00 ⊔ with serifs
2295	⊕	CIRCLED PLUS
		= direct sum
		= vector pointing into page
		→ 2A01 ⨁ n-ary circled plus operator
		→ 1F728 🜨 alchemical symbol for verdigris
		~ 2295 FE00 ⊕ with white rim
2296	⊖	CIRCLED MINUS
		= symmetric difference
		→ 29B5 ⦵ circle with horizontal bar
		→ 1F714 🜔 alchemical symbol for salt

2297	⊗	CIRCLED TIMES

= tensor product
= vector pointing into page
→ 26D2 ⊗ circled crossing lanes
→ 2A02 ⊗ n-ary circled times operator
→ 2BBE ⊗ circled x
~ 2297 FE00 ⊗ with white rim

2298 ⊘ CIRCLED DIVISION SLASH
2299 ⊙ CIRCLED DOT OPERATOR
= direct product
= vector pointing out of page
→ 0298 ʘ latin letter bilabial click
→ 2609 ☉ sun
→ 2A00 ⊙ n-ary circled dot operator

229A ⊚ CIRCLED RING OPERATOR
→ 233E ⊚ apl functional symbol circle jot
→ 25CE ◎ bullseye

229B ⊛ CIRCLED ASTERISK OPERATOR
→ 235F ⊛ apl functional symbol circle star

229C ⊜ CIRCLED EQUALS
~ 229C FE00 ⊜ with equal sign touching the circle

229D ⊝ CIRCLED DASH
229E ⊞ SQUARED PLUS
229F ⊟ SQUARED MINUS
22A0 ⊠ SQUARED TIMES
→ 2612 ☒ ballot box with x
→ 26DD ⛝ squared saltire
→ 1F771 🝱 alchemical symbol for month

22A1 ⊡ SQUARED DOT OPERATOR
→ 1F755 🝕 alchemical symbol for urine

22A2 ⊢ RIGHT TACK
= turnstile
= proves, implies, yields
= reducible

22A3 ⊣ LEFT TACK
= reverse turnstile
= non-theorem, does not yield

Miscellaneous mathematical symbols

22A4 ⊤ DOWN TACK
= top
→ 2E06 ⊤ raised interpolation marker
→ 1F768 🝨 alchemical symbol for crucible-4

22A5 ⊥ UP TACK
= base, bottom
→ 27C2 ⊥ perpendicular

Relations

22A6 ⊦ ASSERTION
= reduces to

22A7 ⊧ MODELS
22A8 ⊨ TRUE
= statement is true, valid
= is a tautology
= satisfies
= results in

22A9 ⊩ FORCES
22AA ⊪ TRIPLE VERTICAL BAR RIGHT TURNSTILE
22AB ⊫ DOUBLE VERTICAL BAR DOUBLE RIGHT TURNSTILE
22AC ⊬ DOES NOT PROVE
≡ 22A2 ⊢ 0338 ◌̸

22AD ⊭ NOT TRUE
≡ 22A8 ⊨ 0338 ◌̸

22AE ⊮ DOES NOT FORCE
≡ 22A9 ⊩ 0338 ◌̸

22AF ⊯ NEGATED DOUBLE VERTICAL BAR DOUBLE RIGHT TURNSTILE
≡ 22AB ⊫ 0338 ◌̸

22B0 ⊰ PRECEDES UNDER RELATION
→ 227A ≺ precedes

22B1 ⊱ SUCCEEDS UNDER RELATION
→ 227B ≻ succeeds

22B2 ⊲ NORMAL SUBGROUP OF
→ 25C5 ◅ white left-pointing pointer

22B3 ⊳ CONTAINS AS NORMAL SUBGROUP
→ 25BB ▻ white right-pointing pointer

22B4 ⊴ NORMAL SUBGROUP OF OR EQUAL TO
22B5 ⊵ CONTAINS AS NORMAL SUBGROUP OR EQUAL TO
22B6 ⊶ ORIGINAL OF
22B7 ⊷ IMAGE OF
22B8 ⊸ MULTIMAP
22B9 ⊹ HERMITIAN CONJUGATE MATRIX

Operators

22BA ⊺ INTERCALATE
22BB ⊻ XOR
→ 26BA ⚺ semisextile

22BC ⊼ NAND
→ 2305 ⌅ projective
→ 26BB ⚻ quincunx

22BD ⊽ NOR

Miscellaneous mathematical symbols

22BE ⊾ RIGHT ANGLE WITH ARC
22BF ⊿ RIGHT TRIANGLE

N-ary operators

22C0 ⋀ N-ARY LOGICAL AND
• also used to denote the universal quantifier
→ 2227 ∧ logical and

22C1 ⋁ N-ARY LOGICAL OR
• also used to denote the existential quantifier
→ 2228 ∨ logical or

22C2 ⋂ N-ARY INTERSECTION
= z notation generalised intersection
→ 2229 ∩ intersection

22C3 ⋃ N-ARY UNION
= z notation generalised union
→ 222A ∪ union

Operators

22C4 ⋄ DIAMOND OPERATOR
→ 25C7 ◇ white diamond
→ 2B29 ⬩ black small diamond

22C5 ⋅ DOT OPERATOR
• preferred to 00B7 · for denotation of multiplication
→ 00B7 · middle dot

22C6 ⋆ STAR OPERATOR
• APL
→ 066D ٭ arabic five pointed star
→ 2605 ★ black star
→ 2B50 ⭐ white medium star

22C7 ⋇ DIVISION TIMES

Relation

22C8 ⋈ BOWTIE
→ 2445 ⋈ ocr bow tie

Operators

22C9 ⋉ LEFT NORMAL FACTOR SEMIDIRECT PRODUCT
22CA ⋊ RIGHT NORMAL FACTOR SEMIDIRECT PRODUCT
22CB ⋋ LEFT SEMIDIRECT PRODUCT
22CC ⋌ RIGHT SEMIDIRECT PRODUCT
→ 2041 ⋌ caret insertion point

Relation

22CD ≍ REVERSED TILDE EQUALS

Logical operators

22CE ⋎ CURLY LOGICAL OR
22CF ⋏ CURLY LOGICAL AND

Relations

22D0 ⋐ DOUBLE SUBSET
22D1 ⋑ DOUBLE SUPERSET

Operators

22D2 ⋒ DOUBLE INTERSECTION
22D3 ⋓ DOUBLE UNION

Relations

22D4 ⋔ PITCHFORK
= proper intersection
22D5 ⋕ EQUAL AND PARALLEL TO
→ 2317 ⋕ viewdata square
22D6 ⋖ LESS-THAN WITH DOT
22D7 ⋗ GREATER-THAN WITH DOT
22D8 ⋘ VERY MUCH LESS-THAN
22D9 ⋙ VERY MUCH GREATER-THAN
22DA ⋚ LESS-THAN EQUAL TO OR GREATER-THAN
~ 22DA FE00 ⋚ with slanted equal
22DB ⋛ GREATER-THAN EQUAL TO OR LESS-THAN
~ 22DB FE00 ⋛ with slanted equal
22DC ⋜ EQUAL TO OR LESS-THAN
22DD ⋝ EQUAL TO OR GREATER-THAN
22DE ⋞ EQUAL TO OR PRECEDES
22DF ⋟ EQUAL TO OR SUCCEEDS
22E0 ⋠ DOES NOT PRECEDE OR EQUAL
≡ 227C ≼ 0338 ̸
22E1 ⋡ DOES NOT SUCCEED OR EQUAL
≡ 227D ≽ 0338 ̸
22E2 ⋢ NOT SQUARE IMAGE OF OR EQUAL TO
≡ 2291 ⊑ 0338 ̸
22E3 ⋣ NOT SQUARE ORIGINAL OF OR EQUAL TO
≡ 2292 ⊒ 0338 ̸
22E4 ⋤ SQUARE IMAGE OF OR NOT EQUAL TO
22E5 ⋥ SQUARE ORIGINAL OF OR NOT EQUAL TO
22E6 ⋦ LESS-THAN BUT NOT EQUIVALENT TO
22E7 ⋧ GREATER-THAN BUT NOT EQUIVALENT TO
22E8 ⋨ PRECEDES BUT NOT EQUIVALENT TO
22E9 ⋩ SUCCEEDS BUT NOT EQUIVALENT TO
22EA ⋪ NOT NORMAL SUBGROUP OF
≡ 22B2 ◁ 0338 ̸
22EB ⋫ DOES NOT CONTAIN AS NORMAL SUBGROUP
≡ 22B3 ▷ 0338 ̸
22EC ⋬ NOT NORMAL SUBGROUP OF OR EQUAL TO
≡ 22B4 ⊴ 0338 ̸

22ED ⋭ DOES NOT CONTAIN AS NORMAL SUBGROUP OR EQUAL
≡ 22B5 ⊵ 0338 ̸
22EE ⋮ VERTICAL ELLIPSIS
• these four ellipses are used for matrix row/column elision
→ 205D ⁝ tricolon
→ 2026 … horizontal ellipsis
→ FE19 ⋮ presentation form for vertical horizontal ellipsis
22EF ⋯ MIDLINE HORIZONTAL ELLIPSIS
22F0 ⋰ UP RIGHT DIAGONAL ELLIPSIS
22F1 ⋱ DOWN RIGHT DIAGONAL ELLIPSIS
22F2 ⋲ ELEMENT OF WITH LONG HORIZONTAL STROKE
22F3 ⋳ ELEMENT OF WITH VERTICAL BAR AT END OF HORIZONTAL STROKE
22F4 ⋴ SMALL ELEMENT OF WITH VERTICAL BAR AT END OF HORIZONTAL STROKE
22F5 ⋵ ELEMENT OF WITH DOT ABOVE
22F6 ⋶ ELEMENT OF WITH OVERBAR
22F7 ⋷ SMALL ELEMENT OF WITH OVERBAR
22F8 ⋸ ELEMENT OF WITH UNDERBAR
22F9 ⋹ ELEMENT OF WITH TWO HORIZONTAL STROKES
22FA ⋺ CONTAINS WITH LONG HORIZONTAL STROKE
22FB ⋻ CONTAINS WITH VERTICAL BAR AT END OF HORIZONTAL STROKE
22FC ⋼ SMALL CONTAINS WITH VERTICAL BAR AT END OF HORIZONTAL STROKE
22FD ⋽ CONTAINS WITH OVERBAR
22FE ⋾ SMALL CONTAINS WITH OVERBAR
22FF ⋿ Z NOTATION BAG MEMBERSHIP

Standardized Variation Sequences

2229	∩	INTERSECTION
	2229	
	∩	with serifs
	2229 FE00	
222A	∪	UNION
	222A	
	∪	with serifs
	222A FE00	
2268	≨	LESS-THAN BUT NOT EQUAL TO
	2268	
	≨	with vertical stroke
	2268 FE00	
2269	≩	GREATER-THAN BUT NOT EQUAL TO
	2269	
	≩	with vertical stroke
	2269 FE00	
2272	≲	LESS-THAN OR EQUIVALENT TO
	2272	
	≲	following the slant of the lower leg
	2272 FE00	
2273	≳	GREATER-THAN OR EQUIVALENT TO
	2273	
	≳	following the slant of the lower leg
	2273 FE00	
228A	⊊	SUBSET OF WITH NOT EQUAL TO
	228A	
	⊊	with stroke through bottom members
	228A FE00	
228B	⊋	SUPERSET OF WITH NOT EQUAL TO
	228B	
	⊋	with stroke through bottom members
	228B FE00	
2293	⊓	SQUARE CAP
	2293	
	⊓	with serifs
	2293 FE00	

2294	⊔	SQUARE CUP
	2294	
	⊔	with serifs
	2294 FE00	
2295	⊕	CIRCLED PLUS
	2295	
	⊕	with white rim
	2295 FE00	
2297	⊗	CIRCLED TIMES
	2297	
	⊗	with white rim
	2297 FE00	
229C	⊜	CIRCLED EQUALS
	229C	
	⊜	with equal sign touching the circle
	229C FE00	
22DA	⋚	LESS-THAN EQUAL TO OR GREATER-THAN
	22DA	
	⋚	with slanted equal
	22DA FE00	
22DB	⋛	GREATER-THAN EQUAL TO OR LESS-THAN
	22DB	
	⋛	with slanted equal
	22DB FE00	