
## PROBLEMA 1 CONTROL 2:

## ->AltaPlatIndividual:



context: Sistema::AltaPlatIndividual (codiP : String, nomP : String, receptaPl : String): PlatIndividual

pre:

post: PlatIndividual.allInstances()->exists(pi | pi.oclIsNew() and pi.codi = codiP and pi.nom = nomP and pi.recepta = receptaPl and pi.nombreMenús = 0 and result = pi)

context: Sistema::AssigIngredients (pi : PlatIndividual, noml : String, quantitatl : Decimal, unitatl : String)

pre: Ingredient.allInstances()->exists(i | i.nom = noml)

## ->ConfeccióMenúDiari:



context: Sistema::ConfeccióMenúDiari (preuM : Decimal, nomM : String, nomR : String, dat : Date, codiM : String, nomPlats : Set(String))

pre: Restaurant.allInstances()->exists(r | r.nom = nomR and r.platIndividual->size() <= 100)

post: if (not (Menú.allInstances() @pre ->exists( m | m.nom = nomM)))
then Menú.allInstances()->exists(m | m.oclIsNew() and m.nom = nomM and
m.codi = codiM and m.platIndividual.nom = nomPlats and
m.platIndividual->exists(pi | pi.nombreMenús = pi.nombreMenús + 1))
endif
and MenúDiariOfert.allInstances()->exists(mdo | mdo.oclIsNew() and
mdo.preu = preuM and mdo.menú.nom = nomM and mdo.restaurant.nom = nomR and
mdo.data.data = dat)

## ->ConsultaPlatsOferts:



context: Sistema::ConsultaPlatsOferts (dataIni : Date, dataFi : Date, nomR : String) :Set(TupleType(codiPI : String, nomI : Set(String)))

pre: MenúDiariOfert.allInstances()->select(mdo | mdo.restaurant.nom = nomR and mdo.preu < 10)->size() > 9

result = platsI->collect(pi | Tuple{codiPI = pi.codi, nomI = pi.ingredient.nom})