

```
PosNegCmdLinearg.java x
1 class PosNegCmdLinearg{
2     public static void main(String args[]){
3         int n = Integer.parseInt(args[0]);
4
5         if (n>0){
6             System.out.println("It is a Positive Number");
7         }
8         else if(n<0){
9             System.out.println("It is a Negative Number");
10        }
11        else{
12            System.out.println("It is zero Number");
13        }
14    }
15 }
16 }
17 }
18 }
```

```
C:\Windows\System32\cmd.e x + v
C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>javac PosNegCmdLinearg.java
C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>java PosNegCmdLinearg 5
It is a Positive Number
C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>java PosNegCmdLinearg 0
It is zero Number
C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>java PosNegCmdLinearg 0
It is zero Number
C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>java PosNegCmdLinearg -10
It is a Negative Number
C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>
```

```
LeapYearCmdLineArgs.java X
1  class LeapYearCmdLineArgs{
2      public static void main(String args[]){
3          int year = Integer.parseInt(args[0]);
4
5
6          if((year % 400 == 0)|| (year % 4==0 && year % 100 != 0)){
7              System.out.println("It is a leap year");
8          }
9          else{
10             System.out.println("It is a not leap year");
11         }
12     }
13 }
14 }
```

```
C:\Windows\System32\cmd.e X + v
C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>javac LeapYearCmdLineArgs.java
C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>java LeapYearCmdLineArgs 2024
It is a leap year
C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>java LeapYearCmdLineArgs 2022
It is a not leap year
C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>
```

VowelsOrConsonestCmdLine.java

```
1 class VowelsOrConsonestCmdLine{
2     public static void main(String args[]){
3
4         char ch = args[0].charAt(0);
5
6
7         if(ch == 'A' || ch == 'E' || ch == 'I' || ch == 'O' || ch == 'U' || ch == 'a' || ch == 'e' || ch == 'i' || ch == 'o' || ch == 'u'){
8             System.out.println("It is a Vowels");
9         }
10        else{
11            System.out.println("It is a Consonant");
12        }
13    }
14 }
```

C:\Windows\System32\cmd.e

```
C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>javac VowelsOrConsonestCmdLine.java
C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>java VowelsOrConsonestCmdLine p
It is a Consonant
C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>java VowelsOrConsonestCmdLine a
It is a Vowels
C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>java VowelsOrConsonestCmdLine L
It is a Consonant
C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>java VowelsOrConsonestCmdLine U
It is a Vowels
C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>
```

```

1  class LargestOfThreeNumberCmdLineArgs{
2      public static
3      void main(String args[]){
4          int a = Integer.parseInt(args[0]);
5          int b = Integer.parseInt(args[1]);
6          int c = Integer.parseInt(args[2]);
7
8          if(a > b && a > c){
9              System.out.print("A is largest: " + a);
10         }
11         else if(b > a && b > c){
12             System.out.println("B is largest: " + b);
13         }
14         else{
15             System.out.print("C is largest: " + c);
16         }
17     }
18 }
19
20
21
22

```

```

C:\Windows\System32\cmd.exe
C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>javac LargestOfThreeNumberCmdLineArgs.java
C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>java LargestOfThreeNumberCmdLineArgs 10 25 65
C is largest: 65
C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>java LargestOfThreeNumberCmdLineArgs 55 66 22
B is largest: 66
C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>java LargestOfThreeNumberCmdLineArgs 250 56 222
A is largest: 250
C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>

```

```
EvenOddCmdLineArgs.java x
1 class EvenOddCmdLineArgs{
2     public static void main(String args[]){
3         int n = Integer.parseInt(args[0]);
4         if(n % 2 == 0)
5             System.out.println("Even");
6
7         else
8             System.out.println("Odd");
9     }
10 }
11 }
```

```
C:\Windows\System32\cmd.e x + v
C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>javac EvenOddCmdLineArgs.java
C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>java EvenOddCmdLineArgs 5
Odd
C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>java EvenOddCmdLineArgs 22
Even
C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>|
```

```
WeekUsingSwitchCmdLineArgs.java x
1 class WeekUsingSwitchCmdLineArgs{
2     public static void main(String args[]){
3
4         int n = Integer.parseInt(args[0]);
5         switch(n){
6             case 1:
7                 System.out.println("Monday");
8                 break;
9             case 2:
10                System.out.println("Tuesday");
11                break;
12             case 3:
13                System.out.println("Wednesday");
14                break;
15             case 4:
16                System.out.println("Thursday");
17                break;
18             case 5:
19                System.out.println("Friday");
20                break;
21             case 6:
22                System.out.println("Saturday");
23                break;
24             case 7:
25                System.out.println("Sunday");
26                break;
27             default:
28                System.out.println("Invalid Number Or Day");
29
30
31         }
32
33     }
34
35 }
```

```
C:\Windows\System32\cmd.e x + v
Microsoft Windows [Version 10.0.26200.9168]
(c) Microsoft Corporation. All rights reserved.

C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>javac WeekUsingSwitchCmdLineArgs.java

C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>java WeekUsingSwitchCmdLineArgs 6
Saturday

C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>
```

```

1 class ArithmeticOperatorcmdLineArg{
2     public static void main(String args[]){
3         int a = Integer.parseInt(args[0]);
4         int b = Integer.parseInt(args[1]);
5         char operator = (args[2]).charAt(0);
6
7         switch(operator){
8
9             case '+':
10                 System.out.println("a+b = : "+(a+b));
11                 break;
12             case '-':
13                 System.out.println("a-b = : "+(a-b));
14                 break;
15             case 'x':
16                 System.out.println("a*b = : "+(a*b));
17                 break;
18             case '/':
19                 if(b !=0)
20                     System.out.println("a/b = : "+(a/b));
21                 else
22                     System.out.println("cannot be divisibe zero");
23                 break;
24             default:
25                 System.out.println("Invalid Operator");
26
27         }
28     }
29 }
30
31 }

```

```

C:\Windows\System32\cmd.exe X + v
Microsoft Windows [Version 10.0.26200.9168]
(c) Microsoft Corporation. All rights reserved.

C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>javac ArithmeticOperatorcmdLineArg.java

C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>java ArithmeticOperatorcmdLineArg 2 5 x
a+b = : 10

C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>java ArithmeticOperatorcmdLineArg 2 5 +
a+b = : 7

C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>java ArithmeticOperatorcmdLineArg 10 5 -
a-b = : 5

C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>

```

```
TrafficLightCmdLineArg.java x ArithmeticOperatorCmdLineArg.java x MonthCmdLineArg.java x NumberToWordCmdLineArg.java x
1 class TrafficLightCmdLineArg{
2     public static void main(String args[]){
3         char light = (args[0]).charAt(0);
4         switch(light){
5             case 'R':
6                 System.out.println("Stop");
7                 break;
8             case 'Y':
9                 System.out.println("Wait");
10                break;
11             case 'G':
12                 System.out.println("Go");
13                 break;
14             default:
15                 System.out.println("Invalid Signal Light");
16         }
17     }
18 }
19 }
20 }
```

```
C:\Windows\System32\cmd.e x + v
C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>javac TrafficLightCmdLineArg.java
C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>java TrafficLightCmdLineArg R
Stop
C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>java TrafficLightCmdLineArg Y
Wait
C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>java TrafficLightCmdLineArg G
Go
C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>
```

```
NumberToWordCmdLineArg.java x ArithmeticOperatorcmdLineArg.java x MonthCmdLineArgs.java x
1 class NumberToWordCmdLineArg{
2     public static void main(String args[]){
3         int n = Integer.parseInt(args[0]);
4         switch(n){
5             case 0:
6                 System.out.println("Zero");
7                 break;
8             case 1:
9                 System.out.println("One");
10                break;
11             case 2:
12                 System.out.println("Two");
13                 break;
14             case 3:
15                 System.out.println("Three");
16                 break;
17             case 4:
18                 System.out.println("Four");
19                 break;
20             case 5:
21                 System.out.println("Five");
22                 break;
23             default:
24                 System.out.println("Invalid day");
25             }
26         }
27     }
}
```

```
C:\Windows\System32\cmd.e x + ~
C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>javac NumberToWordCmdLineArg.java
C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>java NumberToWordCmdLineArg 5
Five
C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>
```

```

1 class MonthCmdLineArgs {
2     public static void main(String args[]) {
3
4         int n = Integer.parseInt(args[0]);
5
6         switch (n) {
7             case 1:
8                 System.out.println("January - 31 days");
9                 break;
10            case 2:
11                System.out.println("February - 28 days");
12                break;
13            case 3:
14                System.out.println("March - 31 days");
15                break;
16            case 4:
17                System.out.println("April - 30 days");
18                break;
19            case 5:
20                System.out.println("May - 31 days");
21                break;
22            case 6:
23                System.out.println("June - 30 days");
24                break;
25            case 7:
26                System.out.println("July - 31 days");
27                break;
28            case 8:
29                System.out.println("August - 31 days");
30                break;
31            case 9:
32                System.out.println("September - 30 days");
33                break;
34            case 10:
35                System.out.println("October - 31 days");
36                break;
37            case 11:
38                System.out.println("November - 30 days");
39                break;
40            case 12:
41                System.out.println("December - 31 days");
42                break;
43            default:
44                System.out.println("Invalid month");
45        }
46    }
47 }
48

```

```

C:\Windows\System32\cmd.exe X + v
C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>javac MonthCmdLineArgs.java
C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>java MonthCmdLineArgs 9
September - 30 days
C:\Java\Java_Programs\Assignment-2\CommandLinePrograms>

```