







6 5 4 3 2 1

HEMY Harmonic Equatorial Mount Yourself

"Making your own Harmonic Equatorial Mount out of aluminium?

Only a moron would do that, even if it's opensource"

"Moron Yourself!"



UNLESS OTHERWISE SPECIFIED,
DIMENSIONS ARE IN MILLIMETERS


ANGULAR $\pm \text{ }^\circ$

SURFACE FINISH $\sqrt{Ra} 3.2$

DO NOT SCALE DRAWING

BREAK ALL SHARP EDGES AND
REMOVE BURRS

FIRST ANGLE PROJECTION



DRAWN POLVINC

CHECKED

APPROVED

NAME SIGNATURE DATE

2024-07-02

TITLE

HEMY
Harmonic Equatorial Mount
Yourself

SIZE

A3

DWG NO.

REV.

MATERIAL AI 6061

FINISH Bead blasting
Anodizing

SCALE

1:2

WEIGHT

4.2 kg

SHEET

1 of 9

6

5

4

3

2

1

D

D

C

C

B

B

A

A

6 5 4 3 2 1


HEMY Harmonic Equatorial Mount Yourself

D

Specifications

Mount Type	Dual Alt-Az/Equatorial
Mount Series	HEMY
License	GPL-3.0 license
Weight Capacity	13 kg / 20 kg
Type of Mount Electronics	AstrAlim / OnStepX (not included)
Mount Slew Speeds	5°/s
Motor Type	Harmonic Drive and Synchronous belt
Reduction Ratio RA	500:1
Reduction Ratio DEC	300:1
Resolution RA	0.10"
Resolution DEC	0.17"
Mount Latitude Range (°)	0° - 90°
Azimuth Angle Range	±5°
Periodic Error Duration	220s
Polar Scope Included?	No
Mount Weight	5 kg
Price for CNC building	< 300\$
Total price	< 700\$

D



C


B

A

6 5 4 3 2 1

6 5 4 3 2 1


HEMY Harmonic Equatorial Mount Yourself




6 5 4 3 2 1

HEMY Harmonic Equatorial Mount Yourself


D




C



B



A




T - T
1:1

DWG NO. SIZE A3 SCALE 1:4 SHEET 4 of 9 REV.


6 5 4 3 2 1

6 5 4 3 2 1

Global drawing - HEMY



Explode view - HEMY



Bill of Materials - HEMY

D	Item	Quantity	Description	Mass	Item	Quantity	Description	Mass	D
D	1	2	01 - Main plate	0.213 kg	28	1	27 - Vixen clamp (Neewer QR011)	0.177 kg	
	2	1	02 - R plate	0.129 kg	29	1	28 - (Optional) Polar viewfinder support (Neewer LS-15)	0.031 kg	
	3	1	03 - L plate	0.132 kg	30	1	30 - (Optional) QHY Polemaster	0.065 kg	
	4	1	04 - B plate	0.094 kg	31	4	Hex socket head cap screw M3x0.50 x 10 Stainless Steel	0.001 kg	
	5	1	05 - T plate	0.091 kg	32	3	Hex socket head cap screw M3x0.50 x 20 Stainless Steel	0.002 kg	
	6	2	06 - Harmonic drive (CSF-17-100-2UH or HBS/HBG-17-100)	0.539 kg	33	16	Hex socket head cap screw M3x0.50 x 6 Stainless Steel	0.001 kg	
	7	2	07 - Bearing 18307-RS	0.008 kg	34	4	Hex socket head cap screw M4x0.70 x 10 Stainless Steel	0.002 kg	
	8	2	08 - Bearing housing	0.01 kg	35	12	Hex socket head cap screw M4x0.70 x 16 Stainless Steel	0.003 kg	
	9	2	09 - Pulley spacer	0.003 kg	36	4	Hex socket head cap screw M6x1.00 x 10 Stainless Steel	0.005 kg	
	10	3	10 - Rexroth 20x20x100mm	0.041 kg	37	8	Socket button head screw M4x0.7 x 16 Stainless Steel	0.002 kg	
	11	2	11 - Diameter 8 shaft	0.014 kg	38	16	Socket button head screw M5x0.8 x 10 Stainless Steel	0.002 kg	
	12	1	12 - Nema 17 brake (SWB-01)	0.018 kg	39	4	Socket button head screw M5x0.8 x 16 Stainless Steel	0.003 kg	
	13	1	13 - Nema 17 double shaft 0.9° (17HM19-1684D)	0.412 kg	40	2	Socket button head screw M5x0.8 x 25 Stainless Steel	0.005 kg	
	14	1	14 - Nema 17 simple or double shaft 0.9° (17HM19-1684D)	0.32 kg	41	10	Socket button head screw M5x0.8 x 8 Stainless Steel	0.002 kg	
	15	2	15 - Pulley 16T	0.003 kg	42	8	Socket button head screw M6x1 x 16 Stainless Steel	0.005 kg	
	16	1	16 - Pulley 60T	0.043 kg					B
	17	1	17 - Pulley 80T	0.075 kg					
	18	1	18 - Belt 150mm	0.001 kg					
	19	1	19 - Belt 200mm	0.001 kg					
	20	2	20 - Motor support	0.02 kg					
	21	10	21 - Spacer M3x20mm	0.003 kg					
	22	2	22 - Spacer pivot motor	0.007 kg					
	23	1	23 - Round Rexroth 20x20x100mm	0.044 kg					
	24	1	24 - Counterweight Support	0.028 kg					
	25	2	25 - Ethernet connectors (MRJ538401)	0.008 kg					
	26	2	26 - Harmonic/Vixen plug	0.061 kg					
	27	2	27 - Harmonic skirt (3D printed)	0.024 kg					

