








6 5 4 3 2 1

HEMY Alt/Az Base













D
C
B
A

D
C
B
A

6 5 4 3 2 1

D



UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN MILLIMETERS ANGULAR = \pm ° SURFACE FINISH ✓		NAME	SIGNATURE	DATE	TITLE
	DRAWN	POLOLAMAG		2024-06-30	
CHECKED					HEMY Alt/Az Base
	APPROVED				
DO NOT SCALE DRAWING BREAK ALL SHARP EDGES AND REMOVE BURRS					SIZE
	FIRST ANGLE PROJECTION	MATERIAL	FINISH		
					REV.
	SCALE 1:2	WEIGHT	SHEET 2 of 5		

6 5 4 3 2 1

A

D

C

C

B


B

A


A

6 5 4 3 2 1


D



C



B



A

Bill of Materials - HEMY Alt/Az Base

Item	Quantity	Description	Mass
1	1	Base tripod	0.139 kg
2	1	Base Az	0.143 kg
3	1	Lateral R (same L)	0.059 kg
4	1	Lateral L (same R)	0.059 kg
5	1	Rotation Alt	0.125 kg
6	1	Base Az Hold	0.009 kg
7	1	Setting Alt	0.041 kg
8	1	Barrel 60mm	0.032 kg
9	3	Socket button head screw M4x0.7 x 12 Stainless Steel	0.002 kg
10	2	Button M6x30	0.019 kg
11	2	Button M8	0.016 kg
12	1	Barrel M6x10x20mm	0.01 kg
13	5	Hex socket head cap screw M6x1.00 x 10 Stainless Steel	0.005 kg
14	1	Button M6x50	0.032 kg
15	1	Block M6	0.003 kg
16	2	Hex socket head cap screw M5x0.80 x 14 Stainless Steel	0.004 kg
17	1	Axe M8	0.038 kg
18	2	Button M6x16	0.024 kg
19	1	Plain washer large grade A M6 Brass	0.003 kg
20	4	Socket button head screw M5x0.8 x 16 Stainless Steel	0.003 kg
21	1	BTR 4 (M5)	
22	2	Magnet 3x3mm	

