

Trial Install on Windows

Step by step: from a clean PC to a licensed, running system

Bundle 1.0.0 · October 2026 · For the Polynexus team

THE JOURNEY AT A GLANCE

Part	What you do	Where
1. Clean up	Remove the earlier attempt	PowerShell (admin)
2. Unpack	Copy the bundle into C:\hms-test	PowerShell (admin)
3. First run	Get the deployment ID and fingerprint	PowerShell (admin)
4. Issue licence	Create the licence file	Command Prompt
5. Check licence	Make sure the IDs match	Command Prompt
6. Finish install	Activate and create the admin	PowerShell (admin)
7. Test	Log in and check the licence	Browser

Before you start

This installs the hospital system on this PC exactly as a hospital would, and you play both roles: the **hospital** (running the installer) and **Polynexus** (issuing the licence).

You'll use two windows:

- **Window A — PowerShell as administrator** (Start → type *PowerShell* → right-click → *Run as administrator*). Used for the installer.
- **Window B — Command Prompt** (Start → type *cmd*). Used to issue the licence.

Before you start: Docker Desktop must be running (whale icon in the taskbar, status *Running*).

1

Clean up the earlier attempt

In **Window A**:

```
# Window A - PowerShell (administrator)
cd C:\hms-test
docker compose down -v
cd C:\
Remove-Item -Recurse -Force C:\hms-test
```

If the first two lines say there is no such folder or configuration file, that's fine: carry on with the last line.

`down -v` deletes the test database. Only ever do this on a test install, never on a hospital's server.

2

Unpack the bundle

In **Window A**:

```
# Window A - PowerShell (administrator)
mkdir C:\hms-test
cd E:\Aniket\next\Hospital\Hospital\Backend\dist
tar -xzf bundle-1.0.0.tar.gz -C C:\hms-test --strip-components=1
cd C:\hms-test
dir
```

Type or paste each command as **one line**. If a command ever looks split over two lines, join it before pressing Enter.

You should see `images.tar` , `install.ps1` , `docker-compose.yml` , `RUNBOOK.md` and a few other files.

3

First run of the installer

In **Window A**:

```
# Window A - PowerShell (administrator)
powershell -ExecutionPolicy Bypass -File .\install.ps1
```

1. When asked for the hostname, type **localhost** and press Enter.
2. Wait 1–3 minutes while it loads the images and starts the database.
3. It prints two lines, a **Deployment ID** and a **Machine fingerprint**, and saves them to a file.
4. At "*Path to your licence file*", just **press Enter**. The installer stops; that's expected.

Open the saved file; you'll copy from it in Part 4:

```
# Window A - PowerShell (administrator)
notepad C:\hms-test\config\REQUEST-LICENCE.txt
```

4

Issue the licence

In **Window B** (Command Prompt):

```
REM Window B - Command Prompt
cd /d E:\Aniket\next\Hospital\Hospital\Backend\tools
set LICENSE_SIGNING_KEY_PATH=C:\Users\User\Desktop\key\license_signing_key.pem
..\venv\Scripts\python.exe -m license_issuer new
```

Answer the questions:

Question	What to type
Customer / hospital legal name	Demo Hospital
Deployment ID	Copy the Deployment ID from Notepad and paste it. Never leave this blank.
Licence start date	press Enter (today)
Licence expiry date	press Enter (one year)
Grace period in days	press Enter (14)
Maximum active users	20
Toggle (features list)	1,3,7 then Enter. The list redraws with HMS core, ERP and AI assist ticked. Press Enter again on the empty line to finish.
Bind to one machine?	y
Machine fingerprint	Copy the Machine fingerprint from Notepad and paste it.
Output file	C:\hms-test\config\license.lic

It prints a summary and *Wrote C:\hms-test\config\license.lic.*

CRM (option 2) is deliberately left out, so you can check in Part 7 that its menus are hidden.

5

Check the licence

Still in **Window B**:

```
REM Window B - Command Prompt
..\venv\Scripts\python.exe -m license_issuer verify C:\hms-test\config\license.lic
```

It must say **Signature OK**. Compare two lines with Notepad:

- **Deployment ID** in the output = Deployment ID in Notepad (all characters).
- **Hardware binding: yes (...)** = Machine fingerprint in Notepad.

If either differs, go back to Part 4 and issue it again; the new file replaces the old one.

6

Finish the install

Back in **Window A**:

```
# Window A - PowerShell (administrator)
cd C:\hms-test
powershell -ExecutionPolicy Bypass -File .\install.ps1
```

This time it finds the licence by itself (no path question):

1. It prepares the database (1–2 minutes).
2. **Administrator email:** type your email, e.g. `admin@demo-hospital.local`.
3. **Owner password:** type a strong password (nothing shows while typing; that's normal).
4. It activates the licence, creates the hospital, and starts everything.

It ends with **Done**. Open `http://localhost/`.

If it fails at the end with a message about port 80 being in use, another program (often IIS) has that port. Open `C:\hms-test\.env` in Notepad, change `HTTP_PORT=80` to `HTTP_PORT=8080`, save, run `docker compose up -d` in Window A, and use `http://localhost:8080/` in Part 7.

7

Test in the browser

1. Open **http://localhost/** and sign in with the email and password from Part 6.
2. Go to **Settings**, then scroll to the **License** card. Check:
 - Status **Active**
 - Licensed features: **HMS core, ERP, AI assist**
 - User limit **20**, expiry about one year from today
 - Hardware binding: **Bound to this server**
3. Look at the side menu: **Enquiries, Call console and Callbacks (CRM) are not there**, because CRM isn't licensed.
4. Optional, in Window A: `docker compose ps`. All six services should say *running* or *healthy*.

The trial is complete. Next, repeat it on a Linux server with `install.sh` (see `RUNBOOK.md`).

If something goes wrong

Message	What to do
<i>This license is for deployment X, but this installation is Y</i>	The Deployment ID was wrong or left blank. Redo Part 4, pasting it from Notepad, then rerun Part 6.
<i>This license was issued for a different server</i>	The fingerprint was wrong. Redo Part 4 with the fingerprint from Notepad.
<i>Docker is installed but not running</i>	Start Docker Desktop, wait until it says Running, try again.
<i>Docker must run Linux containers</i>	Right-click the Docker whale icon → <i>Switch to Linux containers</i> .
<i>No signing key (Part 4)</i>	The <code>set LICENSE_SIGNING_KEY_PATH=...</code> line wasn't run in this window. Run it again.
Anything else	Copy the last 20 lines of the window and send them for help.