CONTENT MODEL REFERENCE

Local Service Business Website

13 Page Templates + Global Components + Schema Architecture + DB Migration

Updated: Keyword Cycling Component · Full Schema Hierarchy · Supabase Migration

1. Homepage
2. Service Category
3. Service Specifics
4. Hub (Blog / Locations / Industries / Platforms)
5. Flat Location
6. Localised Service
7. Industries Page
8. Individual Blog Post
9. Downloads
10. Free Tools
11. About
12. Contact
13. Legal / Utility

—

A. GLOBAL: Keyword Cycling Component (NEW)
B. GLOBAL: Schema Architecture — Full Hierarchy (NEW)
C. DATABASE: Supabase Migration (NEW)

Template 1 of 13: Homepage

Purpose: Primary brand and trust-building page. Introduces the business, its core services, locations served, and drives users towards conversion.

Schema: *WebSite, LocalBusiness, Organization, BreadcrumbList, FAQPage (optional)*

Keyword Cycling Component: ✓ Applicable — see Global Components section

SEO & Meta

Field Name	Field Type	Required?	Notes / Guidance
Meta Title	Text (60 chars max)	Yes	Primary keyword + brand name
Meta Description	Text (155 chars max)	Yes	Value proposition with a call to action
Canonical URL	URL	Yes	Self-referencing canonical
OG Title	Text	Yes	Can match meta title or be conversational
OG Description	Text	Yes	
OG Image	Image (1200×630px)	Yes	Brand-consistent social sharing image

Hero Section

Field Name	Field Type	Required?	Notes / Guidance
H1 Headline	Text (60–80 chars)	Yes	Lead with the primary value proposition
Hero Subheadline	Text (120–160 chars)	Yes	Elaborates on the H1; supports the core promise
Hero Body Copy	Rich Text (1–3 sentences)	No	Optional supporting statement
Primary CTA Label	Text	Yes	e.g. 'Get a Free Consultation'
Primary CTA URL	URL / Anchor	Yes	
Secondary CTA Label	Text	No	
Secondary CTA URL	URL / Anchor	No	
Hero Image / Visual	Image or Video	Yes	High quality; relevant to service or outcome
Hero Badge / Trust Signal	Text or Image	No	Rating, years in business, or certification badge

Choices:

- https://21st.dev/ravikatiyar/animated-hero/default - Favourite
- https://21st.dev/haik-kashiyani/experience-hero/default - Second favourite
- https://21st.dev/shadway/hero-dithering-card/default - Third favourite
- https://21st.dev/aliimam/hero-designali/default
-

Keyword Cycling Block (see Global Components)

Field Name	Field Type	Required?	Notes / Guidance
Cycling Block — Prefix Text	Text	No	Static text before the animated term e.g. 'We are a'
Cycling Block — Keywords Array	Text Array	No	The cycling terms e.g. ['SEO agency','digital marketing agency']
Cycling Block — Suffix Text	Text	No	Static text after e.g. 'helping businesses grow'
Cycling Block — Static Fallback	Text	No	Used in schema, OG, and no-JS fallback — must read as a complete sentence
Cycling Block — Heading Level	Select: H1/H2/H3/p	No	On homepage this would typically be H1 or H2

Services Overview

Field Name	Field Type	Required?	Notes / Guidance
Section Heading	Text	Yes	e.g. 'What We Do'
Section Intro	Rich Text (2–3 sentences)	No	
Service Card	Repeatable Component	Yes	Min 3 cards
— Card Icon / Image	Image or SVG	No	
— Card Heading	Text	Yes	Short service name
— Card Description	Text (30–60 words)	Yes	
— Card CTA URL	URL	Yes	Links to Service Category page

Why Choose Us / USPs

Field Name	Field Type	Required?	Notes / Guidance
Section Heading	Text	Yes	
USP Item	Repeatable (3–6 items)	Yes	Icon + Heading + Description

Social Proof / Testimonials

Field Name	Field Type	Required?	Notes / Guidance
Section Heading	Text	Yes	
Testimonial Item	Repeatable Component (min. 2)	Yes	Quote + Name + Title + optional photo
Average Rating Value	Number	No	For AggregateRating schema

Field Name	Field Type	Required?	Notes / Guidance
Review Count	Number	No	For AggregateRating schema

Location / Areas Served

Field Name	Field Type	Required?	Notes / Guidance
Section Heading	Text	No	
Location Link Item	Repeatable: Name + URL	No	Links to Flat Location pages
Map Embed	Embed Code	No	

Final CTA Section

Field Name	Field Type	Required?	Notes / Guidance
Section Heading	Text	Yes	
Body Copy	Rich Text	No	
CTA Label	Text	Yes	
CTA URL	URL	Yes	

Structured Data / Schema Fields

★ New fields in this section: *WebSite — hasPart Array · About Entities (uuid[]) · Mentions Entities (uuid[]) · FAQ Items (optional) · sameAs Social URLs*

Field Name	Field Type	Required?	Notes / Guidance
Business Name	Text	Yes	For LocalBusiness + Organization schema
Business Description	Text	Yes	150–300 words
Logo URL	URL	Yes	
Address (Full)	Structured Fields	Yes	Street, City, Postcode, Country
Telephone	Text	Yes	Include country code
Geo Latitude / Longitude	Numbers	No	For GeoCoordinates
Opening Hours	Repeatable: Day + Times	No	
Price Range	Text	No	e.g. '££'
★ sameAs Social URLs	Text Array	No	All social profile URLs — used in Organization.sameAs
★ WebSite — hasPart Array	Auto-generated	Yes	System populates from all published pages — links entire site map into WebSite schema
★ About Entities (uuid[])	UUID Array	No	Knowledge graph entities this page is primarily about

Field Name	Field Type	Required?	Notes / Guidance
★ Mentions Entities (uuid[])	UUID Array	No	Knowledge graph entities referenced/mentioned on this page
★ FAQ Items (optional)	JSON Array of Q+A	No	Triggers FAQPage schema if present

Template 2 of 13: Service Category

Purpose: Navigational and informational hub for a group of related services. Routes users to specific service sub-pages.

Schema: *Service, CollectionPage, BreadcrumbList, Organization (ref), FAQPage (optional)*

Keyword Cycling Component: ✓ Applicable — see Global Components section

SEO & Meta

Field Name	Field Type	Required?	Notes / Guidance
Meta Title	Text (60 chars max)	Yes	Category name + core benefit + brand
Meta Description	Text (155 chars max)	Yes	
Canonical URL	URL	Yes	
OG Image	Image (1200×630px)	No	

Page Header / Hero

Field Name	Field Type	Required?	Notes / Guidance
H1 Headline	Text	Yes	Category name with value context
Hero Subheadline	Text	No	
Hero Body Copy	Rich Text (2–4 sentences)	Yes	Sets context; who it is for
Hero CTA Label	Text	No	
Hero CTA URL	URL	No	
Breadcrumb Display	Boolean	Yes	

Keyword Cycling Block (see Global Components)

Field Name	Field Type	Required?	Notes / Guidance
Cycling Block — Prefix Text	Text	No	e.g. 'Specialists in'
Cycling Block — Keywords Array	Text Array	No	Service name permutations for this category
Cycling Block — Suffix Text	Text	No	
Cycling Block — Static Fallback	Text	No	Used in schema output
Cycling Block — Heading Level	Select: H1/H2/H3/p	No	

Category Introduction

Field Name	Field Type	Required?	Notes / Guidance
Section Heading	Text	No	
Intro Body Copy	Rich Text (200–400 words)	Yes	
Supporting Image	Image	No	

Sub-Service Cards (Child Pages)

Field Name	Field Type	Required?	Notes / Guidance
Section Heading	Text	Yes	
Sub-Service Card	Repeatable Component	Yes	One card per L2 service page
— Card Heading	Text	Yes	
— Card Description	Text (40–80 words)	Yes	
— Card CTA URL	URL	Yes	

FAQ Section

Field Name	Field Type	Required?	Notes / Guidance
FAQ Item	Repeatable: Question + Answer	No	Min 3 recommended; triggers FAQPage schema
FAQ Schema Toggle	Boolean	No	

Schema Fields

★ **New fields in this section:** *About Entities (uuid[]) · Mentions Entities (uuid[]) · FAQ Items (optional)*

Field Name	Field Type	Required?	Notes / Guidance
isPartOf — WebSite ID	Auto-reference	Yes	System links this page into WebSite.hasPart
Organization Reference	Auto-reference	Yes	provider / publisher reference to business entity
★ About Entities (uuid[])	UUID Array	No	Knowledge graph entities this page is primarily about
★ Mentions Entities (uuid[])	UUID Array	No	Other entities referenced on this page
★ FAQ Items (optional)	JSON Array of Q+A	No	Triggers FAQPage schema if present

Template 3 of 13: Service Specifics

Purpose: Primary commercial page for an individual service. Covers all training services and L2/L1 service detail pages.

Schema: *Service, Offer, WebPage, BreadcrumbList, Organization (ref), FAQPage (optional)*

Keyword Cycling Component: ✓ Applicable — see Global Components section

SEO & Meta

Field Name	Field Type	Required?	Notes / Guidance
Meta Title	Text (60 chars max)	Yes	Service name + outcome + brand
Meta Description	Text (155 chars max)	Yes	
Canonical URL	URL	Yes	
Focus Keyword	Text	Yes	
Secondary Keywords	Text (comma-separated)	No	Editorial use

Page Header / Hero

Field Name	Field Type	Required?	Notes / Guidance
H1 Headline	Text	Yes	Service name + core outcome
Hero Body Copy	Rich Text (2–5 sentences)	Yes	Problem-aware; who this is for
Hero CTA Label	Text	Yes	
Hero CTA URL	URL	Yes	
Breadcrumb Display	Boolean	Yes	

Keyword Cycling Block (see Global Components)

Field Name	Field Type	Required?	Notes / Guidance
Cycling Block — Prefix Text	Text	No	e.g. 'Our'
Cycling Block — Keywords Array	Text Array	No	Service name permutations e.g. ['keyword research service','keyword strategy service']
Cycling Block — Suffix Text	Text	No	e.g. 'drives qualified traffic to your site'
Cycling Block — Static Fallback	Text	No	Schema-safe complete sentence
Cycling Block — Heading Level	Select: H1/H2/H3/p	No	Typically H2 on service pages where H1 is already set

What is Included / Deliverables

Field Name	Field Type	Required?	Notes / Guidance
Section Heading	Text	Yes	
Deliverable Item	Repeatable: Heading + Description	Yes	
Process Steps	Repeatable: Number + Heading + Body	No	

Who It Is For

Field Name	Field Type	Required?	Notes / Guidance
Target Audience Description	Rich Text (100–200 words)	No	
Audience Persona Tag	Repeatable Tag	No	

Pricing Section

Field Name	Field Type	Required?	Notes / Guidance
Pricing Model	Select: Fixed/Starting From/Custom/Package	No	
Price Display	Text or Number	No	
Offer Schema Toggle	Boolean	No	Enable Offer schema with price data

Social Proof

Field Name	Field Type	Required?	Notes / Guidance
Testimonial(s)	Repeatable Component	Yes	At least 1 service-specific
Trust Badges	Repeatable: Image + Alt Text	No	

FAQ Section

Field Name	Field Type	Required?	Notes / Guidance
FAQ Item	Repeatable: Question + Answer	No	Min 4 recommended
FAQ Schema Toggle	Boolean	No	

Schema Fields

★ **New fields in this section:** *FAQ Items (optional)*

Field Name	Field Type	Required?	Notes / Guidance
Service Name	Text	Yes	For Service schema
Service Description	Text (150–300 words)	Yes	
Service Type	Text	No	e.g. 'ProfessionalService'
Area Served	Text or Repeatable	No	
Provider (Business Name)	Auto-reference	Yes	Links to Organization schema
Price Currency	Text	No	e.g. 'GBP'
Price Value	Number or Text	No	
★ FAQ Items (optional)	JSON Array of Q+A	No	Service-level FAQs; rendered on service page

Template 4 of 13: Hub

Purpose: Navigational index page for Blog, Locations, Industries, and Platforms collections.

Schema: *CollectionPage, BreadcrumbList, Organization (ref)*

Keyword Cycling Component: ✗ Not applicable

SEO & Meta

Field Name	Field Type	Required?	Notes / Guidance
Meta Title	Text (60 chars max)	Yes	
Meta Description	Text (155 chars max)	Yes	
Canonical URL	URL	Yes	

Page Header

Field Name	Field Type	Required?	Notes / Guidance
H1 Headline	Text	Yes	e.g. 'Our Locations', 'Industries We Serve'
Intro Body Copy	Rich Text (1–3 sentences)	No	
Breadcrumb Display	Boolean	Yes	

Item Cards (Dynamically Populated)

Field Name	Field Type	Required?	Notes / Guidance
Card Heading	Text	Yes	Post title / Location name / Industry name
Card Summary / Excerpt	Text (30–60 words)	No	
Card Meta (Date / Tag)	Text	No	
Card CTA URL	URL	Yes	

Empty State (for unpopulated hubs e.g. Industries at launch)

Field Name	Field Type	Required?	Notes / Guidance
Empty State Heading	Text	No	
Empty State Body	Rich Text	No	
Empty State CTA	Text + URL	No	

Schema Fields

Field Name	Field Type	Required?	Notes / Guidance
isPartOf — WebSite ID	Auto-reference	Yes	
Organization Reference	Auto-reference	Yes	

Template 5 of 13: Flat Location

Purpose: Landing page for a specific town, city, or region. Establishes local relevance and routes local search traffic.

Schema: *LocalBusiness, Service, areaServed, BreadcrumbList, Organization (ref), FAQPage (optional)*

Keyword Cycling Component: ✓ Applicable — see Global Components section

SEO & Meta

Field Name	Field Type	Required?	Notes / Guidance
Meta Title	Text (60 chars max)	Yes	Primary service + Location + Brand
Meta Description	Text (155 chars max)	Yes	Mention location twice naturally
Canonical URL	URL	Yes	
Focus Keyword	Text	Yes	e.g. 'SEO services London'
Geo Region Tag	Text	No	ISO region code e.g. 'GB-ENG'
Geo Placename	Text	No	e.g. 'London'

Page Header / Hero

Field Name	Field Type	Required?	Notes / Guidance
H1 Headline	Text	Yes	Services + Location
Hero Body Copy	Rich Text (2–4 sentences)	Yes	Locally aware copy
Hero CTA Label	Text	Yes	
Hero CTA URL	URL	Yes	
Breadcrumb Display	Boolean	Yes	

Keyword Cycling Block (see Global Components)

Field Name	Field Type	Required?	Notes / Guidance
Cycling Block — Prefix Text	Text	No	e.g. 'Your'
Cycling Block — Keywords Array	Text Array	No	e.g. ['London SEO agency','London digital marketing company']
Cycling Block — Suffix Text	Text	No	
Cycling Block — Static Fallback	Text	No	
Cycling Block — Heading Level	Select: H1/H2/H3/p	No	

Services Available in This Location

Field Name	Field Type	Required?	Notes / Guidance
Section Heading	Text	Yes	
Service Card	Repeatable Component	Yes	One per locally available service
— Service Name	Text	Yes	
— Service Description	Text (30–60 words)	Yes	Localised where possible
— Service URL	URL	Yes	Links to L3 Localised Service page

Local Social Proof

Field Name	Field Type	Required?	Notes / Guidance
Testimonial Item	Repeatable Component	No	Prioritise local clients
Nearby Location Links	Repeatable: Name + URL	No	Internal linking to sibling locations

FAQ Section

Field Name	Field Type	Required?	Notes / Guidance
FAQ Item	Repeatable: Question + Answer	No	Location-specific questions
FAQ Schema Toggle	Boolean	No	

Schema Fields

★ **New fields in this section:** *About Entities (uuid[]) · Mentions Entities (uuid[]) · FAQ Items (optional)*

Field Name	Field Type	Required?	Notes / Guidance
Area Served Name	Text	Yes	e.g. 'London', 'Waltham Forest'
Area Served Type	Text	No	e.g. 'City', 'Borough'
Geo Latitude	Number	No	
Geo Longitude	Number	No	
★ About Entities (uuid[])	UUID Array	No	
★ Mentions Entities (uuid[])	UUID Array	No	
★ FAQ Items (optional)	JSON Array of Q+A	No	

Template 6 of 13: Localised Service

Purpose: Hyper-local commercial page — specific service in a specific location. Must feel genuine, not templated.

Schema: *Service, LocalBusiness, areaServed, BreadcrumbList, Organization (ref), FAQPage (optional)*

Keyword Cycling Component: ✓ Applicable — see Global Components section

SEO & Meta

Field Name	Field Type	Required?	Notes / Guidance
Meta Title	Text (60 chars max)	Yes	[Service] in [Location] | [Brand]
Meta Description	Text (155 chars max)	Yes	Hyper-local; service + location in first 20 words
Canonical URL	URL	Yes	
Focus Keyword	Text	Yes	e.g. 'keyword research London'

Page Header / Hero

Field Name	Field Type	Required?	Notes / Guidance
H1 Headline	Text	Yes	[Service] in [Location]
Hero Body Copy	Rich Text (2–4 sentences)	Yes	Localised; references specific area naturally
Hero CTA Label	Text	Yes	
Hero CTA URL	URL	Yes	
Breadcrumb Display	Boolean	Yes	Full path: Home > Locations > [Loc] > [Service]

Keyword Cycling Block (see Global Components)

Field Name	Field Type	Required?	Notes / Guidance
Cycling Block — Prefix Text	Text	No	e.g. 'Looking for a'
Cycling Block — Keywords Array	Text Array	No	e.g. ['London SEO specialist','London SEO consultant','London search optimisation expert']
Cycling Block — Suffix Text	Text	No	e.g. 'in [location]? You've found us.'
Cycling Block — Static Fallback	Text	No	Schema-safe full sentence
Cycling Block — Heading Level	Select: H1/H2/H3/p	No	

Local Context Introduction

Field Name	Field Type	Required?	Notes / Guidance
Localised Intro Copy	Rich Text (200–400 words)	Yes	Combines service + genuine local context
Local Market Insight	Text or Rich Text	No	Shows knowledge of local business community

Service Detail (inherits from Service Specifics)

Field Name	Field Type	Required?	Notes / Guidance
Deliverables / What's Included	Rich Text or Component	Yes	
Pricing Section	Rich Text / Component	No	May omit and direct to contact

Local Social Proof

Field Name	Field Type	Required?	Notes / Guidance
Local Testimonial(s)	Repeatable Component	Yes	Prioritise this location or nearby
Parent Location Page Link	URL	Yes	Link back to the Flat Location page

FAQ Section

Field Name	Field Type	Required?	Notes / Guidance
FAQ Item	Repeatable: Question + Answer	No	Mix service-level and location-level questions
FAQ Schema Toggle	Boolean	No	

Schema Fields

★ **New fields in this section:** *About Entities (uuid[]) · Mentions Entities (uuid[]) · FAQ Items (optional)*

Field Name	Field Type	Required?	Notes / Guidance
Service Name	Text	Yes	
Area Served Name	Text	Yes	
Provider Business Name	Auto-reference	Yes	
Geo Latitude	Number	No	
Geo Longitude	Number	No	
★ About Entities (uuid[])	UUID Array	No	

Field Name	Field Type	Required?	Notes / Guidance
★ Mentions Entities (uuid[])	UUID Array	No	
★ FAQ Items (optional)	JSON Array of Q+A	No	

Template 7 of 13: Industries Page

Purpose: Vertical-specific page demonstrating industry knowledge. Helps convert sector-specific visitors.

Schema: *WebPage, Service, BreadcrumbList, Organization (ref), FAQPage (optional)*

Keyword Cycling Component: ✓ Applicable — see Global Components section

SEO & Meta

Field Name	Field Type	Required?	Notes / Guidance
Meta Title	Text (60 chars max)	Yes	[Service] for [Industry] | [Brand]
Meta Description	Text (155 chars max)	Yes	
Canonical URL	URL	Yes	
Focus Keyword	Text	Yes	e.g. 'SEO for accountants'

Page Header / Hero

Field Name	Field Type	Required?	Notes / Guidance
H1 Headline	Text	Yes	e.g. 'SEO & Marketing for Accountants'
Hero Body Copy	Rich Text (2–4 sentences)	Yes	Speaks to industry pain points
Industry Tag	Text	Yes	Used in schema + filtering
Breadcrumb Display	Boolean	Yes	

Keyword Cycling Block (see Global Components)

Field Name	Field Type	Required?	Notes / Guidance
Cycling Block — Prefix Text	Text	No	e.g. 'We are your'
Cycling Block — Keywords Array	Text Array	No	Industry-specific variants e.g. ['accountancy SEO specialists','accounting firm marketing experts']
Cycling Block — Static Fallback	Text	No	
Cycling Block — Heading Level	Select: H1/H2/H3/p	No	

Industry Context

Field Name	Field Type	Required?	Notes / Guidance
Industry Context Copy	Rich Text (250–500 words)	Yes	Demonstrates sector knowledge; addresses real pain points

Field Name	Field Type	Required?	Notes / Guidance
Industry Stat or Insight	Text	No	

Services for This Industry

Field Name	Field Type	Required?	Notes / Guidance
Service Card	Repeatable Component	Yes	Curated services reframed in industry language

Results / Case Studies

Field Name	Field Type	Required?	Notes / Guidance
Case Study Item	Repeatable: Business Type + Challenge + Result	No	

FAQ Section

Field Name	Field Type	Required?	Notes / Guidance
FAQ Item	Repeatable: Question + Answer	No	Industry-specific questions
FAQ Schema Toggle	Boolean	No	

Schema Fields

★ **New fields in this section:** *FAQ Items (optional)*

Field Name	Field Type	Required?	Notes / Guidance
Organization Reference	Auto-reference	Yes	
★ FAQ Items (optional)	JSON Array of Q+A	No	

Template 8 of 13: Individual Blog Post

Purpose: Long-form content to attract organic search traffic and demonstrate expertise.

Schema: *BlogPosting, Article, WebPage, BreadcrumbList, Organization (ref), FAQPage (optional)*

Keyword Cycling Component: ✗ Not applicable

SEO & Meta

Field Name	Field Type	Required?	Notes / Guidance
Meta Title	Text (60 chars max)	Yes	
Meta Description	Text (155 chars max)	Yes	
Canonical URL	URL	Yes	
Focus Keyword	Text	Yes	
OG Image	Image (1200×630px)	Yes	Featured image for social
No-Index Toggle	Boolean	No	For thin or navigational posts

Post Header

Field Name	Field Type	Required?	Notes / Guidance
Post H1 Title	Text	Yes	
Featured Image	Image	Yes	Min 1200px wide
Featured Image Alt Text	Text	Yes	
Author Name	Text	Yes	
Publish Date	Date	Yes	
Last Updated Date	Date	No	Important for freshness signals
Category / Tag(s)	Repeatable Taxonomy Term	Yes	
Breadcrumb Display	Boolean	Yes	

Post Body

Field Name	Field Type	Required?	Notes / Guidance
Body Content	Rich Text (Full WYSIWYG)	Yes	
Table of Contents	Auto or Manual	No	Recommended 1500+ words
Inline CTA	Component	No	1–2 mid-content CTAs

Field Name	Field Type	Required?	Notes / Guidance
FAQ Section	Repeatable: Q + A	No	Triggers FAQPage schema if present
FAQ Schema Toggle	Boolean	No	

Schema Fields

★ **New fields in this section:** *About Entities (uuid[]) · Mentions Entities (uuid[]) · FAQ Items (optional)*

Field Name	Field Type	Required?	Notes / Guidance
Article Headline	Text	Yes	Matches H1
Author Name	Text	Yes	
Publish Date (ISO 8601)	Date	Yes	
Modified Date (ISO 8601)	Date	No	
Publisher Name	Auto-reference	Yes	Organisation name
Publisher Logo URL	Auto-reference	Yes	
★ About Entities (uuid[])	UUID Array	No	Primary topic entities
★ Mentions Entities (uuid[])	UUID Array	No	All referenced entities in body
★ FAQ Items (optional)	JSON Array of Q+A	No	

Template 9 of 13: Downloads

Purpose: Hub for downloadable resources. Gated or ungated. Builds list and demonstrates expertise.

Schema: *CollectionPage / CreativeWork, Organization (ref)*

Keyword Cycling Component: ✗ Not applicable

SEO & Meta

Field Name	Field Type	Required?	Notes / Guidance
Meta Title	Text (60 chars max)	Yes	
Meta Description	Text (155 chars max)	Yes	
Canonical URL	URL	Yes	
Index Toggle	Boolean	Yes	Gated pages behind a form may warrant no-index

Page Header

Field Name	Field Type	Required?	Notes / Guidance
H1 Headline	Text	Yes	
Intro Body Copy	Rich Text	No	
Breadcrumb Display	Boolean	Yes	

Download Item (Repeatable)

Field Name	Field Type	Required?	Notes / Guidance
Resource Title	Text	Yes	
Resource Type	Select: Guide/Template/Checklist/Report/Worksheet	Yes	
Resource Description	Rich Text (50–150 words)	Yes	
Cover / Preview Image	Image	Yes	
Access Type	Select: Free/Gated/Member Only	Yes	
Download URL (if ungated)	URL	No	
Form Embed (if gated)	Form Component	No	
Privacy Assurance Statement	Text	No	'We never spam. Unsubscribe any time.'

Schema Fields

Field Name	Field Type	Required?	Notes / Guidance
Organization Reference	Auto-reference	Yes	

Template 10 of 13: Free Tools

Purpose: Interactive browser-based tools delivering immediate value. High SEO traffic potential.

Schema: *WebPage, SoftwareApplication, BreadcrumbList, Organization (ref)*

Keyword Cycling Component: ✓ Applicable — see Global Components section

SEO & Meta

Field Name	Field Type	Required?	Notes / Guidance
Meta Title	Text (60 chars max)	Yes	Tool name + 'Free' + context
Meta Description	Text (155 chars max)	Yes	
Canonical URL	URL	Yes	

Page Header

Field Name	Field Type	Required?	Notes / Guidance
H1 Headline	Text	Yes	
Tool Tagline	Text	No	
Breadcrumb Display	Boolean	Yes	

Keyword Cycling Block (see Global Components)

Field Name	Field Type	Required?	Notes / Guidance
Cycling Block — Keywords Array	Text Array	No	Tool name permutations e.g. ['free SEO audit tool','website checker','SEO health checker']
Cycling Block — Static Fallback	Text	No	
Cycling Block — Heading Level	Select: H1/H2/H3/p	No	

Tool Interface

Field Name	Field Type	Required?	Notes / Guidance
Tool Embed / Component	Interactive Embed or Custom Component	Yes	
Tool Output Display	Component	Yes	Table, chart, or text output
Results CTA	Component: Heading + Body + CTA	No	After results, prompt next step

How to Use

Field Name	Field Type	Required?	Notes / Guidance
Step Item	Repeatable: Number + Heading + Body	Yes	

Schema Fields

Field Name	Field Type	Required?	Notes / Guidance
Application Name	Text	Yes	
Application Category	Text	No	e.g. 'BusinessApplication'
Offers Price	Text	Yes	Set to '0' for free tools
Organization Reference	Auto-reference	Yes	publisher reference

Template 11 of 13: About

Purpose: Builds human connection and trust. Key page for E-E-A-T signals and converting consideration-stage visitors.

Schema: *AboutPage, Organization, Person (team members)*

Keyword Cycling Component: ✗ Not applicable

SEO & Meta

Field Name	Field Type	Required?	Notes / Guidance
Meta Title	Text (60 chars max)	Yes	
Meta Description	Text (155 chars max)	Yes	Brief human summary
Canonical URL	URL	Yes	

Page Header

Field Name	Field Type	Required?	Notes / Guidance
H1 Headline	Text	Yes	e.g. 'About Us' or emotive variant
Hero Image / Team Photo	Image	No	

Brand Story

Field Name	Field Type	Required?	Notes / Guidance
Story Body Copy	Rich Text (300–600 words)	Yes	Origin, mission, personality
Mission Statement	Text (1–2 sentences)	No	Pull-quote style callout
Founding Year	Text	No	

Team Section

Field Name	Field Type	Required?	Notes / Guidance
Team Member Card	Repeatable Component	No	Name + Role + Photo + Bio + LinkedIn
— Bio	Rich Text (50–150 words)	Yes	
— Expertise Tags	Repeatable Text	No	

Values / Credentials

Field Name	Field Type	Required?	Notes / Guidance
Value Item	Repeatable: Heading + Body	No	3–5 values; concrete not generic
Stat Item	Repeatable: Number + Label	No	e.g. '200+ Clients Served'
Accreditation / Badge	Repeatable: Image + Name	No	

Schema Fields

★ **New fields in this section:** *About Entities (uuid[]) · Mentions Entities (uuid[])*

Field Name	Field Type	Required?	Notes / Guidance
Business Name	Text	Yes	
Founding Date	Date	No	
Team Member: Name	Text	No	Generates Person schema
Team Member: Job Title	Text	No	
Team Member: Image URL	URL	No	
Team Member: sameAs (LinkedIn)	URL	No	
★ About Entities (uuid[])	UUID Array	No	The Organization entity is always the about entity on this page
★ Mentions Entities (uuid[])	UUID Array	No	People, certifications, partners mentioned

Template 12 of 13: Contact

Purpose: Primary conversion page. Reduces friction and offers multiple contact methods.

Schema: *ContactPage, LocalBusiness, BreadcrumbList, Organization (ref)*

Keyword Cycling Component: ✗ Not applicable

SEO & Meta

Field Name	Field Type	Required?	Notes / Guidance
Meta Title	Text (60 chars max)	Yes	
Meta Description	Text (155 chars max)	Yes	
Canonical URL	URL	Yes	

Page Header

Field Name	Field Type	Required?	Notes / Guidance
H1 Headline	Text	Yes	e.g. 'Get in Touch'
Subheadline	Text	No	e.g. 'We typically respond within one business day'
Intro Body Copy	Rich Text	No	Low-pressure, welcoming

Contact Form

Field Name	Field Type	Required?	Notes / Guidance
Form Field: Full Name	Text Input	Yes	
Form Field: Email Address	Email Input	Yes	
Form Field: Message	Textarea	Yes	
Form Field: Subject / Service Interest	Select or Text	No	Helps triage enquiries
Consent / GDPR Checkbox	Checkbox + Label	Yes	Links to Privacy Policy
Submit Button Label	Text	Yes	
Success Message	Rich Text	Yes	Shown after submission
Redirect on Submit URL	URL	No	For conversion tracking

Contact Details

Field Name	Field Type	Required?	Notes / Guidance
Phone Number	Text	No	
Email Address	Text	No	
Office Hours	Rich Text	No	
Response Time Promise	Text	No	

Schema Fields

★ **New fields in this section:** *About Entities (uuid[]) · Mentions Entities (uuid[])*

Field Name	Field Type	Required?	Notes / Guidance
Organization Reference	Auto-reference	Yes	
★ About Entities (uuid[])	UUID Array	No	The Organization is the primary about entity
★ Mentions Entities (uuid[])	UUID Array	No	

Template 13 of 13: Legal / Utility

Purpose: Privacy Policy and Terms of Service. Accurate, readable, up to date. Basic schema only.

Schema: *WebPage, Organization (ref) — no FAQPage, about, or mentions required*

Keyword Cycling Component: ✗ Not applicable

SEO & Meta

Field Name	Field Type	Required?	Notes / Guidance
Meta Title	Text (60 chars max)	Yes	Document name + Brand
Canonical URL	URL	Yes	
No-Index Toggle	Boolean	No	Some businesses prefer to no-index legal pages

Page Header

Field Name	Field Type	Required?	Notes / Guidance
H1 Headline	Text	Yes	e.g. 'Privacy Policy'
Last Updated Date	Date	Yes	Critical for compliance — always keep current
Intro Paragraph	Rich Text	No	Plain-English summary

Document Body

Field Name	Field Type	Required?	Notes / Guidance
Section Heading (H2)	Text	Yes	Repeatable
Section Body	Rich Text	Yes	Repeatable — supports lists, sub-headings, links
Table of Contents / Jump Links	Auto or Manual	No	Recommended for longer documents

Contact / Queries

Field Name	Field Type	Required?	Notes / Guidance
Contact Email	Email	Yes	Dedicated privacy/legal email
Data Controller Name	Text	Yes	GDPR compliance
Data Controller Address	Text	Yes	GDPR compliance
ICO Registration Number	Text	No	UK-specific

Schema Fields

Field Name	Field Type	Required?	Notes / Guidance
WebPage — isPartOf WebSite	Auto-reference	Yes	Still linked into WebSite.hasPart
Organization Reference	Auto-reference	Yes	publisher reference
No-Index Flag	Boolean	No	If true, exclude from WebSite.hasPart

A. GLOBAL COMPONENT: Keyword Cycling Block

Applicable to any optimisable page with a heading area. Defined once, referenced in each template.

What It Is

A heading-level text block where a portion of the text cycles through an array of keyword permutations. The static parts (prefix and suffix) remain fixed while the middle term animates through the keyword list. Example output:

```
Prefix:   "We are a"
Keywords: ["SEO agency", "search engine optimisation company",
           "digital marketing agency", "SEO consultancy"]
Suffix:   "helping businesses grow online."

Rendered: "We are a [cycling term] helping businesses grow online."
```

SEO Considerations

Google's crawler typically sees either the first keyword in the array or the static fallback text, depending on rendering method. The cycling effect is a UX device for human visitors, not a keyword-stuffing mechanism. Rules:

Rule 1: *The Static Fallback Text field is used in schema markup, Open Graph tags, and any server-rendered HTML. It must be a coherent, complete sentence using your most important keyword variant.*

Rule 2: *All keywords in the array should be genuine, natural-language variations of the same concept — not unrelated keyword spam. Google can and does evaluate the full keyword list over multiple crawls.*

Rule 3: *The H tag level matters. Only one H1 per page. If the cycling block is your H1, ensure the static fallback contains your primary keyword. If it is an H2, the H1 elsewhere should carry the primary keyword.*

Content Model Fields

These fields are stored as a JSON object in keyword_cycling_blocks (jsonb) on the relevant page table. Multiple cycling blocks can exist on one page.

Field Name	Field Type	Required?	Notes / Guidance
block_id	Text / UUID	Yes	Unique identifier — used when multiple blocks exist on same page
prefix_text	Text	No	Static text displayed before the cycling term e.g. 'We are a'
keywords	Text Array	Yes	The full list of cycling terms — minimum 2, no practical maximum
suffix_text	Text	No	Static text after the cycling term e.g. 'helping businesses grow'
static_fallback	Text	Yes	The complete sentence used in schema, OG tags, and no-JS rendering. Must include most important keyword.
heading_level	Select: h1/h2/h3/h4/p	Yes	HTML element to render. One H1 per page maximum.
animation_style	Select: typewriter/fade/slide-up/none	No	Default: typewriter. 'none' disables animation but still cycles on interval.

Field Name	Field Type	Required?	Notes / Guidance
cycle_interval_ms	Integer	No	Time each keyword is displayed in milliseconds. Default: 3000 (3 seconds)
transition_duration_ms	Integer	No	Length of the transition animation itself. Default: 400ms
loop	Boolean	No	Whether cycling repeats indefinitely. Default: true
autostart	Boolean	No	Whether cycling begins on page load. Default: true
aria_live	Select: off/polite/assertive	No	Accessibility. Default: 'polite'. Set to 'off' if purely decorative.
aria_label	Text	No	Screen reader label for the cycling region — defaults to static_fallback if omitted
enabled	Boolean	Yes	Master toggle. False renders static_fallback only — no animation.

Implementation Notes

The block is rendered as a component. The static_fallback is output as the initial innerHTML of the element. JavaScript then replaces and cycles the keyword span. This means:

```
<!-- Server-rendered HTML (what Google sees on first crawl) -->
<h2 class="keyword-cycler" data-keywords='["SEO agency","digital marketing agency"]'>
  We are a <span class="cycler-term">SEO agency</span> helping businesses grow.
</h2>

<!-- JavaScript enhances this in-browser for human visitors -->
<!-- Googlebot sees: 'We are a SEO agency helping businesses grow.' -->
```

Database Storage

Stored as a JSONB column keyword_cycling_blocks on pages, pseo_page_instances, and blog_posts. Supports an array of blocks per page (e.g. one in the hero, one mid-page).

```
-- Example JSONB value for keyword_cycling_blocks column:
[
  {
    "block_id": "hero-cycler",
    "prefix_text": "We are a",
    "keywords": ["SEO agency", "search engine optimisation company",
                 "digital marketing agency", "SEO consultancy"],
    "suffix_text": "helping UK businesses grow.",
    "static_fallback": "We are a leading SEO agency helping UK businesses grow.",
    "heading_level": "h1",
    "animation_style": "typewriter",
    "cycle_interval_ms": 3000,
```

```
      "transition_duration_ms": 400,
      "loop": true,
      "aria_live": "polite",
      "enabled": true
    }
  ]
```

B. GLOBAL: Schema Architecture — Full Hierarchy

Every optimisable page participates in this hierarchy. Schema is assembled at render time from DB fields.

Architecture Overview

The schema output on every page is a JSON-LD script block assembled from multiple layers. These layers always appear together:

```
Layer 1:  WebSite           — emitted on every page; hasPart[] lists all published pages
Layer 2:  Organization      — emitted on every page as publisher/provider reference
Layer 3:  WebPage subtype   — the page-specific type (WebPage, BlogPosting, FAQPage etc.)
Layer 4:  Service / Entity  — where the page mainEntity is a Service object
Layer 5:  FAQPage           — conditional; emitted only when FAQ items are present
Layer 6:  about             — property on WebPage pointing to knowledge graph entities
Layer 7:  mentions          — property on WebPage listing referenced entities
Layer 8:  BreadcrumbList    — on all pages except Homepage and Legal
```

Layer 1 — WebSite Schema

Defined once on the business record. The hasPart array is auto-populated at build/render time from all published pages across the pages, pseo_page_instances, and blog_posts tables.

Field Name	Field Type	Required?	Notes / Guidance
@type	Fixed: 'WebSite'	Yes	
@id	URL + '#website'	Yes	e.g. 'https://example.com/#website'
url	Text	Yes	Homepage URL
name	Text	Yes	Site/Business name
description	Text	Yes	From businesses.description
inLanguage	Text	Yes	Default: 'en-GB'
publisher	@id reference	Yes	Points to #organization
potentialAction	SearchAction object	No	Site search — if site has search functionality
hasPart	Auto-generated Array	Yes	ALL published WebPage @id values — assembled at render time

Layer 2 — Organization / LocalBusiness Schema

Present on every page as a publisher or provider reference. Full object only emitted on Homepage and About page; all other pages reference it by @id.

Field Name	Field Type	Required?	Notes / Guidance
@type	'LocalBusiness' or subtype	Yes	e.g. 'ProfessionalService'

Field Name	Field Type	Required?	Notes / Guidance
@id	URL + '#organization'	Yes	
name	Text	Yes	businesses.name
legalName	Text	No	businesses.legal_name
description	Text	Yes	businesses.description
url	URL	Yes	businesses.website_url
logo	ImageObject	Yes	businesses.logo_url
telephone	Text	Yes	businesses.telephone
email	Text	No	businesses.email
address	PostalAddress	Yes	From businesses address fields
geo	GeoCoordinates	No	businesses.latitude/longitude
priceRange	Text	No	businesses.price_range
sameAs	Text Array	No	All social profile URLs — businesses.social_links (mapped to sameAs)
aggregateRating	AggregateRating	No	businesses.aggregate_rating jsonb
openingHoursSpecification	Array	No	businesses.opening_hours_specification
foundingDate	Date	No	businesses.founding_date
areaServed	Array	No	businesses.area_served jsonb
slogan	Text	No	businesses.slogan

Layer 3 — WebPage Schema by Template

Field Name	Field Type	Required?	Notes / Guidance
Homepage	WebPage + WebSite + LocalBusiness	Full object emitted here	isPartOf: #website
Service Category	CollectionPage	hasPart: child service page @ids	isPartOf: #website
Service Specifics	WebPage / ItemPage	mainEntity: #service	isPartOf: #website
Hub	CollectionPage	blogPost / hasPart array	isPartOf: #website
Flat Location	WebPage	mainEntity: LocalBus	isPartOf: #website

Field Name	Field Type	Required?	Notes / Guidance
		iness + areaServed	
Localised Service	WebPage	mainEntity: Service with areaServed	isPartOf: #website
Industries Page	WebPage	mainEntity: ItemList of services	isPartOf: #website
Blog Post	BlogPosting	headline, author, datePublished, dateModified	isPartOf: #website
Downloads	CollectionPage or CreativeWork		isPartOf: #website
Free Tools	WebPage + SoftwareApplication	applicationCategory, offers.price: '0'	isPartOf: #website
About	AboutPage	about: #organization, mainEntity: #organization	isPartOf: #website
Contact	ContactPage	mainEntity: ContactPoint	isPartOf: #website
Legal	WebPage	Minimal — isPartOf only	isPartOf: #website

Layer 5 — FAQPage Schema (conditional)

Emitted on any page where FAQ items are present. FAQPage schema is structured as a @graph alongside the primary WebPage schema — not replacing it.

Field Name	Field Type	Required?	Notes / Guidance
@type	'FAQPage'	Yes	

Field Name	Field Type	Required?	Notes / Guidance
@id	URL + '#faqpage'	Yes	
isPartOf	WebSite @id reference	Yes	
mainEntity	Array of Question objects	Yes	Each from pages.faqs / blog_posts.FAQs / pseo_page_instances.unique_faqs
Question @type	'Question'	Yes	
Question name	Text	Yes	The question text
acceptedAnswer @type	'Answer'	Yes	
acceptedAnswer text	Rich Text (HTML stripped)	Yes	The answer text

Layer 6 — about Property

The about property on a WebPage identifies the primary entity/topic the page is about. This is sourced from the about_entities uuid[] column, which references knowledge_graph_entities.

```
"about": [
  {
    "@type": "Thing",
    "@id": "https://www.wikidata.org/wiki/Q180711",  // from knowledge_graph_entities.wikidata_url
    "name": "Search engine optimisation",
    "url": "https://en.wikipedia.org/wiki/Search_engine_optimization"
  }
]
```

Layer 7 — mentions Property

Lists all secondary entities referenced on the page. Sourced from mentions_entities uuid[]. The distinction from about is one of primacy — about is what the page is fundamentally about; mentions is everything else referenced.

```
"mentions": [
  { "@type": "Thing", "name": "Google Search Console", "@id": "https://wikidata.org/wiki/..." },
  { "@type": "Thing", "name": "Keyword research", "@id": "https://wikidata.org/wiki/..." },
  { "@type": "Organization", "name": "Google", "sameAs": "https://wikidata.org/wiki/Q95" }
]
```

C. DATABASE: Supabase Migration

Changes required to support keyword cycling, full schema hierarchy, and about/mentions on all content types.

Migration Overview

The existing schema is largely well-structured. The migration adds: (1) keyword cycling blocks to all content tables, (2) about/mentions arrays to the services table (currently missing), (3) sameAs as a first-class field on businesses, (4) canonical_url to page tables, and (5) a website_schema_config block on businesses.

Summary of Changes

Field Name	Field Type	Required?	Notes / Guidance
businesses	ADD website_schema_config	New column	JSONB config for WebSite schema + SearchAction
businesses	ADD sameAs_urls	New column	text[] — maps to Organization.sameAs in schema (social_links exists but conflates platform metadata with URLs)
pages	ADD keyword_cycling_blocks	New column	jsonb — array of cycling block objects; see Section A
pages	ADD canonical_url	New column	text — explicit canonical; defaults to derived URL if null
pages	RENAME breadcrumb_json → breadcrumbs	Rename (already exists as both)	Normalise to single column; breadcrumb_json is a duplicate of breadcrumbs
blog_posts	ADD keyword_cycling_blocks	New column	jsonb
blog_posts	ADD canonical_url	New column	text
pseo_page_instances	ADD keyword_cycling_blocks	New column	jsonb
pseo_page_instances	ADD canonical_url	New column	text
services	ADD long_description	New column	text — services only has short_description; needed for Service.description in schema
services	ADD seo_title	New column	text — for service page meta title
services	ADD seo_meta_desc	New column	text
services	ADD canonical_url	New column	text
services	ADD keyword_cycling_blocks	New column	jsonb

Field Name	Field Type	Required?	Notes / Guidance
industries	ADD faq_list	New column	jsonb DEFAULT '[]' — consistent with services.faq_list
industries	ADD keyword_cycling_blocks	New column	jsonb
industries	ADD canonical_url	New column	text
free_tools	ADD keyword_cycling_blocks	New column	jsonb
free_tools	ADD seo_title	New column	text
free_tools	ADD seo_meta_desc	New column	text
free_tools	ADD canonical_url	New column	text
free_tools	ADD faq_list	New column	jsonb DEFAULT '[]'
knowledge_graph_entities	ADD wikidata_qid	New column	text — nullable unique index; Wikidata dedup key
knowledge_graph_entities	ADD wikipedia_slug	New column	text — nullable unique index; Wikipedia-only dedup key

Migration SQL

Usage: *Run in Supabase SQL editor. Safe to run incrementally — all statements use IF NOT EXISTS or ALTER TABLE ADD COLUMN which skip if already present.*

```
-- ============================================================
-- MIGRATION: Content Model v2 — Keyword Cycling + Schema Layer
-- ============================================================

-- 1. businesses: website schema config + sameAs
ALTER TABLE public.businesses
  ADD COLUMN IF NOT EXISTS website_schema_config jsonb DEFAULT '{}'::jsonb,
  ADD COLUMN IF NOT EXISTS sameas_urls text[] DEFAULT '{}'::text[];

COMMENT ON COLUMN public.businesses.website_schema_config IS
  'WebSite schema config: @id, potentialAction (SearchAction), inLanguage';
COMMENT ON COLUMN public.businesses.sameas_urls IS
  'Organization.sameAs: array of social/profile URLs for schema output';
```

```
-- 2. pages: cycling blocks + canonical
ALTER TABLE public.pages
```

```
  ADD COLUMN IF NOT EXISTS keyword_cycling_blocks jsonb DEFAULT '[]'::jsonb,
  ADD COLUMN IF NOT EXISTS canonical_url text;

-- Remove duplicate breadcrumb column (breadcrumbs is the live one)
-- Run only after confirming breadcrumb_json data is migrated to breadcrumbs:
-- ALTER TABLE public.pages DROP COLUMN IF EXISTS breadcrumb_json;

COMMENT ON COLUMN public.pages.keyword_cycling_blocks IS
  'Array of keyword cycling block configs; see content model Section A';
```

```
-- 3. blog_posts: cycling blocks + canonical
ALTER TABLE public.blog_posts
  ADD COLUMN IF NOT EXISTS keyword_cycling_blocks jsonb DEFAULT '[]'::jsonb,
  ADD COLUMN IF NOT EXISTS canonical_url text;
```

```
-- 4. pseo_page_instances: cycling blocks + canonical
ALTER TABLE public.pseo_page_instances
  ADD COLUMN IF NOT EXISTS keyword_cycling_blocks jsonb DEFAULT '[]'::jsonb,
  ADD COLUMN IF NOT EXISTS canonical_url text;
```

```
-- 5. services: long description, SEO fields, cycling
ALTER TABLE public.services
  ADD COLUMN IF NOT EXISTS long_description text,
  ADD COLUMN IF NOT EXISTS seo_title text,
  ADD COLUMN IF NOT EXISTS seo_meta_desc text,
  ADD COLUMN IF NOT EXISTS canonical_url text,
  ADD COLUMN IF NOT EXISTS keyword_cycling_blocks jsonb DEFAULT '[]'::jsonb;
```

```
-- 6. industries: FAQ, cycling, canonical
ALTER TABLE public.industries
  ADD COLUMN IF NOT EXISTS faq_list jsonb DEFAULT '[]'::jsonb,
  ADD COLUMN IF NOT EXISTS keyword_cycling_blocks jsonb DEFAULT '[]'::jsonb,
  ADD COLUMN IF NOT EXISTS canonical_url text;
```

```
-- 7. free_tools: cycling, SEO fields, FAQ
ALTER TABLE public.free_tools
  ADD COLUMN IF NOT EXISTS faq_list jsonb DEFAULT '[]'::jsonb,
  ADD COLUMN IF NOT EXISTS keyword_cycling_blocks jsonb DEFAULT '[]'::jsonb,
  ADD COLUMN IF NOT EXISTS seo_title text,
  ADD COLUMN IF NOT EXISTS seo_meta_desc text,
  ADD COLUMN IF NOT EXISTS canonical_url text;
```

```
-- 8. knowledge_graph_entities: deduplication keys
ALTER TABLE public.knowledge_graph_entities
  ADD COLUMN IF NOT EXISTS wikidata_qid text,
  ADD COLUMN IF NOT EXISTS wikipedia_slug text;

-- Partial unique indexes: enforce uniqueness only when value is present
CREATE UNIQUE INDEX IF NOT EXISTS idx_kg_wikidata_qid
  ON public.knowledge_graph_entities (wikidata_qid)
  WHERE wikidata_qid IS NOT NULL;

CREATE UNIQUE INDEX IF NOT EXISTS idx_kg_wikipedia_slug
  ON public.knowledge_graph_entities (wikipedia_slug)
  WHERE wikipedia_slug IS NOT NULL;
```

```
-- 9. GIN indexes on about/mentions arrays (pages, blog_posts, pseo only)
CREATE INDEX IF NOT EXISTS idx_pages_about_entities
  ON public.pages USING GIN (about_entities);
CREATE INDEX IF NOT EXISTS idx_pages_mentions_entities
  ON public.pages USING GIN (mentions_entities);
CREATE INDEX IF NOT EXISTS idx_blog_posts_about_entities
  ON public.blog_posts USING GIN (about_entities);
CREATE INDEX IF NOT EXISTS idx_blog_posts_mentions_entities
  ON public.blog_posts USING GIN (mentions_entities);
CREATE INDEX IF NOT EXISTS idx_pseo_about_entities
  ON public.pseo_page_instances USING GIN (about_entities);
CREATE INDEX IF NOT EXISTS idx_pseo_mentions_entities
  ON public.pseo_page_instances USING GIN (mentions_entities);

-- End of migration
```

What Is NOT Changed

The following existing columns already handle the new requirements correctly and require no changes:

Field Name	Field Type	Required?	Notes / Guidance
pages.about_entities	Already exists	uuid[]	No change needed
pages.mentions_entities	Already exists	uuid[]	No change needed
pages.faqs	Already exists	ARRAY	Stores FAQ Q+A for FAQPage schema
pages.keywords	Already exists	text[]	Keyword association — not cycling keywords
pages.generated_schema_markup	Already exists	ARRAY	Final rendered schema output cache

Field Name	Field Type	Required?	Notes / Guidance
blog_posts.about_entities	Already exists	uuid[]	No change needed
blog_posts.FAQs	Already exists	ARRAY	Note: recommend normalising case to faqs
pseo_page_instances.about_entities	Already exists	uuid[]	No change needed
pseo_page_instances.unique_faqs	Already exists	jsonb	FAQ storage for pSEO pages
businesses.social_links	Already exists	jsonb	Retain for full platform metadata; sameas_urls is the schema-specific extract