

# UAE9920/02Jul26/UIO-BQN A6EFV OFP:14/0/0

## OFF

EK9920 02JUL SEQM/UIO-TJBQ/BQN B777F A6-EFV CAPT: .....  
 UAE9920 SIGNATURE: .....

ATC CLRNC: .....  
 UIOBQN4 : SEQM/36 ARNOK3A ARNOK UP533 BOKAN UP778 RNG DCT MRN DCT  
 LOKOV DCT UGOSA DCT AMBAS UL335 AVANI DCT GONNE UL342 KARUM DCT  
 MELLA DCT TJBQ/08

PLND FL: 320 RNG/360 UGOSA/370

OFP:14/0/0 WX PROG: 18 - 24 CTOT: ..... PARKING BAY: .....

|              |       |      |       |             |      |    |           |       |    |
|--------------|-------|------|-------|-------------|------|----|-----------|-------|----|
|              | FUEL  | TIME | CORR  | ARR         | 2120 | .. | ..        | ..    | .. |
| TRIP TJBQ    | 20392 | 0257 | .. .. | DEP         | 1755 | .. | ..        | ..    | .. |
| CONT 3.0 P/C | 612   | 0005 | .. .. | ET          | 0325 | .. | ..        | ..    | .. |
| ALTN MDPC    | 2876  | 0023 | .. .. | GND DIST    |      |    |           | 1335  |    |
| FRSV         | 2993  | 0030 | .. .. | AIR DIST    |      |    |           | 1327  |    |
| FMC-RSV      | -5.9- |      |       | CRZ DEG     |      |    |           | P1.2  |    |
| EXTRA WXX    | 1919  | 0020 |       | CID         |      |    |           | 21    |    |
| T/O FUEL     | 28792 |      | .. .. | CRZ         |      |    |           | ECON  |    |
| TAXI         | 600   | 0015 | .. .. | CRZ FL/TEMP |      |    | FL320/M31 |       |    |
| RAMP FUEL    | 29.4  | 0416 | .. .. | TOC TROP    |      |    |           | 54964 |    |

|               |       |       |       |        |      |  |      |      |  |
|---------------|-------|-------|-------|--------|------|--|------|------|--|
| ADJUST        | .. .. | .. .. | .. .. |        |      |  |      |      |  |
| ADJ RAMP FUEL | .. .. | .. .. | .. .. | AV TRK | 031  |  | CREW | ...  |  |
| FUEL REMN     | .. .. | .. .. | .. .. | AV W/C | P003 |  | PAX  | .... |  |
| FUEL USED     | .. .. | .. .. | .. .. | AV ISA | P12  |  | TOT  | .... |  |

NO TANKERING RECOMMENDED (P) DISCR FUEL REASON: ATC WX MEL ALTN OTH

SEQM ATIS:

DOW RANGE 140.8 ..... 143.2 DOI RANGE 32.0 ..... 42.0

|             |             |            |             |
|-------------|-------------|------------|-------------|
| EZFW 222900 | MZFW 248115 | AZFW ..... |             |
| ETOW 251692 | MTOW 347451 | ATOW ..... | RTOW 266930 |
| ELWT 231300 | MLWT 260815 | ALWT ..... | RLWT        |

RWY ASSMD MFRH FLAP CG-F/A V1 VR V2 VREF EOP

.....  
 .....  
 .....

STATCONT: NO DATA AVLB

| ----- OPERATIONAL IMPACTS ----- |               |      |       |      |        |
|---------------------------------|---------------|------|-------|------|--------|
| ZFW CHANGE                      | UP 1.00 TONNE | BURN | P 71  | TIME | M 0000 |
|                                 | DN 1.00 TONNE | BURN | M 76  | TIME | M 0000 |
| FL CHANGE                       | UP 2000FT     | BURN | P 191 | TIME | P 0000 |
|                                 | DN 2000FT     | BURN | P 151 | TIME | M 0001 |
|                                 | DN 4000FT     | BURN | P 461 | TIME | P 0002 |
| SPD CHANGE                      | CI10          | BURN | P 23  | TIME | M 0000 |

CI250

BURN P 424 TIME M 0006

## UAE9920/02Jul26/UIO-BQN A6EFV OFP:14/0/0

| DEST    | ALTN | DIST | TRK | FL  | COMP | TIME | FUEL | ROUTING                                                                 |
|---------|------|------|-----|-----|------|------|------|-------------------------------------------------------------------------|
| MDPC/08 |      | 0101 | 274 | 100 | P002 | 0023 | 2876 | DCT ANTEX B892 PNA DCT                                                  |
| MDSD/18 |      | 0173 | 268 | 180 | P000 | 0034 | 4260 | DCT ANTEX B520 GOSUB GOSUB4G                                            |
| TFFR/12 |      | 0359 | 113 | 330 | P003 | 0056 | 6993 | DCT DDP DCT SJU DCT COY R888<br>GORET GORET2Z                           |
| TFFF/10 |      | 0448 | 124 | 350 | P001 | 0107 | 8239 | DCT DDP DCT SJU DCT COY A555<br>ILURI UA555 DUNTA A555 EMOLA<br>EMOLA2X |

DISPATCH BRIEFING INFO DISP: NABIL TEL: 04 708 1011 AF1  
- DRIFTDOWN/DEPRESSURIZATION PROCEDURES  
REFER TO RAIG APPENDICES H1 DRIFTDOWN STRATEGIES AND  
H2 DEPRESSURIZATION STRATEGIES FOR PROCEDURE INTERPRETATION.  
DRIFTDOWN PROCEDURES ARE VALID FOR TAKEOFF WEIGHT UP TO 257692 KG.  
- FUEL ENROUTE AIRPORT MDSD  
/// ZFW CHANGED ///

MTOW BASED ON RWY36/WET, WINDS -05KTS TAILWIND, TEMP 23C  
QNH 1027HPA, FLAPS OPT, AC PACKS AUTO, AI ENG WING AUTO  
CG FULL, RTG TO

WXX FUEL FOR ENRTE WXX AVOIDANCE

CREW NOTES: