	N of studies	n/N	I^2								Prevalence (95% CI)
Prevalence of Diabetes											
Overall	31	1414 / 12870	89 %		-						0.12 95% CI (0.10 – 0.15
Outpatient	1	27 / 1012	NA	I∳I	•			:	•		0.03 95% CI (0.02 – 0.04
Inpatient	25	488 / 4036	64 %		-						0.12 95% CI (0.10 – 0.15
Severe COVID-19	5	194 / 1099	0 %			•					0.18 95% CI (0.16 – 0.20
Non-survivors	1	16 / 54	NA			1	•				0.30 95% CI (0.19 – 0.43
Prevalence of Hypertension											
Overall	37	1416 / 12709	95 %	*	-	+					0.17 95% CI (0.13 – 0.22
Outpatient	2	47 / 1029	0 %	I ∳ I							0.05 95% CI (0.03 – 0.06
Inpatient	32	1124 / 4082	84 %			-	-				0.21 95% CI (0.17 – 0.26
Severe COVID-19	4	517 / 1078	63 %		ı		•		-		0.32 95% CI (0.16 – 0.54
Prevalence of Diabetes and Hypertension				•	•			•	•		
Overall	5	8 / 66	0 %	-	•				:	:	0.12 95% CI (0.06 – 0.22
Severe COVID-19	1	2 / 10	NA	<u> </u>	:	•	:	:			0.20 95% CI (0.05 – 0.54
				0	0.1	0.2	0.3	0.4	0.5	0.6	