FRESH LINUX, DIRTY INTERNET

Hardening from zero

MEGA SEKURAK HACKING PARTY

sekurak HACKING PARTY

whoami

PROFESSIONAL

- Global Threat Defense Engineering Director at PepsiCo
- Active member of ISSA International
- Ex-Symantec, ex-ISSA Polska Board Member
- CISSP since 2010 till recently
- OSEP too
- Locked Shields veteran

PERSONAL

- Father of two to-be hackers
- Coffee lover: more ways to brew it than php had vulnerabilities
- Homegrown researcher and builder of home appliances
- Snowboarder in winter, biker all year



sekurak HACKING PARTY


Congratulations. You own their production now.

Your employer bought another startup.

The handover? One server. One app.
“Mostly vibe-coded. Works great.”

The developer has already left.

The app responds. What do you check first?



sekurak HACKING PARTY

Let's get our hands dirty

One inherited server. Plenty of surprises.

Inspect
What is running, and who can get in?

Harden
What does this application actually need?

Verify
Did we close the gaps and keep the app working?



> **If you didn’t build it, don’t trust it.**

“It works” is not a security assessment.

You inherited the application.
And everything hiding underneath it.

Rebuild from a known-good image.
Restore only what you can verify.



sekurak HACKING PARTY

THANK YOU

Questions?

MEGA SEKURAK HACKING PARTY