

```
# HELP cpu_usage_guest Telegraf collected metric
# TYPE cpu_usage_guest gauge
cpu_usage_guest{cpu="cpu-total",host="dbb723d0e9e4"} 0
cpu_usage_guest{cpu="cpu0",host="dbb723d0e9e4"} 0
cpu_usage_guest{cpu="cpu1",host="dbb723d0e9e4"} 0
cpu_usage_guest{cpu="cpu2",host="dbb723d0e9e4"} 0
cpu_usage_guest{cpu="cpu3",host="dbb723d0e9e4"} 0
# HELP cpu_usage_guest_nice Telegraf collected metric
# TYPE cpu_usage_guest_nice gauge
cpu_usage_guest_nice{cpu="cpu-total",host="dbb723d0e9e4"} 0
cpu_usage_guest_nice{cpu="cpu0",host="dbb723d0e9e4"} 0
cpu_usage_guest_nice{cpu="cpu1",host="dbb723d0e9e4"} 0
cpu_usage_guest_nice{cpu="cpu2",host="dbb723d0e9e4"} 0
cpu_usage_guest_nice{cpu="cpu3",host="dbb723d0e9e4"} 0
# HELP cpu_usage_idle Telegraf collected metric
# TYPE cpu_usage_idle gauge
cpu_usage_idle{cpu="cpu-total",host="dbb723d0e9e4"} 98.77100576874841
cpu_usage_idle{cpu="cpu0",host="dbb723d0e9e4"} 99.09638554216865
cpu_usage_idle{cpu="cpu1",host="dbb723d0e9e4"} 98.8933601609658
cpu_usage_idle{cpu="cpu2",host="dbb723d0e9e4"} 98.49246231155787
cpu_usage_idle{cpu="cpu3",host="dbb723d0e9e4"} 98.99699097291867
# HELP cpu_usage_iowait Telegraf collected metric
# TYPE cpu_usage_iowait gauge
cpu_usage_iowait{cpu="cpu-total",host="dbb723d0e9e4"} 0.025081514923496386
cpu_usage_iowait{cpu="cpu0",host="dbb723d0e9e4"} 0
cpu_usage_iowait{cpu="cpu1",host="dbb723d0e9e4"} 0
cpu_usage_iowait{cpu="cpu2",host="dbb723d0e9e4"} 0.1005025125628119
cpu_usage_iowait{cpu="cpu3",host="dbb723d0e9e4"} 0
# HELP cpu_usage_irq Telegraf collected metric
# TYPE cpu_usage_irq gauge
cpu_usage_irq{cpu="cpu-total",host="dbb723d0e9e4"} 0
cpu_usage_irq{cpu="cpu0",host="dbb723d0e9e4"} 0
cpu_usage_irq{cpu="cpu1",host="dbb723d0e9e4"} 0
cpu_usage_irq{cpu="cpu2",host="dbb723d0e9e4"} 0
cpu_usage_irq{cpu="cpu3",host="dbb723d0e9e4"} 0
# HELP cpu_usage_nice Telegraf collected metric
# TYPE cpu_usage_nice gauge
cpu_usage_nice{cpu="cpu-total",host="dbb723d0e9e4"} 0
cpu_usage_nice{cpu="cpu0",host="dbb723d0e9e4"} 0
cpu_usage_nice{cpu="cpu1",host="dbb723d0e9e4"} 0
cpu_usage_nice{cpu="cpu2",host="dbb723d0e9e4"} 0
cpu_usage_nice{cpu="cpu3",host="dbb723d0e9e4"} 0
# HELP cpu_usage_softirq Telegraf collected metric
# TYPE cpu_usage_softirq gauge
cpu_usage_softirq{cpu="cpu-total",host="dbb723d0e9e4"} 0.07524454477050413
cpu_usage_softirq{cpu="cpu0",host="dbb723d0e9e4"} 0
cpu_usage_softirq{cpu="cpu1",host="dbb723d0e9e4"} 0
cpu_usage_softirq{cpu="cpu2",host="dbb723d0e9e4"} 0.10050251256281405
cpu_usage_softirq{cpu="cpu3",host="dbb723d0e9e4"} 0
# HELP cpu_usage_stal Telegraf collected metric
# TYPE cpu_usage_stal gauge
cpu_usage_stal{cpu="cpu-total",host="dbb723d0e9e4"} 0
cpu_usage_stal{cpu="cpu0",host="dbb723d0e9e4"} 0
cpu_usage_stal{cpu="cpu1",host="dbb723d0e9e4"} 0
cpu_usage_stal{cpu="cpu2",host="dbb723d0e9e4"} 0
cpu_usage_stal{cpu="cpu3",host="dbb723d0e9e4"} 0
# HELP cpu_usage_system Telegraf collected metric
# TYPE cpu_usage_system gauge
cpu_usage_system{cpu="cpu-total",host="dbb723d0e9e4"} 0.4013042387760224
cpu_usage_system{cpu="cpu0",host="dbb723d0e9e4"} 0.4016064257028113
cpu_usage_system{cpu="cpu1",host="dbb723d0e9e4"} 0.5030181086519098
cpu_usage_system{cpu="cpu2",host="dbb723d0e9e4"} 0.4020100502512565
cpu_usage_system{cpu="cpu3",host="dbb723d0e9e4"} 0.2006018054162531
# HELP cpu_usage_user Telegraf collected metric
# TYPE cpu_usage_user gauge
cpu_usage_user{cpu="cpu-total",host="dbb723d0e9e4"} 0.7273639327815378
cpu_usage_user{cpu="cpu0",host="dbb723d0e9e4"} 0.5020080321285207
```

```
cpu_usage_user{cpu="cpu1",host="dbb723d0e9e4"} 0.6036217303822989
cpu_usage_user{cpu="cpu2",host="dbb723d0e9e4"} 0.904522613065325
cpu_usage_user{cpu="cpu3",host="dbb723d0e9e4"} 0.8024072216649947
# HELP disk_free Telegraf collected metric
# TYPE disk_free gauge
disk_free{device="mmcblk0p1",fstype="vfat",host="dbb723d0e9e4",mode="rw",path="/boot"} 2.5532145664e+10
disk_free{device="mmcblk0p2",fstype="ext4",host="dbb723d0e9e4",mode="rw",path="/" } 2.5532145664e+10
# HELP disk_inodes_free Telegraf collected metric
# TYPE disk_inodes_free gauge
disk_inodes_free{device="mmcblk0p1",fstype="vfat",host="dbb723d0e9e4",mode="rw",path="/boot"} 1.799364e+06
disk_inodes_free{device="mmcblk0p2",fstype="ext4",host="dbb723d0e9e4",mode="rw",path="/" } 1.799364e+06
# HELP disk_inodes_total Telegraf collected metric
# TYPE disk_inodes_total gauge
disk_inodes_total{device="mmcblk0p1",fstype="vfat",host="dbb723d0e9e4",mode="rw",path="/boot"} 1.888e+06
disk_inodes_total{device="mmcblk0p2",fstype="ext4",host="dbb723d0e9e4",mode="rw",path="/" } 1.888e+06
# HELP disk_inodes_used Telegraf collected metric
# TYPE disk_inodes_used gauge
disk_inodes_used{device="mmcblk0p1",fstype="vfat",host="dbb723d0e9e4",mode="rw",path="/boot"} 88636
disk_inodes_used{device="mmcblk0p2",fstype="ext4",host="dbb723d0e9e4",mode="rw",path="/" } 88636
# HELP disk_inodes_used_percent Telegraf collected metric
# TYPE disk_inodes_used_percent gauge
disk_inodes_used_percent{device="mmcblk0p1",fstype="vfat",host="dbb723d0e9e4",mode="rw",path="/boot"} 4.694703389830508
disk_inodes_used_percent{device="mmcblk0p2",fstype="ext4",host="dbb723d0e9e4",mode="rw",path="/" } 4.694703389830508
# HELP disk_total Telegraf collected metric
# TYPE disk_total gauge
disk_total{device="mmcblk0p1",fstype="vfat",host="dbb723d0e9e4",mode="rw",path="/boot"} 3.1118536704e+10
disk_total{device="mmcblk0p2",fstype="ext4",host="dbb723d0e9e4",mode="rw",path="/" } 3.1118536704e+10
# HELP disk_used Telegraf collected metric
# TYPE disk_used gauge
disk_used{device="mmcblk0p1",fstype="vfat",host="dbb723d0e9e4",mode="rw",path="/boot"} 4.28746752e+09
disk_used{device="mmcblk0p2",fstype="ext4",host="dbb723d0e9e4",mode="rw",path="/" } 4.28746752e+09
# HELP disk_used_percent Telegraf collected metric
# TYPE disk_used_percent gauge
disk_used_percent{device="mmcblk0p1",fstype="vfat",host="dbb723d0e9e4",mode="rw",path="/boot"} 14.378011859323788
disk_used_percent{device="mmcblk0p2",fstype="ext4",host="dbb723d0e9e4",mode="rw",path="/" } 14.378011859323788
# HELP diskio_io_time Telegraf collected metric
# TYPE diskio_io_time counter
diskio_io_time{host="dbb723d0e9e4",name="mmcblk0"} 26188
diskio_io_time{host="dbb723d0e9e4",name="mmcblk0p1"} 600
diskio_io_time{host="dbb723d0e9e4",name="mmcblk0p2"} 26036
# HELP diskio_iops_in_progress Telegraf collected metric
# TYPE diskio_iops_in_progress counter
diskio_iops_in_progress{host="dbb723d0e9e4",name="mmcblk0"} 0
diskio_iops_in_progress{host="dbb723d0e9e4",name="mmcblk0p1"} 0
diskio_iops_in_progress{host="dbb723d0e9e4",name="mmcblk0p2"} 0
# HELP diskio_merged_reads Telegraf collected metric
# TYPE diskio_merged_reads counter
diskio_merged_reads{host="dbb723d0e9e4",name="mmcblk0"} 2988
diskio_merged_reads{host="dbb723d0e9e4",name="mmcblk0p1"} 58
diskio_merged_reads{host="dbb723d0e9e4",name="mmcblk0p2"} 2930
# HELP diskio_merged_writes Telegraf collected metric
# TYPE diskio_merged_writes counter
diskio_merged_writes{host="dbb723d0e9e4",name="mmcblk0"} 935
diskio_merged_writes{host="dbb723d0e9e4",name="mmcblk0p1"} 0
diskio_merged_writes{host="dbb723d0e9e4",name="mmcblk0p2"} 935
# HELP diskio_read_bytes Telegraf collected metric
# TYPE diskio_read_bytes counter
diskio_read_bytes{host="dbb723d0e9e4",name="mmcblk0"} 6.8706816e+08
diskio_read_bytes{host="dbb723d0e9e4",name="mmcblk0p1"} 5.890048e+06
diskio_read_bytes{host="dbb723d0e9e4",name="mmcblk0p2"} 6.80571904e+08
# HELP diskio_read_time Telegraf collected metric
# TYPE diskio_read_time counter
diskio_read_time{host="dbb723d0e9e4",name="mmcblk0"} 58031
diskio_read_time{host="dbb723d0e9e4",name="mmcblk0p1"} 547
```

```
diskio_read_time{host="dbb723d0e9e4",name="mmcblk0p2"} 57431
# HELP diskio_reads Telegraf collected metric
# TYPE diskio_reads counter
diskio_reads{host="dbb723d0e9e4",name="mmcblk0"} 10725
diskio_reads{host="dbb723d0e9e4",name="mmcblk0p1"} 171
diskio_reads{host="dbb723d0e9e4",name="mmcblk0p2"} 10518
# HELP diskio_weighted_io_time Telegraf collected metric
# TYPE diskio_weighted_io_time counter
diskio_weighted_io_time{host="dbb723d0e9e4",name="mmcblk0"} 172698
diskio_weighted_io_time{host="dbb723d0e9e4",name="mmcblk0p1"} 614
diskio_weighted_io_time{host="dbb723d0e9e4",name="mmcblk0p2"} 172031
# HELP diskio_write_bytes Telegraf collected metric
# TYPE diskio_write_bytes counter
diskio_write_bytes{host="dbb723d0e9e4",name="mmcblk0"} 1.7437696e+07
diskio_write_bytes{host="dbb723d0e9e4",name="mmcblk0p1"} 1024
diskio_write_bytes{host="dbb723d0e9e4",name="mmcblk0p2"} 1.7436672e+07
# HELP diskio_write_time Telegraf collected metric
# TYPE diskio_write_time counter
diskio_write_time{host="dbb723d0e9e4",name="mmcblk0"} 114666
diskio_write_time{host="dbb723d0e9e4",name="mmcblk0p1"} 66
diskio_write_time{host="dbb723d0e9e4",name="mmcblk0p2"} 114600
# HELP diskio_writes Telegraf collected metric
# TYPE diskio_writes counter
diskio_writes{host="dbb723d0e9e4",name="mmcblk0"} 1360
diskio_writes{host="dbb723d0e9e4",name="mmcblk0p1"} 2
diskio_writes{host="dbb723d0e9e4",name="mmcblk0p2"} 1358
# HELP mem_active Telegraf collected metric
# TYPE mem_active gauge
mem_active{host="dbb723d0e9e4"} 1.222098944e+09
# HELP mem_available Telegraf collected metric
# TYPE mem_available gauge
mem_available{host="dbb723d0e9e4"} 7.390773248e+09
# HELP mem_available_percent Telegraf collected metric
# TYPE mem_available_percent gauge
mem_available_percent{host="dbb723d0e9e4"} 90.22152020572483
# HELP mem_buffered Telegraf collected metric
# TYPE mem_buffered gauge
mem_buffered{host="dbb723d0e9e4"} 2.2822912e+07
# HELP mem_cached Telegraf collected metric
# TYPE mem_cached gauge
mem_cached{host="dbb723d0e9e4"} 7.09963776e+08
# HELP mem_commit_limit Telegraf collected metric
# TYPE mem_commit_limit gauge
mem_commit_limit{host="dbb723d0e9e4"} 4.2007552e+09
# HELP mem_committed_as Telegraf collected metric
# TYPE mem_committed_as gauge
mem_committed_as{host="dbb723d0e9e4"} 2.664259584e+09
# HELP mem_dirty Telegraf collected metric
# TYPE mem_dirty gauge
mem_dirty{host="dbb723d0e9e4"} 0
# HELP mem_free Telegraf collected metric
# TYPE mem_free gauge
mem_free{host="dbb723d0e9e4"} 6.782713856e+09
# HELP mem_high_free Telegraf collected metric
# TYPE mem_high_free gauge
mem_high_free{host="dbb723d0e9e4"} 0
# HELP mem_high_total Telegraf collected metric
# TYPE mem_high_total gauge
mem_high_total{host="dbb723d0e9e4"} 0
# HELP mem_huge_page_size Telegraf collected metric
# TYPE mem_huge_page_size gauge
mem_huge_page_size{host="dbb723d0e9e4"} 0
# HELP mem_huge_pages_free Telegraf collected metric
# TYPE mem_huge_pages_free gauge
mem_huge_pages_free{host="dbb723d0e9e4"} 0
# HELP mem_huge_pages_total Telegraf collected metric
# TYPE mem_huge_pages_total gauge
```

```
mem_huge_pages_total{host="dbb723d0e9e4"} 0
# HELP mem_inactive Telegraf collected metric
# TYPE mem_inactive gauge
mem_inactive{host="dbb723d0e9e4"} 6.3361024e+07
# HELP mem_low_free Telegraf collected metric
# TYPE mem_low_free gauge
mem_low_free{host="dbb723d0e9e4"} 0
# HELP mem_low_total Telegraf collected metric
# TYPE mem_low_total gauge
mem_low_total{host="dbb723d0e9e4"} 0
# HELP mem_mapped Telegraf collected metric
# TYPE mem_mapped gauge
mem_mapped{host="dbb723d0e9e4"} 4.75410432e+08
# HELP mem_page_tables Telegraf collected metric
# TYPE mem_page_tables gauge
mem_page_tables{host="dbb723d0e9e4"} 7.897088e+06
# HELP mem_shared Telegraf collected metric
# TYPE mem_shared gauge
mem_shared{host="dbb723d0e9e4"} 1.380352e+06
# HELP mem_slab Telegraf collected metric
# TYPE mem_slab gauge
mem_slab{host="dbb723d0e9e4"} 7.3936896e+07
# HELP mem_sreclaimable Telegraf collected metric
# TYPE mem_sreclaimable gauge
mem_sreclaimable{host="dbb723d0e9e4"} 4.1332736e+07
# HELP mem_sunreclaim Telegraf collected metric
# TYPE mem_sunreclaim gauge
mem_sunreclaim{host="dbb723d0e9e4"} 3.260416e+07
# HELP mem_swap_cached Telegraf collected metric
# TYPE mem_swap_cached gauge
mem_swap_cached{host="dbb723d0e9e4"} 0
# HELP mem_swap_free Telegraf collected metric
# TYPE mem_swap_free gauge
mem_swap_free{host="dbb723d0e9e4"} 1.04853504e+08
# HELP mem_swap_total Telegraf collected metric
# TYPE mem_swap_total gauge
mem_swap_total{host="dbb723d0e9e4"} 1.04853504e+08
# HELP mem_total Telegraf collected metric
# TYPE mem_total gauge
mem_total{host="dbb723d0e9e4"} 8.191807488e+09
# HELP mem_used Telegraf collected metric
# TYPE mem_used gauge
mem_used{host="dbb723d0e9e4"} 6.76306944e+08
# HELP mem_used_percent Telegraf collected metric
# TYPE mem_used_percent gauge
mem_used_percent{host="dbb723d0e9e4"} 8.255894013509318
# HELP mem_vmalloc_chunk Telegraf collected metric
# TYPE mem_vmalloc_chunk gauge
mem_vmalloc_chunk{host="dbb723d0e9e4"} 0
# HELP mem_vmalloc_total Telegraf collected metric
# TYPE mem_vmalloc_total gauge
mem_vmalloc_total{host="dbb723d0e9e4"} 2.65885319168e+11
# HELP mem_vmalloc_used Telegraf collected metric
# TYPE mem_vmalloc_used gauge
mem_vmalloc_used{host="dbb723d0e9e4"} 1.5183872e+07
# HELP mem_write_back Telegraf collected metric
# TYPE mem_write_back gauge
mem_write_back{host="dbb723d0e9e4"} 0
# HELP mem_write_back_tmp Telegraf collected metric
# TYPE mem_write_back_tmp gauge
mem_write_back_tmp{host="dbb723d0e9e4"} 0
# HELP net_bytes_recv Telegraf collected metric
# TYPE net_bytes_recv counter
net_bytes_recv{host="dbb723d0e9e4",interface="eth0"} 18997
# HELP net_bytes_sent Telegraf collected metric
# TYPE net_bytes_sent counter
net_bytes_sent{host="dbb723d0e9e4",interface="eth0"} 30229
```

```
# HELP net_drop_in Telegraf collected metric
# TYPE net_drop_in counter
net_drop_in{host="dbb723d0e9e4",interface="eth0"} 1
# HELP net_drop_out Telegraf collected metric
# TYPE net_drop_out counter
net_drop_out{host="dbb723d0e9e4",interface="eth0"} 0
# HELP net_err_in Telegraf collected metric
# TYPE net_err_in counter
net_err_in{host="dbb723d0e9e4",interface="eth0"} 0
# HELP net_err_out Telegraf collected metric
# TYPE net_err_out counter
net_err_out{host="dbb723d0e9e4",interface="eth0"} 0
# HELP net_icmp_inaddrmaskreps Telegraf collected metric
# TYPE net_icmp_inaddrmaskreps untyped
net_icmp_inaddrmaskreps{host="dbb723d0e9e4",interface="all"} 0
# HELP net_icmp_inaddrmasks Telegraf collected metric
# TYPE net_icmp_inaddrmasks untyped
net_icmp_inaddrmasks{host="dbb723d0e9e4",interface="all"} 0
# HELP net_icmp_incsumerrors Telegraf collected metric
# TYPE net_icmp_incsumerrors untyped
net_icmp_incsumerrors{host="dbb723d0e9e4",interface="all"} 0
# HELP net_icmp_indestunreachs Telegraf collected metric
# TYPE net_icmp_indestunreachs untyped
net_icmp_indestunreachs{host="dbb723d0e9e4",interface="all"} 0
# HELP net_icmp_inechoreps Telegraf collected metric
# TYPE net_icmp_inechoreps untyped
net_icmp_inechoreps{host="dbb723d0e9e4",interface="all"} 0
# HELP net_icmp_inechos Telegraf collected metric
# TYPE net_icmp_inechos untyped
net_icmp_inechos{host="dbb723d0e9e4",interface="all"} 0
# HELP net_icmp_inerrors Telegraf collected metric
# TYPE net_icmp_inerrors untyped
net_icmp_inerrors{host="dbb723d0e9e4",interface="all"} 0
# HELP net_icmp_inmsgs Telegraf collected metric
# TYPE net_icmp_inmsgs untyped
net_icmp_inmsgs{host="dbb723d0e9e4",interface="all"} 0
# HELP net_icmp_inparmprobs Telegraf collected metric
# TYPE net_icmp_inparmprobs untyped
net_icmp_inparmprobs{host="dbb723d0e9e4",interface="all"} 0
# HELP net_icmp_inredirects Telegraf collected metric
# TYPE net_icmp_inredirects untyped
net_icmp_inredirects{host="dbb723d0e9e4",interface="all"} 0
# HELP net_icmp_insrcquenchs Telegraf collected metric
# TYPE net_icmp_insrcquenchs untyped
net_icmp_insrcquenchs{host="dbb723d0e9e4",interface="all"} 0
# HELP net_icmp_intimeexcds Telegraf collected metric
# TYPE net_icmp_intimeexcds untyped
net_icmp_intimeexcds{host="dbb723d0e9e4",interface="all"} 0
# HELP net_icmp_intimestampreps Telegraf collected metric
# TYPE net_icmp_intimestampreps untyped
net_icmp_intimestampreps{host="dbb723d0e9e4",interface="all"} 0
# HELP net_icmp_intimestamps Telegraf collected metric
# TYPE net_icmp_intimestamps untyped
net_icmp_intimestamps{host="dbb723d0e9e4",interface="all"} 0
# HELP net_icmp_outaddrmaskreps Telegraf collected metric
# TYPE net_icmp_outaddrmaskreps untyped
net_icmp_outaddrmaskreps{host="dbb723d0e9e4",interface="all"} 0
# HELP net_icmp_outaddrmasks Telegraf collected metric
# TYPE net_icmp_outaddrmasks untyped
net_icmp_outaddrmasks{host="dbb723d0e9e4",interface="all"} 0
# HELP net_icmp_outdestunreachs Telegraf collected metric
# TYPE net_icmp_outdestunreachs untyped
net_icmp_outdestunreachs{host="dbb723d0e9e4",interface="all"} 0
# HELP net_icmp_outechoreps Telegraf collected metric
# TYPE net_icmp_outechoreps untyped
net_icmp_outechoreps{host="dbb723d0e9e4",interface="all"} 0
# HELP net_icmp_outechos Telegraf collected metric
```

```
# TYPE net_icmp_outechos untyped
net_icmp_outechos{host="dbb723d0e9e4",interface="all"} 0
# HELP net_icmp_outerrors Telegraf collected metric
# TYPE net_icmp_outerrors untyped
net_icmp_outerrors{host="dbb723d0e9e4",interface="all"} 0
# HELP net_icmp_outmsgs Telegraf collected metric
# TYPE net_icmp_outmsgs untyped
net_icmp_outmsgs{host="dbb723d0e9e4",interface="all"} 0
# HELP net_icmp_outparmprobs Telegraf collected metric
# TYPE net_icmp_outparmprobs untyped
net_icmp_outparmprobs{host="dbb723d0e9e4",interface="all"} 0
# HELP net_icmp_outredirects Telegraf collected metric
# TYPE net_icmp_outredirects untyped
net_icmp_outredirects{host="dbb723d0e9e4",interface="all"} 0
# HELP net_icmp_outsrcrenchcs Telegraf collected metric
# TYPE net_icmp_outsrcrenchcs untyped
net_icmp_outsrcrenchcs{host="dbb723d0e9e4",interface="all"} 0
# HELP net_icmp_outtimeexcds Telegraf collected metric
# TYPE net_icmp_outtimeexcds untyped
net_icmp_outtimeexcds{host="dbb723d0e9e4",interface="all"} 0
# HELP net_icmp_outtimestampreps Telegraf collected metric
# TYPE net_icmp_outtimestampreps untyped
net_icmp_outtimestampreps{host="dbb723d0e9e4",interface="all"} 0
# HELP net_icmp_outtimestamps Telegraf collected metric
# TYPE net_icmp_outtimestamps untyped
net_icmp_outtimestamps{host="dbb723d0e9e4",interface="all"} 0
# HELP net_ip_defaultttl Telegraf collected metric
# TYPE net_ip_defaultttl untyped
net_ip_defaultttl{host="dbb723d0e9e4",interface="all"} 64
# HELP net_ip_forwarding Telegraf collected metric
# TYPE net_ip_forwarding untyped
net_ip_forwarding{host="dbb723d0e9e4",interface="all"} 1
# HELP net_ip_forwdatagrams Telegraf collected metric
# TYPE net_ip_forwdatagrams untyped
net_ip_forwdatagrams{host="dbb723d0e9e4",interface="all"} 0
# HELP net_ip_fragcreates Telegraf collected metric
# TYPE net_ip_fragcreates untyped
net_ip_fragcreates{host="dbb723d0e9e4",interface="all"} 0
# HELP net_ip_fragfails Telegraf collected metric
# TYPE net_ip_fragfails untyped
net_ip_fragfails{host="dbb723d0e9e4",interface="all"} 0
# HELP net_ip_fragoks Telegraf collected metric
# TYPE net_ip_fragoks untyped
net_ip_fragoks{host="dbb723d0e9e4",interface="all"} 0
# HELP net_ip_inaddrerrors Telegraf collected metric
# TYPE net_ip_inaddrerrors untyped
net_ip_inaddrerrors{host="dbb723d0e9e4",interface="all"} 0
# HELP net_ip_indelivers Telegraf collected metric
# TYPE net_ip_indelivers untyped
net_ip_indelivers{host="dbb723d0e9e4",interface="all"} 88
# HELP net_ip_indiscards Telegraf collected metric
# TYPE net_ip_indiscards untyped
net_ip_indiscards{host="dbb723d0e9e4",interface="all"} 0
# HELP net_ip_inhdrerrors Telegraf collected metric
# TYPE net_ip_inhdrerrors untyped
net_ip_inhdrerrors{host="dbb723d0e9e4",interface="all"} 0
# HELP net_ip_inreceives Telegraf collected metric
# TYPE net_ip_inreceives untyped
net_ip_inreceives{host="dbb723d0e9e4",interface="all"} 105
# HELP net_ip_inunknowntypes Telegraf collected metric
# TYPE net_ip_inunknowntypes untyped
net_ip_inunknowntypes{host="dbb723d0e9e4",interface="all"} 0
# HELP net_ip_outdiscards Telegraf collected metric
# TYPE net_ip_outdiscards untyped
net_ip_outdiscards{host="dbb723d0e9e4",interface="all"} 0
# HELP net_ip_outnoroutes Telegraf collected metric
# TYPE net_ip_outnoroutes untyped
```

```
net_ip_outnoroutes{host="dbb723d0e9e4",interface="all"} 0
# HELP net_ip_outrequests Telegraf collected metric
# TYPE net_ip_outrequests untyped
net_ip_outrequests{host="dbb723d0e9e4",interface="all"} 127
# HELP net_ip_reasmfails Telegraf collected metric
# TYPE net_ip_reasmfails untyped
net_ip_reasmfails{host="dbb723d0e9e4",interface="all"} 0
# HELP net_ip_reasmoks Telegraf collected metric
# TYPE net_ip_reasmoks untyped
net_ip_reasmoks{host="dbb723d0e9e4",interface="all"} 0
# HELP net_ip_reasmreqds Telegraf collected metric
# TYPE net_ip_reasmreqds untyped
net_ip_reasmreqds{host="dbb723d0e9e4",interface="all"} 0
# HELP net_ip_reasmttimeout Telegraf collected metric
# TYPE net_ip_reasmttimeout untyped
net_ip_reasmttimeout{host="dbb723d0e9e4",interface="all"} 0
# HELP net_packets_recv Telegraf collected metric
# TYPE net_packets_recv counter
net_packets_recv{host="dbb723d0e9e4",interface="eth0"} 164
# HELP net_packets_sent Telegraf collected metric
# TYPE net_packets_sent counter
net_packets_sent{host="dbb723d0e9e4",interface="eth0"} 129
# HELP net_speed Telegraf collected metric
# TYPE net_speed counter
net_speed{host="dbb723d0e9e4",interface="eth0"} -1
# HELP net_tcp_activeopens Telegraf collected metric
# TYPE net_tcp_activeopens untyped
net_tcp_activeopens{host="dbb723d0e9e4",interface="all"} 1
# HELP net_tcp_attemptfails Telegraf collected metric
# TYPE net_tcp_attemptfails untyped
net_tcp_attemptfails{host="dbb723d0e9e4",interface="all"} 0
# HELP net_tcp_currestab Telegraf collected metric
# TYPE net_tcp_currestab untyped
net_tcp_currestab{host="dbb723d0e9e4",interface="all"} 1
# HELP net_tcp_estabresets Telegraf collected metric
# TYPE net_tcp_estabresets untyped
net_tcp_estabresets{host="dbb723d0e9e4",interface="all"} 0
# HELP net_tcp_incsuerrors Telegraf collected metric
# TYPE net_tcp_incsuerrors untyped
net_tcp_incsuerrors{host="dbb723d0e9e4",interface="all"} 0
# HELP net_tcp_inerrs Telegraf collected metric
# TYPE net_tcp_inerrs untyped
net_tcp_inerrs{host="dbb723d0e9e4",interface="all"} 0
# HELP net_tcp_insegs Telegraf collected metric
# TYPE net_tcp_insegs untyped
net_tcp_insegs{host="dbb723d0e9e4",interface="all"} 79
# HELP net_tcp_maxconn Telegraf collected metric
# TYPE net_tcp_maxconn untyped
net_tcp_maxconn{host="dbb723d0e9e4",interface="all"} -1
# HELP net_tcp_outrsts Telegraf collected metric
# TYPE net_tcp_outrsts untyped
net_tcp_outrsts{host="dbb723d0e9e4",interface="all"} 0
# HELP net_tcp_outsegs Telegraf collected metric
# TYPE net_tcp_outsegs untyped
net_tcp_outsegs{host="dbb723d0e9e4",interface="all"} 121
# HELP net_tcp_passiveopens Telegraf collected metric
# TYPE net_tcp_passiveopens untyped
net_tcp_passiveopens{host="dbb723d0e9e4",interface="all"} 0
# HELP net_tcp_retranssegs Telegraf collected metric
# TYPE net_tcp_retranssegs untyped
net_tcp_retranssegs{host="dbb723d0e9e4",interface="all"} 2
# HELP net_tcp_rtoalgorithm Telegraf collected metric
# TYPE net_tcp_rtoalgorithm untyped
net_tcp_rtoalgorithm{host="dbb723d0e9e4",interface="all"} 1
# HELP net_tcp_rtomax Telegraf collected metric
# TYPE net_tcp_rtomax untyped
net_tcp_rtomax{host="dbb723d0e9e4",interface="all"} 120000
```

```
# HELP net_tcp_rtomin Telegraf collected metric
# TYPE net_tcp_rtomin untyped
net_tcp_rtomin{host="dbb723d0e9e4",interface="all"} 200
# HELP net_udp_ignoredmulti Telegraf collected metric
# TYPE net_udp_ignoredmulti untyped
net_udp_ignoredmulti{host="dbb723d0e9e4",interface="all"} 5
# HELP net_udp_incsumerrors Telegraf collected metric
# TYPE net_udp_incsumerrors untyped
net_udp_incsuerrors{host="dbb723d0e9e4",interface="all"} 0
# HELP net_udp_indatagrams Telegraf collected metric
# TYPE net_udp_indatagrams untyped
net_udp_indatagrams{host="dbb723d0e9e4",interface="all"} 4
# HELP net_udp_inerrors Telegraf collected metric
# TYPE net_udp_inerrors untyped
net_udp_inerrors{host="dbb723d0e9e4",interface="all"} 0
# HELP net_udp_memerrors Telegraf collected metric
# TYPE net_udp_memerrors untyped
net_udp_memerrors{host="dbb723d0e9e4",interface="all"} 0
# HELP net_udp_noports Telegraf collected metric
# TYPE net_udp_noports untyped
net_udp_noports{host="dbb723d0e9e4",interface="all"} 0
# HELP net_udp_outdatagrams Telegraf collected metric
# TYPE net_udp_outdatagrams untyped
net_udp_outdatagrams{host="dbb723d0e9e4",interface="all"} 4
# HELP net_udp_rcvbuferrors Telegraf collected metric
# TYPE net_udp_rcvbuferrors untyped
net_udp_rcvbuferrors{host="dbb723d0e9e4",interface="all"} 0
# HELP net_udp_sndbuferrors Telegraf collected metric
# TYPE net_udp_sndbuferrors untyped
net_udp_sndbuferrors{host="dbb723d0e9e4",interface="all"} 0
# HELP net_udplite_ignoredmulti Telegraf collected metric
# TYPE net_udplite_ignoredmulti untyped
net_udplite_ignoredmulti{host="dbb723d0e9e4",interface="all"} 0
# HELP net_udplite_incsumerrors Telegraf collected metric
# TYPE net_udplite_incsumerrors untyped
net_udplite_incsuerrors{host="dbb723d0e9e4",interface="all"} 0
# HELP net_udplite_indatagrams Telegraf collected metric
# TYPE net_udplite_indatagrams untyped
net_udplite_indatagrams{host="dbb723d0e9e4",interface="all"} 0
# HELP net_udplite_inerrors Telegraf collected metric
# TYPE net_udplite_inerrors untyped
net_udplite_inerrors{host="dbb723d0e9e4",interface="all"} 0
# HELP net_udplite_memerrors Telegraf collected metric
# TYPE net_udplite_memerrors untyped
net_udplite_memerrors{host="dbb723d0e9e4",interface="all"} 0
# HELP net_udplite_noports Telegraf collected metric
# TYPE net_udplite_noports untyped
net_udplite_noports{host="dbb723d0e9e4",interface="all"} 0
# HELP net_udplite_outdatagrams Telegraf collected metric
# TYPE net_udplite_outdatagrams untyped
net_udplite_outdatagrams{host="dbb723d0e9e4",interface="all"} 0
# HELP net_udplite_rcvbuferrors Telegraf collected metric
# TYPE net_udplite_rcvbuferrors untyped
net_udplite_rcvbuferrors{host="dbb723d0e9e4",interface="all"} 0
# HELP net_udplite_sndbuferrors Telegraf collected metric
# TYPE net_udplite_sndbuferrors untyped
net_udplite_sndbuferrors{host="dbb723d0e9e4",interface="all"} 0
# HELP netstat_tcp_close Telegraf collected metric
# TYPE netstat_tcp_close untyped
netstat_tcp_close{host="dbb723d0e9e4"} 0
# HELP netstat_tcp_close_wait Telegraf collected metric
# TYPE netstat_tcp_close_wait untyped
netstat_tcp_close_wait{host="dbb723d0e9e4"} 0
# HELP netstat_tcp_closing Telegraf collected metric
# TYPE netstat_tcp_closing untyped
netstat_tcp_closing{host="dbb723d0e9e4"} 0
# HELP netstat_tcp_established Telegraf collected metric
```

```
# TYPE netstat_tcp_established untyped
netstat_tcp_established{host="dbb723d0e9e4"} 1
# HELP netstat_tcp_fin_wait1 Telegraf collected metric
# TYPE netstat_tcp_fin_wait1 untyped
netstat_tcp_fin_wait1{host="dbb723d0e9e4"} 0
# HELP netstat_tcp_fin_wait2 Telegraf collected metric
# TYPE netstat_tcp_fin_wait2 untyped
netstat_tcp_fin_wait2{host="dbb723d0e9e4"} 0
# HELP netstat_tcp_last_ack Telegraf collected metric
# TYPE netstat_tcp_last_ack untyped
netstat_tcp_last_ack{host="dbb723d0e9e4"} 0
# HELP netstat_tcp_listen Telegraf collected metric
# TYPE netstat_tcp_listen untyped
netstat_tcp_listen{host="dbb723d0e9e4"} 2
# HELP netstat_tcp_none Telegraf collected metric
# TYPE netstat_tcp_none untyped
netstat_tcp_none{host="dbb723d0e9e4"} 0
# HELP netstat_tcp_syn_recv Telegraf collected metric
# TYPE netstat_tcp_syn_recv untyped
netstat_tcp_syn_recv{host="dbb723d0e9e4"} 0
# HELP netstat_tcp_syn_sent Telegraf collected metric
# TYPE netstat_tcp_syn_sent untyped
netstat_tcp_syn_sent{host="dbb723d0e9e4"} 0
# HELP netstat_tcp_time_wait Telegraf collected metric
# TYPE netstat_tcp_time_wait untyped
netstat_tcp_time_wait{host="dbb723d0e9e4"} 0
# HELP netstat_udp_socket Telegraf collected metric
# TYPE netstat_udp_socket untyped
netstat_udp_socket{host="dbb723d0e9e4"} 1
# HELP processes_blocked Telegraf collected metric
# TYPE processes_blocked gauge
processes_blocked{host="dbb723d0e9e4"} 0
# HELP processes_dead Telegraf collected metric
# TYPE processes_dead gauge
processes_dead{host="dbb723d0e9e4"} 0
# HELP processes_idle Telegraf collected metric
# TYPE processes_idle gauge
processes_idle{host="dbb723d0e9e4"} 79
# HELP processes.paging Telegraf collected metric
# TYPE processes.paging gauge
processes.paging{host="dbb723d0e9e4"} 0
# HELP processes_running Telegraf collected metric
# TYPE processes_running gauge
processes_running{host="dbb723d0e9e4"} 1
# HELP processes_sleeping Telegraf collected metric
# TYPE processes_sleeping gauge
processes_sleeping{host="dbb723d0e9e4"} 105
# HELP processes_stopped Telegraf collected metric
# TYPE processes_stopped gauge
processes_stopped{host="dbb723d0e9e4"} 0
# HELP processes_total Telegraf collected metric
# TYPE processes_total gauge
processes_total{host="dbb723d0e9e4"} 185
# HELP processes_total_threads Telegraf collected metric
# TYPE processes_total_threads gauge
processes_total_threads{host="dbb723d0e9e4"} 406
# HELP processes_unknown Telegraf collected metric
# TYPE processes_unknown gauge
processes_unknown{host="dbb723d0e9e4"} 0
# HELP processes_zombies Telegraf collected metric
# TYPE processes_zombies gauge
processes_zombies{host="dbb723d0e9e4"} 0
# HELP sensors_in_lcrit_alarm Telegraf collected metric
# TYPE sensors_in_lcrit_alarm untyped
sensors_in_lcrit_alarm{chip="rpi_volt-isa-0000",feature="in0",host="dbb723d0e9e4"} 0
# HELP sensors_temp_crit Telegraf collected metric
# TYPE sensors_temp_crit untyped
```

```
sensors_temp_crit{chip="cpu_thermal-virtual-0",feature="temp1",host="dbb723d0e9e4"} 110
# HELP sensors_temp_input Telegraf collected metric
# TYPE sensors_temp_input untyped
sensors_temp_input{chip="cpu_thermal-virtual-0",feature="temp1",host="dbb723d0e9e4"} 50.634
# HELP system_load1 Telegraf collected metric
# TYPE system_load1 gauge
system_load1{host="dbb723d0e9e4"} 0.6
# HELP system_load15 Telegraf collected metric
# TYPE system_load15 gauge
system_load15{host="dbb723d0e9e4"} 0.14
# HELP system_load5 Telegraf collected metric
# TYPE system_load5 gauge
system_load5{host="dbb723d0e9e4"} 0.36
# HELP system_n_cpus Telegraf collected metric
# TYPE system_n_cpus gauge
system_n_cpus{host="dbb723d0e9e4"} 4
# HELP system_uptime Telegraf collected metric
# TYPE system_uptime counter
system_uptime{host="dbb723d0e9e4"} 133
```