

```
0000 <bound method VM.nop of <__main__.VM instance at 0x02280378>> [0, 1, 2, 3, 4, 5, 6, 7] 0001 <bound method VM.bye of <__main__.VM instance
```

at $0 \times 02280378 >> [0, 1, 2, 3, 4, 5, 6, 7]$

ERROR:	No	token	list	is	defined	

raise SyntaxError("Can't build lexer")

File "C:\Python\lib\site-packages\ply\lex.py", line 910, i

Traceback (most recent call last):


ERROR: No rules of the form t rulename are defined

ERROR: No rules defined for state 'INITIAL'

LexToken(REGISTER,1,4,11)
format: LexToken(type,value,lineno,lexpos)

SyntaxError: lexer: LexToken(error,"= ...





WARNING: No error rule is defined for exclusive state 'string WARNING: No ignore rule is defined for exclusive state 'string

```
LexToken (REGISTER, 1, 2, 9)
LexToken (EQ, '=', 2, 12)
LexToken (STRING, 'R\t[1]',2,21)
LexToken (COMMAND, 'nop', 3, 31)
LexToken (COMMAND, 'bye', 4, 43)
None
None
```

```
LexToken (REGISTER,1,2,9)
LexToken (EQ,'=',2,12)
LexToken (STRING,'R\t[1]',2,21)
LexToken (COMMAND,'nop',3,31)
LexToken (COMMAND,'bye',4,43)
```