

## **COURSE CODE**

SBT-DF203

## **COURSE TITLE**

Basic Networking Skills for Digital Forensics

## **LAB TITLE**

WEP40 Wireless Packet Decryption and Aircrack Forensics

## **NAME**

Kumpon Emmanuel Nandom

## **STUDENT ID**

2025/FWSD/11325

## **DATE**

25/09/2026

## **PLATFORM USED**

Kali Linux

## ***INSTRUCTOR***

Mr. Aminu Idris, AMCPN  
Commandant

# Executive Summary

This report describes the steps taken to prepare evidence and analyze forensics for the CodeGate CTF 2015 “Good Crypto” WEP40 capture used in SBT-DF203 Lab 9. All work was done offline in a separate Kali Linux virtual machine using only the provided training file. At no point did we connect to or capture data from a live wireless network, which follows the lab's rules on legality, ethics, and safety.

The report includes the lab brief in detail: the structure of the lab folder and evidence preparation, inventory of captures, identification of WEP protection, recovery of the WEP40 key, offline decryption, analysis of endpoints and conversations, extraction of objects, the optional passphrase challenge (which was not performed), WEP security analysis, and the completed findings worksheet.

## Mini Evidence and Chain-of-Custody Worksheet

|                                    |                                                                                                                                                                                                                                                                                                                                          |
|------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Case/lab identifier</b>         | SBT-DF203-Lab9-Kumpon_Emmanuel_Nandom                                                                                                                                                                                                                                                                                                    |
| <b>Trainee name</b>                | Kumpon Emmanuel Nandom                                                                                                                                                                                                                                                                                                                   |
| <b>Date and time started</b>       | 25 September 2026, 19:56 WAT                                                                                                                                                                                                                                                                                                             |
| <b>Evidence file name(s)</b>       | evidence/file.xz (original); working/file_working. xz and working/file_working (working copies); working/file_working-dec (decrypted output)                                                                                                                                                                                             |
| <b>Source or generation method</b> | Downloaded through 'https://raw.githubusercontent.com/ctfs/write-ups-2015/master/codegate-ctf-2015/programming/good-crypto/file.xz'                                                                                                                                                                                                      |
| <b>Original SHA-256</b>            | dd54144caef34f228bfb4b87a9101ca7173969376f7ed357bd068061d4f4b8d6<br>evidence/file.xz                                                                                                                                                                                                                                                     |
| <b>Working-copy SHA-256</b>        | dd54144caef34f228bfb4b87a9101ca7173969376f7ed357bd068061d4f4b8d6<br>working/file_working. xz<br>c17a3f9b955e84f5befd476dbd55c67286d1e3eea9ab402d5359cac0874ebb2d<br>working/file_working                                                                                                                                                 |
| <b>Analysis workstation/VM</b>     | Kali Linux VM, local user ponzhi@kali                                                                                                                                                                                                                                                                                                    |
| <b>Notes on any changes</b>        | We kept the original evidence unchanged and stored it under "evidence."<br>We performed our analysis on a working copy that was uncompressed, found in "working/," and later on a decrypted file located in "working/file_working-dec." We recorded all hashes before and after each step of the process, and we found no discrepancies. |

## Lab Folder Structure and Evidence Preparation

Before any evidence was downloaded or created, we set up a standard folder structure to organize the evidence. This structure separates the original evidence, working copies, and exported objects.

```
mkdir -p ~/SBT-DF203-Lab9/{evidence,working,exported,reports,screenshots,scripts}  
cd ~/SBT-DF203-Lab9  
pwd  
find . -maxdepth 1 -type d -print
```

```
ponzhi@kali: ~/SBT-DF203-Lab9
Session Actions Edit View Help
(ponzhi@kali)-[~]
$ mkdir -p ~/SBT-DF203-Lab9/{evidence,working,exported,reports,screenshots,scripts}

(ponzhi@kali)-[~]
$ cd ~/SBT-DF203-Lab9

(ponzhi@kali)-[~/SBT-DF203-Lab9]
$ pwd
/home/ponzhi/SBT-DF203-Lab9

(ponzhi@kali)-[~/SBT-DF203-Lab9]
$ find . -maxdepth 1 -type d -print
.
./evidence
./working
./exported
./reports
./scripts
./screenshots
```

Required tools were confirmed installed (aircrack-ng, Wireshark/tshark, foremost, binwalk, xz-utils)

```
sudo apt update
```

```
sudo apt install -y aircrack-ng wireshark tshark foremost binwalk xz-utils
```

```
ponzhi@kali: ~/SBT-DF203-Lab9
Session Actions Edit View Help
(ponzhi@kali)-[~/SBT-DF203-Lab9]
$ sudo apt update
Get:1 http://kali.download/kali kali-rolling InRelease [34.0 kB]
Get:2 http://kali.download/kali kali-rolling/main amd64 Packages [21.6 MB]
Get:3 http://kali.download/kali kali-rolling/main amd64 Contents (deb) [54.1 MB]
Fetched 3,617 kB in 19s (190 kB/s)
471 packages can be upgraded. Run 'apt list --upgradable' to see them.

(ponzhi@kali)-[~/SBT-DF203-Lab9]
$ sudo apt install -y aircrack-ng wireshark tshark foremost binwalk xz-utils
aircrack-ng is already the newest version (1:1.7+git20230807.4bf83f1a-3).
aircrack-ng set to manually installed.
wireshark is already the newest version (4.6.6-1).
tshark is already the newest version (4.6.6-1).
binwalk is already the newest version (2.4.3+dfsg1-3).
binwalk set to manually installed.
xz-utils is already the newest version (5.8.3-1).
The following packages were automatically installed and are no longer required:
  bluez-hcidump      libbluray3      libopenjph0.27  libvidstab1.1  python3.13-dev
  firmware-marvell-prestera libhdf5-310     libperl5.40     libx265-215    python3.13-minimal
  iucode-tool        libhdf5-hl-310 libpoppler156   perl-modules-5.40 python3.13-tk
  libabsl20260107    libntfs-3g89t64 libpython3.13-dev python3.13     python3.13-venv
Use 'sudo apt autoremove' to remove them.

Installing:
  foremost
```

The historical evidence file was retrieved over HTTPS and hashed immediately upon download, before any local modification.

```
wget -O evidence/file.xz \
```

```
'https://raw.githubusercontent.com/ctfs/write-ups-2015/master/codegate-ctf-2015/programming/good-crypto/file.xz'
sha256sum evidence/file.xz | tee reports/file_xz_sha256.txt
```

```
ponzhi@kali: ~/SBT-DF203-Lab9
$ wget -O evidence/file.xz \
'https://raw.githubusercontent.com/ctfs/write-ups-2015/master/codegate-ctf-2015/programming/good-crypto/file.xz'
--2026-09-25 21:54:20-- https://raw.githubusercontent.com/ctfs/write-ups-2015/master/codegate-ctf-2015/programming/good-crypto/file.xz
Resolving raw.githubusercontent.com (raw.githubusercontent.com)... 185.199.111.133, 185.199.110.133, 185.199.109.133, ..
Connecting to raw.githubusercontent.com (raw.githubusercontent.com)|185.199.111.133|:443 ... connected.
HTTP request sent, awaiting response... 200 OK
Length: 12837660 (12M) [application/octet-stream]
Saving to: 'evidence/file.xz'

evidence/file.xz      100%[=====>] 12.24M  596KB/s  in 27s

2026-09-25 21:54:49 (456 KB/s) - 'evidence/file.xz' saved [12837660/12837660]

ponzhi@kali: ~/SBT-DF203-Lab9
$ sha256sum evidence/file.xz | tee reports/file_xz_sha256.txt
dd54144caef34f228bf4b87a9101ca7173969376f7ed357bd068061d4f4b8d6 evidence/file.xz

ponzhi@kali: ~/SBT-DF203-Lab9
$
```

A working copy was created, decompressed, identified by file type, and rehashed to confirm evidence integrity was preserved across the copy/decompress steps.

```
cp --preserve=timestamps evidence/file.xz working/file_working.xz
unxz -k working/file_working.xz
file working/file_working
sha256sum working/file_working.xz working/file_working | tee reports/working_hashes.txt
```

```
ponzhi@kali: ~/SBT-DF203-Lab9
$ cp --preserve=timestamps evidence/file.xz working/file_working.xz

ponzhi@kali: ~/SBT-DF203-Lab9
$ unxz -k working/file_working.xz

ponzhi@kali: ~/SBT-DF203-Lab9
$ file working/file_working
working/file_working: pcap capture file, microsecond ts (little-endian) - version 2.4 (802.11, capture length 65535)

ponzhi@kali: ~/SBT-DF203-Lab9
$ sha256sum working/file_working.xz working/file_working | tee reports/working_hashes.txt
dd54144caef34f228bf4b87a9101ca7173969376f7ed357bd068061d4f4b8d6 working/file_working.xz
c17a3f9b955e84f5befd476dbd55c67286d1e3eea9ab402d5359cac0874ebb2d working/file_working


ponzhi@kali: ~/SBT-DF203-Lab9
$
```

Evidence hashes recorded in Section 6


| File                    | SHA-256                                                          | Notes                                 |
|-------------------------|------------------------------------------------------------------|---------------------------------------|
| evidence/file.xz        | dd54144caef34f228bf4b87a9101ca7173969376f7ed357bd068061d4f4b8d6  | Original, as downloaded               |
| working/file_working.xz | dd54144caef34f228bf4b87a9101ca7173969376f7ed357bd068061d4f4b8d6  | Copy of original — hash matches       |
| working/file_working    | c17a3f9b955e84f5befd476dbd55c67286d1e3eea9ab402d5359cac0874ebb2d | Decompressed pcap, ready for analysis |

## Part A: Inventory the Wireless Capture

The decompressed capture was opened in Wireshark to confirm it parses as a valid 802.11 capture and to visually inspect frame structure before running command-line tooling.



```
CAP=working/file_working
capinfos "$CAP" | tee reports/capinfos.txt
tshark -r "$CAP" -q -z io,phs | tee reports/protocol_hierarchy.txt
tshark -r "$CAP" -Y 'wlan' -T fields \
  -e frame.number -e frame.time -e wlan.fc.type -e wlan.fc.subtype -e wlan.sa -e wlan.da -e wlan.bssid \
  | head -n 100 | tee reports/wlan_frame_sample.tsv
```



```
Session Actions Edit View Help
Number of interfaces in file: 1
Interface #0 info:
    Encapsulation = IEEE 802.11 Wireless LAN (20 - ieee-802-11)
    Capture length = 65535
    Time precision = microseconds (6)
    Time ticks per second = 1000000
    Number of stat entries = 0
    Number of packets = 45169

Protocol Hierarchy Statistics
Filter:

frame      frames:45169 bytes:13511274
  wlan      frames:45169 bytes:13511274
    data     frames:15713 bytes:13104128

1  2015-03-06T08:51:54.364526000+0100  1  11
2  2015-03-06T08:51:54.364527000+0100  1  11
3  2015-03-06T08:51:54.364525000+0100  1  11
4  2015-03-06T08:51:54.364526000+0100  1  11
5  2015-03-06T08:51:54.365550000+0100  1  11
6  2015-03-06T08:51:54.366063000+0100  1  11
7  2015-03-06T08:51:54.366062000+0100  1  11
8  2015-03-06T08:51:54.366061000+0100  1  11
9  2015-03-06T08:51:54.366063000+0100  1  11
10 2015-03-06T08:51:54.366061000+0100  1  11
```

```
Session Actions Edit View Help
10 2015-03-06T08:51:54.366061000+0100  1  11
11 2015-03-06T08:51:54.366064000+0100  1  11
12 2015-03-06T08:51:54.366063000+0100  1  11
13 2015-03-06T08:51:54.366063000+0100  1  11
14 2015-03-06T08:51:54.366063000+0100  1  11
15 2015-03-06T08:51:54.366064000+0100  1  11
16 2015-03-06T08:51:54.366062000+0100  1  11
17 2015-03-06T08:51:54.366575000+0100  1  11
18 2015-03-06T08:51:54.366575000+0100  1  11
19 2015-03-06T08:51:54.366573000+0100  1  11
20 2015-03-06T08:51:54.366574000+0100  1  11
21 2015-03-06T08:51:54.366575000+0100  1  11
22 2015-03-06T08:51:54.366575000+0100  1  11
23 2015-03-06T08:51:54.366575000+0100  1  11
24 2015-03-06T08:51:54.366574000+0100  1  11
25 2015-03-06T08:51:54.366574000+0100  1  11
26 2015-03-06T08:51:54.366574000+0100  1  11
27 2015-03-06T08:51:54.366574000+0100  1  11
28 2015-03-06T08:51:54.366574000+0100  1  11
29 2015-03-06T08:51:54.366574000+0100  1  11
30 2015-03-06T08:51:54.366575000+0100  1  11
31 2015-03-06T08:51:54.366573000+0100  1  11
32 2015-03-06T08:51:54.366575000+0100  1  11
33 2015-03-06T08:51:54.366574000+0100  1  11
34 2015-03-06T08:51:54.366575000+0100  1  11
35 2015-03-06T08:51:54.366575000+0100  1  11
36 2015-03-06T08:51:54.366574000+0100  1  11
```

```
Session Actions Edit View Help
42 2015-03-06T08:51:54.366573000+0100  1  11
43 2015-03-06T08:51:54.366574000+0100  1  11
44 2015-03-06T08:51:54.367085000+0100  1  11
45 2015-03-06T08:51:54.367086000+0100  1  11
46 2015-03-06T08:51:54.367087000+0100  1  11
47 2015-03-06T08:51:54.367089000+0100  1  13
48 2015-03-06T08:51:54.367085000+0100  1  11
49 2015-03-06T08:51:54.367087000+0100  1  11
50 2015-03-06T08:51:54.367087000+0100  1  11
51 2015-03-06T08:51:54.367087000+0100  1  11
52 2015-03-06T08:51:54.367087000+0100  1  11
53 2015-03-06T08:51:54.367086000+0100  1  11
54 2015-03-06T08:51:54.367633000+0100  0  8  00:26:66:55:97:d6  ff:ff:ff:ff:ff:ff  00:26:66:55:97:d6
55 2015-03-06T08:51:54.368111000+0100  1  11
56 2015-03-06T08:51:54.368111000+0100  1  11
57 2015-03-06T08:51:54.368110000+0100  1  11
58 2015-03-06T08:51:54.368110000+0100  1  11
59 2015-03-06T08:51:54.368110000+0100  1  11
60 2015-03-06T08:51:54.368110000+0100  1  11
61 2015-03-06T08:51:54.368622000+0100  1  11
62 2015-03-06T08:51:54.368623000+0100  1  11
63 2015-03-06T08:51:54.368621000+0100  1  11
64 2015-03-06T08:51:54.368622000+0100  1  11
65 2015-03-06T08:51:54.368621000+0100  1  11
66 2015-03-06T08:51:54.368623000+0100  1  11
67 2015-03-06T08:51:54.368622000+0100  1  11
```

```
ponzhi@kali: ~/SBT-DF203-Lab9
Session Actions Edit View Help
68 2015-03-06T08:51:54.368623000+0100 1 11
69 2015-03-06T08:51:54.368622000+0100 1 11
70 2015-03-06T08:51:54.368622000+0100 1 11
71 2015-03-06T08:51:54.368623000+0100 1 11
72 2015-03-06T08:51:54.368621000+0100 1 11
73 2015-03-06T08:51:54.368622000+0100 1 11
74 2015-03-06T08:51:54.369134000+0100 1 11
75 2015-03-06T08:51:54.369134000+0100 1 11
76 2015-03-06T08:51:54.369135000+0100 1 11
77 2015-03-06T08:51:54.369648000+0100 1 11
78 2015-03-06T08:51:54.369646000+0100 1 11
79 2015-03-06T08:51:54.370159000+0100 1 11
80 2015-03-06T08:51:54.371182000+0100 1 11
81 2015-03-06T08:51:54.371181000+0100 1 11
82 2015-03-06T08:51:54.371183000+0100 1 11
83 2015-03-06T08:51:54.371694000+0100 1 11
84 2015-03-06T08:51:54.371694000+0100 1 11
85 2015-03-06T08:51:54.372207000+0100 1 11
86 2015-03-06T08:51:54.372718000+0100 1 11
87 2015-03-06T08:51:54.375279000+0100 1 11
88 2015-03-06T08:51:54.375791000+0100 1 11
89 2015-03-06T08:51:54.376813000+0100 1 11
90 2015-03-06T08:51:54.376815000+0100 1 11
91 2015-03-06T08:51:54.376815000+0100 1 11
92 2015-03-06T08:51:54.376815000+0100 1 11
93 2015-03-06T08:51:54.376814000+0100 1 11
94 2015-03-06T08:51:54.376815000+0100 1 11
```

```
ponzhi@kali: ~/SBT-DF203-Lab9
Session Actions Edit View Help
77 2015-03-06T08:51:54.369648000+0100 1 11
78 2015-03-06T08:51:54.369646000+0100 1 11
79 2015-03-06T08:51:54.370159000+0100 1 11
80 2015-03-06T08:51:54.371182000+0100 1 11
81 2015-03-06T08:51:54.371181000+0100 1 11
82 2015-03-06T08:51:54.371183000+0100 1 11
83 2015-03-06T08:51:54.371694000+0100 1 11
84 2015-03-06T08:51:54.371694000+0100 1 11
85 2015-03-06T08:51:54.372207000+0100 1 11
86 2015-03-06T08:51:54.372718000+0100 1 11
87 2015-03-06T08:51:54.375279000+0100 1 11
88 2015-03-06T08:51:54.375791000+0100 1 11
89 2015-03-06T08:51:54.376813000+0100 1 11
90 2015-03-06T08:51:54.376815000+0100 1 11
91 2015-03-06T08:51:54.376815000+0100 1 11
92 2015-03-06T08:51:54.376815000+0100 1 11
93 2015-03-06T08:51:54.376814000+0100 1 11
94 2015-03-06T08:51:54.376815000+0100 1 11
95 2015-03-06T08:51:54.376814000+0100 1 11
96 2015-03-06T08:51:54.381421000+0100 1 11
97 2015-03-06T08:51:54.381423000+0100 1 11
98 2015-03-06T08:51:54.382446000+0100 1 11
99 2015-03-06T08:51:54.382446000+0100 1 11
100 2015-03-06T08:51:54.382957000+0100 1 11

(ponzhi@kali) - [~/SBT-DF203-Lab9]
```

Capture inventory summary

|                            |                                                                                                                                  |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| File name                  | working/file_working                                                                                                             |
| File type                  | Wireshark/tcpdump/... pcap, IEEE 802.11 Wireless LAN, microsecond precision                                                      |
| Number of packets          | 45,169 (frame: 45,169 frames / 13,511,274 bytes; wlan: 45,169 frames / 13,511,274 bytes; data: 15,713 frames / 13,104,128 bytes) |
| File / data size           | 14 MB / 13 MB                                                                                                                    |
| Capture duration           | 272.969795 seconds (2015-03-06 08:51:54.364525 → 08:56:27.334320)                                                                |
| Average rate               | 165 packets, 395 kbps                                                                                                            |
| SHA-256 / SHA-1 (capinfos) | c17a3f9b955e84f5befd476dbd55c67286d1e3eea9ab402d5359cac0874ebb2d                                                                 |


## 802.11 Frame Categories Observed

| Frame Category | Type Value | Purpose                              | Example Evidence                                                                         |
|----------------|------------|--------------------------------------|------------------------------------------------------------------------------------------|
| Management     | 0          | Association, authentication, beacons | Frame 54: Beacon SA/BSSID 00:26:66:55:97:d6 → DA ff:ff:ff:ff:ff:ff                       |
| Control        | 1          | Flow control and acknowledgements    | Frame 1: Request-to-Send Transmitter 00:03:58:86:37:65 → Receiver f0:6b:ca:46:b4:1b      |
| Data           | 2          | Carries network payload              | Frame 10130 (WEP-protected): SA f0:f6:1c:68:96:7c → BSSID 00:26:66:55:97:d6, IV 0xc2cbeb |

## Part B: Identify WEP Protection and Key Parameters

Protected (WEP) data frames were isolated with a display filter, and the IV field was extracted and tallied to demonstrate IV reuse the core weakness that makes WEP40 breakable.

```
tshark -r "$CAP" -Y 'wlan.fc.protected==1' -T fields \
-e frame.number -e frame.time_epoch -e wlan.sa -e wlan.da -e wlan.bssid -e wlan.wep.iv -e wlan.wep.key \
| head -n 200 | tee reports/wep_protected_frames.tsv
```



```
ponzhi@kali: ~/SBT-DF203-Lab9
Session Actions Edit View Help

(ponzhi@kali)-[~/SBT-DF203-Lab9]
$ tshark -r "$CAP" -Y 'wlan.fc.protected==1' -T fields \
-e frame.number -e frame.time_epoch -e wlan.sa -e wlan.da -e wlan.bssid -e wlan.wep.iv -e wlan.wep.key \
| head -n 200 | tee reports/wep_protected_frames.tsv
9432 1425628319.232982000 00:26:66:55:97:d4 ff:ff:ff:ff:ff:ff 00:26:66:55:97:d6 0x67ffec 0
10130 1425628320.138252000 f0:f6:1c:68:96:7c 00:26:66:55:97:d6 00:26:66:55:97:d6 0xc2cbeb 0
10155 1425628320.176656000 f0:f6:1c:68:96:7c 04:8d:38:48:e5:b4 00:26:66:55:97:d6 0xc3cbeb 0
10157 1425628320.177168000 f0:f6:1c:68:96:7c 04:8d:38:48:a8:b5 00:26:66:55:97:d6 0xc4cbeb 0
10159 1425628320.177168000 f0:f6:1c:68:96:7c 08:10:77:92:7c:2f 00:26:66:55:97:d6 0xc5cbeb 0
10161 1425628320.177168000 f0:f6:1c:68:96:7c 00:26:66:55:97:d4 00:26:66:55:97:d6 0xc6cbeb 0
10163 1425628320.177168000 f0:f6:1c:68:96:7c c8:3a:35:58:c4:ba 00:26:66:55:97:d6 0xc7cbeb 0
10165 1425628320.177167000 f0:f6:1c:68:96:7c ff:ff:ff:ff:ff:ff 00:26:66:55:97:d6 0xc8cbeb 0
10167 1425628320.177686000 00:26:66:55:97:d4 f0:f6:1c:68:96:7c 00:26:66:55:97:d6 0x68ffec 0
10170 1425628320.180760000 f0:f6:1c:68:96:7c ff:ff:ff:ff:ff:ff 00:26:66:55:97:d6 0x69ffec 0
10171 1425628320.182288000 f0:f6:1c:68:96:7c 33:33:00:00:00:02 00:26:66:55:97:d6 0xc9cbeb 0
10172 1425628320.187417000 00:26:66:55:97:d4 ff:ff:ff:ff:ff:ff 00:26:66:55:97:d6 0x6affec 0
10173 1425628320.187408000 f0:f6:1c:68:96:7c 33:33:00:00:00:02 00:26:66:55:97:d6 0xc9cbeb 0
10175 1425628320.187919000 f0:f6:1c:68:96:7c ff:ff:ff:ff:ff:ff 00:26:66:55:97:d6 0xcacbeb 0
10177 1425628320.188952000 f0:f6:1c:68:96:7c 33:33:00:00:00:02 00:26:66:55:97:d6 0x6bffec 0
10178 1425628320.189976000 f0:f6:1c:68:96:7c ff:ff:ff:ff:ff:ff 00:26:66:55:97:d6 0x6cffec 0
10183 1425628320.192016000 f0:f6:1c:68:96:7c ff:ff:ff:ff:ff:ff 00:26:66:55:97:d6 0xcbcbeb 0
10185 1425628320.193048000 f0:f6:1c:68:96:7c ff:ff:ff:ff:ff:ff 00:26:66:55:97:d6 0x6dffec 0
10224 1425628320.259088000 f0:f6:1c:68:96:7c ff:ff:ff:ff:ff:ff 00:26:66:55:97:d6 0xcccbeb 0
10228 1425628320.262680000 f0:f6:1c:68:96:7c ff:ff:ff:ff:ff:ff 00:26:66:55:97:d6 0x6effec 0
10229 1425628320.262678000 00:26:66:55:97:d4 f0:f6:1c:68:96:7c 00:26:66:55:97:d6 0x6ffffec 0
10233 1425628320.263184000 f0:f6:1c:68:96:7c 00:26:66:55:97:d4 00:26:66:55:97:d6 0xcdcbeb 0
```

```
tshark -r "$CAP" -Y 'wlan.fc.protected==1' -T fields -e wlan.wep.iv \
| sort | uniq -c | sort -nr | head -n 30 | tee reports/repeated_iv_summary.txt
```

```
ponzhi@kali: ~/SBT-DF203-Lab9
$ tshark -r "$CAP" -Y 'wlan.fc.protected==1' -T fields -e wlan.wep.iv \
  | sort | uniq -c | sort -nr | head -n 30 | tee reports/repeated_iv_summary.txt
  7 0x42e8eb
  7 0x28d3eb
  6 0x95dfcb
  5 0x9415ed
  5 0x86e5eb
  5 0x7ae5eb
  5 0x28e7eb
  5 0x19e5eb
  4 0xd5d7eb
  4 0xd3e8eb
  4 0xc915ed
  4 0xc7d8eb
  4 0xade4eb
  4 0x73e5eb
  4 0x65d8eb
  4 0x4ad5eb
  4 0x31e7eb
  4 0x2723ed
  4 0x10e7eb
  3 0xffe5eb
  3 0xf609ed
  3 0xa307ed
  3 0x97dbeb
```

```
ponzhi@kali: ~/SBT-DF203-Lab9
5 0x28e7eb
5 0x19e5eb
4 0xd5d7eb
4 0xd3e8eb
4 0xc915ed
4 0xc7d8eb
4 0xade4eb
4 0x73e5eb
4 0x65d8eb
4 0x4ad5eb
4 0x31e7eb
4 0x2723ed
4 0x10e7eb
3 0xffe5eb
3 0xf609ed
3 0xa307ed
3 0x97dbeb
3 0x96d1eb
3 0x92e8eb
3 0x91e8eb
3 0x8adeeb
3 0x630aed
3 0x56e8eb
3 0x3c1aed

ponzhi@kali: ~/SBT-DF203-Lab9
$
```


WEP identification summary

|                       |                                                                                                                                                                                                                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BSSID                 | 00:26:66:55:97:d6                                                                                                                                                                                                                                                                     |
| Protected frame count | 15,477 WEP data frames (of 45,169 total packets)                                                                                                                                                                                                                                      |
| Repeated IV evidence  | Top IVs repeat 4–7 times each within the capture; clear IV reuse                                                                                                                                                                                                                      |
| WEP40 key structure   | 64-bit total keystream input: 24-bit IV + 40-bit secret key                                                                                                                                                                                                                           |
| Why this is unsafe    | The 24-bit IV space (16.7M values) is exhausted quickly on an active network, forcing IV reuse; reused IVs produce identical RC4 keystreams, letting an attacker XOR ciphertexts to recover plaintext relationships and, via Aircrack-ng's statistical attacks, the secret key itself |

## Part C: Recover or Validate the WEP40 Key

Aircrack-ng was run directly against the capture to recover the WEP40 key using its built-in statistical (PTW) attack against the collected IVs.

```
aircrack-ng "$CAP" | tee reports/aircrack_output.txt
```



```
ponchi@kali: ~/SBT-DF203-Lab9
$ aircrack-ng "$CAP" | tee reports/aircrack_output.txt
Reading packets, please wait ...
Opening working/file_working
Read 45169 packets.
Got 15477 out of 15000 IVsStarting PTW attack with 15477 ivs.

# BSSID      ESSID      Encryption
1 00:26:66:55:97:D6  cgnetwork  WEP (15477 IVs)

Choosing first network as target.

Reading packets, please wait ...
Opening working/file_working
Read 45169 packets.

1 potential targets

Attack will be restarted every 5000 captured ivs.

Aircrack-ng 1.7

[00:00:00] Tested 83 keys (got 15477 IVs)

KB  depth  byte(vote)
0  0/ 1  A4(22784) 62(20992) A8(19968) B8(19968) 42(19456) 0E(19456) 91(19200) B7(19200) 26(18944)
1  0/ 1  3D(23840) 51(20736) 07(20480) 62(19968) 7B(19968) 1F(19712) B0(19712) 8D(19456) 80(19200)
2  0/ 1  F6(23888) E4(20992) D0(20736) 68(20224) 95(19712) 38(19456) 0C(19200) 45(18944) 4F(18944)
3  1/ 10  F3(20480) C5(19968) D0(19968) 3E(19712) 43(19456) 52(19456) B2(19456) 09(19456) 20(19456)
4  6/ 9  01(19712) 20(19456) 3E(19456) 52(19456) 5C(19456) 90(19456) F9(19456) 45(18944) 85(18944)

KEY FOUND! [ A4:3D:F6:F3:74 ]
Decrypted correctly: 100%
```

```
# Expected historical training key from the slide: A4:3D:F6:F3:74
printf 'A4:3D:F6:F3:74\n' | tee reports/validated_wep40_key_masked.txt
```

```
ponzhi@kali: ~/SBT-DF203-Lab9
$ printf 'A4:3D:F6:F3:74\n' | tee reports/validated_wep40_key_masked.txt
A4:3D:F6:F3:74
ponzhi@kali: ~/SBT-DF203-Lab9
$
```

Key-recovery summary

|                        |                                                                                                     |
|------------------------|-----------------------------------------------------------------------------------------------------|
| Target network (BSSID) | 00:26:66:55:97:D6                                                                                   |
| ESSID                  | cgnetwork                                                                                           |
| Encryption             | WEP (15,477 IVs captured)                                                                           |
| Key length             | 40-bit (WEP40)                                                                                      |
| Recovered key          | A4:3D:F6:F3:74                                                                                      |
| Validation             | Matches the slide-provided historical training key; Aircrack-ng reports “Decrypted correctly: 100%” |

Part D: Decrypt the Capture Offline

With the key recovered and validated, we decrypted the capture offline using airdecap-ng. The key was supplied without colons, as required by the tool.

```
cd working
airdecap-ng -w A43DF6F374 file_working | tee ../reports/airdecap_output.txt
cd ..
find working -maxdepth 1 -type f -ls | tee reports/decrypted_files_inventory.txt
sha256sum working/* | tee reports/all_working_file_hashes.txt
```

```
ponzhi@kali: ~/SBT-DF203-Lab9
(ponzhi@kali)~[~/SBT-DF203-Lab9]
$ cd working
(ponzhi@kali)~[~/SBT-DF203-Lab9/working]
$ airdecap-ng -w A43DF6F374 file_working | tee ../reports/airdecap_output.txt
Total number of stations seen      10
Total number of packets read      45169
Total number of WEP data packets  15477
Total number of WPA data packets   0
Number of plaintext data packets   0
Number of decrypted WEP packets    15477
Number of corrupted WEP packets    0
Number of decrypted WPA packets    0
Number of bad TKIP (WPA) packets   0
Number of bad CCMP (WPA) packets   0
(ponzhi@kali)~[~/SBT-DF203-Lab9/working]
$ cd ..
(ponzhi@kali)~[~/SBT-DF203-Lab9]
$ find working -maxdepth 1 -type f -ls | tee reports/decrypted_files_inventory.txt
2494710 12540 -rw-rw-r-- 1 ponzhi ponzhi 12837660 Sep 25 21:54 working/file_working.xz
2494711 13904 -rw-rw-r-- 1 ponzhi ponzhi 14234002 Sep 25 21:54 working/file_working
2494751 12488 -rw-rw-r-- 1 ponzhi ponzhi 12784501 Sep 25 22:37 working/file_working-dec
(ponzhi@kali)~[~/SBT-DF203-Lab9]
$ sha256sum working/* | tee reports/all_working_file_hashes.txt
c17a3f9b955e84f5befd476dbd55c67286d1e3eea9ab402d5359cac0874ebb2d working/file_working
167c91994c269777f9048227deb89882caf3fc3c763977f2059604f9a6a40b04 working/file_working-dec
dd54144caef34f228bfb4b87a9101ca7173969376f7ed357bd068061d4f4b8d6 working/file_working.xz
(ponzhi@kali)~[~/SBT-DF203-Lab9]
```

Decryption results

|                            |                                                                  |
|----------------------------|------------------------------------------------------------------|
| Stations seen              | 10                                                               |
| Total packets read         | 45,169                                                           |
| WEP data packets           | 15,477                                                           |
| WPA data packets           | 0                                                                |
| Plaintext data packets     | 0                                                                |
| Decrypted WEP packets      | 15,477 (100%)                                                    |
| Corrupted WEP packets      | 0                                                                |
| Decrypted capture filename | working/file_working-dec                                         |
| Decrypted capture SHA-256  | 167c91994c269777f9048227deb89882caf3fc3c763977f2059604f9a6a40b04 |

Part E: Extract Endpoints and Conversations

Endpoint and conversation analysis was performed against the decrypted capture produced in Section 11, now that IP/TCP/HTTP layers are visible.

```
DEC=$(find working -maxdepth 1 -type f -name '*-dec*' | head -n 1)
echo "Decrypted capture: $DEC" | tee reports/decrypted_capture_path.txt
```

```
tshark -r "$DEC" -q -z endpoints,eth | tee reports/ethernet_endpoints.txt
```

```
(ponzhi@kali) - [~/SBT-DF203-Lab9]
$ DEC=$(find working -maxdepth 1 -type f -name '*-dec*' | head -n 1)
echo "Decrypted capture: $DEC" | tee reports/decrypted_capture_path.txt
Decrypted capture: working/file_working-dec

(ponzhi@kali) - [~/SBT-DF203-Lab9]
$ tshark -r "$DEC" -q -z endpoints,eth | tee reports/ethernet_endpoints.txt

Ethernet Endpoints
Filter:<No Filter>

| Packets | | Bytes | | Tx Packets | | Tx Bytes | | Rx Packets | | Rx Bytes |
Apple_68:96:7c 15407 12 MB 7076 616 kB 8331 11 MB
EFMNetworks_55:97:d4 15020 12 MB 8178 11 MB 6842 593 kB
ASUSTekCOMPU_2a:c2:7a 358 281 kB 223 270 kB 135 11 kB
IPv4mcast_fb 42 6,648 bytes 0 0 bytes 42 6,648 bytes
IPv6mcast_fb 36 7,022 bytes 0 0 bytes 36 7,022 bytes
Broadcast 31 3,386 bytes 0 0 bytes 31 3,386 bytes
IPv4mcast_7f:ff:fa 31 11 kB 0 0 bytes 31 11 kB
IPv6mcast_16 10 920 bytes 0 0 bytes 10 920 bytes
IPv6mcast_02 9 630 bytes 0 0 bytes 9 630 bytes
IPv4mcast_16 3 180 bytes 0 0 bytes 3 180 bytes
IPv4mcast_02 2 92 bytes 0 0 bytes 2 92 bytes
NetisTechnol_48:e5:b4 1 42 bytes 0 0 bytes 1 42 bytes
NetisTechnol_48:a8:b5 1 42 bytes 0 0 bytes 1 42 bytes
08:10:77:92:7c:2f 1 42 bytes 0 0 bytes 1 42 bytes
TendaTechnol_58:c4:ba 1 42 bytes 0 0 bytes 1 42 bytes
IPv6mcast_ff:2a:c2:7a 1 78 bytes 0 0 bytes 1 78 bytes

(ponzhi@kali) - [~/SBT-DF203-Lab9]
$
```

```
tshark -r "$DEC" -q -z endpoints,ip | tee reports/ip_endpoints.txt
```

```
(ponzhi@kali) - [~/SBT-DF203-Lab9]
$ tshark -r "$DEC" -q -z endpoints,ip | tee reports/ip_endpoints.txt

IPv4 Endpoints
Filter:<No Filter>

| Packets | | Bytes | | Tx Packets | | Tx Bytes | | Rx Packets | | Rx Bytes |
192.168.0.15 15309 12 MB 6995 608 kB 8314 11 MB
198.90.20.111 8057 6,916 kB 4446 6,637 kB 3611 279 kB
199.27.79.193 5694 4,825 kB 3131 4,603 kB 2563 221 kB
192.168.0.9 329 277 kB 197 265 kB 132 11 kB
173.194.127.141 153 109 kB 80 102 kB 73 7,364 bytes
173.194.127.55 143 89 kB 71 82 kB 72 6,990 bytes
8.8.8.8 81 10 kB 40 6,960 bytes 41 3,391 bytes
199.16.158.186 66 15 kB 29 10 kB 37 5,214 bytes
173.194.127.227 66 24 kB 26 15 kB 40 8,455 bytes
173.194.127.229 55 22 kB 23 13 kB 32 9,731 bytes
31.13.70.1 51 19 kB 26 15 kB 25 3,151 bytes
173.241.248.220 44 6,848 bytes 20 3,122 bytes 24 3,726 bytes
198.41.208.140 44 28 kB 21 25 kB 23 2,718 bytes
224.0.0.251 42 6,648 bytes 0 0 bytes 42 6,648 bytes
173.194.127.237 36 9,526 bytes 14 6,435 bytes 22 3,091 bytes
216.58.220.234 34 15 kB 16 12 kB 18 2,497 bytes
192.168.0.1 33 12 kB 33 12 kB 0 0 bytes
173.241.248.219 33 5,733 bytes 14 2,807 bytes 19 2,926 bytes
104.74.158.12 33 21 kB 18 20 kB 15 1,236 bytes
74.125.203.156 32 20 kB 16 17 kB 16 2,534 bytes
239.255.255.250 31 11 kB 0 0 bytes 31 11 kB
173.194.127.231 31 6,816 bytes 12 5,197 bytes 19 1,619 bytes
198.41.209.137 28 16 kB 13 14 kB 15 1,556 bytes
17.172.239.31 25 6,504 bytes 12 3,973 bytes 13 2,531 bytes
173.194.72.95 23 4,077 bytes 9 2,232 bytes 14 1,845 bytes
```



```
tshark -r "$DEC" -Y 'ip' -T fields -e frame.number -e wlan.sa -e wlan.da -e ip.src -e ip.dst -e _ws.col.Protocol \
| head -n 200 | tee reports/ip_mac_mapping_sample.tsv
```

```
penzhi@kali: ~/SBT-DF203-Lab9
tshark -r "$DEC" -Y 'ip' -T fields -e frame.number -e wlan.sa -e wlan.da -e ip.src -e ip.dst -e _ws.col.Protocol \
| head -n 200 | tee reports/ip_mac_mapping_sample.tsv
7      0.0.0.0 255.255.255.255 DHCP
9      0.0.0.0 255.255.255.255 DHCP
11     192.168.0.1 255.255.255.255 DHCP
20     192.168.0.15 8.8.8.8 DNS
21     192.168.0.15 8.8.8.8 DNS
22     192.168.0.15 224.0.0.2 IGMPV2
23     192.168.0.15 224.0.0.251 IGMPV2
24     192.168.0.15 224.0.0.2 IGMPV2
25     192.168.0.15 224.0.0.251 IGMPV2
26     8.8.8.8 192.168.0.15 DNS
27     8.8.8.8 192.168.0.15 DNS
30     192.168.0.15 17.172.239.31 TCP
31     192.168.0.15 17.172.239.127 TCP
33     17.172.239.31 192.168.0.15 TCP
35     192.168.0.15 17.172.239.31 TCP
36     192.168.0.15 17.172.239.31 TLSv1
37     17.172.239.127 192.168.0.15 TCP
38     192.168.0.15 17.172.239.127 TCP
42     17.172.239.31 192.168.0.15 TCP
43     17.172.239.31 192.168.0.15 TLSv1
44     17.172.239.31 192.168.0.15 TLSv1
45     17.172.239.31 192.168.0.15 TLSv1
47     0.0.0.0 255.255.255.255 DHCP
48     0.0.0.0 255.255.255.255 DHCP
49     192.168.0.15 17.172.239.31 TCP
50     192.168.0.15 17.172.239.31 TCP
51     192.168.0.1 192.168.0.15 DHCP
52     192.168.0.15 17.172.239.31 TLSv1
55     17.172.239.31 192.168.0.15 TCP
56     192.168.0.15 17.172.239.31 TLSv1
57     17.172.239.31 192.168.0.15 TCP
58     17.172.239.31 192.168.0.15 TLSv1
59     192.168.0.15 17.172.239.31 TCP
60     192.168.0.15 17.172.239.31 TLSv1
61     17.172.239.31 192.168.0.15 TLSv1
65     192.168.0.15 17.172.239.31 TCP
66     192.168.0.15 17.172.239.31 TLSv1
67     17.172.239.31 192.168.0.15 TCP
70     192.168.0.15 17.172.239.31 TLSv1
74     17.172.239.31 192.168.0.15 TCP
75     17.172.239.31 192.168.0.15 TLSv1
78     192.168.0.15 17.172.239.31 TCP
81     192.168.0.15 224.0.0.251 MDNS
83     192.168.0.15 224.0.0.251 MDNS
85     192.168.0.15 224.0.0.251 MDNS
87     192.168.0.15 224.0.0.251 MDNS
91     192.168.0.15 224.0.0.251 MDNS
```

```
penzhi@kali: ~/SBT-DF203-Lab9
91     192.168.0.15 224.0.0.251 MDNS
93     192.168.0.15 224.0.0.251 MDNS
97     192.168.0.15 8.8.8.8 DNS
98     8.8.8.8 192.168.0.15 DNS
99     192.168.0.15 198.41.209.137 TCP
100    198.41.209.137 192.168.0.15 TCP
101    192.168.0.15 198.41.209.137 TCP
102    192.168.0.15 198.41.209.137 HTTP
103    198.41.209.137 192.168.0.15 TCP
104    192.168.0.15 224.0.0.251 MDNS
106    192.168.0.15 224.0.0.251 MDNS
107    198.41.209.137 192.168.0.15 HTTP
108    198.41.209.137 192.168.0.15 TCP
109    198.41.209.137 192.168.0.15 HTTP
110    198.41.209.137 192.168.0.15 TCP
111    198.41.209.137 192.168.0.15 HTTP
112    198.41.209.137 192.168.0.15 HTTP
113    198.41.209.137 192.168.0.15 HTTP
114    198.41.209.137 192.168.0.15 HTTP
115    198.41.209.137 192.168.0.15 HTTP
116    198.41.209.137 192.168.0.15 TCP
117    192.168.0.15 198.41.209.137 TCP
118    192.168.0.15 198.41.209.137 TCP
119    192.168.0.15 198.41.209.137 TCP
120    192.168.0.15 198.41.209.137 TCP
121    192.168.0.15 198.41.209.137 TCP
122    192.168.0.15 198.41.209.137 TCP
123    192.168.0.15 198.41.209.137 TCP
124    192.168.0.15 198.41.209.137 TCP
125    192.168.0.15 198.41.209.137 TCP
126    192.168.0.15 198.41.209.137 TCP
127    192.168.0.15 8.8.8.8 DNS
128    8.8.8.8 192.168.0.15 DNS
129    192.168.0.15 23.21.196.154 TCP
130    23.21.196.154 192.168.0.15 TCP
131    192.168.0.15 23.21.196.154 TCP
132    192.168.0.15 23.21.196.154 HTTP
133    192.168.0.15 23.21.196.154 TCP
134    17.172.232.98 192.168.0.15 TLSv1
135    192.168.0.15 17.172.232.98 TCP
136    192.168.0.15 8.8.8.8 DNS
137    8.8.8.8 192.168.0.15 DNS
138    192.168.0.15 199.27.79.193 TCP
139    192.168.0.15 199.27.79.193 TCP
140    192.168.0.15 199.27.79.193 TCP
141    192.168.0.15 199.27.79.193 HTTP
142    199.27.79.193 192.168.0.15 TCP
143    199.27.79.193 192.168.0.15 TCP
144    199.27.79.193 192.168.0.15 TCP
145    199.27.79.193 192.168.0.15 TCP
146    199.27.79.193 192.168.0.15 TCP
```



| IP Address        | Packets | Bytes    | Notes                                                       |
|-------------------|---------|----------|-------------------------------------------------------------|
| 192.168.0.15      | 15,309  | 12 MB    | Host — local station, generates almost all outbound traffic |
| 198.90.20.111     | 8,057   | 6,916 kB | Heaviest remote endpoint — primary HTTP session             |
| 199.27.79.193     | 5,694   | 4,825 kB | Second-heaviest remote endpoint — sustained HTTP session    |
| 192.168.0.9       | 329     | 277 kB   | Secondary local host on the same subnet                     |
| 8.8.8.8           | 81      | 10 kB    | Google Public DNS resolver                                  |
| 173.194.x.x range | various | various  | Google-hosted services (ads/analytics)                      |
| 17.172.x.x range  | various | various  | Apple push-notification / CDN infrastructure                |
| 31.13.70.1        | 51      | 19 kB    | Facebook (TLSv1.2 session, likely a share widget)           |

## Top TCP conversations

| Conversation                          | Frames (↔) | Bytes (↔) | Duration (s) |
|---------------------------------------|------------|-----------|--------------|
| 192.168.0.15:51007 ↔ 198.90.20.111:80 | 2,235      | 1,958 kB  | 45.40        |
| 192.168.0.15:50959 ↔ 199.27.79.193:80 | 2,168      | 1,887 kB  | 34.86        |
| 192.168.0.15:51008 ↔ 198.90.20.111:80 | 2,106      | 1,810 kB  | 46.02        |
| 192.168.0.15:51001 ↔ 198.90.20.111:80 | 2,072      | 1,791 kB  | 26.61        |
| 192.168.0.15:51009 ↔ 198.90.20.111:80 | 1,259      | 1,072 kB  | 28.80        |

## Host/gateway identification

|                              |                                                                                                                                                                                                                                                                                                                                                                               |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Host IP</b>               | 192.168.0.15                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Host MAC</b>              | f0:f6:1c:68:96:7c (Apple_68:96:7c) — confirmed via ARP announcement “Apple_68:96:7c → Broadcast: ARP Announcement for 192.168.0.15” and matches the station MAC seen in the WEP-protected frames in Section 9                                                                                                                                                                 |
| <b>Gateway/AP IP</b>         | 192.168.0.1                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Gateway/AP MAC</b>        | 00:26:66:55:97:d4 (EFMNetworks_55:97:d4) — same OUI/device as BSSID 00:26:66:55:97:d6 identified by Aircrack-ng                                                                                                                                                                                                                                                               |
| <b>Server IP(s) observed</b> | No remote server's own MAC is visible in this capture — all off-subnet traffic is forwarded through the gateway (00:26:66:55:97:d4), so only IP addresses are recoverable for remote hosts. The two heaviest remote IPs, 198.90.20.111 and 199.27.79.193, account for the bulk of the HTTP traffic; 198.41.209.137 and 23.21.196.154 were also observed serving HTTP content. |

## Key protocols observed

| Protocol | Purpose in this capture                                                  |
|----------|--------------------------------------------------------------------------|
| ARP      | Address resolution between host (192.168.0.15) and gateway (192.168.0.1) |

| Protocol        | Purpose in this capture                                                                                                  |
|-----------------|--------------------------------------------------------------------------------------------------------------------------|
| DHCP            | Host lease acquisition (Transaction ID 0x21e6be1c/0x21e6be1d), including a DHCP NAK/renegotiation                        |
| DNS             | Lookups to 8.8.8.8 (e.g. www.apple.com, 48-courier.push.apple.com)                                                       |
| ICMPv6          | Router solicitation / multicast listener reports from the host's IPv6 stack                                              |
| IGMPv2 / MDNS   | Local multicast group membership and mDNS discovery (224.0.0.251 etc.)                                                   |
| TCP             | Transport for the HTTP and TLS sessions; visible 3-way handshakes and window scaling                                     |
| TLSv1 / TLSv1.2 | Encrypted sessions to Apple push infrastructure (17.172.x.x) and Facebook (31.13.70.1)                                   |
| HTTP            | Plaintext web session(s) to 198.41.209.137, 199.27.79.193, 23.21.196.154 — source of the objects extracted in Section 13 |

## Part F: Extract Images, HTML and Other Objects

Wireshark/tshark's HTTP object export was run first, followed by foremost as a generic file-carving pass, per the lab's two-method requirement.

```
mkdir -p exported/http_objects exported/foremost
# HTTP object export if HTTP is present
tshark -r "$DEC" --export-objects http,exported/http_objects 2>&1 | tee reports/http_export_log.txt
```

```

ponzhi@kali:~/SBT-DF203-Lab9
$ mkdir -p exported/http_objects exported/foremost

ponzhi@kali:~/SBT-DF203-Lab9
$ tshark -r "$DEC" --export-objects http,exported/http_objects 2>&1 | tee reports/http_export_log.txt
1 0.000000 EFMNetworks_55:97:d4 → Broadcast ARP 42 Who has 192.168.0.15? Tell 192.168.0.1
2 0.943674 Apple_68:96:7c → NetisTechnol_48:e5:b4 ARP 42 Who has 192.168.1.1? Tell 192.168.1.41
3 0.944186 Apple_68:96:7c → NetisTechnol_48:a8:b5 ARP 42 Who has 192.168.0.1? Tell 192.168.0.15
4 0.944186 Apple_68:96:7c → 08:10:77:92:7c:2f ARP 42 Who has 192.168.1.1? Tell 192.168.1.12
5 0.944186 Apple_68:96:7c → EFMNetworks_55:97:d4 ARP 42 Who has 192.168.0.1? Tell 192.168.0.15
6 0.944186 Apple_68:96:7c → TendaTechnol_58:c4:ba ARP 42 Who has 192.168.10.1? Tell 192.168.10.113
7 0.944185 0.0.0.0 → 255.255.255.255 DHCP 342 DHCP Request - Transaction ID 0x21e6be1c
8 0.944704 EFMNetworks_55:97:d4 → Apple_68:96:7c ARP 42 192.168.0.1 is at 00:26:66:55:97:d4
9 0.947778 0.0.0.0 → 255.255.255.255 DHCP 342 DHCP Request - Transaction ID 0x21e6be1c
10 0.949306 fe80::1c0c:f6e8:fedb:8f8e → ff02::2 ICMPv6 70 Router Solicitation from f0:f6:1c:68:96:7c
11 0.954435 192.168.0.1 → 255.255.255.255 DHCP 590 DHCP NAK - Transaction ID 0x21e6be1c
12 0.954937 Apple_68:96:7c → Broadcast ARP 42 ARP Announcement for 192.168.0.15
13 0.955970 fe80::1c0c:f6e8:fedb:8f8e → ff02::2 ICMPv6 70 Router Solicitation from f0:f6:1c:68:96:7c
14 0.956994 Apple_68:96:7c → Broadcast ARP 42 ARP Announcement for 192.168.0.15
15 0.956934 Apple_68:96:7c → Broadcast ARP 42 Who has 169.254.255.255? Tell 192.168.0.15
16 0.960066 Apple_68:96:7c → Broadcast ARP 42 Who has 169.254.255.255? Tell 192.168.0.15
17 1.026106 Apple_68:96:7c → Broadcast ARP 42 Who has 192.168.0.1? Tell 192.168.0.15
18 1.029698 Apple_68:96:7c → Broadcast ARP 42 Who has 192.168.0.1? Tell 192.168.0.15
19 1.029698 EFMNetworks_55:97:d4 → Apple_68:96:7c ARP 42 192.168.0.1 is at 00:26:66:55:97:d4
20 1.030202 192.168.0.15 → 8.8.8.8 DNS 73 Standard query 0x9583 A www.apple.com
21 1.186368 192.168.0.15 → 8.8.8.8 DNS 85 Standard query 0xbe40 A 48-courier.push.apple.com
22 1.187392 192.168.0.15 → 224.0.0.2 IGMPv2 46 Leave Group 224.0.0.251
23 1.187392 192.168.0.15 → 224.0.0.251 IGMPv2 46 Membership Report group 224.0.0.251
24 1.187904 192.168.0.15 → 224.0.0.2 IGMPv2 46 Leave Group 224.0.0.251
25 1.189439 192.168.0.15 → 224.0.0.251 IGMPv2 46 Membership Report group 224.0.0.251
26 1.350208 8.8.8.8 → 192.168.0.15 DNS 203 Standard query response 0x9583 A www.apple.com CNAME www.is
g-apple.com.akadns.net CNAME www.apple.com.edgekey.net CNAME e3191.dscc.akamaiedge.net A 104.74.154.228
27 1.350718 8.8.8.8 → 192.168.0.15 DNS 299 Standard query response 0xbe40 A 48-courier.push.apple.com
CNAME 48-courier-push-apple.com.akadns.net CNAME us-courier.push-apple.com.akadns.net A 17.172.239.31 A 17.172.2
39.127 A 17.172.232.188 A 17.172.239.83 A 17.172.232.166 A 17.172.239.25 A 17.172.232.170 A 17.172.232.185

```

```
ponzhi@kali:~/SBT-DF203-Lab9
Session Actions Edit View Help
27 1.350718 8.8.8.8 → 192.168.0.15 DNS 299 Standard query response 0xbe40 A 48-courier.push.apple.com
CNAME 48.courier-push-apple.com.akadns.net CNAME us-courier.push-apple.com.akadns.net A 17.172.239.31 A 17.172.2
39.127 A 17.172.232.188 A 17.172.239.83 A 17.172.232.166 A 17.172.239.25 A 17.172.232.170 A 17.172.232.185
28 1.350720 Apple 68:96:7c → Broadcast ARP 42 Who has 169.254.255.255? Tell 192.168.0.15
29 1.351744 Apple 68:96:7c → Broadcast ARP 42 Who has 169.254.255.255? Tell 192.168.0.15
30 1.353792 192.168.0.15 → 17.172.239.31 TCP 78 50954 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=16 TSva
l=549602880 TSecr=0 SACK_PERM
31 1.556032 192.168.0.15 → 17.172.239.127 TCP 78 50955 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=16 TSv
al=549603081 TSecr=0 SACK_PERM
32 1.703489 Apple 68:96:7c → Broadcast ARP 42 Who has 169.254.255.255? Tell 192.168.0.15
33 1.703487 17.172.239.31 → 192.168.0.15 TCP 74 443 → 50954 [SYN, ACK] Seq=0 Ack=1 Win=14480 Len=0 MSS=1460
SACK_PERM TSval=646109317 TSecr=549602880 WS=128
34 1.704513 Apple 68:96:7c → Broadcast ARP 42 Who has 169.254.255.255? Tell 192.168.0.15
35 1.729089 192.168.0.15 → 17.172.239.31 TCP 66 50954 → 443 [ACK] Seq=1 Ack=1 Win=131760 Len=0 TSval=549603
254 TSecr=646109317
36 1.743425 192.168.0.15 → 17.172.239.31 TLSv1 255 Client Hello (SN1=courier.push.apple.com)
37 1.879168 17.172.239.127 → 192.168.0.15 TCP 74 443 → 50955 [SYN, ACK] Seq=0 Ack=1 Win=14480 Len=0 MSS=146
0 SACK_PERM TSval=641873548 TSecr=549603081 WS=128
38 1.906816 192.168.0.15 → 17.172.239.127 TCP 54 50955 → 443 [RST] Seq=1 Win=0 Len=0
39 1.923199 Apple 68:96:7c → Broadcast ARP 42 Who has 169.254.255.255? Tell 192.168.0.15
40 1.924226 Apple 68:96:7c → Broadcast ARP 42 Who has 169.254.255.255? Tell 192.168.0.15
41 2.054781 fe80::1c0c:f6e8:fedb:8f8e → ff02::16 ICMPv6 90 Multicast Listener Report Message v2
42 2.054784 17.172.239.31 → 192.168.0.15 TCP 66 443 → 50954 [ACK] Seq=1 Ack=190 Win=15616 Len=0 TSval=64610
9707 TSecr=549603268
43 2.054784 17.172.239.31 → 192.168.0.15 TLSv1 1514 Server Hello
44 2.054785 17.172.239.31 → 192.168.0.15 TLSv1 1514 Certificate
45 2.055297 17.172.239.31 → 192.168.0.15 TLSv1 194 Server Key Exchange, Certificate Request, Server Hello D
one
46 2.056834 fe80::1c0c:f6e8:fedb:8f8e → ff02::16 ICMPv6 90 Multicast Listener Report Message v2
47 2.088572 0.0.0.0 → 255.255.255.255 DHCP 342 DHCP Request - Transaction ID 0x21e6be1d
48 2.092161 0.0.0.0 → 255.255.255.255 DHCP 342 DHCP Request - Transaction ID 0x21e6be1d
49 2.094716 192.168.0.15 → 17.172.239.31 TCP 66 50954 → 443 [ACK] Seq=190 Ack=2897 Win=128864 Len=0 TSval=5
49603611 TSecr=646109715
50 2.094716 192.168.0.15 → 17.172.239.31 TCP 66 50954 → 443 [ACK] Seq=190 Ack=3025 Win=128736 Len=0 TSval=5
49603611 TSecr=646109715
51 2.095232 192.168.0.1 → 192.168.0.15 DHCP 590 DHCP ACK - Transaction ID 0x21e6be1d
```


```
# Generic carving
foremost -i "$DEC" -o exported/foremost | tee reports/foremost_log.txt
find exported -type f -exec file {} \; | tee reports/exported_file_types.txt
```

```
ponzhi@kali:~/SBT-DF203-Lab9
Session Actions Edit View Help
(ponzhi@kali) ~/SBT-DF203-Lab9
$ foremost -i "$DEC" -o exported/foremost | tee reports/foremost_log.txt
Processing: working/file_working-dec
[+]
(ponzhi@kali) ~/SBT-DF203-Lab9
$ find exported -type f -exec file {} \; | tee reports/exported_file_types.txt
exported/http_objects/hlsX3fversion=4.12: XML 1.0 document, ASCII text
exported/http_objects/object6689.applicationX2fjavascript: HTML document, ASCII text, with CRLF line terminators
exported/http_objects/011902011nocookies=undefined: HTML document, ASCII text
exported/http_objects/Lumbar.gifX3fa=37Bx22UjDn223A22ae1543dcdb8b603f50e1849b3db2c79e9ce5872c0878dffc88d838afa4c1a3d222CK22aaccountIDn223Anulln2CK22sessionIDn223AX
224d8d205eae8f11bdsb09808b761dc22K22p2platformX223AX22webX222CK22sourceX223AX(3).comX2F81Vy7t6X22N70: ASCII text, with no line terminators
exported/http_objects/figure-10.png: PNG image data, 230 x 144, 8-bit/color RGBA, non-interlaced
exported/http_objects/analyticX3fver=3ovisitor_id=bp1_opt_in=ocampaign_id=1504baccoun_id=473820title=Decoding7070u5C20disguisedX20asX20anX20.RTFX20fileX20-X20PhishWeb
url=httpX20X2fphishme.comX2fdecoding-reus-disguised-as-an-rtf-fileX2freferrer=httpX20X2fX2Fnetsec: ASCII text
exported/http_objects/Lumbar.gifX3fa=37Bx22UjDn223A22ae1543dcdb8b603f50e1849b3db2c79e9ce5872c0878dffc88d838afa4c1a3d222CK22aaccountIDn223Anulln2CK22sessionIDn223AX
224d8d205eae8f11bdsb09808b761dc22K22p2platformX223AX22webX222CK22sourceX223AX(2).comX2F81Vy7t6X22N70: ASCII text, with no line terminators
exported/http_objects/portfolio-slideshow.min.js: JavaScript source, ASCII text, with very long lines (897)
exported/http_objects/ess.png: PNG image data, 48 x 48, 8-bit/color RGBA, non-interlaced
exported/http_objects/adc-i-0baecd.png: PNG image data, 12 x 12, 8-bit/color RGBA, non-interlaced
exported/http_objects/rombo.png: PNG image data, 61 x 70, 8-bit/color RGBA, non-interlaced
exported/http_objects/trackalyze.js: ASCII text, with CRLF line terminators
exported/http_objects/dot.gif: GIF image data, version 89a, 1 x 1
exported/http_objects/ogl15PAH.jpg: JPEG image data, JFIF standard 1.01, resolution (DPI), density 72x72, segment length 16, comment: "Lavc55.69.100", baseline, precisio
n 8, 718x40w, components 3
exported/http_objects/admin-ajax.phpX3faction=wordfence_logHumanbhid=305E48E60496438879857CB918BAF714br=0.1958578866906464: empty
exported/http_objects/page-list.css: ASCII text
exported/http_objects/phone.png: PNG image data, 46 x 48, 8-bit/color RGBA, non-interlaced
exported/http_objects/dynamik-responsive.js: JavaScript source, ASCII text
exported/http_objects/logo.png: PNG image data, 194 x 35, 8-bit/color RGBA, non-interlaced
exported/http_objects/tabs.min.js: JavaScript source, ASCII text, with very long lines (11858)
exported/http_objects/X2f: HTML document, ASCII text
exported/http_objects/object6521: data
exported/http_objects/heart.png: PNG image data, 46 x 48, 8-bit/color RGBA, non-interlaced
exported/http_objects/ui-bg-class.75_e6e6e6_1x400.png: PNG image data, 1 x 400, 8-bit/color RGBA, non-interlaced
exported/http_objects/object6084.applicationX2fjavascript: JavaScript source, ASCII text, with very long lines (6674)
exported/http_objects/figure-15.png: PNG image data, 470 x 145, 8-bit/color RGBA, non-interlaced
exported/http_objects/ui-icons_888888_256x240.png: PNG image data, 256 x 240, 8-bit colormap, non-interlaced
exported/http_objects/Lumbar.gifX3fa=37Bx22UjDn223A22ae1543dcdb8b603f50e1849b3db2c79e9ce5872c0878dffc88d838afa4c1a3d222CK22aaccountIDn223Anulln2CK22sessionIDn223AX
```



```
find exported -type f -exec sha256sum {} \; | tee reports/exported_file_hashes.txt
```

[illegible][illegible]



Required Findings Worksheet

| Question                        | Finding                                                                                                                                                                                                                                                                                               |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Capture format and duration     | IEEE 802.11 pcap, 45,169 packets, 272.97 s (2015-03-06 08:51:54.364525 – 08:56:27.334320)                                                                                                                                                                                                             |
| BSSID                           | 00:26:66:55:97:d6 (ESSID: cgnetwork)                                                                                                                                                                                                                                                                  |
| Primary station MAC addresses   | Host: f0:f6:1c:68:96:7c (Apple_68:96:7c); Gateway/AP: 00:26:66:55:97:d4 (EFMNetworks_55:97:d4); secondary station: ASUSTekCOMPU_2a:c2:7a (10 stations total per airdecap-ng)                                                                                                                          |
| Protected frame count           | 15,477 WEP data frames                                                                                                                                                                                                                                                                                |
| Repeated IV evidence            | Multiple IVs repeat 4–7 times each (e.g. 0x42e8eb ×7, 0x28d3eb ×7) — confirms IV-space exhaustion/reuse                                                                                                                                                                                               |
| Recovered/validated WEP40 key   | A4:3D:F6:F3:74 (Aircrack-ng PTW attack; matches slide-provided key; 100% decryption success)                                                                                                                                                                                                          |
| Decrypted capture filename/hash | working/file_working-dec — SHA-256<br>167c91994c269777f9048227deb89882caf3fc3c763977f2059604f9a6a40b04                                                                                                                                                                                                |
| Host IP and MAC                 | 192.168.0.15 / f0:f6:1c:68:96:7c (Apple_68:96:7c)                                                                                                                                                                                                                                                     |
| Server IP and MAC               | No remote-host MAC is observable (traffic is forwarded via gateway 00:26:66:55:97:d4); heaviest remote IPs are 198.90.20.111 and 199.27.79.193, with HTTP content also served from 198.41.209.137 and 23.21.196.154                                                                                   |
| Key protocols observed          | ARP, DHCP, DNS, ICMPv6, IGMPv2/MDNS, TCP, TLSv1/TLSv1.2, HTTP                                                                                                                                                                                                                                         |
| Recovered images/HTML           | Dozens of HTTP objects recovered (images, JS, CSS, fonts, JSON, HTML) tied to a PhishMe.com article “Decoding Zeus Disguised as an RTF File”, plus a supplementary foremost carve of smaller image/HTML fragments — see Section 13 tables and reports/exported_file_hashes.txt for the full hash list |
| Optional network passphrase     | Protected appendix only — Part G not performed in this session                                                                                                                                                                                                                                        |

| Question            | Finding                                                                                                                                                                                                                                                     |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Security conclusion | WEP40's 24-bit IV space and RC4 keystream reuse make key recovery practical with commodity tools (Aircrack-ng) against a modest packet count; once broken, WEP provides no confidentiality at all. WEP should be retired in favor of WPA2-AES/CCMP or WPA3. |

## Student Declaration

I confirm that I completed this lab in an authorized environment, preserved the supplied evidence, did not target any third-party system, and accurately documented my own commands, observations and conclusions.

**Trainee: Kumpon Emmanuel**

Date: 25 September 2026