

Which date function is used to add calendar months to date?

- ☐ months_between
- ☐ add_date
- ☐ round
- ☒ add_months

Which character function returns specified characters from the character value starting at character position m, n characters long?

- ☐ lower()
- ☐ upper()
- ☐ initcap()
- ☒ substr()

Which query is used to get the current date?

- ☐ select date from user_table;
- ☒ select sysdate from dual;
- ☐ select date from dual;
- ☐ select sysdate from user_table;

Which number function returns the largest integer value that is equal to or less than a number?

- ☐ celi()
- ☐ trunc()
- ☐ mod()
- ☒ floor()

Single-row functions can be nested to any level and nested functions are evaluated from the deepest level to the least deep level.

- ☐ FALSE
- ☒ TRUE

Which conditional expression facilitates conditional inquiries by doing the work of an IF-THEN-ELSE statement.

- ☐ Decode function
- ☒ Case expression

Which conditional expression facilitates conditional inquiries by doing the work of a CASE or IFTHEN- ELSE statement?

- ☐ Case expression
- ☒ Decode function

Which function compares two expressions and returns null if they are equal or the first expression if they are not equal?

- ☐ COALESCE()
- ☒ NULLIF()
- ☐ NVL2()
- ☐ NVL()


Which function returns the first not null expression in the expression list?

- ☐ NULLIF()
- ☐ NVL()
- ☒ COALESCE()
- ☐ NVL2()


The _____ clause divides the rows in a table into groups.

- ☐ ORDER By
- ☐ WHERE
- ☐ HAVING
-  ☒ GROUP BY


All columns in the SELECT list must be in the GROUP BY clause apart from the group function.

-  ☒ True
- ☐ False

We can use the group functions to return summary information for each _____.

-  ☒ group
- ☐ column
- ☐ group by
- ☐ row

Group function can be used in where clause.

- ☐ True
-  ☒ False