	Wh	ich command is used to give privilege to the user?
	$\bigcirc$	CREATE
	$\bigcirc$	REVOKE
<b>/</b>		GRANT
	$\bigcirc$	TRUNCATE
		ich is used to create privileges to allow users to access I manipulate the database?
	$\bigcirc$	DML
	$\bigcirc$	TCL
	$\bigcirc$	DDL
<b>V</b>		DCL
	Wh	nich command is used to remove a privilege from a er?
~		REVOKE
	$\bigcirc$	CREATE
	$\bigcirc$	TRUNCATE
	$\bigcirc$	GRANT

## Which view derives data from only one table? Omplex View Simple View You cannot remove a row if the view contains , \_\_\_\_\_ and \_\_\_\_\_. "Column definedby expressions" **✓ ✓** Group functions "NOT NULL columnsin the base tablesnot selected in the View." Views contain no data of their own but can be operated on as real relations. ✓ True False Which view does not always allow DML operations through the view. Simple View Complex View An inline view is a subquery with an alias that can be used within an SQL statement. ✓ True False

We can insert, update or delete the records from the original table using complex view.

<b>/</b>	O no
	yes
	" is a virtual table that provides a window through which one can see data (stored in a base relation)."
	○ Index
~	View
	Sequence
	Synonym

NEXTVAL returns a unique value every time it is referenced, even for different users.

/		yes
	$\bigcirc$	no
		generates unique numbers automatically.
	$\bigcirc$	Synonym
	$\bigcirc$	Index
	$\bigcirc$	View
~		Sequence
	Wł	nich is used to create an alias name?
/		Synonym
	$\bigcirc$	Index
	$\bigcirc$	Sequence
	$\bigcirc$	View

creates an index which sorts the data file in the order of the index file.
Function Based Index
Clustered Index
O Unique Index
Non – Clustered Index
Index can be created if a column contains a wide range of values.
✓
O no
is used by the Oracle Server to speed up the retrieval of rows by using a pointer.
Synonym
○ View
✓
Sequence