Which of the following statements is/are valid?

☑ int num1 =10; long num2 = num1;

☐ long num1 = 10; int num2=num1;

☐ int num1 = 65; char x=num1;

☑ char x= 'a '; int num1=x;

Match the following.

int value = 20; long lvalue=value;	Implicit Conversion
long lvalue=20;int value = (int)lvalue;	Explicit Conversion

Match the comments to their corresponding types.

/*Welcome to Java */	Multi Line Comment
//Welcome to Java	Single Line Comment
/** * * */	Java Documentation Comment

Which of the following is a/are primitive data types?

☐ Character

☑ float

☐ Bool

☑ int

Which of the following are valid identifiers?

☐ A12b#

☑ _ab123

☐ public

☑ $12Abc

Match the following with the correct operators.

| ^ >> << >>>	Bitwise Operator
!= > < <= >=	Relational Operator
&& || !	Logical Operator
?:	Conditional Operator

If there are two operators of equal priority in an expression, it gets evaluated based on _____.

◉ Associativity

◯ Precedence

Associativity for which of the following operators is/are right to left?

◯ Shift operator

◉ Conditional operator

◯ Relational operator

◯ Bitwise operator

Assume num1=10. Which of the following is not a valid statement?

◯ num1%=2;

◯ num1<<2;

◯ num1>>2

◉ num1<<<2

Select the correct order of precedence in the following(Highest to lowest).

○ || && ?:

○ && ?: ||

◉ && || ?:

○ ?: && ||

Say true or false.
In java boolean true value is a non-zero value and false value is zero.

○ True

◉ False