

"Software that enables users to define, create and maintain the database and provides controlled access to the database."

- ☐ files
- ☐ database
- ☐ data
- ☒ DBMS

"A shared collection of logically related data, designed to meet the needs of an organization is called as \_\_\_\_\_."

- ☒ database
- ☐ DBMS
- ☐ files
- ☐ data

Database approach is the representation of complex relationships between data.

- ☐ false
- ☒ true

Information is stored in flat files which are maintained by the file system under the \_\_\_\_\_ control.

- ☐ CPU
- ☐ hardware
- ☐ memory
- ☒ operating system

In traditional approach, \_\_\_\_\_ go through the file system in order to access flat files.

- ☐ data
- ☐ system programs
- ☒ application programs
- ☐ information

In which model is data represented by records and pointers?

- ☐ Hierarchical
- ☒ Network
- ☐ Relational
- ☐ Procedural

Which user interacts with the system by invoking one of the permanent application programs that have been written previously?

- ☐ Application programmers
- ☐ DBA
- ☒ End users
- ☐ Sophisticated users


In hierarchical data model, data is represented by a \_\_\_\_\_ structure.

- ☐ object
- ☐ procedural
- ☐ bottom up
- ☒ tree


Which data model is more flexible and easy to use?

- ☐ Procedural
- ☐ Hierarchical
- ☒ Relational
- ☐ Network


A data model is a way of explaining the logical layout of the data and the relationship of various parts to each other and the whole.

-  ☒ True
- ☐ False


Which user interacts with the system by forming their requests in a database query language?

-  ☒ Sophisticated users
- ☐ DBA
- ☐ Application programmers
- ☐ End users

SQL is an ANSI standard computer language for accessing and manipulating database systems.

-  ☒ True
- ☐ False

SQL statements are case sensitive.

- ☐ True
-  ☒ False