



What are all the DDL commands?

-  ☒ Alter
- ☐ Delete
-  ☒ Rename
- ☐ select

What data type is used to store Fixed length character data?




-  ☒ char
- ☐ number
- ☐ varchar2
- ☐ date

Table name can have only letters,numbers and underscore.

-  ☒ True
- ☐ False

Which data type is used to store both integer and float value?

- ☐ char
- ☐ varchar2
-  ☒ number
- ☐ date

_____ defines the structure of the table.

- ☐ DML
-  ☒ DDL
- ☐ DCL
- ☐ TCL

Foreign key is used to enforce the link between tables.


 ☒ True

☐ False

Primary key is the combination of ____ and ____ .

☐ check,not null

☐ null,unique

 ☒ not null,unique

☐ check,unique

Constraints are the rules enforced on data columns on the table.

 ☒ True

☐ False

A table can have _____ primary key.


☐ 0

☐ 3


 ☒ 1

☐ 2

What command is used to change the structure of the table?

- ☐ Rename
-  ☒ Alter
- ☐ Truncate
- ☐ Create

Can we drop a table or a column from a table which has a primary key?

- ☐ No
-  ☒ Yes


When a table is linked with other table it can be truncated.

- ☐ True
-  ☒ False

User cannot override the default constraint name with the user defined constraint name.

- ☐ True
-  ☒ False

In which built in table are the constraint names stored?

-  ☒ user_constraints
- ☐ user_cons_columns
- ☐ user_tables
- ☐ user_views

Column level constraints are applied to ____ column.

- ☐ 3
- ☐ 2
-  ☒ 1
- ☐ 0