



Deletion is not possible if the row to be deleted is referred in the child table.

-  ☒ yes
- ☐ no


Data for date, char and varchar types should be always enclosed within single quotes.

-  ☒ True
- ☐ False

Truncate removes all rows from the table and cannot be reverted back.

-  ☒ True
- ☐ False

What command is used to delete the data from the table without deleting the table structure?

- ☐ alter
- ☐ drop
- ☐ rename
-  ☒ delete

Select DML commands.

 ☒ delete

☐ drop

 ☒ update

☐ create

Which command is used to modify existing rows?

☐ alter

 ☐ update

☐ modify

☐ truncate

The MERGE statement is deterministic.

☐ No

 ☒ Yes

_____ provides the ability to conditionally update or insert data into a database table.


☐ Join

☐ Constraints


 ☒ Merge

☐ Alter


Deleted record can be retrieved back by using _____ command.

- ☐ commit
-  ☒ rollback
- ☐ undo
- ☐ savepoint

_____ is performed automatically and requires no user action.

- ☐ rollback
-  ☒ Locking
- ☐ commit
- ☐ Merging

Transaction should end with either Commit or Rollback.

-  ☒ Yes
- ☐ No

DML commands are by default auto commit.

- ☐ True
-  ☒ False