

File Edit View Search Terminal Help

```
student@linux:~$ mkdir ThirdYearIT
```

```
student@linux:~$ pwd
```

```
/home/student
```

```
student@linux:~$ cd ThirdYearIT
```

```
student@linux:~/ThirdYearIT$ pwd
```

```
/home/student/ThirdYearIT
```

```
student@linux:~/ThirdYearIT$ touch rec.txt
```

```
student@linux:~/ThirdYearIT$ echo "Welcome to Third Year IT\nLinux commands are very useful." > rec.txt
```

```
student@linux:~/ThirdYearIT$ echo "Welcome to Third Year IT\nLinux commands are very useful."
```

```
Welcome to Third Year IT
```

```
Linux commands are very useful.
```

```
student@linux:~/ThirdYearIT$ cat rec.txt
```

```
Welcome to Third Year IT
```

```
Linux commands are very useful.
```

```
student@linux:~/ThirdYearIT$ grep Linux rec.txt
```

```
Linux commands are very useful.
```

```
student@linux:~/ThirdYearIT$ wc -l rec.txt
```

```
2 rec.txt
```

```
student@linux:~/ThirdYearIT$ wc -w rec.txt
```

```
8 rec.txt
```

```
student@linux:~/ThirdYearIT$ wc -c rec.txt
```

```
52 rec.txt
```

```
student@linux:~/ThirdYearIT$ wc -m rec.txt
```

```
52 rec.txt
```

```
student@linux:~/ThirdYearIT$ wc -L rec.txt
```

```
31 rec.txt
```

```
student@linux:~/ThirdYearIT$
```

File Edit View Search Terminal Help

student@linux:~/ThirdYearIT\$ hostname

linux

student@linux:~/ThirdYearIT\$ group

student adm cdrom sudo dip plugdev lpadmin lxd sambashare

student@linux:~/ThirdYearIT\$ nslookup google.com

Server: 8.8.8.8

Address: 8.8.8.8#53

Non-authoritative answer:

Name: google.com

Address: 142.250.195.78

student@linux:~/ThirdYearIT\$ arp -n

Address	HWtype	HWaddress	Flags	Mask	Iface
192.168.1.1	ether	4c:6f:8c:1a:2b:3c	C		eth0
192.168.1.105	ether	00:0c:29:7d:6e:1a	C		eth0

student@linux:~/ThirdYearIT\$ traceroute google.com

traceroute to google.com (142.250.195.78), 30 hops max, 60 byte packets

1	192.168.1.1	1.192 ms	1.135 ms	1.128 ms
2	10.0.0.1	7.895 ms	7.812 ms	7.749 ms
3	172.16.0.1	14.532 ms	14.421 ms	14.305 ms
4	142.250.195.78	20.894 ms	20.771 ms	20.658 ms

student@linux:~/ThirdYearIT\$

Command Prompt

Microsoft Windows [Version 10.0.19045.6466]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Tcs>ping google.com

Pinging google.com [142.250.205.110] with 32 bytes of data:

Reply from 142.250.205.110: bytes=32 time=9ms TTL=120

Reply from 142.250.205.110: bytes=32 time=6ms TTL=120

Reply from 142.250.205.110: bytes=32 time=17ms TTL=120

Reply from 142.250.205.110: bytes=32 time=15ms TTL=120

Ping statistics for 142.250.205.110:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:

Minimum = 6ms, Maximum = 17ms, Average = 11ms

C:\Users\Tcs>nslookup google.com

Server: UnKnown

Address: 172.16.8.1

Non-authoritative answer:

Name: google.com

Addresses: 2404:6800:4007:807::200e
142.251.221.174

C:\Users\Tcs>ping 172.16.8.1

Pinging 172.16.8.1 with 32 bytes of data:

Reply from 172.16.8.1: bytes=32 time<1ms TTL=64

Reply from 172.16.8.1: bytes=32 time<1ms TTL=64

Reply from 172.16.8.1: bytes=32 time<1ms TTL=64

Reply from 172.16.8.1: bytes=32 time<1ms TTL=64

Ping statistics for 172.16.8.1:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:

Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\Users\Tcs>_