



AWS S3 Static Website Hosting with Root Domain Configuration

By: Pooja Daingade

1. Sign in to the AWS Management Console with credentials and open the S3 service home page.




2. Creating an Amazon S3 Bucket Using the Root Domain Name **poojadaingade.shop**




Using the root domain name as the bucket name allows the domain to be directly mapped to the S3 static website through Amazon Route 53.


3. Successfully Created the Root Domain S3 Bucket **poojadaingade.shop**




4. Enable Static Website Hosting for the S3 bucket and configure index.html as the default index document.




5. Disable **Block Public Access** to allow the static website to be publicly accessible.




6. Configure **Object Ownership** by enabling ACLs for the S3 bucket. Check the acknowledgment box.




7. Click the **Upload** button and upload all the static website files.




8. Select all the uploaded files, click **Actions**, and select the **Make public using ACL**.




9. Copied the **S3 Bucket Website Endpoint URL** from the bucket properties.




10. Pasted the **S3 Bucket Website Endpoint URL** into the browser and verified that the website was successfully hosted.



11. Opened the **Amazon Route 53** service. Click on **poojadaingade.shop** hosted zone, which was already mapped with the **Hostinger** domain using Route 53 name servers.



12. Click **Create Record** to add a DNS record for the domain.



13. Select Record Type: A

Turn **Alias On** : Choose endpoint **Alias to S3 website endpoint**

Choose Region **Asia Pacific (Mumbai)**

S3 website endpoint that is automatically displayed.

Click on **Create Record** to complete the DNS configuration.

Create record Info

Quick create record [Switch to wizard](#)

▼ Record 1 [Delete](#)

Record name Info **poojadaingade.shop**

Keep blank to create a record for the root domain.

☒ Alias

Route traffic to Info

Alias to S3 website endpoint

Asia Pacific (Mumbai)

Routing policy Info **Evaluate target health**

CloudShell Agent Toolkit for AWS Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

14. The A Record has been created successfully.

Route 53

Dashboard Hosted zones Health checks Profiles

▼ **Global Resolver**

Global resolvers New Shared DNS views New

▼ **VPC Resolver**

VPCs Inbound endpoints Outbound endpoints Rules Query logging Outposts

Records (3) Info [Delete record](#) [Import zone file](#) [Create record](#)


Automatic mode is the current search behavior optimized for best filter results. [To change modes go to settings.](#)

Type ▼ **Routing p...** ▼ **Alias** ▼ < 1 > ⚙

☐	Record ... ▼	Type ▼	Routin... ▼	Differ... ▼	Alias ▼	Value/Route traffic to ▼	TTL (s...
☐	poojadain...	A	Simple	-	Yes	s3-website.ap-south-1.amaz...	-
☐	poojadain...	NS	Simple	-	No	ns-915.awsdns-50.net. ns-31.awsdns-03.com. ns-1541.awsdns-00.co.uk. ns-1150.awsdns-15.org.	172,800
☐	poojadain...	SOA	Simple	-	No	ns-915.awsdns-50.net. awsd...	900

CloudShell Agent Toolkit for AWS Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

15. Search the root domain **poojadingade.shop** in a web browser and verify that the static website is successfully hosted.



- **Conclusion:**

This project successfully hosted a static website on Amazon S3 and configured a root domain using Amazon Route 53. The website was successfully accessed through the root domain.

- **AWS Services Used**

Amazon S3

Amazon Route 53