

```

Session Actions Edit View Help
└─(root@714023149077)-[~]
# vi dockerfiles

└─(root@714023149077)-[~]
# vi dockerfiles

└─(root@714023149077)-[~]
# cat dockerfiles.html
cat: dockerfiles.html: No such file or directory

└─(root@714023149077)-[~]
# cat dockerfiles.htm
cat: dockerfiles.htm: No such file or directory
\

└─(root@714023149077)-[~]
# cat dockerfiles
FROM ubuntu:latest
RUN apt update
RUN apt install apache2 -y
COPY index.html /var/www/html/
RUN apt install systemctl -y
RUN systemctl start apache2
RUN systemctl enable apache2
ENTRYPOINT apachectl -D FOREGROUND

└─(root@714023149077)-[~]
# vi index.html

└─(root@714023149077)-[~]
# cat index.html
Hello I m pooja cyber security

```

```

Session Actions Edit View Help
FROM httpd:latest
RUN cd htdocs
COPY index.html /htdocs/
ENTRYPOINT apachectl -D Foreground
~

```

```

└─(root@714023149077)-[~/test]
# docker build .
[+] Building 0.9s (8/8) FINISHED                                docker:default
=> [internal] load build definition from dockerfile              0.0s
=> => transferring dockerfile: 132B                               0.0s
=> WARN: JSONArgsRecommended: JSON arguments recommended for ENTRYPOINT to prevent unintended behavior related t 0.0s
=> [internal] load metadata for docker.io/library/httpd:latest  0.0s
=> [internal] load .dockerignore                                  0.0s
=> => transferring context: 2B                                       0.0s
=> [1/3] FROM docker.io/library/httpd:latest                    0.2s
=> [internal] load build context                                  0.1s
=> => transferring context: 31B                                       0.0s
=> [2/3] RUN cd htdocs                                           0.3s
=> [3/3] COPY index.html /htdocs/                                0.1s
=> exporting to image                                           0.1s
=> => exporting layers                                              0.1s
=> => writing image sha256:86ce90296a09effcca658613232fadd0f8e03a0d4cf3c2ed4ea87f48fd265d0e 0.0s

1 warning found (use docker --debug to expand):
- JSONArgsRecommended: JSON arguments recommended for ENTRYPOINT to prevent unintended behavior related to OS signals (
line 4)

└─(root@714023149077)-[~/test]
# docker build -t test .
[+] Building 0.2s (8/8) FINISHED                                docker:default
=> [internal] load build definition from dockerfile              0.0s
=> => transferring dockerfile: 132B                               0.0s
=> WARN: JSONArgsRecommended: JSON arguments recommended for ENTRYPOINT to prevent unintended behavior related t 0.0s
=> [internal] load metadata for docker.io/library/httpd:latest  0.0s
=> [internal] load .dockerignore                                  0.0s
=> => transferring context: 2B                                       0.0s
=> [1/3] FROM docker.io/library/httpd:latest                    0.0s
=> [internal] load build context                                  0.0s
=> => transferring context: 31B                                       0.0s
=> CACHED [2/3] RUN cd htdocs                                    0.0s
=> CACHED [3/3] COPY index.html /htdocs/                        0.0s
=> exporting to image                                           0.0s
=> => exporting layers                                              0.0s
=> => writing image sha256:86ce90296a09effcca658613232fadd0f8e03a0d4cf3c2ed4ea87f48fd265d0e 0.0s
=> => naming to docker.io/library/test                          0.0s

1 warning found (use docker --debug to expand):
- JSONArgsRecommended: JSON arguments recommended for ENTRYPOINT to prevent unintended behavior related to OS signals (
line 4)

```

```
(root@714023149077)-[~/test]
# vi dockerfile

(root@714023149077)-[~/test]
# vi dockerfile


(root@714023149077)-[~/test]
# cat dockerfile
FROM httpd:latest
RUN cd htdocs
COPY index.html /htdocs/
ENTRYPOINT apachectl -D Foreground
```

```
(root@714023149077)-[~/test]
# ifconfig
docker0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 172.17.0.1 netmask 255.255.0.0 broadcast 172.17.255.255
    inet6 fe80::42:d3ff:feec:4195 prefixlen 64 scopeid 0x20<link>
    ether 02:42:d3:ec:41:95 txqueuelen 0 (Ethernet)
    RX packets 8518 bytes 350314 (342.1 KiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 10421 bytes 42283394 (40.3 MiB)
    TX errors 0 dropped 9 overruns 0 carrier 0 collisions 0

eth0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.0.2.15 netmask 255.255.255.0 broadcast 10.0.2.255
    inet6 fe80::9141:ea5b:62aa:440d prefixlen 64 scopeid 0x20<link>
    ether 08:00:27:1f:b7:23 txqueuelen 1000 (Ethernet)
    RX packets 30215 bytes 43358750 (41.3 MiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 8705 bytes 540368 (527.7 KiB)
    TX errors 0 dropped 6 overruns 0 carrier 0 collisions 0

lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
    inet 127.0.0.1 netmask 255.0.0.0
    inet6 ::1 prefixlen 128 scopeid 0x10<host>
    loop txqueuelen 1000 (Local Loopback)
    RX packets 8 bytes 480 (480.0 B)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 8 bytes 480 (480.0 B)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

vetha0ce935: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet6 fe80::18a9:27ff:fea0:b63c prefixlen 64 scopeid 0x20<link>
    ether 1a:a9:27:a0:b6:3c txqueuelen 0 (Ethernet)
    RX packets 8452 bytes 464122 (453.2 KiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 10360 bytes 42278900 (40.3 MiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0
```



It works!

```

❏ (root@714023149077)-[~/test]
❏ # ifconfig

❏ (root@714023149077)-[~/test]
❏ # docker run -d -it --name test3 -p 81:80 test:latest
5d03306da9589f01b3ac19397cbc9bd3bc5527ac90244f7534aa464d65a8d080

❏ (root@714023149077)-[~/test]
❏ # docker ps
CONTAINER ID        IMAGE               COMMAND             CREATED             STATUS              PORTS              NAMES
54fcdd827f8a        ubuntu             "/bin/bash"        58 minutes ago      Up 58 minutes        

❏ (root@714023149077)-[~/test]
❏ # docker run -d httpd
31f37654fc8be7a067254a1c86fa6f9c7e8302b79ca26cea5a4ad4c0c6d022fc

❏ (root@714023149077)-[~/test]
❏ # docker ps
CONTAINER ID        IMAGE               COMMAND             CREATED             STATUS              PORTS              NAMES
31f37654fc8b        httpd              "httpd-foreground"  2 seconds ago       Up 2 seconds       80/tcp             admiring_lederberg
54fcdd827f8a        ubuntu             "/bin/bash"        59 minutes ago      Up 59 minutes        

❏ (root@714023149077)-[~/test]
❏ # vi dockerfile

❏ (root@714023149077)-[~/test]
❏ # docker build -t test2 .
[+] Building 0.3s (8/8) FINISHED                                docker:default
=> [internal] load build definition from dockerfile              0.0s
=> => transferring dockerfile: 135B                             0.0s
=> WARN: JSONArgsRecommended: JSON arguments recommended for ENTRYPOINT to prevent unintended behavior related t 0.0s
=> [internal] load metadata for docker.io/library/httpd:latest  0.0s
=> [internal] load .dockerignore                                 0.0s
=> => transferring context: 2B                                     0.0s
=> [1/3] FROM docker.io/library/httpd:latest                   0.0s
=> [internal] load build context                                 0.0s
=> => transferring context: 31B                                    0.0s
=> CACHED [2/3] RUN cd htdocs                                  0.0s
=> CACHED [3/3] COPY index.html /htdocs/                       0.0s

```

```

=> => naming to docker.io/library/test2                          0.0s

1 warning found (use docker --debug to expand):
- JSONArgsRecommended: JSON arguments recommended for ENTRYPOINT to prevent unintended behavior related to OS signals (
line 5)

❏ (root@714023149077)-[~/test]
❏ # docker run -d -it --name test4 -p 81:80 test2:latest
7b4fa66a0b91a4d4e37133f633edd128d9c9881da464d7d1b2477a0102db779c

❏ (root@714023149077)-[~/test]
❏ # docker ps
CONTAINER ID        IMAGE               COMMAND             CREATED             STATUS              PORTS              NAMES
7b4fa66a0b91        test2:latest       "/bin/sh -c httpd-fo..."  5 seconds ago       Up 4 seconds       0.0.0.0:81→80/tcp, [::]
31f37654fc8b        test4             "httpd-foreground"        About a minute ago   Up About a minute   80/tcp             admiring_lederberg
54fcdd827f8a        ubuntu             "/bin/bash"        About an hour ago    Up About an hour    test

❏ (root@714023149077)-[~/test]
❏ # ifconfig
docker0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 172.17.0.1 netmask 255.255.0.0 broadcast 172.17.255.255
    inet6 fe80::42:d3ff:feec:4195 prefixlen 64 scopeid 0x20<link>
    ether 02:42:d3:ec:41:95 txqueuelen 0 (Ethernet)
    RX packets 8518 bytes 350314 (342.1 KiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 10421 bytes 42283394 (40.3 MiB)
    TX errors 0 dropped 9 overruns 0 carrier 0 collisions 0

eth0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.0.2.15 netmask 255.255.255.0 broadcast 10.0.2.255
    inet6 fe80::9141:ea5b:62aa:440d prefixlen 64 scopeid 0x20<link>
    ether 08:00:27:1f:b7:23 txqueuelen 1000 (Ethernet)
    RX packets 30223 bytes 43362940 (41.3 MiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 8806 bytes 550058 (537.1 KiB)
    TX errors 0 dropped 11 overruns 0 carrier 0 collisions 0

lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
    inet 127.0.0.1 netmask 255.0.0.0
    inet6 ::1 prefixlen 128 scopeid 0x10<host>
    loop txqueuelen 1000 (Local Loopback)
    RX packets 8 bytes 480 (480.0 B)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 8 bytes 480 (480.0 B)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

veth6a965e9: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet6 fe80::583a:18ff:fe96:2ee prefixlen 64 scopeid 0x20<link>
    ether 5a:3a:18:96:02:ee txqueuelen 0 (Ethernet)

```