

AWS **EC2** > Instances

Search [Alt+S]

United States (N. Virginia) Pooja ravindran (4964-5643-1347)

Instances (3) info

Last updated 6 minutes ago

Save filter sets Choose filter set Find instance by attribute or tag (case-sensitive)

Name	Instance ID	Instance state	Instance type	Status check	Alarm status	Availability Zone	Public IPv4 DNS	Public IPv4 ...	Elastic IP
master	i-0cb83cfa6a9ae585	Running	t3.micro	Initializing	View alarms +	us-east-1b	ec2-44-211-61-140.co...	44.211.61.140	-
manage node 1	i-06f060b27711a3b34	Running	t3.micro	Initializing	View alarms +	us-east-1b	ec2-44-202-31-101.co...	44.202.31.101	-
manage node 2	i-08466fa9a84c07bf8	Running	t3.micro	Initializing	View alarms +	us-east-1b	ec2-18-234-79-221.co...	18.234.79.221	-

Select an instance

CloudShell Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

```
login as: ec2-user
Authenticating with public key "ansible-testing" from agent
Amazon Linux 2023
https://aws.amazon.com/linux/amazon-linux-2023

[ec2-user@ip-172-31-88-3 ~]$ sudo -i
[root@ip-172-31-88-3 ~]# yum install python3-pip -y
Amazon Linux 2023 Kernel Livepatch repository 257 kB/s | 30 kB 00:00
Last metadata expiration check: 0:00:01 ago on Wed Mar 25 05:23:15 2026.
Dependencies resolved.

Package Arch Version Repository Size
-----
Installing:
python3-pip noarch 21.3.1-2.amzn2023.0.16 amazonlinux 1.8 M
Installing weak dependencies:
libxcrypt-compat x86_64 4.4.33-7.amzn2023 amazonlinux 92 k

Transaction Summary
-----
Install 2 Packages

Total download size: 1.9 M
Installed size: 11 M
Downloading Packages:
(1/2): libxcrypt-compat-4.4.33-7.amzn2023.x86_64 2.1 MB/s | 92 kB 00:00
(2/2): python3-pip-21.3.1-2.amzn2023.0.16.noarch 31 MB/s | 1.8 MB 00:00
Total 19 MB/s | 1.9 MB 00:00

Running transaction check
Transaction check succeeded.
Running transaction test
Transaction test succeeded.
Running transaction
Preparing : 1/1
Installing : libxcrypt-compat-4.4.33-7.amzn2023.x86_64 1/2
Installing : python3-pip-21.3.1-2.amzn2023.0.16.noarch 2/2
Running scriptlet: python3-pip-21.3.1-2.amzn2023.0.16.noarch 2/2
Verifying : libxcrypt-compat-4.4.33-7.amzn2023.x86_64 1/2
Verifying : python3-pip-21.3.1-2.amzn2023.0.16.noarch 2/2
```

```
Installed:
libxcrypt-compat-4.4.33-7.amzn2023.x86_64
python3-pip-21.3.1-2.amzn2023.0.16.noarch

Complete!
[root@ip-172-31-88-3 ~]# pip install ansible
Collecting ansible
  Downloading ansible-8.7.0-py3-none-any.whl (48.4 MB)
    | 48.4 MB 39 kB/s
Collecting ansible-core<=2.15.7
  Downloading ansible-core-2.15.13-py3-none-any.whl (2.3 MB)
    | 2.3 MB 88 kB/s
Requirement already satisfied: cryptography in /usr/lib64/python3.9/site-packages (from ansible-core<=2.15.7->ansible) (36.0.1)
Collecting jinja2>=3.0.0
  Downloading jinja2-3.1.6-py3-none-any.whl (134 kB)
    | 134 kB 94.2 MB/s
Collecting importlib-resources<5.1.0, >=5.0
  Downloading importlib-resources-5.0.7-py3-none-any.whl (24 kB)
Requirement already satisfied: PyYAML>=5.1 in /usr/lib64/python3.9/site-packages (from ansible-core<=2.15.7->ansible) (5.4.1)
Collecting packaging
  Downloading packaging-26.0-py3-none-any.whl (74 kB)
    | 74 kB 7.6 MB/s
Collecting resolvelib<1.1.0, >=0.5.3
  Downloading resolvelib-1.0.1-py2.py3-none-any.whl (17 kB)
Collecting MarkupSafe>=2.0
  Downloading MarkupSafe-3.0.3-cp39-cp39-manylinux2014_x86_64_manylinux2_17_x86_64_manylinux2_28_x86_64.whl (20 kB)
Requirement already satisfied: cffi>=1.12 in /usr/lib64/python3.9/site-packages (from cryptography->ansible-core<=2.15.7->ansible) (1.14.5)
Requirement already satisfied: pycparser in /usr/lib/python3.9/site-packages (from cffi>=1.12->cryptography->ansible-core<=2.15.7->ansible) (2.20)
Requirement already satisfied: pyparsing>=3.1.1 in /usr/lib/python3.9/site-packages (from pycparser->cffi>=1.12->cryptography->ansible-core<=2.15.7->ansible) (3.1.1)
Installing collected packages: MarkupSafe, resolvelib, packaging, jinja2, importlib-resources, ansible-core, ansible
  Attempting uninstall: MarkupSafe
    Found existing installation: MarkupSafe 1.1.1
    Uninstalling MarkupSafe-1.1.1:
      Successfully uninstalled MarkupSafe-1.1.1
  Attempting uninstall: jinja2
    Found existing installation: Jinja2 2.11.3
    Uninstalling Jinja2-2.11.3:
      Successfully uninstalled Jinja2-2.11.3
Successfully installed MarkupSafe-3.0.3 ansible-8.7.0 ansible-core-2.15.13 importlib-resources-5.0.7 jinja2-3.1.6 packaging-26.0 resolvelib-1.0.1
```

```

gh03S0dcRagFjqtNmVPzIRUEDHx7uPFyBM108TVfwmQ3mdhVCo0wbzpnT9in9CDy
x7TBAoGALp7IYFOVviXh2qiB25wIYuVHT4gA19bnDJ8wXpTfayUrbjcdqlrjETSQ
NyMqGLVo4NJTYJfXnn20//SYoD49e4DS5W6vQ9nfe63BF9rFx6HCCLWbwJHR4
Ld3JZGoRP8RB9XyJKxkT+IbUhPlzNfbBopcC20TnBtdzJja3wv8=
-----END RSA PRIVATE KEY-----
[root@ip-172-31-88-3 ~]# chmod 400 ansible-testing.pem
[root@ip-172-31-88-3 ~]# ls -l
total 12
-r-----. 1 root root 1675 Mar 25 05:55 ansible-testing.pem
-rw-r--r--. 1 root root 4001 Mar 25 05:43 ansible.cfg
-rw-r--r--. 1 root root 183 Mar 25 05:53 worker.txt
[root@ip-172-31-88-3 ~]# ansible all -i worker.txt -m ping
[WARNING]: Unable to parse /root/.worker.txt as an inventory source
[WARNING]: No inventory was parsed, only implicit localhost is available
[WARNING]: provided hosts list is empty, only localhost is available. Note th
at
the implicit localhost does not match 'all'
[root@ip-172-31-88-3 ~]# ansible all -i worker.txt -m ping
[WARNING]: Platform linux on host 18.234.79.221 is using the discovered Python
n
interpreter at /usr/bin/python3.9, but future installation of another Python
interpreter could change the meaning of that path. See
https://docs.ansible.com/ansible-
core/2.15/reference_appendices/interpreter_discovery.html for more informatio
n.
18.234.79.221 | SUCCESS => {
  "ansible_facts": {
    "discovered_interpreter_python": "/usr/bin/python3.9"
  },
  "changed": false,
  "ping": "pong"
}
[WARNING]: Platform linux on host 44.202.31.101 is using the discovered Python
n
interpreter at /usr/bin/python3.9, but future installation of another Python
interpreter could change the meaning of that path. See
https://docs.ansible.com/ansible-
core/2.15/reference_appendices/interpreter_discovery.html for more informatio
n.
44.202.31.101 | SUCCESS => {
  "ansible_facts": {
    "discovered_interpreter_python": "/usr/bin/python3.9"
  },
  "changed": false,
  "ping": "pong"
}
[root@ip-172-31-88-3 ~]#

```

```


[root@ip-172-31-88-3 ~]# vi worker.txt
[root@ip-172-31-88-3 ~]# ansible dev -i worker.txt -m ping
[WARNING]: Platform linux on host 44.202.31.101 is using the discovered Python
n
interpreter at /usr/bin/python3.9, but future installation of another Python
interpreter could change the meaning of that path. See
https://docs.ansible.com/ansible-
core/2.15/reference_appendices/interpreter_discovery.html for more informatio
n.
44.202.31.101 | SUCCESS => {
  "ansible_facts": {
    "discovered_interpreter_python": "/usr/bin/python3.9"
  },
  "changed": false,
  "ping": "pong"
}
[root@ip-172-31-88-3 ~]# ansible deploy -i worker.txt -m ping
[WARNING]: Platform linux on host 18.234.79.221 is using the discovered Python
n
interpreter at /usr/bin/python3.9, but future installation of another Python
interpreter could change the meaning of that path. See
https://docs.ansible.com/ansible-
core/2.15/reference_appendices/interpreter_discovery.html for more informatio
n.
18.234.79.221 | SUCCESS => {
  "ansible_facts": {
    "discovered_interpreter_python": "/usr/bin/python3.9"
  },
  "changed": false,
  "ping": "pong"
}
[root@ip-172-31-88-3 ~]# exit
logout
[ec2-user@ip-172-31-88-3 ~]$ yum install httpd
Error: This command has to be run with superuser privileges (under the root u
ser on most systems).
[ec2-user@ip-172-31-88-3 ~]$ sudo -i
[root@ip-172-31-88-3 ~]# ansible dev -i worker.txt -m yum -a "name=httpd stat
e=present" -b
44.202.31.101 | CHANGED => {
  "ansible_facts": {
    "pkg_mgr": "dnf"
  },
  "changed": true,
  "msg": "",
  "rc": 0,
  "results": {
    "Installed: libbrotli-1.0.9-4.amzn2023.0.2.x86_64",
    "Installed: httpd-2.4.66-1.amzn2023.0.1.x86_64",
    "Installed: httpd-filesystem-2.4.66-1.amzn2023.0.1.noarch",
    "Installed: apr-util-lmdb-1.6.3-1.amzn2023.0.2.x86_64",
    "Installed: mod_lua-2.4.66-1.amzn2023.0.1.x86_64",
    "Installed: mailcap-2.1.49-3.amzn2023.0.3.noarch",
    "Installed: apr-util-openssl-1.6.3-1.amzn2023.0.2.x86_64",
    "Installed: httpd-core-2.4.66-1.amzn2023.0.1.x86_64",
    "Installed: mod_http2-2.0.27-1.amzn2023.0.3.x86_64",
    "Installed: generic-logos-httpd-18.0.0-12.amzn2023.0.3.noarch",
    "Installed: apr-1.7.5-1.amzn2023.0.4.x86_64",
    "Installed: httpd-tools-2.4.66-1.amzn2023.0.1.x86_64",
    "Installed: apr-util-1.6.3-1.amzn2023.0.2.x86_64"
  ]
}

```


```

[root@ip-172-31-88-3 ~]# ansible dev -i worker.txt -m yum -a "name=httpd stat
e=present" -b
44.202.31.101 | CHANGED => {
  "ansible_facts": {
    "pkg_mgr": "dnf"
  },
  "changed": true,
  "msg": "",
  "rc": 0,
  "results": {
    "Installed: libbrotli-1.0.9-4.amzn2023.0.2.x86_64",
    "Installed: httpd-2.4.66-1.amzn2023.0.1.x86_64",
    "Installed: httpd-filesystem-2.4.66-1.amzn2023.0.1.noarch",
    "Installed: apr-util-lmdb-1.6.3-1.amzn2023.0.2.x86_64",
    "Installed: mod_lua-2.4.66-1.amzn2023.0.1.x86_64",
    "Installed: mailcap-2.1.49-3.amzn2023.0.3.noarch",
    "Installed: apr-util-openssl-1.6.3-1.amzn2023.0.2.x86_64",
    "Installed: httpd-core-2.4.66-1.amzn2023.0.1.x86_64",
    "Installed: mod_http2-2.0.27-1.amzn2023.0.3.x86_64",
    "Installed: generic-logos-httpd-18.0.0-12.amzn2023.0.3.noarch",
    "Installed: apr-1.7.5-1.amzn2023.0.4.x86_64",
    "Installed: httpd-tools-2.4.66-1.amzn2023.0.1.x86_64",
    "Installed: apr-util-1.6.3-1.amzn2023.0.2.x86_64"
  ]
}
[root@ip-172-31-88-3 ~]# cat worker.txt
[dev]
44.202.31.101 ansible_user=ec2-user ansible_ssh_private_key_file=/root/ansibl
e-testing.pem
[deploy]
18.234.79.221 ansible_user=ec2-user ansible_ssh_private_key_file=/root/ansibl
e-testing.pem

```

```
[root@ip-172-31-88-3 ~]# ansible dev -i worker.txt -m copy -a "src=index.html
dest=/var/www/html/" -b
[WARNING]: Platform linux on host 44.202.31.101 is using the discovered Python
interpreter at /usr/bin/python3.9, but future installation of another Python
interpreter could change the meaning of that path. See
https://docs.ansible.com/ansible-
core/2.15/reference_appendices/interpreter_discovery.html for more informatio
n.
44.202.31.101 | CHANGED => {
  "ansible_facts": {
    "discovered_interpreter_python": "/usr/bin/python3.9"
  },
  "changed": true,
  "checksum": "6c6belc89630c2de569172cdf604c71e19c93309",
  "dest": "/var/www/html/index.html",
  "gid": 0,
  "group": "root",
  "md5sum": "176ccfc9155f73f3b9aa546601e16845",
  "mode": "0644",
  "owner": "root",
  "secontext": "system_u:object_r:httpd_sys_content_t:s0",
  "size": 29,
  "src": "/home/ec2-user/.ansible/tmp/ansible-tmp-1774421346.4921272-4873-1
92264540622318/source",
  "state": "file",
  "uid": 0
}
[root@ip-172-31-88-3 ~]#
```



```

}
[root@ip-172-31-88-3 ~]# vi playbook.yaml
[root@ip-172-31-88-3 ~]# cat playbook.yaml
- hosts: deploy
  become: yes
  tasks:
    - name: apache installation
      yum:
        name: httpd
        state: present
    - name: apache service start
      service:
        name: httpd
        state: started
    - name: index file copy
      copy:
        src: index.html
        dest: /var/www/html/

[root@ip-172-31-88-3 ~]# ansible-playbook -i worker.txt playbook.yaml --syntax-check
playbook: playbook.yaml
[root@ip-172-31-88-3 ~]# ansible-playbook -i worker.txt playbook.yaml


PLAY [deploy] *****
****

TASK [Gathering Facts] *****
****
[WARNING]: Platform linux on host 18.234.79.221 is using the discovered Python
on
interpreter at /usr/bin/python3.9, but future installation of another Python
interpreter could change the meaning of that path. See
https://docs.ansible.com/ansible-
core/2.15/reference_appendices/interpreter_discovery.html for more informati
on.
ok: [18.234.79.221]

TASK [apache installation] *****
****
changed: [18.234.79.221]

TASK [apache service start] *****

```



```

(kali@714023149077)-[~]
$ sudo -i
sudo: unable to resolve host 714023149077: Name or service not known
[sudo] password for kali:
(kali@714023149077)-[~]
# docker pull prom/prometheus
Using default tag: latest
latest: Pulling from prom/prometheus
980286587234: Pull complete
2ab9378e6191: Pull complete
95756c9407b7: Pull complete
7accd0adc257: Pull complete
aed72dcc568f: Pull complete
e0997af08d2a: Pull complete
6f79261e6151: Pull complete
6c915ab1ac8a: Pull complete
5b864d736c14: Pull complete
f7e28bb22d10: Pull complete
Digest: sha256:4a61322ac1103a0e3aea2a61ef1718422a48fa046441f299d71e660a3bc71ae9
Status: Downloaded newer image for prom/prometheus:latest
docker.io/prom/prometheus:latest

(kali@714023149077)-[~]
# docker run -d -it --name prom -p 9090:9090 prom/prometheus
ec7c7534fde85fc7d59740a86f6e3dab9040bf7650f7d7a765b875e65c07d5fc

(kali@714023149077)-[~]
# docker ps

```

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS	PORTS	NAMES
ec7c7534fde8	prom/prometheus	"/bin/prometheus --c..."	9 seconds ago	Up 8 seconds	0.0.0.0:9090→9090/tcp, :::9090→9090/tcp	prom
93f3ec3b8623	mysql:latest	"docker-entrypoint.s..."	3 weeks ago	Up 4 minutes	0.0.0.0:3306→3306/tcp, :::3306→3306/tcp, 33060/tcp	my-mysql

```

root@kali:~# docker ps
CONTAINER ID   IMAGE          COMMAND                  CREATED        STATUS        PORTS                               NAMES
ec7c7534fde8   prom/prometheus "/bin/prometheus --c..." 9 seconds ago  Up 8 seconds  0.0.0.0:9090->9090/tcp, :::9090->9090/tcp   prom
92f3ac108623   mysql:latest  "docker-entrypoint.s..." 3 weeks ago   Up 4 minutes  0.0.0.0:3306->3306/tcp, :::3306->3306/tcp   my-mysql

root@kali:~# docker exec -it prom /bin/bash
OCI runtime exec failed: exec failed: unable to start container process: exec: "/bin/bash": stat /bin/bash: no such file or directory: unknown

root@kali:~# docker exec -it prom /bin/sh
/prometheus$ docker ps
/bin/sh: docker: not found
/prometheus$ cd /etc
/etc$ cd prometheus
time=2026-03-25T09:18:54.784Z level=ERROR source=main.go:672 msg="Error loading config (--config.file=prometheus.yml)" file=/etc/prometheus.yml err="open prometheus.yml: no such file or directory"
/etc$ cd prometheus
/etc/prometheus$ ls
prometheus.yml
/etc/prometheus$ cat prometheus.yml
# my global config
global:
  scrape_interval: 15s # Set the scrape interval to every 15 seconds. Default is every 1 minute.
  evaluation_interval: 15s # Evaluate rules every 15 seconds. The default is every 1 minute.
  # scrape_timeout is set to the global default (10s).



# Alertmanager configuration
alerting:
  alertmanagers:
    - static_configs:
      - targets:
        # - alertmanager:9093

# Load rules once and periodically evaluate them according to the global 'evaluation_interval'.
rule_files:
  # - "first_rules.yml"
  # - "second_rules.yml"

# A scrape configuration containing exactly one endpoint to scrape:
# Here it's Prometheus itself.
scrape_configs:
  # The job name is added as a label 'job=<job_name>' to any timeseries scraped from this config.
  - job_name: "prometheus"

    # metrics_path defaults to '/metrics'
    # scheme defaults to 'http'.

    static_configs:
      - targets: ["localhost:9090"]
        # The label name is added as a label 'label_name=<label_value>' to any timeseries scraped from this config.
        labels:
          app: "prometheus"
/etc/prometheus$
```



```

latest: Pulling from grafana/grafana
589002ba0eae: Pull complete
5f30ee5ce809: Pull complete
92365e648664: Pull complete
01ec7c091b49: Pull complete
e118bc37cc88: Pull complete
0a59c2dec064: Pull complete
e77fbd81b6e3: Pull complete
33ea8387e43a: Pull complete
297d0a340a4a: Pull complete
bf29a0e8c378: Pull complete
4f4fb700ef5a: Pull complete
29bc96ad6092: Pull complete
Digest: sha256:e932bd6ed0e026595b08483cd0141e5103e1ab7ff8604839ff899b8dc54cabcb
Status: Downloaded newer image for grafana/grafana:latest
docker.io/grafana/grafana:latest

(root@714823149077)~# docker run -d -it --name grafana -p 3000:3000 grafana/grafana
077d198f8926b48f4c93ee1c3f7fe7c4f8aec943b12c5c99d7d6d2f2d4bd2bff

(root@714823149077)~# docker ps
CONTAINER ID   IMAGE          COMMAND                  CREATED        STATUS        PORTS                                                                                               NAMES
077d198f8926   grafana/grafana  "/run.sh"                13 seconds ago Up 11 seconds  0.0.0.0:3000->3000/tcp, :::3000->3000/tcp                 grafana
ec7c7534fde8   prom/prometheus  "/bin/prometheus --c..." 23 minutes ago Up 23 minutes  0.0.0.0:9090->9090/tcp, :::9090->9090/tcp                 prom
93f3ec3b8623   mysql:latest    "docker-entrypoint.s..." 3 weeks ago    Up 28 minutes  0.0.0.0:3306->3306/tcp, :::3306->3306/tcp, 33060/tcp    my-mysql

(root@714823149077)~# docker exec -it grafana /bin/sh
/usr/share/grafana $ ifconfig
eth0      Link encap:Ethernet  HWaddr 02:42:AC:11:00:03
          inet addr:172.17.0.3  Bcast:172.17.255.255  Mask:255.255.0.0
          UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
          RX packets:5056 errors:0 dropped:0 overruns:0 frame:0
          TX packets:3039 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:0
          RX bytes:22022920 (21.0 MiB)  TX bytes:179777 (175.5 KiB)

lo        Link encap:Local Loopback
          inet addr:127.0.0.1  Mask:255.0.0.0
          inet6 addr: ::1/128 Scope:Host
          UP LOOPBACK RUNNING  MTU:65536  Metric:1
          RX packets:0 errors:0 dropped:0 overruns:0 frame:0
          TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:1000
          RX bytes:0 (0.0 B)  TX bytes:0 (0.0 B)

```

