9. ReactJS-HOL

Objectives

- List the features of ES6
- Explain JavaScript let
- Identify the differences between var and let
- Explain JavaScript const
- Explain ES6 class fundamentals
- Explain ES6 class inheritance
- Define ES6 arrow functions
- Identify set(), map()

In this hands-on lab, you will learn how to:

- Use map() method of ES6
- Apply arrow functions of ES6
- Implement Destructuring features of ES6

Prerequisites

The following is required to complete this hands-on lab:

- Node.js
- NPM
- Visual Studio Code

Notes

Estimated time to complete this lab: 60 minutes.

Create a React Application named "cricketapp" with the following components:

- 1. ListofPlayers
 - Declare an array with 11 players and store details of their names and scores using the map feature of ES6

• Filter the players with scores below 70 using arrow functions of ES6.

```
return(
    players.map((item)=>
    {
        if(item.score<=70)
        {
            players70.push(item);
        }
    }),
```

2. IndianPlayers

a. Display the Odd Team Player and Even Team players using the Destructuring features of ES6


b. Declare two arrays T20players and RanjiTrophy players and merge the two arrays and display them using the Merge feature of ES6

```
const T20Players=['First Player','Second Player','Third Player'];
const RanjiTrophyPlayers=['Fourth Player','Fifth Player','Sixth Player'];
export const IndianPlayers=[...T20Players, ...RanjiTrophyPlayers]
```


Display these two components in the same home page using a simple if else in the flag variable.

Output:

When Flag=true



When Flag=false



Hint:

```
var flag=true;
 if(flag===true)
 return(
      <h1> List of Players</h1>
       <ListofPlayers players={players}/>
       <h1> List of Players having Scores Less than 70 </h1>
       <Scorebelow70 players={players}/>
 else{
    return(
         <h1> Indian Team </h1>
         <h1> Odd Players </h1>
         {OddPlayers(IndianTeam)}
         <h1> Even Players</h1>
         {EvenPlayers(IndianTeam)}
         <h1> List of Indian Players Merged:</h1>
         <ListofIndianPlayers IndianPlayers={IndianPlayers}/>
```

1.Create the React App:

npx create-react-app cricketapp cd cricketapp

npm start

Code

2.App.js

```
| File | Edit | Selection | View | Wish | Selection | View | Wish | Selection | Management | Man
```

This App.js file is the main component that conditionally renders player-related components based on a flag variable.

It demonstrates ES6 features like destructuring, arrow functions, map(), filter(), and spread syntax in a React application.


```
import React from 'react';
import ListofPlayers from './ListofPlayers';
import Scorebelow70 from './Scorebelow70';
import OddPlayers from './OddPlayers';
import EvenPlayers from './EvenPlayers';
import ListofIndianPlayers from './ListofIndianPlayers';
function App() {
  const flag = false;
  const players = [
    { name: "Sachin", score: 95 },
```

```
{ name: "Dhoni", score: 45 },
 { name: "Kohli", score: 80 },
 { name: "Raina", score: 65 },
 { name: "Yuvraj", score: 70 }
];
const IndianTeam = ["Sachin1", "Dhoni2", "Virat3", "Rohit4", "Yuvaraj5", "Raina6"];
const T20Players = ["Mr. First Player", "Mr. Second Player", "Mr. Third Player"];
const RanjiPlayers = ["Mr. Fourth Player", "Mr. Fifth Player", "Mr. Sixth Player"];
const IndianPlayers = [...T20Players, ...RanjiPlayers];
if (flag === true) {
 return (
  <div>
   <h1>List of Players</h1>
   <ListofPlayers players={players} />
   <hr />
   <h1>List of Players having Scores Less than 70</h1>
   <Scorebelow70 players={players} />
  </div>
 );
} else {
 return (
  <div>
   <div>
    <h1>Indian Team</h1>
    <h1>Odd Players</h1>
    {OddPlayers(IndianTeam)}
    <hr />
    <h1>Even Players</h1>
    {EvenPlayers(IndianTeam)}
   </div>
   <hr />
```

```
<div>
     <h1>List of Indian Players Merged:</h1>
     <ListofIndianPlayers IndianPlayers={IndianPlayers} />
     </div>
     </div>
    );
}
```

export default App;

3.ListofIndianPlayers.js



```
};
export default ListofIndianPlayers;
```

4.ListofPlayers.js

```
刘 File Edit Selection View Go Run …
                                                                                                               & ~
                                                                                                                               08 🔲
                                                                                                    JS ListofIndianPlayers.js U X ▷ 🖔 🗓
                                                              JS OddPlayers.js U
                          src > JS ListofIndianPlayers.js > .
                             3 const ListofIndianPlayers = ({ IndianPlayers }) => {
                                     JS App.test.js
       JS index.js
                                  export default ListofIndianPlayers;
       ¹∎ logo.svg
       JS OddPlayers.js U
       JS reportWebVitals.js
       JS setupTests.js
      gitignore
      {} package-lock.json
      {} package.json

    README.md
```

5.EvenPlayers.js

```
🗙 File Edit Selection View Go Run …
                                                                                                                      & ~

∠ cricketapp

       EXPLORER ··· stofPlayers.js U
                                                                 JS OddPlayers.js U
                                                                                     JS EvenPlayers.js U X JS ListofIndianPlayers.js U

      V CRICK...
      □ 15 EvenPlayers.js > 10 EvenPlayers

                                   const EvenPlayers = (IndianTeam) => {
       > public
                                    const team = IndianTeam;
       ✓ stc
# App.css
M
       JS App.test.js
                                        JS EvenPlayers.js U
       JS index.js
                                   export default EvenPlayers;
       🔓 logo.svg
       JS OddPlayers.js U
       JS reportWebVitals.js
       JS setupTests.js
       gitignore
      {} package-lock.json
      {} package.json
      (i) README.md
```

OUTPUT:

