Cucumber Report

| Start : Aug 16, 1:49:16.902 PM	End : Aug 16, 1:49:24.770 PM	Duration : 7.868 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 3 SKIPPED - 0	PASSED - 1 FAILED - 3 SKIPPED - 7

Features: 1

Scenarios: 3

Steps: 11

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 9 %

#	Feature Name	T	P	F	S	Duration
1	Hireprous login	3	0	3	0	7.868 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Hireprous login	Login page field validation	3	1	1	1	7.531 s
2	Hireprous login	Login to application with Invalid user credentials	4	0	1	3	0.172 s
3	Hireprous login	Login to application with valid user credentials	4	0	1	3	0.149 s

(F)- Hireprous login

FAILED	DURATION - 7.868 s	Scenarios		Steps	
	/ 1:49:16.902 PM // 1:49:24.770 PM /	Total - 3 Pass - 0 Fail - 3 Skip - 0	3	Total - 11 Pass - 1 Fail - 3 Skip - 7	11

(S)- Login page field validation

FAILED	DURATION - 7.531 s		Steps	
	/ 1:49:16.902 PM // 1:49:24.433 PM /		Total - 3 Pass - 1 Fail - 1 Skip - 1	3
	Hireprous login			
	@RegressionTest			

#	Step / Hook Details	Status	Duration
1	Given User navigate to Hireprous page	PASSED	7.311 s
2	When user verifies Hireprous logo	FAILED	0.032 s

	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //*[@id='hirepro'] | //*[@src='assets/img/Hireprous.png' because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[@id='hirepro'] | //*[@src='assets/img/Hireprous.png'' is not a valid XPath expression. (Session info: chrome=104.0.5112.81) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-KASTHURI', ip: '192.168.0.187', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a8990b0dcf837b5e9e29072d475ea32e, findElement {using=xpath, value=//*[@id='hirepro'] | //*[@src='assets/img/Hireprous.png']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.81, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:55648}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55648/devtoo..., se:cdpVersion: 104.0.5112.81, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a8990b0dcf837b5e9e29072d475ea32e
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619) at org.openqa.selenium.remote.RemoteWebDriver$Mechanism$2.findElement(RemoteWebDriver.java:1258) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:386) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380) at TestStepdef.Stepdef.user_verifies_hireprous_logo(Stepdef.java:59) at ?.user verifies Hireprous logo(file:///C:/TestProject/src/test/resources/Features/Loginpage.feature:7) * Not displayable characters are replaced by '?'.		
3	And User verifies login page fields	SKIPPED	0.000 s
	AFTER - TestStepdef.Stepdef.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
	image		
	+		

(S)- Login to application with Invalid user credentials

FAILED	DURATION - 0.172 s		Steps	
	/ 1:49:24.433 PM // 1:49:24.605 PM /		Total - 4 Pass - 0 Fail - 1 Skip - 3	
	Hireprous login			
	@RegressionTest			

#	Step / Hook Details	Status	Duration
1	Given User is on the Hireprous page	FAILED	0.006 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //*[@id='hirepro'] | //*[@src='assets/img/Hireprous.png' because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[@id='hirepro'] | //*[@src='assets/img/Hireprous.png'' is not a valid XPath expression. (Session info: chrome=104.0.5112.81) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-KASTHURI', ip: '192.168.0.187', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version:		

#	Step / Hook Details	Status	Duration

	'11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a8990b0dcf837b5e9e29072d475ea32e, findElement {using=xpath, value=//*[@id='hirepro']	//*[@src='assets/img/Hireprous.png']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.81, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:55648}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55648/devtoo..., se:cdpVersion: 104.0.5112.81, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a8990b0dcf837b5e9e29072d475ea32e
		    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
		    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
		    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
		    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
		    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198)
		    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131)
		    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
		    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
		    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153)
		    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)
		    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619)
		    at org.openqa.selenium.remote.RemoteWebDriver$Mechanism$2.findElement(RemoteWebDriver.java:1258)
		    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:386)
		    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380)
		    at TestStepdef.Stepdef.user_is_on_the_hireprous_page(Stepdef.java:74)
		    at ?.User is on the Hireprous page(file:///C:/TestProject/src/test/resources/Features/Loginpage.feature:13)
		* Not displayable characters are replaced by '?'.		

2	When User enters invalid username and password	SKIPPED	0.000 s
3	And User clicks on the Log IN button	SKIPPED	0.000 s
4	Then User verifes the error message for invalid credentials	SKIPPED	0.000 s
	AFTER - TestStepdef.Stepdef.addScreenshot(io.cucumber.java.Scenario) image +	PASSED	0.150 s

(S)- Login to application with valid user credentials

FAILED	DURATION - 0.149 s
/ 1:49:24.621 PM // 1:49:24.770 PM /	
Hireprous login	
@SmokeTest	

Steps
Total - 4
Pass - 0
Fail - 1
Skip - 3

#	Step / Hook Details	Status	Duration
1	Given User is on Hireprous login page	FAILED	0.010 s

org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //*[@id='hirepro'] | //*[@src='assets/img/Hireprous.png' because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[@id='hirepro'] | //*[@src='assets/img/Hireprous.png'' is not a valid XPath expression.   (Session info: chrome=104.0.5112.81) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-KASTHURI', ip: '192.168.0.187', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a8990b0dcf837b5e9e29072d475ea32e, findElement {using=xpath, value=//*[@id='hirepro'] | //*[@src='assets/img/Hireprous.png']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.81, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:55648}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55648/devtoo..., se:cdpVersion: 104.0.5112.81, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a8990b0dcf837b5e9e29072d475ea32e
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619)
   at org.openqa.selenium.remote.RemoteWebDriver$Mechanism$2.findElement(RemoteWebDriver.java:1258)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:386)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380)
   at TestStepdef.Stepdef.user_is_on_hireprous_login_page(Stepdef.java:111)
   at ?.User is on Hireprous login page(file:///C:/TestProject/src/test/resources/Features/Loginpage.feature:22)
* Not displayable characters are replaced by '?'.

#	Step / Hook Details	Status	Duration
2	When User enters username and password	SKIPPED	0.000 s
3	And User clicks on Log IN button	SKIPPED	0.000 s
4	Then User login must be successful	SKIPPED	0.001 s
	AFTER - TestStepdef.Stepdef.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.135 s

(Step) AFTER - TestStepdef.Stepdef. addScreenshot(io.cucumber.java. Scenario)

(S) Login page field validation

(F) Hireprous login

(Step) AFTER - TestStepdef.Stepdef. addScreenshot(io.cucumber.java. Scenario)

(S) Login to application with Invalid user credentials

(F) Hireprous login

(Step) AFTER - TestStepdef.Stepdef.
addScreenshot(io.cucumber.java.
Scenario)

(S) Login to application with valid user
credentials

(F) Hireprous login

HIREPROUS

Email

Password

Forgot Password?

LOGIN

promantus
services