Cucumber Report

| Start : Aug 16, 3:29:06.181 PM	End : Aug 16, 3:30:05.324 PM	Duration : 59.143 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 1 SKIPPED - 0	PASSED - 3 FAILED - 3 SKIPPED - 0	PASSED - 13 FAILED - 3 SKIPPED - 12

Features: 2

Scenarios: 6

Steps: 28

Features Pass %: 50 %

Scenarios Pass %: 50 %

Steps Pass %: 46 %

#	Feature Name	T	P	F	S	Duration
1	Checking Recruitment functionality	3	0	3	0	26.664 s
2	Hireprous login	3	3	0	0	32.463 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking Recruitment functionality	Recuruitment page field validation	6	1	1	4	12.834 s
2	Checking Recruitment functionality	Recruitment field and error message validation	5	0	1	4	0.145 s
3	Checking Recruitment functionality	Filling Job Request creation	6	1	1	4	13.643 s
4	Hireprous login	Login page field validation	3	3	0	0	7.377 s
5	Hireprous login	Login to application with Invalid user credentials	4	4	0	0	4.436 s
6	Hireprous login	Login to application with valid user credentials	4	4	0	0	20.636 s

(F)- Checking Recruitment functionality

FAILED	DURATION - 26.664 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0	3	Steps Total - 17 Pass - 2 Fail - 3 Skip - 12	17
/ 3:29:06.181 PM // 3:29:32.845 PM /					

(S)- Recuruitment page field validation

FAILED	DURATION - 12.834 s		Steps Total - 6 Pass - 1 Fail - 1 Skip - 4	6
/ 3:29:06.192 PM // 3:29:19.026 PM /				
Checking Recruitment functionality				
@RegressionTest				

#	Step / Hook Details	Status	Duration
1	Given User navigate to the Dashboard page by logging in Hireprous page	PASSED	10.631 s
2	When User clicks on Recruitment from top menu	FAILED	2.049 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id='recruitment']"} (Session info: chrome=104.0.5112.81) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-KASTHURI', ip: '192.168.0.187', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [aad26ec9f020a31b0ecd48ae2b76e862, findElement {using=xpath, value=//*[@id='recruitment']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.81, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:58832}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58832/devtoo..., se:cdpVersion: 104.0.5112.81, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: aad26ec9f020a31b0ecd48ae2b76e862
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619) at org.openqa.selenium.remote.RemoteWebDriver$Mechanism$2.findElement(RemoteWebDriver.java:1258) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:386) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380) at TestStepdef.Stepdef.user_clicks_on_recruitment_from_top_menu(Stepdef.java:202) at ?.User clicks on Recruitment from top menu(file:///C:/TestProject/src/test/resources/Features/JobRequest.feature:7) * Not displayable characters are replaced by '?'.		
3	Then User will be redirected to Recruitment process page	SKIPPED	0.000 s
4	And User clicks on Job Request menu	SKIPPED	0.000 s
5	Then User will be redirected to the JOb Request list page successfully	SKIPPED	0.000 s
6	And User verifies fields on the Job Request list page	SKIPPED	0.000 s
	AFTER - TestStepdef.Stepdef.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	image		
	+		

(S)- Recruitment field and error message validation

FAILED	DURATION - 0.145 s		Steps	
/ 3:29:19.040 PM // 3:29:19.185 PM /			Total - 5	
Checking Recruitment functionality			Pass - 0	5
@RegressionTest			Fail - 1	
			Skip - 4	

#	Step / Hook Details	Status	Duration
1	Given User is on Job Request page	FAILED	0.014 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id='tab1']/div/div/div/div/div[1]/div[1]"} (Session info: chrome=104.0.5112.81) For documentation on this error, please visit: https://selenium.dev/		

| #	Step / Hook Details	Status	Duration

	exceptions/#no_such_element Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-KASTHURI', ip: '192.168.0.187', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [aad26ec9f020a31b0ecd48ae2b76e862, findElement {using=xpath, value=//*[@id='tab1']/div/div/div/div/div/ div[1]/div[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.81, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:58832}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58832/devtoo..., se:cdpVersion: 104.0.5112.81, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: aad26ec9f020a31b0ecd48ae2b76e862
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619)
	  at org.openqa.selenium.remote.RemoteWebDriver$Mechanism$2.findElement(RemoteWebDriver.java:1258)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:386)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380)
	  at TestStepdef.Stepdef.user_is_on_job_request_page(Stepdef.java:238)
	  at ?.User is on Job Request page(file:///C:/TestProject/src/test/resources/Features/JobRequest.feature:16)
	* Not displayable characters are replaced by '?'.		

2	When User clicks on New Job Request button	SKIPPED	0.000 s
3	Then User will be redirected to Add job request page	SKIPPED	0.000 s
4	And User verifies fields on add job request page	SKIPPED	0.000 s
5	And User clicks on the Save button without entering the mandatory fields and verifies error meassage	SKIPPED	0.000 s
	AFTER - TestStepdef.Stepdef.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.130 s

(S)- Filling Job Request creation

FAILED	DURATION - 13.643 s
	/ 3:29:19.202 PM // 3:29:32.845 PM /
	Checking Recruitment functionality
	@SmokeTest

Steps

Total - 6
Pass - 1
Fail - 1
Skip - 4

6

#	Step / Hook Details	Status	Duration
1	Given User navigate to the Recruitment page by logging in Hireprous page	PASSED	11.493 s
2	When User clicks on Recruitment from top	FAILED	2.026 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id='recruitment']"}   (Session info: chrome=104.0.5112.81) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-KASTHURI', ip: '192.168.0.187', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [aad26ec9f020a31b0ecd48ae2b76e862, findElement {using=xpath, value=//*[@id='recruitment']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.81, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:58832}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58832/devtoo..., se:cdpVersion: 104.0.5112.81, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: aad26ec9f020a31b0ecd48ae2b76e862
  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)
  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619)
  at org.openqa.selenium.remote.RemoteWebDriver$Mechanism$2.findElement(RemoteWebDriver.java:1258)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:386)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380)
  at TestStepdef.Stepdef.user_clicks_on_recruitment_from_top(Stepdef.java:322)
  at ?.User clicks on Recruitment from top(file:///C:/TestProject/src/test/resources/Features/JobRequest.feature:26)
* Not displayable characters are replaced by '?'.

#	Step / Hook Details	Status	Duration
3	Then User will redirected to Recruitment process page	SKIPPED	0.000 s
4	And User clicks on Job Request tab	SKIPPED	0.000 s
5	And User clicks on the new Job Request button	SKIPPED	0.000 s
6	And User has to fill the details of Customer Name, Recruitment Role, Business Unit, No. of Openings, Location, Currency Type, Pay Range, Pay Frequency, Employment Type, Project Start Date, Placement For, Remote Working, Recruiter, Email, Firstname, Lastname, Location, Pay Range, Contract Duration,Job Description, Mandatory Skills, Optional Skills and save the Job request	SKIPPED	0.000 s
	AFTER - TestStepdef.Stepdef.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.120 s
	image		
	+		

(F)- Hireprous login

PASSED	DURATION - 32.463 s	Scenarios	Steps
/ 3:29:32.861 PM // 3:30:05.324 PM /		Total - 3 Pass - 3 Fail - 0 Skip - 0	Total - 11 Pass - 11 Fail - 0 Skip - 0

(S)- Login page field validation

PASSED	DURATION - 7.377 s		Steps
/ 3:29:32.861 PM // 3:29:40.238 PM /			Total - 3
Hireprous login			Pass - 3 Fail - 0
@RegressionTest			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User navigate to Hireprous page	PASSED	5.261 s

#	Step / Hook Details	Status	Duration
2	When user verifies Hireprous logo	PASSED	2.051 s
3	And User verifies login page fields	PASSED	0.062 s

(S)- Login to application with Invalid user credentials

PASSED	DURATION - 4.436 s		Steps
/ 3:29:40.242 PM // 3:29:44.678 PM /			Total - 4
			Pass - 4
Hireprous login			Fail - 0
@RegressionTest			Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given User is on the Hireprous page	PASSED	2.031 s
2	When User enters invalid username and password	PASSED	1.294 s
3	And User clicks on the Log IN button	PASSED	1.056 s
4	Then User verifes the error message for invalid credentials	PASSED	0.055 s

(S)- Login to application with valid user credentials

PASSED	DURATION - 20.636 s		Steps
/ 3:29:44.688 PM // 3:30:05.324 PM /			Total - 4
			Pass - 4
Hireprous login			Fail - 0
@SmokeTest			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User is on Hireprous login page	PASSED	2.038 s
2	When User enters username and password	PASSED	6.373 s
3	And User clicks on Log IN button	PASSED	4.039 s
4	Then User login must be successful	PASSED	8.185 s

(Step) AFTER - TestStepdef.Stepdef. addScreenshot(io.cucumber.java. Scenario)

(S) Recuruitment page field validation

(F) Checking Recruitment functionality

(Step) AFTER - TestStepdef.Stepdef. addScreenshot(io.cucumber.java. Scenario)

(S) Recruitment field and error message validation

(F) Checking Recruitment functionality

(Step) AFTER - TestStepdef.Stepdef.
addScreenshot(io.cucumber.java.
Scenario)

(S) Filling Job Request creation

(F) Checking Recruitment functionality

User Name - is invalid.

HIREPROUS

sangeetha@promantus.comsangee

••••••••••••••••••••••

Forgot Password?

LOGIN

promantus
services