Cucumber Report

| Start : Aug 10, 10:20:48.013 pm	End : Aug 10, 10:23:21.747 pm	Duration : 2 m 33.734 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 2 FAILED - 4 SKIPPED - 0	PASSED - 17 FAILED - 4 SKIPPED - 8

Features: 2 — Pass % 0 %

Scenarios: 6 — Pass % 33 %

Steps: 29 — Pass % 58 %

#	Feature Name	T	P	F	S	Duration
1	Checking Recruitment functionality	3	2	1	0	2 m 15.751 s
2	Hireprous login	3	0	3	0	17.971 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking Recruitment functionality	Recuruitment page field validation	6	6	0	0	46.652 s
2	Checking Recruitment functionality	Recruitment field and error message validation	5	5	0	0	18.198 s
3	Checking Recruitment functionality	Filling Job Request creation	7	6	1	0	1 m 10.839 s
4	Hireprous login	Login page field validation	3	0	1	2	17.894 s
5	Hireprous login	Login to application with Invalid user credentials	4	0	1	3	0.016 s
6	Hireprous login	Login to application with valid user credentials	4	0	1	3	0.021 s

(F)- Checking Recruitment functionality

| FAILED	DURATION - 2 m 15.751 s	Scenarios		Steps	
		Total - 3		Total - 18	
/ 10:20:48.013 pm // 10:23:03.764 pm /		Pass - 2	3	Pass - 17	18
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Recuruitment page field validation

PASSED	DURATION - 46.652 s		Steps	
/ 10:20:48.018 pm // 10:21:34.670 pm /			Total - 6	
Checking Recruitment functionality			Pass - 6	6
@RegressionTest			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User navigate to the Dashboard page by logging in Hireprous page	PASSED	33.951 s
2	When User clicks on Recruitment from top menu	PASSED	3.154 s
3	Then User will be redirected to Recruitment process page	PASSED	2.162 s
4	And User clicks on Job Request menu	PASSED	3.176 s
5	Then User will be redirected to the JOb Request list page successfully	PASSED	2.067 s
6	And User verifies fields on the Job Request list page	PASSED	2.082 s

(S)- Recruitment field and error message validation

| PASSED	DURATION - 18.198 s
/ 10:21:34.692 pm // 10:21:52.890 pm /	
Checking Recruitment functionality	
@RegressionTest	

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

5

| #	Step / Hook Details	Status	Duration
1	Given User is on Job Request page	PASSED	2.063 s
2	When User clicks on New Job Request button	PASSED	1.191 s
3	Then User will be redirected to Add job request page	PASSED	2.057 s
4	And User verifies fields on add job request page	PASSED	4.461 s
5	And User clicks on the Save button without entering the mandatory fields and verifies error meassage	PASSED	8.419 s

(S)- Filling Job Request creation

FAILED	DURATION - 1 m 10.839 s
/ 10:21:52.925 pm // 10:23:03.764 pm /	
Checking Recruitment functionality	
@SmokeTest	

Steps
Total - 7
Pass - 6
Fail - 1
Skip - 0

7

#	Step / Hook Details	Status	Duration
1	Given User navigate to the Recruitment page by logging in Hireprous page	PASSED	11.628 s
2	When User clicks on Recruitment from top	PASSED	3.095 s
3	Then User will redirected to Recruitment process page	PASSED	2.083 s
4	And User clicks on Job Request tab	PASSED	3.141 s
5	And User clicks on the new Job Request button	PASSED	3.143 s
6	And User has to fill the details of Customer Name, Recruitment Role, Business Unit, No. of Openings, Location, Currency Type, Pay Range, Pay Frequency, Employment Type, Project Start Date, Placement For, Remote Working, Recruiter, Email, Firstname, Lastname, Location, Pay Range, Contract Duration,Job Description, Mandatory Skills, Optional Skills and save the	PASSED	47.735 s

#	Step / Hook Details	Status	Duration
	Job request		
7	And User verify the added Job Request by searching	FAILED	0.007 s

	io.cucumber.java.PendingException: TODO: implement me
	    at TestStepdef.Stepdef.user_verify_the_added_job_request_by_searching(Stepdef.java:419)
	    at ?.User verify the added Job Request by searching(file:///D:/eclipse-workspace/TestProject/src/test/resources/Features/JobRequest.feature:31)
	* Not displayable characters are replaced by '?'.		

(F)- Hireprous login

FAILED	DURATION - 17.971 s	Scenarios		Steps	
		Total - 3		Total - 11	
/ 10:23:03.776 pm // 10:23:21.747 pm /		Pass - 0	3	Pass - 0	11
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 8	

(S)- Login page field validation

FAILED	DURATION - 17.894 s		Steps	
/ 10:23:03.776 pm // 10:23:21.670 pm /			Total - 3	
Hireprous login			Pass - 0 Fail - 1	3
@RegressionTest			Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given User navigate to Hireprous page	FAILED	17.868 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=103.0.5060.134) Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-NAGESH', ip: '192.168.43.106', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d95c6536a5204f73f44e687c420a2082, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.134, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:59608}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59608/devtoo..., se:cdpVersion: 103.0.5060.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		

#	Step / Hook Details	Status	Duration

	webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d95c6536a5204f73f44e687c420a2082
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:674)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:678)
	  at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.maximize(RemoteWebDriver.java:983)
	  at TestStepdef.Stepdef.user_navigate_to_hireprous_page(Stepdef.java:51)
	  at ?.User navigate to Hireprous page(file:///D:/eclipse-workspace/TestProject/src/test/resources/Features/Loginpage.feature:6)
	* Not displayable characters are replaced by '?'.		

2	When user verifies Hireprous logo	SKIPPED	0.002 s
3	And User verifies login page fields	SKIPPED	0.000 s
	AFTER - TestStepdef.Stepdef.addScreenshot(io.cucumber.java.Scenario)	FAILED	0.021 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=103.0.5060.134) Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-NAGESH', ip: '192.168.43.106', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [d95c6536a5204f73f44e687c420a2082, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.134, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:59608}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59608/devtoo..., se:cdpVersion: 103.0.5060.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d95c6536a5204f73f44e687c420a2082
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:674) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:678) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:354) at TestStepdef.Stepdef.addScreenshot(Stepdef.java:39)		

(S)- Login to application with Invalid user credentials

FAILED	DURATION - 0.016 s
/ 10:23:21.691 pm // 10:23:21.707 pm /	
Hireprous login	
@RegressionTest	

Steps
Total - 4
Pass - 0
Fail - 1
Skip - 3

4

#	Step / Hook Details	Status	Duration
1	Given User is on the Hireprous page	FAILED	0.005 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=103.0.5060.134) Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-NAGESH', ip: '192.168.43.106', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [d95c6536a5204f73f44e687c420a2082, findElement {using=xpath, value=//*[@id='hirepro']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.134, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:59608}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59608/devtoo..., se:cdpVersion: 103.0.5060.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d95c6536a5204f73f44e687c420a2082
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619) at org.openqa.selenium.remote.RemoteWebDriver$Mechanism$2.findElement(RemoteWebDriver.java:1258) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:386) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380) at TestStepdef.Stepdef.user_is_on_the_hireprous_page(Stepdef.java:71) at ?.User is on the Hireprous page(file:///D:/eclipse-workspace/TestProject/src/test/resources/Features/Loginpage.feature:13) * Not displayable characters are replaced by '?'.		
2	When User enters invalid username and password	SKIPPED	0.000 s
3	And User clicks on the Log IN button	SKIPPED	0.000 s
4	Then User verifes the error message for invalid credentials	SKIPPED	0.000 s
	AFTER - TestStepdef.Stepdef.addScreenshot(io.cucumber.java.Scenario)	FAILED	0.007 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=103.0.5060.134) Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-NAGESH', ip: '192.168.43.106', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [d95c6536a5204f73f44e687c420a2082, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.134, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:59608}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59608/devtoo..., se:cdpVersion: 103.0.5060.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d95c6536a5204f73f44e687c420a2082 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:674) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:678) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:354) at TestStepdef.Stepdef.addScreenshot(Stepdef.java:39)		

(S)- Login to application with valid user credentials

				Steps
FAILED	*DURATION - 0.021 s*			Total - 4
/ 10:23:21.726 pm // 10:23:21.747 pm /				Pass - 0
Hireprous login				Fail - 1
@SmokeTest				Skip - 3

#	Step / Hook Details	Status	Duration
1	Given User is on Hireprous login page	FAILED	0.004 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=103.0.5060.134) Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-NAGESH', ip: '192.168.43.106', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [d95c6536a5204f73f44e687c420a2082, findElement {using=xpath, value=//*[@id='hirepro']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.134, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:59608}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59608/devtoo..., se:cdpVersion: 103.0.5060.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d95c6536a5204f73f44e687c420a2082
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619)
	   at org.openqa.selenium.remote.RemoteWebDriver$Mechanism$2.findElement(RemoteWebDriver.java:1258)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:386)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380)
	   at TestStepdef.Stepdef.user_is_on_hireprous_login_page(Stepdef.java:109)
	   at ?.User is on Hireprous login page(file:///D:/eclipse-workspace/TestProject/src/test/resources/Features/Loginpage.feature:22)
	* Not displayable characters are replaced by '?'.		

2	When User enters username and password	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
3	And User clicks on Log IN button	SKIPPED	0.000 s
4	Then User login must be successful	SKIPPED	0.003 s
	AFTER - TestStepdef.Stepdef.addScreenshot(io.cucumber.java.Scenario)	FAILED	0.010 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=103.0.5060.134) Build info: version: '4.0.0-beta-3', revision: '5d108f9a67' System info: host: 'PRO-NAGESH', ip: '192.168.43.106', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [d95c6536a5204f73f44e687c420a2082, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.134, chrome: {chromedriverVersion: 103.0.5060.53 (a1711811edd7..., userDataDir: C:\Users\PROMAN~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:59608}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59608/devtoo..., se:cdpVersion: 103.0.5060.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d95c6536a5204f73f44e687c420a2082
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:198)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:153)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:619)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:674)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:678)
	  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:354)
	  at TestStepdef.Stepdef.addScreenshot(Stepdef.java:39)		